

Tabel (19)

Nama	Tipe	Skema
cache		CREATE TABLE "cache" ("key" varchar not null, "value" text not null, "expiration" integer not null, primary key ("key"))
key	varchar	"key" varchar NOT NULL
value	text	"value" text NOT NULL
expiration	integer	"expiration" integer NOT NULL
cache_locks		CREATE TABLE "cache_locks" ("key" varchar not null, "owner" varchar not null, "expiration" integer not null, primary key ("key"))
key	varchar	"key" varchar NOT NULL
owner	varchar	"owner" varchar NOT NULL
expiration	integer	"expiration" integer NOT NULL
dudis		CREATE TABLE "dudis" ("id" integer primary key autoincrement not null, "nama_dudi" varchar not null, "alamat" text not null, "kontak" varchar not null, "zona" varchar not null, "status_mou" varchar check ("status_mou" in ('aktif', 'tidak_aktif', 'proses')) not null, "created_at" datetime, "updated_at" datetime)
id	integer	"id" integer NOT NULL
nama_dudi	varchar	"nama_dudi" varchar NOT NULL
alamat	text	"alamat" text NOT NULL
kontak	varchar	"kontak" varchar NOT NULL
zona	varchar	"zona" varchar NOT NULL
status_mou	varchar	"status_mou" varchar NOT NULL CHECK("status_mou" IN ('aktif', 'tidak_aktif', 'proses'))
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
failed_jobs		CREATE TABLE "failed_jobs" ("id" integer primary key autoincrement not null, "uuid" varchar not null, "connection" varchar not null, "queue" varchar not null, "payload" text not null, "exception" text not null, "failed_at" datetime not null default CURRENT_TIMESTAMP)
id	integer	"id" integer NOT NULL
uuid	varchar	"uuid" varchar NOT NULL
connection	varchar	"connection" varchar NOT NULL
queue	varchar	"queue" varchar NOT NULL
payload	text	"payload" text NOT NULL
exception	text	"exception" text NOT NULL
failed_at	datetime	"failed_at" datetime NOT NULL DEFAULT CURRENT_TIMESTAMP
gurus		CREATE TABLE "gurus" ("id" integer primary key autoincrement not null, "user_id" integer not null, "nama_guru" varchar not null, "nip" varchar, "created_at" datetime, "updated_at" datetime, foreign key("user_id") references "users"("id") on delete cascade)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
nama_guru	varchar	"nama_guru" varchar NOT NULL
nip	varchar	"nip" varchar

Nama	Tipe	Skema
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
instrukturs		CREATE TABLE "instrukturs" ("id" integer primary key autoincrement not null, "dudi_id" integer not null, "nama_instruktur" varchar not null, "jabatan" varchar not null, "kontak_instruktur" varchar not null, "created_at" datetime, "updated_at" datetime, foreign key("dudi_id") references "dudis"("id") on delete cascade)
id	integer	"id" integer NOT NULL
dudi_id	integer	"dudi_id" integer NOT NULL
nama_instruktur	varchar	"nama_instruktur" varchar NOT NULL
jabatan	varchar	"jabatan" varchar NOT NULL
kontak_instruktur	varchar	"kontak_instruktur" varchar NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
job_batches		CREATE TABLE "job_batches" ("id" varchar not null, "name" varchar not null, "total_jobs" integer not null, "pending_jobs" integer not null, "failed_jobs" integer not null, "failed_job_ids" text not null, "options" text, "cancelled_at" integer, "created_at" integer not null, "finished_at" integer, primary key ("id"))
id	varchar	"id" varchar NOT NULL
name	varchar	"name" varchar NOT NULL
total_jobs	integer	"total_jobs" integer NOT NULL
pending_jobs	integer	"pending_jobs" integer NOT NULL
failed_jobs	integer	"failed_jobs" integer NOT NULL
failed_job_ids	text	"failed_job_ids" text NOT NULL
options	text	"options" text
cancelled_at	integer	"cancelled_at" integer
created_at	integer	"created_at" integer NOT NULL
finished_at	integer	"finished_at" integer
jobs		CREATE TABLE "jobs" ("id" integer primary key autoincrement not null, "queue" varchar not null, "payload" text not null, "attempts" integer not null, "reserved_at" integer, "available_at" integer not null, "created_at" integer not null)
id	integer	"id" integer NOT NULL
queue	varchar	"queue" varchar NOT NULL
payload	text	"payload" text NOT NULL
attempts	integer	"attempts" integer NOT NULL
reserved_at	integer	"reserved_at" integer
available_at	integer	"available_at" integer NOT NULL
created_at	integer	"created_at" integer NOT NULL
migrations		CREATE TABLE "migrations" ("id" integer primary key autoincrement not null, "migration" varchar not null, "batch" integer not null)
id	integer	"id" integer NOT NULL
migration	varchar	"migration" varchar NOT NULL
batch	integer	"batch" integer NOT NULL

Nama	Tipe	Skema
password_reset_tokens		CREATE TABLE "password_reset_tokens" ("email" varchar not null, "token" varchar not null, "created_at" datetime, primary key ("email"))
email	varchar	"email" varchar NOT NULL
token	varchar	"token" varchar NOT NULL
created_at	datetime	"created_at" datetime
pemberangkatans		CREATE TABLE "pemberangkatans" ("id" integer primary key autoincrement not null, "dudi_id" integer not null, "guru_id" integer, "tanggal_pemberangkatan" varchar, "status" varchar not null, "created_at" datetime, "updated_at" datetime, foreign key("dudi_id") references "dudis"("id") on delete cascade, foreign key("guru_id") references "users"("id") on delete set null)
id	integer	"id" integer NOT NULL
dudi_id	integer	"dudi_id" integer NOT NULL
guru_id	integer	"guru_id" integer
tanggal_pemberangkatan	varchar	"tanggal_pemberangkatan" varchar
status	varchar	"status" varchar NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
pengantarans		CREATE TABLE "pengantarans" ("id" integer primary key autoincrement not null, "dudi_id" integer not null, "guru_id" integer, "tanggal_pengantaran" varchar, "status" varchar not null, "created_at" datetime, "updated_at" datetime, foreign key("guru_id") references users("id") on delete set null on update no action, foreign key("dudi_id") references dudis("id") on delete cascade on update no action)
id	integer	"id" integer NOT NULL
dudi_id	integer	"dudi_id" integer NOT NULL
guru_id	integer	"guru_id" integer
tanggal_pengantaran	varchar	"tanggal_pengantaran" varchar
status	varchar	"status" varchar NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
presensi_lemkurs		CREATE TABLE "presensi_lemkurs" ("id" integer primary key autoincrement not null, "siswa_id" integer not null, "tanggal" date not null, "jam_masuk" time, "jam_pulang" time, "latitude_masuk" varchar, "longitude_masuk" varchar, "latitude_pulang" varchar, "longitude_pulang" varchar, "foto_masuk" text, "foto_pulang" text, "jumlah_menit" integer, "created_at" datetime, "updated_at" datetime, foreign key("siswa_id") references "siswas"("id") on delete cascade)
id	integer	"id" integer NOT NULL
siswa_id	integer	"siswa_id" integer NOT NULL
tanggal	date	"tanggal" date NOT NULL
jam_masuk	time	"jam_masuk" time
jam_pulang	time	"jam_pulang" time
latitude_masuk	varchar	"latitude_masuk" varchar
longitude_masuk	varchar	"longitude_masuk" varchar

Nama	Tipe	Skema
latitude_pulang	varchar	"latitude_pulang" varchar
longitude_pulang	varchar	"longitude_pulang" varchar
foto_masuk	text	"foto_masuk" text
foto_pulang	text	"foto_pulang" text
jumlah_menit	integer	"jumlah_menit" integer
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
presensis		CREATE TABLE "presensis" ("id" integer primary key autoincrement not null, "siswa_id" integer not null, "tanggal" date not null, "jam_masuk" time, "jam_pulang" time, "latitude_masuk" varchar, "longitude_masuk" varchar, "latitude_pulang" varchar, "longitude_pulang" varchar, "foto_masuk" varchar, "foto_pulang" varchar, "status" varchar check ("status" in ('Hadir', 'Izin', 'Sakit', 'Alfa'))) not null default 'Alfa', "created_at" datetime, "updated_at" datetime, foreign key("siswa_id") references "siswas"("id") on delete cascade)
id	integer	"id" integer NOT NULL
siswa_id	integer	"siswa_id" integer NOT NULL
tanggal	date	"tanggal" date NOT NULL
jam_masuk	time	"jam_masuk" time
jam_pulang	time	"jam_pulang" time
latitude_masuk	varchar	"latitude_masuk" varchar
longitude_masuk	varchar	"longitude_masuk" varchar
latitude_pulang	varchar	"latitude_pulang" varchar
longitude_pulang	varchar	"longitude_pulang" varchar
foto_masuk	varchar	"foto_masuk" varchar
foto_pulang	varchar	"foto_pulang" varchar
status	varchar	"status" varchar NOT NULL DEFAULT 'Alfa' CHECK("status" IN ('Hadir', 'Izin', 'Sakit', 'Alfa'))
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
sessions		CREATE TABLE "sessions" ("id" varchar not null, "user_id" integer, "ip_address" varchar, "user_agent" text, "payload" text not null, "last_activity" integer not null, primary key ("id"))
id	varchar	"id" varchar NOT NULL
user_id	integer	"user_id" integer
ip_address	varchar	"ip_address" varchar
user_agent	text	"user_agent" text
payload	text	"payload" text NOT NULL
last_activity	integer	"last_activity" integer NOT NULL
settings		CREATE TABLE "settings" ("id" integer primary key autoincrement not null, "key" varchar not null, "value" varchar not null, "created_at" datetime, "updated_at" datetime)
id	integer	"id" integer NOT NULL
key	varchar	"key" varchar NOT NULL
value	varchar	"value" varchar NOT NULL

Nama	Tipe	Skema
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
siswas		CREATE TABLE "siswas" ("id" integer primary key autoincrement not null, "user_id" integer not null, "guru_id" integer, "dudi_id" integer, "instruktur_id" integer, "nis" varchar, "nisn" varchar not null, "nama_lengkap" varchar not null, "nik_ktp" varchar, "kelas" varchar not null, "konsentrasi_keahlian" varchar not null, "status_pkl" varchar check ("status_pkl" in ('belum', 'aktif', 'selesai')) not null default 'belum', "created_at" datetime, "updated_at" datetime, foreign key("user_id") references "users"("id") on delete cascade, foreign key("guru_id") references "gurus"("id") on delete set null, foreign key("dudi_id") references "dudis"("id") on delete set null, foreign key("instruktur_id") references "instrukturs"("id") on delete set null)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
guru_id	integer	"guru_id" integer
dudi_id	integer	"dudi_id" integer
instruktur_id	integer	"instruktur_id" integer
nis	varchar	"nis" varchar
nisn	varchar	"nisn" varchar NOT NULL
nama_lengkap	varchar	"nama_lengkap" varchar NOT NULL
nik_ktp	varchar	"nik_ktp" varchar
kelas	varchar	"kelas" varchar NOT NULL
konsentrasi_keahlian	varchar	"konsentrasi_keahlian" varchar NOT NULL
status_pkl	varchar	"status_pkl" varchar NOT NULL DEFAULT 'belum' CHECK("status_pkl" IN ('belum', 'aktif', 'selesai'))
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
users		CREATE TABLE "users" ("id" integer primary key autoincrement not null, "name" varchar not null, "email" varchar not null, "email_verified_at" datetime, "password" varchar not null, "remember_token" varchar, "created_at" datetime, "updated_at" datetime, "role" varchar check ("role" in ('admin', 'guru', 'siswa')) not null default 'siswa')
id	integer	"id" integer NOT NULL
name	varchar	"name" varchar NOT NULL
email	varchar	"email" varchar NOT NULL
email_verified_at	datetime	"email_verified_at" datetime
password	varchar	"password" varchar NOT NULL
remember_token	varchar	"remember_token" varchar
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
role	varchar	"role" varchar NOT NULL DEFAULT 'siswa' CHECK("role" IN ('admin', 'guru', 'siswa'))

Indeks (11)

Nama	Tipe	Skema
cache_expiration_index		CREATE INDEX "cache_expiration_index" on "cache" ("expiration")
expiration		"expiration"
cache_locks_expiration_index		CREATE INDEX "cache_locks_expiration_index" on "cache_locks" ("expiration")
expiration		"expiration"
failed_jobs_connection_queue_failed_at_index		CREATE INDEX "failed_jobs_connection_queue_failed_at_index" on "failed_jobs" ("connection", "queue", "failed_at")
connection		"connection"
queue		"queue"
failed_at		"failed_at"
failed_jobs_uuid_unique		CREATE UNIQUE INDEX "failed_jobs_uuid_unique" on "failed_jobs" ("uuid")
uuid		"uuid"
gurus_nip_unique		CREATE UNIQUE INDEX "gurus_nip_unique" on "gurus" ("nip")
nip		"nip"
jobs_queue_index		CREATE INDEX "jobs_queue_index" on "jobs" ("queue")
queue		"queue"
sessions_last_activity_index		CREATE INDEX "sessions_last_activity_index" on "sessions" ("last_activity")
last_activity		"last_activity"
sessions_user_id_index		CREATE INDEX "sessions_user_id_index" on "sessions" ("user_id")
user_id		"user_id"
settings_key_unique		CREATE UNIQUE INDEX "settings_key_unique" on "settings" ("key")
key		"key"
siswas_nisn_unique		CREATE UNIQUE INDEX "siswas_nisn_unique" on "siswas" ("nisn")
nisn		"nisn"
users_email_unique		CREATE UNIQUE INDEX "users_email_unique" on "users" ("email")
email		"email"

View (0)

Nama	Tipe	Skema
------	------	-------

Trigger (0)

Nama	Tipe	Skema
------	------	-------