```
Protocol Length Info
                        Source
                                              Destination
      1 0.000000
                                                                                      40824 → 9000 [SYN] Seq=0 Win=65495 Len=0
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              74
MSS=65495 SACK_PERM=1 TSval=2430866740 TSecr=0 WS=128
Frame 1: 74 bytes on wire (592 bits), 74 bytes captured (592 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 0, Len: 0
                                                                     Protocol Length Info
No.
       Time
                       Source
                                              Destination
      2 0.000015
                                                                                      9000 \rightarrow 40824 [SYN, ACK] Seq=0 Ack=1
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              74
Win=65483 Len=0 MSS=65495 SACK_PERM=1 TSval=2430866740 TSecr=2430866740 WS=128
Frame 2: 74 bytes on wire (592 bits), 74 bytes captured (592 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 0, Ack: 1, Len: 0
No.
        Time
                       Source
                                              Destination
                                                                     Protocol Length Info
      3 0.000027
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              66
                                                                                      40824 \rightarrow 9000 [ACK] Seq=1 Ack=1 Win=65536
Len=0 TSval=2430866740 TSecr=2430866740
Frame 3: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 1, Ack: 1, Len: 0
No.
        Time
                        Source
                                              Destination
                                                                     Protocol Length Info
      4 0.000186
                        127.0.0.1
                                              127.0.0.1
                                                                              80
                                                                                      40824 \rightarrow 9000 [PSH, ACK] Seq=1 Ack=1
Win=65536 Len=14 TSval=2430866741 TSecr=2430866740
Frame 4: 80 bytes on wire (640 bits), 80 bytes captured (640 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 1, Ack: 1, Len: 14
Data (14 bytes)
0000 34 20 20 20 20 20 20 20 20 69 76 61 6e
                                                                    ivan
                                              Destination
                                                                     Protocol Length Info
No.
        Time
                        Source
      5 0.000194
                                                                                      9000 \rightarrow 40824 [ACK] Seq=1 Ack=15 Win=65536
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              66
Len=0 TSval=2430866741 TSecr=2430866741
Frame 5: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 1, Ack: 15, Len: 0
        Time
                                              Destination
No.
                       Source
                                                                     Protocol Length Info
      6 0.000289
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              80
                                                                                      9000 \rightarrow 40824 [PSH, ACK] Seq=1 Ack=15
Win=65536 Len=14 TSval=2430866741 TSecr=2430866741
Frame 6: 80 bytes on wire (640 bits), 80 bytes captured (640 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 1, Ack: 15, Len: 14
Data (14 bytes)
0000
      34 20 20 20 20 20 20 20 20 69 76 61 6e
                                                          4
No.
        Time
                        Source
                                              Destination
                                                                     Protocol Length Info
      7 0.000299
                                                                                      40824 \rightarrow 9000 [ACK] Seq=15 Ack=15 Win=65536
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              66
Len=0 TSval=2430866741 TSecr=2430866741
Frame 7: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 15, Ack: 15, Len: 0
                                                                     Protocol Length Info
        Time
                       Source
                                              Destination
No.
      8 6.135488
                                                                     TCP
                                                                              74
                                                                                      40826 \rightarrow 9000 [SYN] Seq=0 Win=65495 Len=0
                        127.0.0.1
                                              127.0.0.1
MSS=65495 SACK_PERM=1 TSval=2430872876 TSecr=0 WS=128
Frame 8: 74 bytes on wire (592 bits), 74 bytes captured (592 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 0, Len: 0
                       Source
                                              Destination
                                                                     Protocol Length Info
No.
        Time
                                                                                      9000 \rightarrow 40826 [SYN, ACK] Seq=0 Ack=1
      9 6.135501
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              74
Win=65483 Len=0 MSS=65495 SACK_PERM=1 TSval=2430872876 TSecr=2430872876 WS=128
Frame 9: 74 bytes on wire (592 bits), 74 bytes captured (592 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 0, Ack: 1, Len: 0
        Time
                       Source
                                              Destination
                                                                     Protocol Length Info
No.
                                              127.0.0.1
                                                                                      40826 \rightarrow 9000 [ACK] Seq=1 Ack=1 Win=65536
     10 6.135513
                        127.0.0.1
Len=0 TSval=2430872876 TSecr=2430872876
Frame 10: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 1, Ack: 1, Len: 0
                                              Destination
No.
        Time
                        Source
                                                                     Protocol Length Info
     11 6.135561
                        127.0.0.1
                                              127.0.0.1
                                                                                      40826 \rightarrow 9000 [PSH, ACK] Seq=1 Ack=1
Win=65536 Len=14 TSval=2430872876 TSecr=2430872876
Frame 11: 80 bytes on wire (640 bits), 80 bytes captured (640 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 1, Ack: 1, Len: 14
Data (14 bytes)
0000 34 20 20 20 20 20 20 20 20 65 67 6f 72
                                                                    egor
        Time
                                              Destination
No.
                        Source
                                                                     Protocol Length Info
     12 6.135566
                        127.0.0.1
                                              127.0.0.1
                                                                     TCP
                                                                              66
                                                                                      9000 \rightarrow 40826 [ACK] Seq=1 Ack=15 Win=65536
Len=0 TSval=2430872876 TSecr=2430872876
Frame 12: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
```

Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 1, Ack: 15, Len: 0

```
Destination
                       Source
                                                                    Protocol Length Info
                                                                                     9000 \rightarrow 40826 [PSH, ACK] Seq=1 Ack=15
     13 6.135665
                       127.0.0.1
                                              127.0.0.1
                                                                    TCP
                                                                             80
Win=65536 Len=14 TSval=2430872876 TSecr=2430872876
Frame 13: 80 bytes on wire (640 bits), 80 bytes captured (640 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 1, Ack: 15, Len: 14
Data (14 bytes)
     34 20 20 20 20 20 20 20 20 20 65 67 6f 72
0000
                                                                   egor
No.
       Time
                       Source
                                              Destination
                                                                    Protocol Length Info
                                                                                    40826 \rightarrow 9000 [ACK] Seq=15 Ack=15 Win=65536
     14 6.135673
                       127.0.0.1
                                              127.0.0.1
                                                                    TCP
                                                                             66
Len=0 TSval=2430872876 TSecr=2430872876
Frame 14: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 15, Ack: 15, Len: 0
        Time
                       Source
                                              Destination
                                                                    Protocol Length Info
     15 6.135700
                       127.0.0.1
                                              127.0.0.1
                                                                             105
                                                                                     9000 \rightarrow 40826 [PSH, ACK] Seq=15 Ack=15
Win=65536 Len=39 TSval=2430872876 TSecr=2430872876
Frame 15: 105 bytes on wire (840 bits), 105 bytes captured (840 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 15, Ack: 15, Len: 39
Data (39 bytes)
0000 34 20 20 20 20 20 20 20 20 68 6f 73 74 31 20
                                                                   host1
0010
     20 20 20 20 20 20 20 20 31 34 20 20 20 20 20 20
                                                                 14
0020
     20 20 20 69 76 61 6e
                                                            ivan
        Time
                       Source
                                              Destination
                                                                    Protocol Length Info
     16 6.135705
                       127.0.0.1
                                              127.0.0.1
                                                                             66
                                                                                     40826 \rightarrow 9000 \text{ [ACK] Seq=15 Ack=54 Win=65536]}
                                                                    TCP
Len=0 TSval=2430872876 TSecr=2430872876
Frame 16: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 15, Ack: 54, Len: 0
       Time
                       Source
                                             Destination
                                                                    Protocol Length Info
No.
                                                                                    9000 → 40824 [PSH, ACK] Seq=15 Ack=15
     17 6.135716
                       127.0.0.1
                                                                    TCP
                                                                             105
                                              127.0.0.1
Win=65536 Len=39 TSval=2430872876 TSecr=2430866741
Frame 17: 105 bytes on wire (840 bits), 105 bytes captured (840 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 15, Ack: 15, Len: 39
Data (39 bytes)
0000
     34 20 20 20 20 20 20 20 20 20 68 6f 73 74 31 20
                                                                   host1
0010
     20 20 20 20 20 20 20 20 31 34 20 20 20 20 20 20
                                                                 14
0020
     20 20 20 65 67 6f 72
                                                            eaor
        Time
                       Source
                                              Destination
                                                                    Protocol Length Info
     18 6.135723
                       127.0.0.1
                                             127.0.0.1
                                                                    TCP
                                                                             66
                                                                                     40824 → 9000 [ACK] Seq=15 Ack=54 Win=65536
Len=0 TSval=2430872876 TSecr=2430872876
Frame 18: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 15, Ack: 54, Len: 0
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     19 10.414043
                                                                                    40824 → 9000 [PSH, ACK] Seq=15 Ack=54
                       127.0.0.1
                                              127.0.0.1
                                                                    TCP
                                                                             108
Win=65536 Len=42 TSval=2430877154 TSecr=2430872876
Frame 19: 108 bytes on wire (864 bits), 108 bytes captured (864 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 15, Ack: 54, Len: 42
Data (42 bytes)
0000
     34 20 20 20 20 20 20 20 20 20 69 76 61 6e 34 20
                                                                   ivan4
0010
     20 20 20 20 20 20 20 20 65 67 6f 72 34 20 20 20
                                                                 egor4
0020
     20 20 20 20 20 20 69 76 61 6e
                                                               ivan
                                              Destination
                                                                    Protocol Length Info
No.
       Time
                       Source
     20 10.414229
                       127.0.0.1
                                              127.0.0.1
                                                                    TCP
                                                                             108
                                                                                     9000 → 40826 [PSH, ACK] Seg=54 Ack=15
Win=65536 Len=42 TSval=2430877155 TSecr=2430872876
Frame 20: 108 bytes on wire (864 bits), 108 bytes captured (864 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 54, Ack: 15, Len: 42
Data (42 bytes)
0000
     34 20 20 20 20 20 20 20 20 20 69 76 61 6e 34 20
                                                                   ivan4
      20 20 20 20 20 20 20 20 65 67 6f 72 34 20 20 20
0010
                                                                 egor4
0020
     20 20 20 20 20 20 69 76 61 6e
                                                               ivan
                                                                    Protocol Length Info
No.
        Time
                       Source
                                              Destination
     21 10.414243
                       127.0.0.1
                                              127.0.0.1
                                                                    TCP
                                                                             66
                                                                                     40826 \rightarrow 9000 [ACK] Seq=15 Ack=96 Win=65536
Len=0 TSval=2430877155 TSecr=2430877155
Frame 21: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 15, Ack: 96, Len: 0
No.
        Time
                       Source
                                             Destination
                                                                    Protocol Length Info
     22 10.457561
                       127.0.0.1
                                              127.0.0.1
                                                                             66
                                                                                     9000 \rightarrow 40824 [ACK] Seq=54 Ack=57 Win=65536
                                                                    TCP
Len=0 TSval=2430877198 TSecr=2430877154
Frame 22: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
```

Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 54, Ack: 57, Len: 0

Destination

Protocol Length Info

No.

Time

Source

```
127.0.0.1
                                                                            106
                                                                                   40826 \rightarrow 9000 [PSH, ACK] Seq=15 Ack=96
     23 13 960693
                                             127.0.0.1
Win=65536 Len=40 TSval=2430880701 TSecr=2430877155
Frame 23: 106 bytes on wire (848 bits), 106 bytes captured (848 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 15, Ack: 96, Len: 40
Data (40 bytes)
0000 34 20 20 20 20 20 20 20 20 65 67 6f 72 34 20 4
                                                                  egor4
      20 20 20 20 20 20 20 20 69 76 61 6e 32 20 20 20
0010
                                                                ivan2
0020
     20 20 20 20 20 20 68 69
                                                              hi
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     24 13.960817
                       127.0.0.1
                                                                   TCP
                                                                            106
                                                                                   9000 → 40824 [PSH, ACK] Seq=54 Ack=57
                                             127.0.0.1
Win=65536 Len=40 TSval=2430880701 TSecr=2430877154
Frame 24: 106 bytes on wire (848 bits), 106 bytes captured (848 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 54, Ack: 57, Len: 40
Data (40 bytes)
0000
      34 20 20 20 20 20 20 20 20 20 65 67 6f 72 34 20
                                                                  egor4
      20 20 20 20 20 20 20 20 69 76 61 6e 32 20 20 20
0010
                                                                ivan2
0020
      20 20 20 20 20 20 68 69
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     25 13.960830
                       127.0.0.1
                                             127.0.0.1
                                                                   TCP
                                                                            66
                                                                                   40824 \rightarrow 9000 \text{ [ACK] Seq=57 Ack=94 Win=65536]}
Len=0 TSval=2430880701 TSecr=2430880701
Frame 25: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 57, Ack: 94, Len: 0
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
No.
     26 14.001582
                                                                                   9000 → 40826 [ACK] Seq=96 Ack=55 Win=65536
                       127.0.0.1
                                             127.0.0.1
                                                                   TCP
                                                                           66
Len=0 TSval=2430880742 TSecr=2430880701
Frame 26: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 96, Ack: 55, Len: 0
                                             Destination
                                                                   Protocol Length Info
        Time
                       Source
     27 15.965561
                                                                                   40826 \rightarrow 9000 [PSH, ACK] Seq=55 Ack=96
                       127.0.0.1
                                             127.0.0.1
                                                                   TCP
                                                                            110
Win=65536 Len=44 TSval=2430882706 TSecr=2430880742
Frame 27: 110 bytes on wire (880 bits), 110 bytes captured (880 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 55, Ack: 96, Len: 44
Data (44 bytes)
0000
      34 20 20 20 20 20 20 20 20 20 65 67 6f 72 34 20
                                                                  egor4
ivan6
0020 20 20 20 20 20 20 70 72 69 76 65 74
                                                              privet
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
                       127.0.0.1
     28 15.965582
                                                                            66
                                                                                   9000 \rightarrow 40826 [ACK] Seq=96 Ack=99 Win=65536
                                             127.0.0.1
                                                                   TCP
Len=0 TSval=2430882706 TSecr=2430882706
Frame 28: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 96, Ack: 99, Len: 0
                                                                   Protocol Length Info
No.
       Time
                      Source
                                             Destination
     29 15.965704
                       127.0.0.1
                                             127.0.0.1
                                                                   TCP
                                                                            110
                                                                                   9000 → 40824 [PSH, ACK] Seq=94 Ack=57
Win=65536 Len=44 TSval=2430882706 TSecr=2430880701
Frame 29: 110 bytes on wire (880 bits), 110 bytes captured (880 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 94, Ack: 57, Len: 44
Data (44 bytes)
0000 34 20 20 20 20 20 20 20 20 65 67 6f 72 34 20
                                                                  egor4
      20 20 20 20 20 20 20 20 69 76 61 6e 36 20 20 20
0010
                                                                ivan6
0020 20 20 20 20 20 20 70 72 69 76 65 74
                                                              privet
No.
        Time
                       Source
                                             Destination
                                                                   Protocol Length Info
     30 15.965714
                       127.0.0.1
                                             127.0.0.1
                                                                   TCP
                                                                            66
                                                                                   40824 → 9000 [ACK] Seg=57 Ack=138 Win=65536
Len=0 TSval=2430882706 TSecr=2430882706
Frame 30: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 57, Ack: 138, Len: 0
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
No.
                                                                                   40826 \rightarrow 9000 [PSH, ACK] Seq=99 Ack=96
     31 17.640343
                       127.0.0.1
                                             127.0.0.1
                                                                            108
Win=65536 Len=42 TSval=2430884381 TSecr=2430882706
Frame 31: 108 bytes on wire (864 bits), 108 bytes captured (864 bits)
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00), Dst: 00:00:00:00:00 (00:00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40826, Dst Port: 9000, Seq: 99, Ack: 96, Len: 42
Data (42 bytes)
0000
      34 20 20 20 20 20 20 20 20 20 65 67 6f 72 34 20
                                                                  egor4
      20 20 20 20 20 20 20 20 69 76 61 6e 34 20 20 20
0010
                                                                ivan4
0020
      20 20 20 20 20 20 70 6f 6b 61
                                                              poka
       Time
                      Source
                                             Destination
                                                                   Protocol Length Info
No.
     32 17.640354
                       127.0.0.1
                                             127.0.0.1
                                                                                   9000 \rightarrow 40826 [ACK] Seq=96 Ack=141 Win=65536
Len=0 TSval=2430884381 TSecr=2430884381
Frame 32: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
```

Transmission Control Protocol, Src Port: 9000, Dst Port: 40826, Seq: 96, Ack: 141, Len: 0

Destination

Protocol Length Info

No.

Time

Source

```
33 17.640450
                                                                108
                                                                      9000 → 40824 [PSH, ACK] Seq=138 Ack=57
                   127.0.0.1
                                      127.0.0.1
Win=65536 Len=42 TSval=2430884381 TSecr=2430882706
Frame 33: 108 bytes on wire (864 bits), 108 bytes captured (864 bits)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 9000, Dst Port: 40824, Seq: 138, Ack: 57, Len: 42
Data (42 bytes)
0000 34 20 20 20 20 20 20 20 20 20 65 67 6f 72 34 20 4
                                                        egor4
ivan4
0020 20 20 20 20 20 70 6f 6b 61
                                                     poka
      Time
                   Source
                                      Destination
                                                         Protocol Length Info
    34 17.640458
                   127.0.0.1
                                                                66
                                                                      40824 → 9000 [ACK] Seg=57 Ack=180 Win=65536
                                      127.0.0.1
                                                         TCP
Len=0 TSval=2430884381 TSecr=2430884381
Frame 34: 66 bytes on wire (528 bits), 66 bytes captured (528 bits)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00)
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 40824, Dst Port: 9000, Seq: 57, Ack: 180, Len: 0
```