

a
OR(+1SD)=19.91, LRT p < 0.001
F1 inverse (feature overlap)
(1 / (1 + mean Fisher ratio))
No
(n=36)
Yes
(n=9)
b
OR(+1SD)=0.60, LRT p=0.184
F2 overlapping volume
(geom. mean of class-range overlap / span)
c
OR(+1SD)=1.16, LRT p=0.683
N1 borderline fraction
(nearest-neighbour label mismatch fraction)
d
OR(+1SD)=1.82, LRT p=0.169
N2 intra/inter NN ratio
(intra-class / inter-class NN distance)
e
OR(+1SD)=1.16, LRT p=0.676
C2 imbalance ratio
(computed as max/min class count)
f
OR(+1SD)=0.38, LRT p=0.267
T2 features / samples
(n_numeric_features / n_samples)
g
OR(+1SD)=2.24, LRT p=0.041
Missingness rate
(fraction of NA cells in predictors)
Yes: System 1 > XGB
No: System 1 ≤ XGB
System 1 vs XGB (Bal. Acc.)
1 AIDS event
2 Arrhythmia
3 Autism screen
4 BMT survival
5 Bangladesh PPD
6 Berlin appendicitis
7 Breast recur
8 CDC diabetes
9 CKD
10 CTG fetal status
11 Cervical biopsy
12 Challenge 2012 death
13 Challenge 2019 sepsis
14 Cirrhosis death
15 Cleveland heart
16 Coimbra breast
17 Dermatology
18 Diabetes130 readmit
19 ER CBC death
20 Early diabetes
21 Glioma GBM
22 HCV
23 Haberman survival
24 Heart failure
25 Hepatitis survival
26 Hip fracture eLOS
27 ILPD liver
28 METABRIC PAM50
29 MI lethal
30 Mammography
31 Maternal risk
32 Mexico COVID death
33 NHANES hypertension
34 Obesity class
35 Parkinson
36 Retinopathy
37 SPECTF heart
38 SUPPORT2 death
39 Thoracic 1y death
40 Thyroid
41 Thyroid recur
42 Vertebral path
43 WBC original
44 WDBC breast
45 WiDS2021 diabetes