




```
To access official Ubuntu documentation, please visit:
http://help.ubuntu.com/
No mail.
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 08:00:27:de:12:21
          inet addr:192.168.50.101  Bcast:192.168.255.255  Mask:255.255.255.0
          inet6 addr: fe80::a00:27ff:fedc:1221/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:2 errors:0 dropped:0 overruns:0 frame:0
          TX packets:52 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:128 (128.0 B)  TX bytes:5052 (4.9 KB)
          Base address:0xd020 Memory:f0200000-f0220000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:101 errors:0 dropped:0 overruns:0 frame:0
          TX packets:101 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:23573 (23.0 KB)  TX bytes:23573 (23.0 KB)

msfadmin@metasploitable:~$
```

```
pfSense [In esecuzione] - Oracle VM VirtualBox
File  Macchina  Visualizza  Inserimento  Dispositivi  Aiuto
The IPv4 OPT1 address has been set to 192.168.50.1/24
You can now access the webConfigurator by opening the following URL in your web
browser:
        http://192.168.50.1/

Press <ENTER> to continue.
VirtualBox Virtual Machine - Netgate Device ID: e1fa57ae3c9d42018267

*** Welcome to pfSense 2.7.2-RELEASE (amd64) on pfSense ***

WAN (wan)      -> em0      -> v4/DHCP4: 10.0.2.15/24
LAN (lan)      -> em1      -> v4: 192.168.32.1/24
LAN2 (opt1)    -> em2      -> v4: 192.168.50.1/24

0) Logout (SSH only)      9) pfTop
1) Assign Interfaces      10) Filter Logs
2) Set interface(s) IP address  11) Restart webConfigurator
3) Reset webConfigurator password  12) PHP shell + pfSense tools
4) Reset to factory defaults  13) Update from console
5) Reboot system          14) Enable Secure Shell (sshd)
6) Halt system            15) Restore recent configuration
7) Ping host              16) Restart PHP-FPM
8) Shell

Enter an option: 
```

Kali Linux [In esecuzione] - Oracle VM VirtualBox

File Macchina Visualizza Inserimento Dispositivi Aiuto

1 2 3

14:41

pfSense.home.arpa - Fire X Damn Vulnerable Web App (X +)

192.168.32.1/firewall_rules.php?if=lan

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

The firewall rule configuration has been changed.
The changes must be applied for them to take effect.

Apply Changes

Floating WAN LAN LAN2

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	1/159 KiB	*	*	*	LAN Address	80	*	*		Anti-Lockout Rule	
☒	0/0 B	IPv4 TCP	192.168.32.100	*	192.168.50.101	*	*	none			
☒	2/431 KiB	IPv4 *	LAN subnets	*	*	*	*	none		Default allow LAN to any rule	
☒	0/0 B	IPv6 *	LAN subnets	*	*	*	*	none		Default allow LAN IPv6 to any rule	

Add Add Delete Toggle Copy Save Separator

File Macchina Visualizza Inserimento Dispositivi Aiuto

To access official Ubuntu documentation, please visit:
<http://help.ubuntu.com/>
No mail.
msfadmin@metasploitable:~\$ ifconfig

eth0 Link encap:Ethernet HWaddr 08:00:27:de:12:21
inet addr:192.168.50.101 Bcast:192.168.255.255 Mask:255.255.255.0
inet6 addr: fe80::a00:27ff:fede:1221/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:2 errors:0 dropped:0 overruns:0 frame:0
TX packets:52 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:128 (128.0 B) TX bytes:5052 (4.9 KB)
Base address:0xd020 Memory:f0200000-f0220000

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:101 errors:0 dropped:0 overruns:0 frame:0
TX packets:101 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:23573 (23.0 KB) TX bytes:23573 (23.0 KB)

msfadmin@metasploitable:~\$

pfSense [In esecuzione] - Oracle VM VirtualBox

File Macchina Visualizza Inserimento Dispositivi Aiuto

The IPv4 OPT1 address has been set to 192.168.50.1/24
You can now access the webConfigurator by opening the following URL in your web browser:
<http://192.168.50.1/>

Press <ENTER> to continue.
VirtualBox Virtual Machine - Netgate Device ID: e1fa57ae3c9d42018267

*** Welcome to pfSense 2.7.2-RELEASE (amd64) on pfSense ***

WAN (wan) -> em0 -> v4/DHCP4: 10.0.2.15/24

LAN (lan) -> em1 -> v4: 192.168.32.1/24

LAN2 (opt1) -> em2 -> v4: 192.168.50.1/24

0) Logout (SSH only)

1) Assign Interfaces

2) Set interface(s) IP address

3) Reset webConfigurator password

4) Reset to factory defaults

5) Reboot system

6) Halt system

7) Ping host

8) Shell

9) pfTop

10) Filter Logs

11) Restart webConfigurator

12) PHP shell + pfSense tools

13) Update from console

14) Enable Secure Shell (sshd)

15) Restore recent configuration

16) Restart PHP-FPM

Enter an option:

