

```
File Actions Edit View Help
(kali@kali)-[~]
$ sudo su
[sudo] password for kali:
(kali@kali)-[/home/kali]
# cd /var/www/html

(kali@kali)-[/var/www/html]
# git clone https://github.com/digininja/DVWA
Cloning into 'DVWA' ...
remote: Enumerating objects: 4514, done.
remote: Counting objects: 100% (64/64), done.
remote: Compressing objects: 100% (53/53), done.
remote: Total 4514 (delta 23), reused 42 (delta 10), pack-reused 4450
Receiving objects: 100% (4514/4514), 2.27 MiB | 8.23 MiB/s, done.
Resolving deltas: 100% (2134/2134), done.

(kali@kali)-[/var/www/html]
#

(kali@kali)-[/var/www/html]
# chmod -R 777 DVWA/
chmod: invalid mode: '-R'
Try 'chmod --help' for more information.

(kali@kali)-[/var/www/html]
# chmod -r 777 DVWA/
chmod: invalid mode: '-r'
Try 'chmod --help' for more information.

(kali@kali)-[/var/www/html]
# chmod 777 DVWA/

(kali@kali)-[/var/www/html]
# chmod 777 DVWA -r
chmod: cannot access '777': No such file or directory

(kali@kali)-[/var/www/html]
# chmod DVWA -r 777
chmod: cannot access '777': No such file or directory

(kali@kali)-[/var/www/html]
# chmod DVWA/ -r 777
chmod: cannot access '777': No such file or directory

(kali@kali)-[/var/www/html]
# chmod DVWA/ 777 -r
chmod: cannot access '777': No such file or directory

(kali@kali)-[/var/www/html]
# chmod -r 777 DVWA/
chmod: cannot access '777': No such file or directory

(kali@kali)-[/var/www/html]
```

```
chmod -r 777 DVWA
chmod: cannot access '777': No such file or directory
```

```
(root@kali)-[/var/www/html]
# ls
DVWA index.html index.nginx-debian.html
```

```
(root@kali)-[/var/www/html]
# ls -a
. .. DVWA index.html index.nginx-debian.html
```

```
(root@kali)-[/var/www/html]
# ls -la
total 28
drwxr-xr-x  3 root root  4096 Apr 25 06:17 .
drwxr-xr-x  3 root root  4096 Nov 30 11:43 ..
d-wx-wx-wx 12 root root  4096 Apr 25 06:17 DVWA
-rw-r--r--  1 root root 10701 Nov 30 11:54 index.html
-rw-r--r--  1 root root   615 Nov 30 11:55 index.nginx-debian.html
```

```
(root@kali)-[/var/www/html]
# chmod -r 777 DVWA
chmod: cannot access '777': No such file or directory
```

```
(root@kali)-[/var/www/html]
# rm -rf DVWA
```

```
(root@kali)-[/var/www/html]
# git clone https://github.com/digininja/DVWA
Cloning into 'DVWA' ...
remote: Enumerating objects: 4514, done.
remote: Counting objects: 100% (64/64), done.
remote: Compressing objects: 100% (53/53), done.
remote: Total 4514 (delta 23), reused 42 (delta 10), pack-reused 4450
Receiving objects: 100% (4514/4514), 2.30 MiB | 7.49 MiB/s, done.
Resolving deltas: 100% (2118/2118), done.
```

```
(root@kali)-[/var/www/html]
# chmod -r 777 DVWA
chmod: cannot access '777': No such file or directory
```

```
(root@kali)-[/var/www/html]
# ls -la
total 28
drwxr-xr-x  3 root root  4096 Apr 25 06:20 .
drwxr-xr-x  3 root root  4096 Nov 30 11:43 ..
d-wx--x--x 12 root root  4096 Apr 25 06:20 DVWA
-rw-r--r--  1 root root 10701 Nov 30 11:54 index.html
-rw-r--r--  1 root root   615 Nov 30 11:55 index.nginx-debian.html
```

```
(root@kali)-[/var/www/html]
# chmod -r 777 DVWA/
chmod: cannot access '777': No such file or directory
```

```
(root@kali)-[/var/www/html]
```



```
drwxr-xr-x  3 root root  4096 Nov 30 11:43 ..
d-wx--x--x 12 root root  4096 Apr 25 06:20 DVWA
-rw-r--r--  1 root root 10701 Nov 30 11:54 index.html
-rw-r--r--  1 root root   615 Nov 30 11:55 index.nginx-debian.html
```

```
(root@kali)~[/var/www/html]
# chmod -r 777 DVWA/
chmod: cannot access '777': No such file or directory
```

```
(root@kali)~[/var/www/html]
# chmod -r +rwx DVWA/
chmod: cannot access '+rwx': No such file or directory
```

```
(root@kali)~[/var/www/html]
# [[200~chmod -R 777 DVWA~
zsh: bad pattern: ^[[200~chmod
```

```
(root@kali)~[/var/www/html]
# chmod -R 777 DVWA
chmod: invalid mode: '-R'
Try 'chmod --help' for more information.
```

```
(root@kali)~[/var/www/html]
# chmod -r 777 DVWA
chmod: invalid mode: '-r'
Try 'chmod --help' for more information.
```

```
(root@kali)~[/var/www/html]
# chmod -R 777 DVWA
```

```
(root@kali)~[/var/www/html]
# cd DVWA/config
```

```
(root@kali)~[/var/www/html/DVWA/config]
# cp config.inc.php.dist config.inc.php
```

```
(root@kali)~[/var/www/html/DVWA/config]
# nano config.inc.php
```

```
(root@kali)~[/var/www/html/DVWA/config]
# nano config.inc.php
```

```
(root@kali)~[/var/www/html/DVWA/config]
# service mysql start
```

```
(root@kali)~[/var/www/html/DVWA/config]
# mysql -u root -p
mysql Ver 15.1 Distrib 10.11.6-MariaDB, for debian-linux-gnu (x86_64) using EditLine wrapper
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
```

```
Usage: mysql [OPTIONS] [database]
```

```
Default options are read from the following files in the given order:
/etc/my.cnf /etc/mysql/my.cnf ~/.my.cnf
The following groups are read: mysql mariadb-client client client-server client-mariadb
```



```
default-auth (No default value)
binary-mode FALSE
connect-expired-password FALSE
```

```
(root@kali)-[/var/www/html/DVWA/config]
```

```
mysql -u root -p
```

```
Enter password:
```

```
Welcome to the MariaDB monitor.  Commands end with ; or \g.
```

```
Your MariaDB connection id is 31
```

```
Server version: 10.11.6-MariaDB-2 Debian n/a
```

```
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
```

```
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
MariaDB [(none)]> create user 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
Query OK, 0 rows affected (0.006 sec)
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
'> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
```

```
MariaDB [(none)]> create user 'kali'@'127.0.0.1' identified by 'kali';
```

```
ERROR 1396 (HY000): Operation CREATE USER failed for 'kali'@'127.0.0.1'
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
```

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

```
ali' ;
```

```
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
```



```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'kali'@'127.0.0.1' identified by 'kali'' at line 1
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
'>
'> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
'>
'> exit
'> Ctrl-C -- exit!
Aborted
```

```
(root@kali)-[/var/www/html/DVWA/config]
# mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 32
Server version: 10.11.6-MariaDB-2 Debian n/a
```

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
Query OK, 0 rows affected (0.015 sec)
```

```
MariaDB [(none)]> exit
Bye
```

```
(root@kali)-[/var/www/html/DVWA/config]
# service apache2 start
```

```
(root@kali)-[/var/www/html/DVWA/config]
# cd /etc/php/8.1/apache2
cd: no such file or directory: /etc/php/8.1/apache2
```

```
(root@kali)-[/var/www/html/DVWA/config]
# cd /etc/php/
```

```
(root@kali)-[/etc/php]
# ls
```

8.2

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
```

Query OK, 0 rows affected (0.015 sec)

```
MariaDB [(none)]> exit
```

Bye

```
(root@kali)-[/var/www/html/DVWA/config]
```

```
# service apache2 start
```

```
(root@kali)-[/var/www/html/DVWA/config]
```

```
# cd /etc/php/8.1/apache2
```

cd: no such file or directory: /etc/php/8.1/apache2

```
(root@kali)-[/var/www/html/DVWA/config]
```

```
# cd /etc/php/
```

```
(root@kali)-[/etc/php]
```

```
# ls
```

8.2

```
(root@kali)-[/etc/php]
```

```
# cd /etc/php/8.2/apache2
```

```
(root@kali)-[/etc/php/8.2/apache2]
```

```
# ls
```

```
(root@kali)-[/etc/php/8.2/apache2]
```

```
# nano php.ini
```

```
(root@kali)-[/etc/php/8.2/apache2]
```

```
# nano php.ini
```

```
(root@kali)-[/etc/php/8.2/apache2]
```

```
#
```


[Home](#)

Instructions

Setup / Reset DB

Brute Force

Command Injection

CSRF

File Inclusion

File Upload

Insecure CAPTCHA

SQL Injection

SQL Injection (Blind)

Weak Session IDs

XSS (DOM)

XSS (Reflected)

XSS (Stored)

CSP Bypass

JavaScript

Authorisation Bypass

Open HTTP Redirect

DVWA Security

PHP Info

About

Logout

Welcome to Damn Vulnerable Web Application!

Damn Vulnerable Web Application (DVWA) is a PHP/MySQL web application that is damn vulnerable. Its main goal is to be an aid for security professionals to test their skills and tools in a legal environment, help web developers better understand the processes of securing web applications and to aid both students & teachers to learn about web application security in a controlled class room environment.

The aim of DVWA is to **practice some of the most common web vulnerabilities**, with **various levels of difficulty**, with a simple straightforward interface.

General Instructions

It is up to the user how they approach DVWA. Either by working through every module at a fixed level, or selecting any module and working up to reach the highest level they can before moving onto the next one. There is not a fixed object to complete a module; however users should feel that they have successfully exploited the system as best as they possible could by using that particular vulnerability.

Please note, there are **both documented and undocumented vulnerability** with this software. This is intentional. You are encouraged to try and discover as many issues as possible.

There is a help button at the bottom of each page, which allows you to view hints & tips for that vulnerability. There are also additional links for further background reading, which relates to that security issue.

WARNING!

Damn Vulnerable Web Application is damn vulnerable! **Do not upload it to your hosting provider's public html folder or any Internet facing servers**, as they will be compromised. It is recommend using a virtual machine (such as [VirtualBox](#) or [VMware](#)), which is set to NAT networking mode. Inside a guest machine, you can download and install **XAMPP** for the web server and database.

Disclaimer

We do not take responsibility for the way in which any one uses this application (DVWA). We have made the purposes of the application clear and it should not be used maliciously. We have given warnings and taken measures to prevent users from installing DVWA on to live web servers. If your web server is compromised via an installation of DVWA it is not our responsibility it is the responsibility of the person/s who uploaded and installed it.

More Training Resources

DVWA aims to cover the most commonly seen vulnerabilities found in today's web applications. However there are plenty of other issues with web applications. Should you wish to explore any additional attack vectors, or want more difficult challenges, you may wish to look into the following other projects:

