



<https://metasploit.com>

```
=[ metasploit v6.4.9-dev ]
+ -- --=[ 2408 exploits - 1240 auxiliary - 422 post ]
+ -- --=[ 1468 payloads - 47 encoders - 11 nops ]
+ -- --=[ 9 evasion ]
```

Metasploit Documentation: <https://docs.metasploit.com/>

msf6 > search telnet

Matching Modules

68	auxiliary/scanner/telnet/satel_cmd_exec	2017-04-07	normal
No	Satel Iberia SenNet Data Logger and Electricity Meters Command Injection Vulnerability		
69	exploit/solaris/telnet/ttyprompt	2002-01-18	excellent
No	Solaris in.telnetd TTYPROMPT Buffer Overflow		
70	exploit/solaris/telnet/fuser	2007-02-12	excellent
No	Sun Solaris Telnet Remote Authentication Bypass Vulnerability		
71	exploit/linux/http/tp_link_sc2020n_authenticated_telnet_injection	2015-12-20	excellent
No	TP-Link SC2020n Authenticated Telnet Injection		
72	auxiliary/scanner/telnet/telnet_login	.	normal
No	Telnet Login Check Scanner		
73	auxiliary/scanner/telnet/telnet_version	.	normal
No	Telnet Service Banner Detection		
74	auxiliary/scanner/telnet/telnet_encrypt_overflow	.	normal
No	Telnet Service Encryption Key ID Overflow Detection		
75	payload/cmd/unix/bind_busybox_telnetd	.	normal
No	Unix Command Shell, Bind TCP (via BusyBox telnetd)		
76	payload/cmd/unix/reverse	.	normal
No	Unix Command Shell, Double Reverse TCP (telnet)		
77	payload/cmd/unix/reverse_ssl_double_telnet	.	normal
No	Unix Command Shell, Double Reverse TCP SSL (telnet)		
78	payload/cmd/unix/reverse_bash_telnet_ssl	.	normal
No	Unix Command Shell, Reverse TCP SSL (telnet)		
79	exploit/linux/ssh/vyos_restricted_shell_privesc	2018-11-05	great
Yes	VyOS restricted-shell Escape and Privilege Escalation		
80	post/windows/gather/credentials/mremote	.	normal
No	Windows Gather mRemote Saved Password Extraction		

Interact with a module by name or index. For example `info 80`, `use 80` or `use post/windows/gather/credentials/mremote`

Interact with a module by name or index. For example `info 80`, `use 80` or `use post/windows/gather/credentials/mremote`

```
msf6 > use auxiliary/scanner/telnet/telnet_version
msf6 auxiliary(scanner/telnet/telnet_version) > show options
```

Module options (auxiliary/scanner/telnet/telnet_version):

Name	Current Setting	Required	Description
PASSWORD		no	The password for the specified username
RHOSTS		yes	The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT	23	yes	The target port (TCP)
THREADS	1	yes	The number of concurrent threads (max one per host)
TIMEOUT	30	yes	Timeout for the Telnet probe
USERNAME		no	The username to authenticate as

View the full module info with the `info`, or `info -d` command.

```
msf6 auxiliary(scanner/telnet/telnet_version) > █
```

View the full module info with the `info`, or `info -d` command.

```
msf6 auxiliary(scanner/telnet/telnet_version) > show missing
```

Module options (auxiliary/scanner/telnet/telnet_version):

Name	Current Setting	Required	Description
RHOSTS		yes	The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html

```
msf6 auxiliary(scanner/telnet/telnet_version) > set RHOST 192.168.1.17
```

RHOST ⇒ 192.168.1.17

```
msf6 auxiliary(scanner/telnet/telnet_version) > show options
```

Module options (auxiliary/scanner/telnet/telnet_version):

Name	Current Setting	Required	Description
PASSWORD		no	The password for the specified username
RHOSTS	192.168.1.17	yes	The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT	23	yes	The target port (TCP)
THREADS	1	yes	The number of concurrent threads (max one per host)
TIMEOUT	30	yes	Timeout for the Telnet probe
USERNAME		no	The username to authenticate as

View the full module info with the `info`, or `info -d` command.

```
msf6 auxiliary(scanner/telnet/telnet_version) > █
```


Module options (auxiliary/scanner/telnet/telnet_version):

Name	Current Setting	Required	Description
PASSWORD		no	The password for the specified username
RHOSTS	192.168.1.17	yes	The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT	23	yes	The target port (TCP)
THREADS	1	yes	The number of concurrent threads (max one per host)
TIMEOUT	30	yes	Timeout for the Telnet probe
USERNAME		no	The username to authenticate as

View the full module info with the `info`, or `info -d` command.

```
msf6 auxiliary(scanner/telnet/telnet_version) > exploit
```

```
[+] 192.168.1.17:23 - 192.168.1.17:23 TELNET
Warning: Never expose thi
s VM to an untrusted network!\x0a\x0aContact: msfdev[at]metasploit.com\x0a\x0aLogin with msfadmin/msfadmin
to get started\x0a\x0a\x0ametasploitable login:
[*] 192.168.1.17:23 - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/telnet/telnet_version) >
```

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

```
metasploitable login: msfadmin
```

Password:

Login incorrect

```
metasploitable login: msfadmin
```

Password:

Last login: Mon Jun 3 13:17:47 EDT 2024 on tty1

```
Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686
```

The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

To access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

No mail.

msfadmin@metasploitable:~\$