

The Hull Integrity Protocol

Share Tech Mono

INTEGUMENTARY SYSTEM MAINTENANCE & EMERGENCY REPAIR

CHIEF ENGINEER'S BRIEFING (NURSING INTERVENTION & ASSESSMENT)

NotebookLM

Rye

SYSTEM FAILURE: HYDRAULIC SHIFT

- FLUID MOVEMENT: INTRAVASCULAR > INTERSTITIAL (THIRD SPACING)
- THE SHOCK PHASE PROTOCOL:
  - INCREASED POTASSIUM (K^+) RELEASE (CELLULAR BREACH)
  - METABOLIC ACIDOSIS (HYPOXIC ANAEROBIC OPERATION)
  - HYPOVOLEMIA (CRITICAL VOLUME DEPLETION)



NotebookLM

THE CALCULUS OF DAMAGE (RULE OF NINES).



NotebookLM

HYDRAULIC RESUSCITATION PROTOCOL (PARKLAND FORMULA)

4 mL x KG BODY WEIGHT x % TBSA

FIRST 8 HOURS: INFUSE 50% OF TOTAL VOLUME

NEXT 16 HOURS: INFUSE REMAINING 50%

OBJECTIVE: PREVENT HYPOVOLEMIC SHOCK / SEIZURE OF ENGINE

NotebookLM

CRITICAL FAILURE INDICATORS (LEVEL D PRIORITY)

Share Tech Mono

- PULSE OXIMETRY < 93% = HYPOXIA / RESPIRATORY DISTRESS
- ACTION SEQUENCE: ASSESS RESPIRATION > ELEVATE HOB > OXYGEN STAT
- AIRWAY COMPROMISE SIGNS:
  - SINGED NASAL HAIRS
  - SOOT MARKINGS
  - BRASSY COUGH
- WARNING: DO NOT PRIORITIZE PAIN OVER OXYGENATION

NotebookLM

STATIC LOAD FAILURE (PRESSURE ULCERS)

Share Tech Mono

- MECHANISM: ISCHEMIA
- SEQUENCE: PRESSURE > REDUCED FUEL FLOW (BLOOD) > TISSUE NECROSIS
- PREDICTIVE TOOL: THE BRADEN SCALE
- RISK FACTORS: IMMOBILITY, MALNUTRITION, MOISTURE INGRESS

NotebookLM

HULL INTEGRITY FAILURE: PRESSURE ULCER STAGES

Share Tech Mono

STAGE 1: NON-BLANCHABLE ERYTHEMA. HULL HULL INTACT.

Share Tech Mono

STAGE 2: PARTIAL THICKNESS LOSS. BLISTER/CRATER.

Share Tech Mono

STAGE 3: FULL THICKNESS LOSS. FAT VISIBLE.

Share Tech Mono

STAGE 4: DANGER. MUSCLE/BONE EXPOSED.

YOUR NURSING SPACE
NotebookLM

HULL MAINTENANCE PROTOCOLS



HULL MAINTENANCE PROTOCOLS

- ROTATION SCHEDULE: TURN MACHINE EVERY 1-2 HOURS
- FORTIFICATION: HIGH-CALORIE, HIGH-PROTEIN FUEL SOURCE
- PROTECTION: HEEL PROTECTORS (FLOAT HEELS OFF SURFACE)
- HYGIENE: MAINTAIN DRY EXTERIOR (PREVENT MACERATION)

NotebookLM

BIO-HAZARD BREACH

- VIRAL: HERPES ZOSTER (SHINGLES)
- PATHOLOGY: VARICELLA REACTIVATION ALONG NERVE DERMATOME.

- PARASITIC: SCABIES INFESTATION
- PATHOLOGY: MITES BURROWING UNDER PLATING.

- PARASITIC: PEDICULOSIS (LICE)
- PATHOLOGY: BLOOD FEEDERS ON HAIR SHAFTS (NITS).

NotebookLM

DECONTAMINATION PROTOCOLS

Share Tech Mono

- SHINGLES: STRICT ISOLATION (AIRBORNE/CONTACT IF DISSEMINATED).
- SCABIES: PRIVATE ROOM. CONTACT PRECAUTIONS. TX: PERMETHRIN. LAUNDER LINENS IN HOT WATER.
- LICE: SHAMPOO WITH KWELL (LINDANE) OR PYRETHRINS. REMOVE NITS W/ VINEGAR. RE-INSPECT IN 2 WEEKS.

NotebookLM

OXIDATIVE CORROSION & FIELD HAZARDS

Share Tech Mono
- MELANOMA (THE DEADLY RUST): IRREGULAR BORDERS, VARIEGATED COLORS.

Share Tech Mono
- PREVENTION: SPF 15-30 SCREENING. MONTHLY HULL INSPECTION.

Share Tech Mono
- LYME DISEASE VECTOR: DEER TICK.

Share Tech Mono
- SIGN: BULLSEYE RASH.

NotebookLM

CONSTRICTION PROTOCOL

- TRIGGER: PERIPHERAL EDEMA (BURNS / FLUID OVERLOAD)
- HAZARD: CIRCUMFERENTIAL CONSTRICTION (RINGS/BANDS) ACTING AS TOURNIQUETS.
- ACTION: IMMEDIATE REMOVAL TO PRESERVE PERFUSION.

NotebookLM

MASTER ENGINEER'S TRIAGE SUMMARY

Share Tech Mono

- CRITICAL (LEVEL D): PULSE OX <93%, AIRWAY COMPROMISE, STAGE 4 ULCERS.
- INTERVENTION: PARKLAND FORMULA, ISOLATION, KWELL/VINEGAR, TURN Q2H.
- MECHANISM: FLUID SHIFT (SHOCK), ISCHEMIA, K+ RELEASE.
- CAUTION: RULE OF NINES CALCULATION, RING REMOVAL.

NotebookLM