

# Biochar and Soil Microbial Inocula Effects on Plant Growth and C mineralization - with graphs

*Ariane L. Peralta, 2017 Microbial Ecology Class*

*Last updated on 11 May, 2018*

Project Description:

## Initial Setup

```
rm(list=ls())
setwd("~/GitHub/ECU-BGC-ME_2017")
se <- function(x, ...){sd(x, na.rm = TRUE)/sqrt(length(na.omit(x)))}
ci <- function(x, ...){1.96 * sd(x,na.rm = TRUE)}

# Code Dependencies
require("reshape")
```

```
## Loading required package: reshape
```

```
require("ggplot2")
```

```
## Loading required package: ggplot2
```

## Input Data

```
data1 <- read.csv("../data/2017_BGE_ME_expt_DATA.csv", header=TRUE)
str(data1)
```

```
## 'data.frame':    60 obs. of  24 variables:
##  $ ID              : Factor w/ 60 levels "B0_C_P_R1","B0_C_P_R2",...: 10 11 12 34 35 36 58 59 60 22 ..
##  $ Biochar          : int  0 0 0 2 2 2 5 5 5 10 ...
##  $ Microbe          : Factor w/ 2 levels "Microbes","NoMicrobes": 1 1 1 1 1 1 1 1 1 1 ...
##  $ Plant            : Factor w/ 2 levels "NoPlant","Plant": 1 1 1 1 1 1 1 1 1 1 ...
##  $ Replicate        : Factor w/ 3 levels "rep1","rep2",...: 1 2 3 1 2 3 1 2 3 1 ...
##  $ Cmin             : num  15.4 17.9 16 18.2 14.7 ...
##  $ ShootMass_g      : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ RootMass_g       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ PercentMoisture   : num  9.5 23.7 25.9 180 32.3 ...
##  $ PercentC_Soil    : num  22.59 29.98 19.82 9.72 23.34 ...
##  $ X13C_Soil        : num  -27.9 -28.7 -27.3 -21.3 -26 ...
##  $ PercentN_Soil    : num  0.422 0.664 0.483 0.306 0.514 ...
##  $ X15N_Soil        : num  3.415 0.376 -0.466 3.627 1.457 ...
##  $ CNratio_Soil     : num  53.6 45.1 41 31.8 45.4 ...
##  $ PercentC_Roots   : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ X13C_Roots       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ PercentN_Roots   : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ X15N_Roots       : num  NA NA NA NA NA NA NA NA NA NA ...
```

```
## $ CNratio_Roots : num NA NA NA NA NA NA NA NA NA NA NA ...
## $ PercentC_Shoots: num NA NA NA NA NA NA NA NA NA NA NA ...
## $ X13C_Shoots : num NA NA NA NA NA NA NA NA NA NA NA ...
## $ PercentN_Shoot : num NA NA NA NA NA NA NA NA NA NA NA ...
## $ X15N_Shoots : num NA NA NA NA NA NA NA NA NA NA NA ...
## $ CNratio_Shoot : num NA NA NA NA NA NA NA NA NA NA NA ...
```

*#NOTE: all parametric tests were run without testing for assumptions to simplify  
#code for the class - so the 'proper' way to run these stats is to test for  
#normality and homogeneity of variances or modeling fitting approaches*

## Data Analysis - Carbon Mineralization

```
# hyp testing and plot - 3-way ANOVA - all interactions
data.lm <- lm(Cmin~Biochar*Microbe*Plant, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
##
## Response: Cmin
##
##           Df Sum Sq Mean Sq F value    Pr(>F)
## Biochar      1  52.49   52.492   6.7381 0.012239 *
## Microbe       1  78.09   78.090  10.0239 0.002584 **
## Plant         1  19.26   19.255   2.4717 0.121980
## Biochar:Microbe  1   3.71    3.705   0.4756 0.493489
## Biochar:Plant   1   3.86    3.861   0.4957 0.484552
## Microbe:Plant   1   0.82    0.819   0.1051 0.747060
## Biochar:Microbe:Plant 1   5.55    5.549   0.7123 0.402531
## Residuals     52 405.10    7.790
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
## Call:
## lm(formula = Cmin ~ Biochar * Microbe * Plant, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -11.3992  -1.2088  -0.1563   1.2563   5.7432
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    16.03311     1.03758   15.452 <2e-16
## Biochar        -0.08763     0.10087   -0.869  0.389
## MicrobeNoMicrobes -1.93277     1.46736  -1.317  0.194
## PlantPlant       0.25623     1.46736   0.175  0.862
## Biochar:MicrobeNoMicrobes -0.01557     0.14266  -0.109  0.913
## Biochar:PlantPlant -0.15616     0.14266  -1.095  0.279
## MicrobeNoMicrobes:PlantPlant -1.72738     2.07516  -0.832  0.409
## Biochar:MicrobeNoMicrobes:PlantPlant  0.17028     0.20175   0.844  0.403
##
```

```

## (Intercept) ***
## Biochar
## MicrobeNoMicrobes
## PlantPlant
## Biochar:MicrobeNoMicrobes
## Biochar:PlantPlant
## MicrobeNoMicrobes:PlantPlant
## Biochar:MicrobeNoMicrobes:PlantPlant
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.791 on 52 degrees of freedom
## Multiple R-squared:  0.2879, Adjusted R-squared:  0.192
## F-statistic: 3.003 on 7 and 52 DF,  p-value: 0.01003
#only Biochar and Microbe main effects significant
data.lm2 <- lm(Cmin~Biochar+Microbe, data=data1)
anova(data.lm2)

## Analysis of Variance Table
##
## Response: Cmin
##          Df Sum Sq Mean Sq F value    Pr(>F)
## Biochar    1  52.49   52.492    6.8267 0.011463 *
## Microbe     1  78.09   78.090   10.1556 0.002335 **
## Residuals  57 438.29    7.689
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
summary(data.lm2)

##
## Call:
## lm(formula = Cmin ~ Biochar + Microbe, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -12.392  -1.038   0.127   1.454   6.305
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    15.90383     0.62754   25.343 < 2e-16 ***
## Biochar         -0.13092     0.05011   -2.613  0.01146 *
## MicrobeNoMicrobes -2.28167     0.71598   -3.187  0.00234 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.773 on 57 degrees of freedom
## Multiple R-squared:  0.2295, Adjusted R-squared:  0.2025
## F-statistic: 8.491 on 2 and 57 DF,  p-value: 0.000592
#graphing C mineralization boxplots
library(dplyr)

##
## Attaching package: 'dplyr'

```


```
## The following object is masked from 'package:reshape':
##
##   rename
## The following objects are masked from 'package:stats':
##
##   filter, lag
## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
```

```
#graphing C mineralization by microbes only
```


```
p1 <- ggplot(data1, aes(x=Biochar, y=Cmin, color=as.factor(Microbe), shape=as.factor(Plant))) + scale_s
```

```
#p1=p+geom_smooth(method="lm")
```

```
p1 + theme_bw()
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.li
```




```
ggsave("../figures/Cmin.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA, dpi=300)
```

```
## Saving 6.5 x 4.5 in image
```


```
#graphing C mineralization - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=Cmin, color=as.factor(Plant))) + scale_color_manual(name="Plant Treatment", values=c("black", "purple"))
```

```
p1 + theme_bw()
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```



```
ggsave("../figures/Cmin_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

## Data Analysis - Shoot Biomass

```
data.lm <- lm(ShootMass_g~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: ShootMass_g
```

```
##          Df    Sum Sq Mean Sq F value    Pr(>F)
## Biochar    1 0.011717  0.011717   1.4560 0.238440
## Microbe     1 0.064218  0.064218   7.9801 0.008964 **
## Biochar:Microbe 1 0.018520  0.018520   2.3014 0.141325
## Residuals  26 0.209230  0.008047
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
```

```
## Call:
```

```
## lm(formula = ShootMass_g ~ Biochar * Microbe, data = data1)
```

```
##
```

```
## Residuals:
```


```
##      Min      1Q   Median      3Q      Max
## -0.13183 -0.05455 -0.01476  0.05879  0.20473
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.0762675   0.0333478   2.287  0.03058 *
## Biochar           0.0007116   0.0032421   0.219  0.82798
## MicrobeNoMicrobes  0.1440047   0.0471609   3.053  0.00517 **
## Biochar:MicrobeNoMicrobes -0.0069556  0.0045850  -1.517  0.14132
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08971 on 26 degrees of freedom
## (30 observations deleted due to missingness)
## Multiple R-squared:  0.311, Adjusted R-squared:  0.2315
## F-statistic: 3.912 on 3 and 26 DF,  p-value: 0.01976
```

```
#graphing shoot biomass microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=ShootMass_g, color=as.factor(Microbe)))+ scale_color_manual(name="Microbe Treatment")
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```




```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```



```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```



```
ggsave("../figures/Shoot.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA, c
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```


```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```

```
#graphing shoot biomass microbes x biochar - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=ShootMass_g, color=as.factor(Plant))) + scale_color_manual(name="P
```


```
p1 + theme_bw()
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```



```
ggsave("../figures/Shoot_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

## Data Analysis - Root Biomass

```
data.lm <- lm(RootMass_g~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: RootMass_g
```

```
##           Df    Sum Sq   Mean Sq F value Pr(>F)
## Biochar    1 0.000709 0.0007091  0.1374 0.7138
## Microbe    1 0.005880 0.0058800  1.1397 0.2955
## Biochar:Microbe 1 0.002255 0.0022545  0.4370 0.5144
## Residuals 26 0.134143 0.0051593
```

```
summary(data.lm)
```

```
##
```

```
## Call:
```

```
## lm(formula = RootMass_g ~ Biochar * Microbe, data = data1)
```

```
##
```

```
## Residuals:
```


```
##      Min      1Q   Median      3Q      Max
## -0.10861 -0.04265 -0.02004  0.01993  0.16405
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.062652   0.026702   2.346   0.0269 *
## Biochar           0.001894   0.002596   0.730   0.4722
## MicrobeNoMicrobes 0.045959   0.037762   1.217   0.2345
## Biochar:MicrobeNoMicrobes -0.002427  0.003671  -0.661   0.5144
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07183 on 26 degrees of freedom
## (30 observations deleted due to missingness)
## Multiple R-squared:  0.06185,    Adjusted R-squared:  -0.0464
## F-statistic: 0.5714 on 3 and 26 DF,  p-value: 0.6389
```

```
#graphing root biomass microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=RootMass_g, color=as.factor(Microbe)))+ scale_color_manual(name="Mi
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```


```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.li
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```



```
ggsave("../figures/Root.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA, dpi=300)
```

```
## Saving 6.5 x 4.5 in image
```


```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```

```
#graphing root biomass microbes x biochar - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=RootMass_g, color=as.factor(Plant))) + scale_color_manual(name="Plant", values=c("black", "purple"))
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.limits = c(0, 20))
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```



```
ggsave("../figures/Root_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

## Data Analysis - testing moisture impact on plant biomass

```
#testing moisture impact on shoot biomass - MICROBES addition only
attach(data1)
newdata <- data1[ which(Microbe=='Microbes'),]
detach(data1)
data.lm <- lm(ShootMass_g~PercentMoisture, data=newdata)
summary(data.lm)
```

```
##
## Call:
## lm(formula = ShootMass_g ~ PercentMoisture, data = newdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.057649 -0.019197  0.007484  0.023140  0.061372
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0122631   0.0178344    0.688 0.503781
## PercentMoisture 0.0006039   0.0001308    4.615 0.000484 ***
```

```

## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.03731 on 13 degrees of freedom
## (15 observations deleted due to missingness)
## Multiple R-squared:  0.621, Adjusted R-squared:  0.5918
## F-statistic: 21.3 on 1 and 13 DF, p-value: 0.0004841


#testing moisture impact on shoot biomass - NO microbe addition only
attach(data1)
newdata2 <- data1[ which(Microbe=='NoMicrobes'),]
detach(data1)
data.lm2 <- lm(ShootMass_g~PercentMoisture, data=newdata2)
summary(data.lm2)

##
## Call:
## lm(formula = ShootMass_g ~ PercentMoisture, data = newdata2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.15279 -0.06360 -0.04134  0.07873  0.22849
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.1217974  0.0604919   2.013  0.0652 .
## PercentMoisture 0.0003932  0.0003942   0.997  0.3367
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.117 on 13 degrees of freedom
## (15 observations deleted due to missingness)
## Multiple R-squared:  0.07109, Adjusted R-squared:  -0.0003619
## F-statistic: 0.9949 on 1 and 13 DF, p-value: 0.3367

#need to graph root biomass on y-axis and moisture on x-axis by microbe treatment
p <- ggplot(data1, aes(x=PercentMoisture, y=RootMass_g, color=Microbe))+ scale_color_manual(name="Microbe", values=c("NoMicrobes"="black", "Microbes"="red"))
p1=p+geom_smooth(method="lm")
p1 + theme_bw() + xlim(0,200)

## Warning: Removed 37 rows containing non-finite values (stat_smooth).
## Warning: Removed 37 rows containing missing values (geom_point).

```




```
p1 + theme_bw() + xlim(0,200) + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank())
```

```
## Warning: Removed 37 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 37 rows containing missing values (geom_point).
```





```
ggsave("../figures/Moisture-Root.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 37 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 37 rows containing missing values (geom_point).
```

## Data Analysis - Soil C

```
data.lm <- lm(PercentC_Soil~Biochar*Microbe*Plant, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: PercentC_Soil
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Biochar	1	2336.1	2336.11	24.3427	9.703e-06 ***
Microbe	1	70.6	70.64	0.7361	0.3951
Plant	1	113.3	113.33	1.1809	0.2825
Biochar:Microbe	1	220.4	220.43	2.2969	0.1361
Biochar:Plant	1	75.3	75.28	0.7844	0.3801
Microbe:Plant	1	244.6	244.56	2.5484	0.1168
Biochar:Microbe:Plant	1	44.8	44.77	0.4665	0.4978
Residuals	49	4702.4	95.97		

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
```

```
## Call:
```

```
## lm(formula = PercentC_Soil ~ Biochar * Microbe * Plant, data = data1)
```

```
##
```

```
## Residuals:
```

```
##      Min       1Q   Median       3Q      Max
## -18.756  -4.423  -1.282   1.462   39.935
```

```
##
```

```
## Coefficients:
```

```
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      27.7311     3.6417   7.615 7.45e-10
## Biochar           0.3740     0.3540   1.056  0.2959
## MicrobeNoMicrobes -12.0797     5.1501  -2.346  0.0231
## PlantPlant        -11.1960     5.2951  -2.114  0.0396
## Biochar:MicrobeNoMicrobes  0.7630     0.5007   1.524  0.1340
## Biochar:PlantPlant   0.5488     0.5060   1.085  0.2834
## MicrobeNoMicrobes:PlantPlant 12.1556     7.6659   1.586  0.1192
## Biochar:MicrobeNoMicrobes:PlantPlant -0.4948     0.7244  -0.683  0.4978
```

```
##
```

```
## (Intercept)          ***
```

```
## Biochar
```

```
## MicrobeNoMicrobes      *
```

```
## PlantPlant             *
```

```
## Biochar:MicrobeNoMicrobes
```

```
## Biochar:PlantPlant
```

```
## MicrobeNoMicrobes:PlantPlant
```

```
## Biochar:MicrobeNoMicrobes:PlantPlant
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
```

```
## Residual standard error: 9.796 on 49 degrees of freedom
```

```
## (3 observations deleted due to missingness)
```

```
## Multiple R-squared:  0.3977, Adjusted R-squared:  0.3117
```

```
## F-statistic: 4.622 on 7 and 49 DF, p-value: 0.0004956
```

```
#graphing soil C microbes x biochar
```


```
p <- ggplot(data1, aes(x=Biochar, y=PercentC_Soil, color=as.factor(Microbe), shape=as.factor(Plant))) +
```

```
p1=p+geom_smooth(method="lm")
```

```
p1 + theme_bw()
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```


```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
ggsave("../figures/SoilC.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA, c
```

```
## Saving 6.5 x 4.5 in image
```


```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```

```
#graphing soil C microbes x biochar - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=PercentC_Soil, color=as.factor(Plant))) + scale_color_manual(name=
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.li
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```



```
ggsave("../figures/SoilC_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

## Data Analysis - Soil N

```
data.lm <- lm(PercentN_Soil~Biochar*Microbe*Plant, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: PercentN_Soil
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Biochar	1	7.4699	7.4699	59.1500	5.689e-10 ***
Microbe	1	0.0292	0.0292	0.2308	0.6331
Plant	1	0.0131	0.0131	0.1041	0.7484
Biochar:Microbe	1	0.1816	0.1816	1.4376	0.2363
Biochar:Plant	1	0.1955	0.1955	1.5479	0.2194
Microbe:Plant	1	0.2321	0.2321	1.8375	0.1815
Biochar:Microbe:Plant	1	0.0002	0.0002	0.0017	0.9677
Residuals	49	6.1881	0.1263		

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```


```
##
## Call:
## lm(formula = PercentN_Soil ~ Biochar * Microbe * Plant, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.60566 -0.13585 -0.04308  0.02052  1.46747
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.71214    0.13211   5.391   2e-06
## Biochar           0.03503    0.01284   2.727  0.00884
## MicrobeNoMicrobes -0.29070    0.18683  -1.556  0.12615
## PlantPlant        -0.28566    0.19209  -1.487  0.14338
## Biochar:MicrobeNoMicrobes  0.01572    0.01816   0.866  0.39084
## Biochar:PlantPlant    0.01645    0.01835   0.896  0.37441
## MicrobeNoMicrobes:PlantPlant  0.26440    0.27809   0.951  0.34639
## Biochar:MicrobeNoMicrobes:PlantPlant -0.00107    0.02628  -0.041  0.96769
##
## (Intercept)          ***
## Biochar               **
## MicrobeNoMicrobes
## PlantPlant
## Biochar:MicrobeNoMicrobes
## Biochar:PlantPlant
## MicrobeNoMicrobes:PlantPlant
## Biochar:MicrobeNoMicrobes:PlantPlant
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3554 on 49 degrees of freedom
## (3 observations deleted due to missingness)
## Multiple R-squared:  0.5676, Adjusted R-squared:  0.5058
## F-statistic: 9.187 on 7 and 49 DF, p-value: 3.34e-07
```

```
#graphing soil N microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=PercentN_Soil, color=as.factor(Microbe), shape=as.factor(Plant))) +
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```


```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.l
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
ggsave("../figures/SoilN.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA, c
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```


```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```

```
#graphing soil N microbes x biochar - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=PercentN_Soil, color=as.factor(Plant))) + scale_color_manual(name=
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.li
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```





```
ggsave("../figures/SoilN_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

## Data Analysis - Soil C:N ratio

```
data.lm <- lm(CNratio_Soil~Biochar*Microbe*Plant, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: CNratio_Soil
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Biochar	1	1872.29	1872.29	53.5879	2.119e-09 ***
Microbe	1	0.63	0.63	0.0181	0.8935
Plant	1	30.86	30.86	0.8832	0.3519
Biochar:Microbe	1	0.01	0.01	0.0004	0.9844
Biochar:Plant	1	0.29	0.29	0.0084	0.9273
Microbe:Plant	1	50.50	50.50	1.4455	0.2350
Biochar:Microbe:Plant	1	97.28	97.28	2.7842	0.1016
Residuals	49	1712.00	34.94		


```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
## Call:
## lm(formula = CNratio_Soil ~ Biochar * Microbe * Plant, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -9.9667 -4.7941 -0.4907  4.7344 12.0473
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      41.5247     2.1973  18.898 < 2e-16
## Biochar          -0.9484     0.2136  -4.439 5.13e-05
## MicrobeNoMicrobes -4.4661     3.1075  -1.437 0.1570
## PlantPlant       -5.8244     3.1950  -1.823 0.0744
## Biochar:MicrobeNoMicrobes  0.3309     0.3021   1.095 0.2787
## Biochar:PlantPlant    0.3298     0.3053   1.080 0.2853
## MicrobeNoMicrobes:PlantPlant  9.4415     4.6255   2.041 0.0466
## Biochar:MicrobeNoMicrobes:PlantPlant -0.7294     0.4371  -1.669 0.1016
##
## (Intercept)          ***
## Biochar              ***
## MicrobeNoMicrobes
## PlantPlant          .
## Biochar:MicrobeNoMicrobes
## Biochar:PlantPlant
## MicrobeNoMicrobes:PlantPlant *
## Biochar:MicrobeNoMicrobes:PlantPlant
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 5.911 on 49 degrees of freedom
## (3 observations deleted due to missingness)
## Multiple R-squared:  0.5451, Adjusted R-squared:  0.4802
## F-statistic:  8.39 on 7 and 49 DF,  p-value: 1.049e-06
#graphing soil C:N ratio microbes x biochar
p <- ggplot(data1, aes(x=Biochar, y=CNratio_Soil, color=as.factor(Microbe), shape=as.factor(Plant))) +
p1=p+geom_smooth(method="lm")
p1 + theme_bw()


## Warning: Removed 3 rows containing non-finite values (stat_summary).
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim
```

## Warning: Removed 3 rows containing non-finite values (stat\_summary).

## Warning: Removed 3 rows containing non-finite values (stat\_smooth).



```
ggsave("../figures/SoilCNratio.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```


```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```

```
#graphing soil C:N ratio microbes x biochar - facet
```

```
p1 <- ggplot(data1, aes(x=Biochar, y=CNratio_Soil, color=as.factor(Plant))) + scale_color_manual(name="Plant Treatment", values=c("black", "purple")) + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```



```
ggsave("../figures/SoilCNratio_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA,
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

## Data Analysis - Soil delta13C

```
data.lm <- lm(X13C_Soil~Biochar*Microbe*Plant, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: X13C_Soil
```

```
##          Df Sum Sq Mean Sq  F value Pr(>F)
## Biochar    1  471.06   471.06  154.4293 <2e-16 ***
## Microbe     1    4.25    4.25   1.3918  0.2438
## Plant       1    2.31    2.31   0.7569  0.3885
## Biochar:Microbe  1    0.14    0.14   0.0452  0.8326
## Biochar:Plant   1    4.16    4.16   1.3652  0.2483
## Microbe:Plant   1    0.73    0.73   0.2385  0.6275
## Biochar:Microbe:Plant 1    2.14    2.14   0.7005  0.4067
## Residuals    49  149.47    3.05
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```


```
##
## Call:
## lm(formula = X13C_Soil ~ Biochar * Microbe * Plant, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -3.4490 -0.8971 -0.2109  1.0208  4.6183
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -26.44195     0.64925  -40.727  < 2e-16
## Biochar         0.34122     0.06312   5.406  1.9e-06
## MicrobeNoMicrobes 0.45605     0.91818   0.497  0.622
## PlantPlant     -0.36373     0.94403  -0.385  0.702
## Biochar:MicrobeNoMicrobes 0.04115     0.08927   0.461  0.647
## Biochar:PlantPlant 0.12887     0.09021   1.429  0.159
## MicrobeNoMicrobes:PlantPlant 0.38595     1.36670   0.282  0.779
## Biochar:MicrobeNoMicrobes:PlantPlant -0.10810     0.12916  -0.837  0.407
##
## (Intercept)          ***
## Biochar              ***
## MicrobeNoMicrobes
## PlantPlant
## Biochar:MicrobeNoMicrobes
## Biochar:PlantPlant
## MicrobeNoMicrobes:PlantPlant
## Biochar:MicrobeNoMicrobes:PlantPlant
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.747 on 49 degrees of freedom
## (3 observations deleted due to missingness)
## Multiple R-squared:  0.7643, Adjusted R-squared:  0.7307
## F-statistic: 22.7 on 7 and 49 DF,  p-value: 2.335e-13
```

```
#graphing soil delta 13C microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=X13C_Soil, color=as.factor(Microbe), shape=as.factor(Plant))) + sca
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

```



```
ggsave("../figures/Soil_13C.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 3 rows containing non-finite values (stat_summary).
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in soil' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in soil' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in soil' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (‰) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (‰) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```

## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot

```



```

## substituted for <b0>
#graphing soil delta 13C microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X13C_Soil, color=as.factor(Plant))) + scale_color_manual(name="Plant")
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim

## Warning: Removed 3 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot

```

```
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/Soil_13C_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 3 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```

## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for

```



```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

```

```
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>
```

## Data Analysis - Soil delta15N

```
data.lm <- lm(X15N_Soil~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
##
## Response: X15N_Soil
##              Df    Sum Sq Mean Sq F value    Pr(>F)
## Biochar        1    71.741   71.741 32.1595 6.014e-07 ***
## Microbe         1     0.784    0.784  0.3513  0.5559
## Biochar:Microbe 1     0.251    0.251  0.1123  0.7388
## Residuals      53   118.232    2.231
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
## Call:
## lm(formula = X15N_Soil ~ Biochar * Microbe, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.6773 -0.9505 -0.2619  1.0718  4.3809
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.06227    0.40306   5.117 4.4e-06 ***
## Biochar         0.14738    0.03855   3.823 0.000349 ***
## MicrobeNoMicrobes -0.37717    0.58109  -0.649 0.519092
```


```
## Biochar:MicrobeNoMicrobes 0.01846 0.05508 0.335 0.738840
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.494 on 53 degrees of freedom
## (3 observations deleted due to missingness)
## Multiple R-squared: 0.381, Adjusted R-squared: 0.346
## F-statistic: 10.87 on 3 and 53 DF, p-value: 1.129e-05
```

```
#graphing soil delta 15N microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=X15N_Soil, color=as.factor(Microbe), shape=as.factor(Plant))) + sca
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 3 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbsToSbcs': dot substituted for <e2>
```

```

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot

```

```
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/Soil_15N.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 3 rows containing non-finite values (stat_summary).
## Warning: Removed 3 rows containing non-finite values (stat_smooth).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

```

```

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

#graphing soil delta 15N microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X15N_Soil, color=as.factor(Plant))) + scale_color_manual(name="Plant", values=c("P1"="red", "P2"="blue", "P3"="green", "P4"="orange", "P5"="purple", "P6"="brown", "P7"="pink", "P8"="grey", "P9"="black", "P10"="white"))
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim
## Warning: Removed 3 rows containing non-finite values (stat_summary).

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot

```



```
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <e2>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbsToSbcs': dot
## substituted for <b0>
```



```

ggsave("../figures/Soil_15N_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA,
        ## Saving 6.5 x 4.5 in image
        ## Warning: Removed 3 rows containing non-finite values (stat_summary).
        ## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
        ## metrics unknown for Unicode character U+2030
        ## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
        ## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <e2>
        ## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
        ## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <80>
        ## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
        ## failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for <b0>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## font metrics unknown for Unicode character U+2030
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <e2>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <80>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <b0>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## font metrics unknown for Unicode character U+2030
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <e2>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <80>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <b0>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## font metrics unknown for Unicode character U+2030
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <e2>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <80>
        ## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
        ## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
        ## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

```

```
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in soil' in 'mbcsToSbcs': dot
## substituted for <b0>
```

## Data Analysis - shoots delta13C

```
data.lm <- lm(X13C_Shoots~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
##
## Response: X13C_Shoots
##              Df Sum Sq Mean Sq F value    Pr(>F)
## Biochar        1  21.012   21.012    6.3906 0.01880 *
## Microbe         1  14.499   14.499    4.4097 0.04691 *
## Biochar:Microbe 1  11.952   11.952    3.6352 0.06914 .
## Residuals      23  75.623    3.288
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```

```
##
## Call:
## lm(formula = X13C_Shoots ~ Biochar * Microbe, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
```


```
## -3.8483 -0.5735 -0.0540 0.8182 4.2292
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -24.82323     0.70072  -35.425  < 2e-16 ***
## Biochar         -0.20825     0.06608   -3.152  0.00446 **
## MicrobeNoMicrobes -2.76498     0.97546   -2.835  0.00939 **
## Biochar:MicrobeNoMicrobes 0.17785     0.09328    1.907  0.06914 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.813 on 23 degrees of freedom
## (33 observations deleted due to missingness)
## Multiple R-squared:  0.3856, Adjusted R-squared:  0.3055
## F-statistic: 4.812 on 3 and 23 DF,  p-value: 0.0096
```

```
#graphing shoots delta 13C microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=X13C_Shoots, color=as.factor(Microbe)))+ scale_color_manual(name="Microbe Treatment")
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 33 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 33 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.l
```

```
## Warning: Removed 33 rows containing non-finite values (stat_summary).
```

```

## Warning: Removed 33 rows containing non-finite values (stat_smooth).

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted

```

```

## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot

```

```
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/shoots_13C.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 33 rows containing non-finite values (stat_summary).
## Warning: Removed 33 rows containing non-finite values (stat_smooth).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>
```

```

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted

```

```

## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot

```



```

## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

#graphing shoots delta 13C microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X13C_Shoots, color=as.factor(Plant))) + scale_color_manual(name="P
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.li

## Warning: Removed 33 rows containing non-finite values (stat_summary).

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted

```

```

## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>


## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted

```

```

## for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

```



```
ggsave("../figures/shoots_13C_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 33 rows containing non-finite values (stat_summary).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
```

```
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```
## failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```
## failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```
## failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```
## conversion failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted  
## for <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```
## conversion failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted  
## for <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```
## conversion failure on 'C (‰) in shoots' in 'mbcsToSbcs': dot substituted  
## for <b0>
```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted

```



```

## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

```

## Data Analysis - shoots delta15N

```
data.lm <- lm(X15N_Shoots~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
##
## Response: X15N_Shoots
##           Df Sum Sq Mean Sq F value    Pr(>F)
## Biochar      1 47.365   47.365 21.1897 9.58e-05 ***
## Microbe      1  2.261    2.261  1.0113  0.3239
## Biochar:Microbe 1  0.078    0.078  0.0351  0.8529
## Residuals    26 58.118    2.235
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
summary(data.lm)
```


```
##
## Call:
## lm(formula = X15N_Shoots ~ Biochar * Microbe, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.7534 -0.8336 -0.2465  0.7788  2.8139
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      3.06901    0.55579   5.522 8.52e-06 ***
## Biochar           0.18303    0.05403   3.387  0.00226 **
## MicrobeNoMicrobes  0.65490    0.78600   0.833  0.41232
## Biochar:MicrobeNoMicrobes -0.01431    0.07642  -0.187  0.85290
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.495 on 26 degrees of freedom
## (30 observations deleted due to missingness)
## Multiple R-squared:  0.461, Adjusted R-squared:  0.3988
## F-statistic: 7.412 on 3 and 26 DF, p-value: 0.0009582
```

```
#graphing shoots delta 15N microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=X15N_Shoots, color=as.factor(Microbe)))+ scale_color_manual(name="Microbe")
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
```

```

## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted

```

```

## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

```





```
ggsave("../figures/shoots_15N.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 30 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 30 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```

## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted

```

```

## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot

```

```

## substituted for <b0>
#graphing shoots delta 15N microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X15N_Shoots, color=as.factor(Plant))) + scale_color_manual(name="P
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin

## Warning: Removed 30 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted

```

```

## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot

```

```
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/shoots_15N_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 30 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```

## failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted

```

```

## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbsToSbs': dot substituted

```

```

## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot substituted
## for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

```

```
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in shoots' in 'mbcsToSbcs': dot
## substituted for <b0>
```

## Data Analysis - Roots delta13C

```
data.lm <- lm(X13C_Roots~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
##
## Response: X13C_Roots
##          Df  Sum Sq Mean Sq F value Pr(>F)
## Biochar    1    3.09   3.089   0.0394 0.8455
## Microbe     1    4.42   4.419   0.0564 0.8157
## Biochar:Microbe 1   99.27  99.269   1.2665 0.2793
## Residuals  14 1097.33  78.381
```

```
summary(data.lm)
```

```
##
## Call:
## lm(formula = X13C_Roots ~ Biochar * Microbe, data = data1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.746 -4.165 -2.975  1.569 21.271
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -26.813     5.171  -5.185 0.000138 ***
## Biochar         1.378     1.568   0.878 0.394502
## MicrobeNoMicrobes 4.635     6.547   0.708 0.490567
## Biochar:MicrobeNoMicrobes -2.051     1.822  -1.125 0.279348
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 8.853 on 14 degrees of freedom
## (42 observations deleted due to missingness)
## Multiple R-squared:  0.08868,    Adjusted R-squared:  -0.1066
## F-statistic: 0.4541 on 3 and 14 DF,  p-value: 0.7185
```


```
#graphing roots delta 13C microbes x biochar
```

```
p <- ggplot(data1, aes(x=Biochar, y=X13C_Roots, color=as.factor(Microbe)))+ scale_color_manual(name="Mi
p1=p+geom_smooth(method="lm")
p1 + theme_bw()
```

```
## Warning: Removed 42 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 42 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 1 rows containing missing values (geom_pointrange).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 42 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 42 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 1 rows containing missing values (geom_pointrange).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
```

```
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
```



```

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot

```

```
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/Roots_13C.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 42 rows containing non-finite values (stat_summary).
## Warning: Removed 42 rows containing non-finite values (stat_smooth).
## Warning: Removed 1 rows containing missing values (geom_pointrange).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```

## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

```

```

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

#graphing roots delta 13C microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X13C_Roots, color=as.factor(Plant))) + scale_color_manual(name="Plant")
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin

## Warning: Removed 42 rows containing non-finite values (stat_summary).

## Warning: Removed 1 rows containing missing values (geom_pointrange).

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## font metrics unknown for Unicode character U+2030  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <e2>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <80>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <b0>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## font metrics unknown for Unicode character U+2030  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <e2>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <80>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <b0>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## font metrics unknown for Unicode character U+2030  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <e2>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <80>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <b0>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## font metrics unknown for Unicode character U+2030  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <e2>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <80>  
  
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :  
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for  
## <b0>
```

```

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

```



```
ggsave("../figures/Roots_13C_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 42 rows containing non-finite values (stat_summary).
## Warning: Removed 1 rows containing missing values (geom_pointrange).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (‰) in roots' in 'mbcsToSbcs': dot substituted for
```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'C (%) in roots' in 'mbcsToSbcs': dot

```

```
## substituted for <b0>
```

## Data Analysis - Roots delta15N

```
data.lm <- lm(X15N_Roots~Biochar*Microbe, data=data1)
anova(data.lm)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: X15N_Roots
```

```
##           Df Sum Sq Mean Sq F value Pr(>F)
## Biochar      1   0.240   0.2405   0.0308 0.8630
## Microbe      1   3.390   3.3902   0.4342 0.5199
## Biochar:Microbe 1   8.288   8.2880   1.0614 0.3192
## Residuals    15 117.126   7.8084
```

```
summary(data.lm)
```

```
##
```

```
## Call:
```

```
## lm(formula = X15N_Roots ~ Biochar * Microbe, data = data1)
```

```
##
```

```
## Residuals:
```

```
##      Min       1Q   Median       3Q      Max
## -4.2263 -1.6277 -0.1259   1.4193   5.1075
```

```
##
```

```
## Coefficients:
```

```
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      1.0193     1.6322   0.624   0.542
## Biochar           0.3951     0.4949   0.798   0.437
## MicrobeNoMicrobes 2.4790     2.0451   1.212   0.244
## Biochar:MicrobeNoMicrobes -0.5673     0.5506  -1.030   0.319
```

```
##
```

```
## Residual standard error: 2.794 on 15 degrees of freedom
```

```
## (41 observations deleted due to missingness)
```

```
## Multiple R-squared:  0.09236,    Adjusted R-squared:  -0.08917
```

```
## F-statistic: 0.5088 on 3 and 15 DF,  p-value: 0.6822
```

```
#graphing roots delta 15N microbes x biochar
```


```
p <- ggplot(data1, aes(x=Biochar, y=X15N_Roots, color=as.factor(Microbe)))+ scale_color_manual(name="Mi
```

```
p1=p+geom_smooth(method="lm")
```

```
p1 + theme_bw()
```

```
## Warning: Removed 41 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 41 rows containing non-finite values (stat_smooth).
```



```
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lin
```

```
## Warning: Removed 41 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 41 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for

```



```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>


## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

```



```
ggsave("../figures/Roots_15N.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=
```

```
## Saving 6.5 x 4.5 in image
```

```
## Warning: Removed 41 rows containing non-finite values (stat_summary).
```

```
## Warning: Removed 41 rows containing non-finite values (stat_smooth).
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <80>
```

```
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
```

```
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
```

```

## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot

```

```

## substituted for <b0>
#graphing roots delta 15N microbes x biochar - facet
p1 <- ggplot(data1, aes(x=Biochar, y=X15N_Roots, color=as.factor(Plant))) + scale_color_manual(name="Plant", values=c("P1"="red", "P2"="blue", "P3"="green", "P4"="orange", "P5"="purple", "P6"="brown", "P7"="pink", "P8"="gray", "P9"="cyan", "P10"="magenta", "P11"="yellow", "P12"="black"))
p1 + theme_bw() + theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(), axis.lim
## Warning: Removed 41 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

```



```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot

```


```
## substituted for <e2>
## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>
```



```
ggsave("../figures/Roots_15N_facet.pdf", plot=last_plot(), device=NULL, path=NULL, scale=1, width=NA, height=NA)
```

```
## Saving 6.5 x 4.5 in image
## Warning: Removed 41 rows containing non-finite values (stat_summary).
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): font
## metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
```

```

## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <e2>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <80>
## Warning in grid.Call(C_stringMetric, as.graphicsAnnot(x$label)): conversion
## failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>
## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for

```

```

## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## font metrics unknown for Unicode character U+2030

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot substituted for
## <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x
## $y, : font metrics unknown for Unicode character U+2030

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

```

```

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x
## $x, x$y, : conversion failure on 'N (%) in roots' in 'mbcsToSbcs': dot
## substituted for <b0>

```