




 R1 - □ X


```
R1(config)#int e0/0
R1(config-if)#standby 1 ip 10.0.0.5
R1(config-if)#exit
```


 R2 - □ X


```
R2#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
R2(config)#int e0/0
R2(config-if)#standby 1 ip 10.0.0.5
R2(config-if)#exit
```

```
R1#show standby
Ethernet0/0 - Group 1
  State is Active
    2 state changes, last state change 00:02:00
  Virtual IP address is 10.0.0.5
  Active virtual MAC address is 0000.0c07.ac01
    Local virtual MAC address is 0000.0c07.ac01 (vl default)
  Hello time 3 sec, hold time 10 sec
    Next hello sent in 0.720 secs
  Preemption disabled
  Active router is local
  Standby router is 10.0.0.2, priority 100 (expires in 10.096 sec)
  Priority 100 (default 100)
  Group name is "hsrp-Et0/0-1" (default)
```

```
R2#show standby
Ethernet0/0 - Group 1
  State is Standby
    1 state change, last state change 00:01:32
  Virtual IP address is 10.0.0.5
  Active virtual MAC address is 0000.0c07.ac01
    Local virtual MAC address is 0000.0c07.ac01 (vl default)
  Hello time 3 sec, hold time 10 sec
    Next hello sent in 0.640 secs
  Preemption disabled
  Active router is 10.0.0.1, priority 100 (expires in 8.592 sec)
  Standby router is local
  Priority 100 (default 100)
  Group name is "hsrp-Et0/0-1" (default)
```







R2

```
R2>enable
R2#show standby
Ethernet0/0 - Group 1
  State is Active
    2 state changes, last state change 00:00:24
  Virtual IP address is 10.0.0.5
  Active virtual MAC address is 0000.0c07.ac01
    Local virtual MAC address is 0000.0c07.ac01 (v1 default)
  Hello time 3 sec, hold time 10 sec
    Next hello sent in 0.912 secs
  Preemption disabled
  Active router is local
  Standby router is unknown
  Priority 100 (default 100)
  Group name is "hsrp-Et0/0-1" (default)
R2#
```

C:\WINDOWS\system32\cmd.exe

C:\Documents and Settings\user>ping 40.0.0.1

Pinging 40.0.0.1 with 32 bytes of data:

Reply from 40.0.0.1: bytes=32 time=1ms TTL=254

Reply from 40.0.0.1: bytes=32 time=2ms TTL=254

Reply from 40.0.0.1: bytes=32 time=2ms TTL=254

Reply from 40.0.0.1: bytes=32 time=2ms TTL=254

Ping statistics for 40.0.0.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 2ms, Average = 1ms