

# From theories to models to predictions with Bayesian model comparison.

Julia Haaf May 14th, 2019

# How can we test psychological theories?

• Levels of Processing: *Processing words semantically increases memory performance as compared to more shallow processing.* 



- Levels of Processing: Processing words semantically increases memory performance as compared to more shallow processing.
- Stroop: Inhibition leads to a slow-down for incongruent items compared to congruent items.



- Levels of Processing: Processing words semantically increases memory performance as compared to more shallow processing.
- Stroop: Inhibition leads to a slow-down for incongruent items compared to congruent items.
- Positive psychology: Positive psychology interventions improve life satifaction.



• Each statement describes constraint in the world.



- Each statement describes constraint in the world.
- None of these statements may be tested with data.



- Each statement describes constraint in the world.
- None of these statements may be tested with data.
- None has specification of sampling noise or measurement errors.



- Each statement describes constraint in the world.
- None of these statements may be tested with data.
- None has specification of sampling noise or measurement errors.
- And that is appropriate.



### **Statistical Models**

Models instantiate the critical constraints from theory.



#### **Statistical Models**

- Models instantiate the critical constraints from theory.
- Models specify sample noise.



#### **Statistical Models**


- Models instantiate the critical constraints from theory.
- Models specify sample noise.
- Models can predict data.






Rouder, Lu, Speckman, Sun, & Jiang (2005)

1. Analog representation.



- 1. Analog representation.
- 2. Propositional representation.



- 1. Analog representation.
- **2.** Propositional representation.
- **3.** Priming + spreading activation.



ANOVA: 2 (direction: greater vs. less) x 3 (proximity: 2 or 8 vs. 3 or 7 vs. 4 or 6)



- ANOVA: 2 (direction: greater vs. less) x 3 (proximity: 2 or 8 vs. 3 or 7 vs. 4 or 6)
- Theoretically we are concerned with the second main effect.




- ANOVA: 2 (direction: greater vs. less) x 3 (proximity: 2 or 8 vs. 3 or 7 vs. 4 or 6)
- Theoretically we are concerned with the second main effect.
- Main effect of proximity: Bayes factor of 10<sup>40</sup>-to-1 in favor of the effect.




- ANOVA: 2 (direction: greater vs. less) x 3 (proximity: 2 or 8 vs. 3 or 7 vs. 4 or 6)
- Theoretically we are concerned with the second main effect.
- Main effect of proximity: Bayes factor of 10<sup>40</sup>-to-1 in favor of the effect.
- Bayes factor of at least 59.00-to-1 against any other model.




But was does it mean to have significant main effect?





# Number representation (Rouder et al., 2005)



 $\bullet \quad \mathsf{Typical} \ \mathsf{procedure} \colon \ \mathsf{Test} \, + \, \mathsf{plot}.$ 

- Typical procedure: Test + plot.
- Test main effects and interactions (preregister).

- Typical procedure: Test + plot.
- Test main effects and interactions (preregister).
- Plot and check whether the effect is in the right direction.

- Typical procedure: Test + plot.
- Test main effects and interactions (preregister).
- Plot and check whether the effect is in the right direction.
- Allows for unnecessary flexibility and posthoc reasoning.

- Typical procedure: Test + plot.
- Test main effects and interactions (preregister).
- Plot and check whether the effect is in the right direction.
- Allows for unnecessary flexibility and posthoc reasoning.
- Specifying more constraint models may lead to more evidence for the theoretical predictions.

# Ordinal models across people




# Does everyone truly represent numbers as analog quantities?

• Everyone has the same number representation  $\rightarrow$  common mechanism.


# Does everyone truly represent numbers as analog quantities?

- Everyone has the same number representation  $\rightarrow$  common mechanism.
- Mixed number representation → more complex. What determines who has what type of number representation?


# Theoretical positions as ordinal models




# "Does Everyone" analysis




# "Does Everyone" analysis







• Preferred model: **Analog representation** model




- Preferred model: Analog representation model
- Preferred 9.78-to-1 over the None of the above model



- Preferred model: Analog representation model
- Preferred 9.78-to-1 over the None of the above model
- Preferred  $3 \times 10^{55}$ -to-1 over the **Propositional** representation model



- Preferred model: Analog representation model
- Preferred 9.78-to-1 over the None of the above model
- Preferred 3 × 10<sup>55</sup>-to-1 over the Propositional representation model
- Bayes factor for Priming + spreading activation model cannot be estimated



1. Psychological theories typically provide ordinal constraint.



- 1. Psychological theories typically provide ordinal constraint.
- **2.** Developing ordinal models helps us determine predicted patterns *before* collecting data.



- 1. Psychological theories typically provide ordinal constraint.
- **2.** Developing ordinal models helps us determine predicted patterns *before* collecting data.
- **3.** Bayesian model comparison gives an accessible framework to test ordinal models.



- 1. Psychological theories typically provide ordinal constraint.
- **2.** Developing ordinal models helps us determine predicted patterns *before* collecting data.
- **3.** Bayesian model comparison gives an accessible framework to test ordinal models.
- **4.** Theoretical ordinal constraints may account for everyone.



- 1. Psychological theories typically provide ordinal constraint.
- **2.** Developing ordinal models helps us determine predicted patterns *before* collecting data.
- **3.** Bayesian model comparison gives an accessible framework to test ordinal models.
- **4.** Theoretical ordinal constraints may account for everyone.
- **5.** "Everyone Does" models are parsimonious descriptions of common mechanisms.



- 1. Psychological theories typically provide ordinal constraint.
- **2.** Developing ordinal models helps us determine predicted patterns *before* collecting data.
- **3.** Bayesian model comparison gives an accessible framework to test ordinal models.
- **4.** Theoretical ordinal constraints may account for everyone.
- **5.** "Everyone Does" models are parsimonious descriptions of common mechanisms.
- **6.** To assess common mechanisms sample noise has to be taken into account.



#### Thank You!

## Further Recources for the Pragmatic Psychologist

- Accessible book to get started with ordinal models: Hoijtink (2012)
- Software packages: bain or BayesFactor for R users
- "Does everyone" analysis: Haaf & Rouder (2017) and Haaf, Klaassen, & Rouder (In preparation)
- Presentation and all code is available at: tinyurl.com/OrdinalConstraint



#### References

- Haaf, J. M., & Rouder, J. N. (2017). Developing constraint in Bayesian mixed models. *Psychological Methods*, 22(4), 779–798.
- Haaf, J. M., Klaassen, F., & Rouder, J. N. (In preparation). Using systems of orders to capture theoretical constraint in psychological science.
- Hoijtink, H. (2012). Informative Hypotheses. Theory and Practice for Behavioral and Social Scientists. Boca Raton: Chapman & Hall/CRC.
- Rouder, J. N., Lu, J., Speckman, P. L., Sun, D., & Jiang, Y. (2005). A hierarchical model for estimating response time distributions. *Psychonomic Bulletin and Review*, 12, 195–223.
- Rouder, J. N., Morey, R. D., Speckman, P. L., & Province, J. M. (2012). Default Bayes factors for ANOVA designs. *Journal of Mathematical Psychology*, *56*, 356–374. Retrieved from http://dx.doi.org/10.1016/j.jmp.2012.08.001