Creación y verificación de los archivos de imágenes a subir.

```
ICO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)
$ git add Examen caso de uso
fatal: pathspec 'Examen' did not match any files

ICO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)
$ git add Examen caso de uso.png
fatal: pathspec 'Examen' did not match any files

ICO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)
$ git add *
warning: in the working copy of 'Untitled.mdj', LF will be replaced by CRLF the
next time Git touches it

ICO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)
$ git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
    new file: Diagrama de clases.png
    new file: Untitled.mdj
    new file: Untitled.mdj
    new file: examen BPMN.bpm
    new file: examen BPMN.bpm
    new file: examen BPMN.png
```

Accedemos y creamos nuestro commit el cual lleva por nombre examen. También creamos las respectivas ramas de nuestro git.

```
MINGW64:/c/Users/ICO_Pelsw_08/Documents/Examen diseno

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git commit -m "Examen"
[master (root-commit) cfc2cdd] Examen

5 files changed, 12166 insertions(+)
create mode 100644 Diagrama de clases.png
create mode 100644 Unitiled.mdj
create mode 100644 examen BPMN.bpm
create mode 100644 examen BPMN.bpm
create mode 100644 examen BPMN.bpm

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git branch programa

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git diagramas

git: 'diagramas' is not a git command. See 'git --help'.

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git branch diagramas

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git branch evidencia

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git branch +

CO_Pelsw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)

S git branch

* git branch

diagramas
evidencia
* master
proorama
```

Verificamos que se creen las ramas.

Verificamos que se suban los arhivos en nuestro git

```
MINGW64/c/Users/ICO_PelSw_08/Documents/Examen diseno

diagramas
evidencia
* master
programa

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (master)
$ git checkout diagramas
Switched to branch 'diagramas'

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)
$ git log
commit cfc2cddd2af311dd356f5705f8379f2197a991f6 (HEAD → diagramas, programa, master, evidencia, +)
Author: PerezRodriguez285 <aperezr0198alumno.uaemex.mx>
Date: Tue Sep 27 11:31:12 2022 -0500

Examen

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)
$ git remote add origin https://github.com/PerezRodriguez285/ExamenlerPar.git

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)
$ git push -u origin diagramas
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), done.
Writing objects: 100% (7/7), done.
Totatps://github.com/PerezRodriguez285/ExamenlerPar.git
    * [new branch] diagramas -> diagramas
branch 'diagramas' set up to track 'origin/diagramas'.

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)

* [new branch] diagramas -> diagramas
branch 'diagramas' set up to track 'origin/diagramas'.

ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)


* [ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)

* [ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)

* [ICO_PelSw_080DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (diagramas)
```

Se realiza el mismo procedimiento para los programas

También verificamos que funcione nuestro programa



Subimos las evidencias correspondientes de que se subió correctamente y por ende que funcione el archivo de evidencias.

```
MINGW64:/c/Users/ICO_PelSw_08/Documents/Examen diseno
                                                                                                                                                         ×
                                                                  'Examen caso de uso.png' 'examen BPMN.bpm'
Programas/ 'examen BPMN.png'
                        Captura4.PNG Programas/
'Diagrama de clases.png' Untitled.mdj
  Captura0.PNG
Captura2.PNG
  CO Pelsw 08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa)
  On branch programa
Jntracked files:
(use "git add <file>..." to include in what will be committed)
 nothing added to commit but untracked files present (use "git add" to track)
  ICO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa)
 $ git add Programas/
  CO Pelsw 08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa)
 $ git status
Untracked files:
(use "git add <file>..." to include in what will be committed)
  MINGW64:/c/Users/ICO_PelSw_08/Documents/Examen diseno
                                                                                                                                                          nothing added to commit but untracked files present (use "git add" to track)
  CO_PelSw_08&DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa) git add Programas/
CO_Pelsw_0880E:w:
$ git status
On branch programa
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
new file: Programas/Inversion.java
new file: Programas/Inversionistas.java
new file: Programas/Persona.java
new file: Programas/Principal.java
  CO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa)
  ntracked files:
(use "git add <file>..." to include in what will be committed)
  CO_PelSw_08@DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno (programa)
 ICO_Pelsw_0880ESKTOP-430PF7D MINGW64 ~/Documents/E

§ git commit -m "programas de examen"

[programa 91713ee] programas de examen

4 files changed, 194 insertions(+)

create mode 100644 Programas/Inversion.java

create mode 100644 Programas/Inversionistas.java

create mode 100644 Programas/Persona.java

create mode 100644 Programas/Principal.java
```

```
ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git remote add origin https://github.com/PerezRodriguez285/ExamenlerPar/tree/diagramas

ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git push -u origin Programas
fatal: repository 'https://github.com/PerezRodriguez285/ExamenlerPar/tree/diagramas/' not found

ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git remote add origin1 https://github.com/PerezRodriguez285/ExamenlerPar/tree/diagramas

ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git remote add origin1 https://github.com/PerezRodriguez285/ExamenlerPar
error: remote origin1 already exists.

ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git remote add origin2 https://github.com/PerezRodriguez285/ExamenlerPar

ICO_PelSw_O80DESKTOP-43DPF7D MINGW64 ~/Documents/Examen diseno/Programas (Programas)
$ git push -u origin2 Programas

Enumerating objects: 100% (6/6), done.

Delta compression using up to 4 threads
Compression objects: 100% (6/6), done.

Writing objects: 100% (6/6), done.

Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'Programas' on GitHub by visiting:
remote: Create a pull request for 'Programas' on GitHub by visiting:
remote: Create a pull request for 'Programas' on GitHub by visiting:
remote: Create a pull request for 'Programas' on GitHub by visiting:
remote: Create a pull request for 'Programas' on GitHub by visiting:
remote: To https://github.com/PerezRodriguez285/ExamenlerPar
* [new branch] Programas >> Programas >>
```

Por ultimo realizamos el mismo procedimiento para subir estas evidencias