In this lecture, we will discuss...

The Bootstrap Grid System



Must be inside container (or container-fluid)

```
<div class="container">
  <div class="row">
    <div class="col-md-4">Col 1</div>
 </div>
</div>
```




Creates horizontal groups of columns

```
<div class="container";
  <div class="row">
    <div class="col-md-4">Col 1</div>
                  Applies negative left/right margins
  </div>
</div>
```




Why Negative Row Margin?






Why Negative Row Margin?





Like and Sign up

facebook.com/CourseraWebDev





```
<div class="container">
 <div class="row">
    <div class="col-md-4">Col 1</div>
  </div>
</div>
```



```
<div class="container">
 <div class="row">
    <div class="col-md-4">Col 1</div>
 </div>
</div>
```



col-SIZE-SPAN

- How many columns element should span
- Values: 1 through 12

- Screen width range identifier
- Columns will collapse (i.e., stack)
 below that width
 - Unless another rule applies



```
<header class="container">
 <nav class="row">
    <div class="col-md-4">Col 1</div>
 </nav>
</header>
```



Summary

- ♦ Structure Bootstrap expects for the grid-based layout
 - Needs to be include .container (or .container-fluid)
 - All columns must be inside .row
- SIZE identifier identifies at which breakpoint specified column spans will be ignored and all elements will collapse (i.e., stack)
- ♦ If no other rules apply, specifying col-xs-... will keep that layout no matter what the size of the screen

Visit with the Client

