No audio guidance there, so I'll check what transcription tools are available.

The recording is about 20 minutes long. Installing a transcription model.

Fast progress — nearly done.

This is a 20-minute group brainstorm about building an **AI chatbot that educates patients about plastic surgery**. Here are the main points.

The idea

- The bot explains procedures (e.g. liposuction) in plain language, with no medical jargon, for patients considering surgery.
- It draws only on reputable sources: high-impact plastic surgery journals, published clinical guidelines and trials, and professional societies. It doesn't use Reddit or social media.
- Guidelines differ by region (US vs. Europe vs. Asia), so the bot should say which region's guidelines it's citing.
- It should handle lay questions like "I want to remove fat from my stomach" by suggesting relevant procedures.
- Possible extras that were mentioned: finding local surgeons and comparing average prices.

How it should behave

- It is informational only and comes with a clear disclaimer that it isn't medical advice.
- It stays strictly on plastic surgery and declines off-topic questions like fever or chest pain.
- It answers only what was asked (a cost question doesn't get complications), keeps responses short with a summary or list format, and offers follow-up suggestions at the end.
- It asks for basic patient info (age, gender, country, relevant conditions like pregnancy) only when needed, and remembers it.
- A facilitator reminded the group to watch for bias and to use clear, equitable language for the target audience.

Debates and decisions

- **Demographics:** The group agreed that age, gender and BMI matter for complications, outcomes and timing. However, they decided the **first version should stay broad and general**, with tailoring added later.
- **Non-surgical alternatives:** The group worried that listing only surgery could bias patients. They agreed to frame the bot as a plastic surgery tool and add a disclaimer noting that other options (diet, exercise, weight management) exist.
- **Tech approach:** Keep it simple at first. Use an existing LLM (ChatGPT was mentioned) constrained by a skill/agent.md file that limits its sources and behavior.

Next step: Transcribe the recording, draft a spec from it, and review it together.

The audio was transcribed automatically and had crosstalk, so some short exchanges were unclear. If useful, I can turn this into that spec draft.

The professional resources to use to pull the information:

Clinical Guidelines: pull clinical guidelines from here
American Society of Plastic Surgeons (ASPS) — Evidence-Based Clinical Practice Guidelines
ASPS — Patient Safety Advisories and Practice References
The Aesthetic Society — Aesthetic Surgery Safety and Practice Resources
International Society of Aesthetic Plastic Surgery (ISAPS) — Patient Safety Guidelines and Professional Recommendations
British Association of Plastic, Reconstructive and Aesthetic Surgeons (BAPRAS) — Clinical Guidance and Standards
European Association of Plastic Surgeons (EURAPS) — Academic and Professional Resources

Major Peer-Reviewed Plastic Surgery Journals: pull procedures information, complications, recovery, operative procedures information from studies published here, and all other information, all output should come from peer-reviewed studies
Plastic and Reconstructive Surgery
Aesthetic Surgery Journal
Journal of Plastic, Reconstructive & Aesthetic Surgery
Aesthetic Plastic Surgery
Annals of Plastic Surgery
Plastic and Reconstructive Surgery – Global Open
JPRAS Open
Microsurgery
Journal of Reconstructive Microsurgery
Journal of Craniofacial Surgery
Clinics in Plastic Surgery
Aesthetic Surgery Journal Open Forum

Medical Cost: pull cost information here
American Society of Plastic Surgeons (ASPS) – Procedural Statistics/National surgeon-fee estimates and fee ranges by cosmetic procedure/Cosmetic surgery benchmarking
ASPS – Individual Procedure Cost Pages/Procedure-specific average surgeon fees and factors affecting cost/Estimating costs for common cosmetic surgeries
ASPS / CareCredit – Cosmetic Cost Calculator/Geographic estimates of aesthetic treatment pricing/Regional cosmetic pricing comparisons
FAIR Health Consumer - Geographic benchmarks for provider charges and insurance-allowed amounts/Reconstructive procedure cost estimates
FAIR Health – Professional Fee Estimator/Specialty-specific professional fee benchmarks by geographic area/Developing fee schedules and assessing market rates

CMS – Medicare Physician Fee Schedule/Medicare professional reimbursement by CPT/HCPCS code/Reconstructive surgery surgeon reimbursement
CMS – Ambulatory Surgical Center Payment Rates Medicare payments for eligible ASC procedures/Outpatient surgery facility reimbursement
CMS – Hospital Outpatient Payment Rates/Hospital outpatient reimbursement rates Hospital-based reconstructive surgery

The Aesthetic Society – Plastic Surgery Costs/Procedure-specific aesthetic surgery fee estimates; published reference figures are from 2022
ASPS – CPT Coding and Payment Policy/Plastic surgery coding guidance, reimbursement policies, coverage criteria, and coding updates
CMS Medicare Physician and Other Practitioners Data/Actual Medicare claims-based utilization, submitted charges, allowed amounts and payments
CMS Hospital Price Transparency/Hospital cash prices, negotiated payer rates and charge data
CMS Transparency in Coverage/Insurer-specific negotiated rates and out-of-network allowed amounts
CMS Inpatient Prospective Payment System/Hospital reimbursement for inpatient reconstructive procedures

2025 ASPS Statistics Report
2024 ASPS Surgeon Fee Ranges
FAIR Health Commercial Claims Benchmarks

Plastic Surgery Patient Education Chatbot — Spec (Draft)

Oct 23, 2026 · @Kai

Overview

We are building a chatbot that explains plastic surgery to prospective patients in plain language, using only published, peer-reviewed sources. It informs; it does not diagnose, recommend treatment, or replace a surgeon.

Patients researching a procedure today face dense medical terminology or unreliable sources such as social media. The bot translates current journal literature and clinical guidelines into short answers a layperson can follow.

Users and goals

The primary user is a patient considering a plastic surgery procedure, with no medical background assumed.

The bot succeeds when it:

- Explains what a procedure is, how recovery works, and what the risks are in non-technical language.
- Answers the specific question asked, without burying it in unrequested detail.
- Points the patient to reliable, peer-reviewed sources for further reading.
- Makes clear it is educational, not medical advice.

Scope

Version 1 is a broad, general-purpose informational bot for plastic surgery. Demographic tailoring was discussed and deferred to keep early answers simple.

	Version 1	Later versions
Topics	Plastic surgery procedures only	Same
Content	What it is, recovery, risks, typical outcomes	Deeper education on request
Lay questions	Map plain descriptions ("remove fat from my stomach") to relevant procedures	Same
Personalization	Minimal; ask only what the question needs	Tailor by age, gender, BMI, ethnicity, region
Extras	None	Local surgeon lookup, average price comparison

Out of scope in all versions: general medical questions (fever, chest pain), diagnosis, dosing, and treatment recommendations.

Conversation flow

The bot asks for the patient's question first, then only the background that question needs.

1. Greet and ask: "What is your question?"
2. If off-topic, decline politely and say what the bot covers.
3. Ask for relevant context only, such as age, gender, country, pregnancy, current conditions or medications.
4. Remember that context for the rest of the session so the patient isn't asked twice.
5. Search the approved sources (see Knowledge sources).
6. Reply with a short, plain-language answer to exactly what was asked.
7. Offer two or three suggested follow-up questions, such as recovery, risks or cost.

Knowledge sources

Answers come only from published, reputable medical literature; never from forums, social media or Reddit.

- High-impact plastic surgery journals and their published papers.
- Current clinical practice guidelines.
- Clinical trials and published surgical approaches.
- Professional plastic surgery societies.
- Scholarly search tools such as Google Scholar for locating the above.

Sources can be global, but guidelines differ by region. Every answer that relies on a guideline must name its region (for example, "US guidelines say…") and note when European or Asian guidance differs.

Open question: whether the bot searches freely within these source types or uses a fixed, curated list of journals and guidelines.

Response rules

Every answer is short, plain and limited to the question asked, because long answers confuse patients.

- **Plain language:** no medical jargon; explain any unavoidable term in everyday words.
- **Answer only what was asked:** a cost question gets cost, not complications.
- **Summary first:** open with a one- or two-sentence summary, then a short list if needed.
- **Fixed sections when relevant:** what the procedure is, the steps, the risks, recovery.
- **Follow-ups:** end with suggested next questions the patient can tap or ask.
- **Further reading:** point to the peer-reviewed sources used.

Open question: whether to cap length (for example, one paragraph or about 100 words) or rely on the fixed format alone.

Safety, ethics and bias

The bot must never read as a medical advisor or push patients toward surgery.

- **Medical disclaimer:** shown at the start and wherever an answer could be read as advice. The bot is informational only; patients should consult a qualified surgeon.
- **Off-topic handling:** for non-plastic-surgery questions (fever, chest pain), the bot says it can't help with that and suggests seeing a doctor.
- **Alternatives disclaimer:** when a surgical option is described, the bot adds that non-surgical options exist (such as diet, exercise, weight management) and that this tool focuses on plastic surgery only.
- **Clear audience:** the bot is defined as being for prospective plastic surgery patients, so its language is pitched to the general public, not clinicians.

- **Bias check:** wording should be clear and equitable for anyone who uses it. Review prompts and sample answers for built-in bias before launch.
- **Demographic data:** when tailoring is added later, patients should understand why it is asked and that it is optional.

Implementation approach

Start with the simplest build: an existing LLM (ChatGPT was named) constrained by a skill or agent.md file, rather than a custom model.

The agent.md / skill file defines:

- The bot's role and audience (plastic surgery patient educator).
- The approved source types and the rule to label guideline regions.
- The intake questions and when to ask each one.
- The response format, length and follow-up rules.
- The disclaimers, off-topic refusals and alternatives note.

The team will build v1, test it with real questions, and add features based on what's missing.

Open questions and next steps

Open questions:

- Fixed list of journals and guidelines, or open search within approved source types?
- Hard length limit per answer, or format rules only?
- Which LLM platform for v1, and does it need web search to reach current literature?
- When and how to add demographic tailoring (age, gender, BMI, ethnicity), given its value for complications and outcomes?
- Should surgeon lookup and price comparison ever be in scope, given neutrality concerns?

Next steps:

- [ ] Team reviews and comments on this spec
- [ ] Draft the agent.md / skill file from the rules above
- [ ] Build v1 and test with sample patient questions (such as liposuction, rhinoplasty, "remove stomach fat")
- [ ] Review test answers for clarity, accuracy and bias

This mind map lays out the **Plastic Surgery Patient Chatbot**, with a "Patient Education Bot" at the center and six branches:


- **Check for bias:** Make sure the bot explores all options, not just surgery, the way a general assistant like ChatGPT would.
- **ChatGPT integration:** Build on ChatGPT, but set parameters to control what it does.
- **Sources:** Search high-impact journals and literature globally for up-to-date procedures.
- **Simple explanations:** Translate complex medical terms into plain language.
- **Understanding the patient's goal:** If a patient says "remove excess fat," the bot identifies the matching procedure and explains what it is and how it's done.
- **Demographics:** Ask for medical history, gender, weight, height and current medications.
- **Cost estimate:** Show different price ranges.

The first page sums up the core idea: **turn complex medical procedures into simple patient education**, and let patients browse procedures based on their inputs, or see **other (non-surgical) solutions**. "Other solutions" is underlined, so it was clearly a priority.

This mostly matches the spec, with two differences. The notes treat **cost estimates** and **demographic intake** (including weight, height and medications) as core features, while the spec deferred both to later versions. I can update the spec to match the notes if you'd like.

→ Complex → simple. } Patient Education.
Medical Procedure.

→ Browse procedures depending based on Inputs or other solutions.


Check for Bias in the chatbots.
→ Make sure it explore all the options, basically a something like a chat gpt.
Plastic Surgery Pt. chatbot
Integration of chatgpt. Need to set parameters.
Go through journals & literature.
High affect journal, updated procedures.
Global search
Pt. Education Bot
Explanation of procedures to from simple terms with complex medical terms
Demographic: Ask for Medical history & things like gendr, weight, height, medications being taken.
Cost estimate Different rates.
What is the pt looking for. Pt. says remove excess fat.
The bot looks for the procedure & simply explains what it is & how it's done.

AIML-500 class chatbot

What the assignment requires

A chatbot that explains plastic surgery to prospective patients in plain language. It informs. It does not diagnose, recommend an operation, or replace a surgeon.

Version 1 is broad and general. It must:

- Answer only the question asked, with a short summary and a list when that helps.
- Map a lay question such as “remove fat from my stomach” to the relevant procedures.
- Use reputable sources only: plastic surgery societies, clinical guidelines, and peer-reviewed journals. No Reddit or social media.
- Say which region a guideline or fee comes from.
- Show a medical disclaimer, refuse off-topic problems such as fever or chest pain, and mention non-surgical options when surgery is described.
- Remember only the background the question needs.
- Offer a few follow-up questions.
- Be constrained by an `agent.md` / skill file on an existing LLM, rather than a custom model.

Out of scope for version 1: age, gender, and BMI tailoring; finding a local surgeon; comparing local prices.

Decisions

The spec left these open. This build takes the most direct reading:

- **Sources.** A fixed curated list, not open web search. Passages are paraphrased from American Society of Plastic Surgeons patient pages and the ASPS 2024 Procedural Statistics Release. Other named societies (The Aesthetic Society, ISAPS, BAPRAS, EURAPS) and the named journals are the approved types, but this version does not quote them.
- **Procedures.** Sourced passages cover liposuction, tummy tuck (abdominoplasty), rhinoplasty, and breast augmentation, all paraphrased from ASPS patient pages and the 2024 statistics release. A plastic-surgery question that does not use those names is answered from the closest passage, and the answer says what was matched. If nothing is close, the bot says so and lists those topics. It still does not invent a fee, a citation, or a procedure.
- **Length.** Format rules, with the educational body kept under about 220 words. There is no hard 100-word cap, because a risk or recovery list needs more than one sentence.

- **Region.** ASPS material is labeled United States. The bot says UK, European, and international guidance can differ and that those texts are not quoted.
- **Country.** Stored only when the person states it. A question like “cost in the US” does not overwrite that. Fees stay US national surgeon-fee ranges either way.
- **Alternatives.** Body-contouring answers name diet, exercise, and weight management. Rhinoplasty answers say non-surgical options can exist, without pretending diet changes a nose.
- **Closest match.** Lay questions such as “a smaller nose” are answered as rhinoplasty. “Breast augmentation” is its own sourced topic. Eyelid surgery and other plastic-surgery topics without a passage are not refused as general medicine; the bot says it has no close source and offers the topics it can explain. Fever, chest pain, diagnosis, dosing, treatment recommendations, and surgeon lookup are still refused. The disclaimer and the non-surgical-options note stay on surgical answers.
- **LLM.** ChatGPT through the OpenAI API when `OPENAI_API_KEY` is set. `agent.md` constrains wording and closest-match answers. A fee that is not in the passages is rejected and the grounded answer is kept. With no key, the grounded composer still answers closest-match questions. Checked on 24 Oct 2026: no key was set in this environment.
- **Personalization.** Age, gender, and BMI are not asked. Pregnancy is remembered only if the person volunteers it, and it is used only to repeat the ASPS caution about postponing a tummy tuck.
- **Hearth.** The PDF is a different product. The Hearth app in this repo was not changed.

What was built

In the repo, directory `class-chatbot/`:

- `agent.md` — role, sources, intake, answer shape, refusals
- `src/knowledge.js` — curated passages and source links
- `src/match.js`, `src/intent.js`, `src/compose.js`, `src/chat.js` — closest-match routing, session memory, answers
- `src/llm.js` — optional ChatGPT wording pass
- `src/server.js` and `public/` — the chat page
- `test/chat.test.js` — sample patient questions

How to run

cd class-chatbot
npm test
npm start

Open http://localhost:43210

With a key:

OPENAI_API_KEY=your-key npm start

Optional: `OPENAI_MODEL` (default `gpt-4o-mini`).

What still needs to be decided

Whether the four sourced procedures are enough, or the course wants live search across the journal list. Unsourced operations are named, not invented.

- Whether to supply an OpenAI key so wording comes from ChatGPT. Behavior rules are the same either way.
- Whether a later version should add demographic tailoring, a surgeon finder, or local price comparison. The group deferred all three.

App link:

https://ips-relating-connecting-audience.trycloudflare.com/

Lokesh: https://plastic-surgery-assist-bot.vercel.app/

https://github.com/mnfst/awesome-free-llm-apis

Aakanksha: https://box.boodle.ai/a/@Dr.SurgeonAssistant
Boodle.ai Bot Instructions:
The chatbot's purpose and scope

The chatbot provides general, evidence-based plastic surgery education in plain language. It helps patients understand procedures and prepare questions for a qualified clinician.

It must not diagnose conditions, recommend a procedure for an individual, determine surgical eligibility, prescribe treatment, or replace a consultation.

The first version should remain broad and general. Personalized guidance based on age, sex, gender, BMI, pregnancy, medical conditions, or medications belongs in a later phase.

When someone asks, "I want to remove fat from my stomach," explain relevant procedures as options to learn about—not as recommendations that the person should undergo surgery.

Do not assume surgery is necessary. Acknowledge that non-surgical approaches, weight-management support, or choosing no treatment may also be appropriate, without implying that these options are equivalent for every goal.

3. Apply strict source rules

Use the following approved sources. Verify each source's identity, document type, publication date, and relevance before using it.

For clinical claims about procedures, outcomes, complications, recovery, and surgical techniques, use peer-reviewed studies from the approved journals. Professional recommendations may additionally come from the approved guideline organizations.

Clearly distinguish:

- Peer-reviewed research findings.
- Formal clinical practice guidelines.
- Consensus statements or professional safety recommendations.
- Financial estimates and reimbursement schedules.

Do not describe a society webpage as a clinical guideline or peer-reviewed study unless it actually is one. If professional guidance is not based on peer-reviewed evidence, label that limitation.

Do not use Reddit, social media, testimonials, promotional clinic content, or unsupported search-result summaries as clinical evidence.

Approved clinical guideline and professional guidance sources

- American Society of Plastic Surgeons (ASPS): Evidence-Based Clinical Practice Guidelines.
- ASPS: Patient Safety Advisories and Practice References.
- The Aesthetic Society: Aesthetic Surgery Safety and Practice Resources.
- International Society of Aesthetic Plastic Surgery (ISAPS): Patient Safety Guidelines and Professional Recommendations.
- British Association of Plastic, Reconstructive and Aesthetic Surgeons (BAPRAS): Clinical Guidance and Standards.
- European Association of Plastic Surgeons (EURAPS): Academic and Professional Resources.

Treat these as approved organizations to investigate, not as confirmation that each publishes a formal guideline for every procedure.

Approved peer-reviewed journals

- Plastic and Reconstructive Surgery.

- Aesthetic Surgery Journal.
- Journal of Plastic, Reconstructive & Aesthetic Surgery.
- Aesthetic Plastic Surgery.
- Annals of Plastic Surgery.
- Plastic and Reconstructive Surgery – Global Open.
- JPRAS Open.
- Microsurgery.
- Journal of Reconstructive Microsurgery.
- Journal of Craniofacial Surgery.
- Clinics in Plastic Surgery.
- Aesthetic Surgery Journal Open Forum.

Publication in an approved journal does not automatically make an article strong evidence. Evaluate study design, population, limitations, relevance, and whether the article is research, a review, an editorial, or expert opinion.

Prefer current guidelines and recent, relevant systematic reviews and studies. Retain older foundational evidence when appropriate. Check for corrections, retractions, and superseded guidance.

4. Handle regional differences accurately

Identify the country or region associated with each guideline or recommendation.

Do not present US guidance as universally applicable. Do not treat Europe or Asia as having one uniform set of clinical standards.

Ask for the user's country only when it materially affects the answer. If local guidance is unavailable, state the gap and identify the region covered by the available evidence.

If reputable sources disagree, briefly explain the disagreement rather than combining them into a single definitive answer.

5. Use separate rules for cost information

Cost information is an explicit exception to the peer-reviewed clinical-source requirement. Use these approved financial sources where accessible and relevant:

- ASPS procedural statistics, national surgeon-fee estimates, fee ranges, and cosmetic surgery benchmarking.
- ASPS individual procedure cost pages.
- ASPS/CareCredit cosmetic cost calculator.
- FAIR Health Consumer.
- FAIR Health Professional Fee Estimator.
- CMS Medicare Physician Fee Schedule.
- CMS Ambulatory Surgical Center Payment Rates.

- CMS Hospital Outpatient Payment Rates.

Verify the availability and scope of each resource; do not imply access to licensed or restricted datasets.

For every numerical estimate, identify:

- Procedure and location.
- Currency and data year.
- Whether it represents a surgeon's fee, facility fee, total estimate, provider charge, insurance-allowed amount, or Medicare reimbursement.
- Included and excluded expenses.
- Source and relevant limitations.

Never present Medicare reimbursement as a cosmetic surgery cash price, an insurance coverage guarantee, or the patient's expected out-of-pocket expense.

Do not combine figures from incompatible years, regions, or pricing categories into a misleading total. If a reliable estimate is unavailable, say so.

6. Define the response style

Use straightforward, respectful, nonjudgmental language suitable for patients without medical training.

By default:

- Answer the actual question first.
- Keep the answer around 100–150 words or less, unless more detail is requested or needed for safety.
- Use a short paragraph or a few bullets.
- Explain necessary medical terms.
- Include directly supporting citations.
- Offer one or two relevant follow-up questions.

A cost question should focus on cost rather than automatically adding a full complications discussion. Essential safety information may override this rule.

Explain surgical techniques at a patient-education level, not as instructions for performing surgery.

Avoid assumptions about appearance, gender, body size, ethnicity, finances, or reasons for considering treatment. Explain when study populations limit how broadly findings apply.

7. Define safety and privacy behavior

Display a clear disclaimer: “This chatbot provides general education, not medical advice, and does not replace assessment by a qualified healthcare professional.”

Politely redirect unrelated questions. However, do not simply reject potentially urgent symptoms as off-topic. For symptoms suggesting an emergency, provide brief emergency-care direction without diagnosing. For concerns after surgery, direct the person to their surgical team or appropriate urgent care.

Do not collect demographic or health information unless necessary for an explicitly supported feature.

For version one, retain only the conversational context needed for follow-up questions. Clearly explain whether anything is stored. Any future persistent memory must require informed consent and provide a way to review and delete saved information.

8. Require traceable answers and honest uncertainty

Every substantive clinical claim must be supported by retrieved, approved evidence. A source being on the approved list is not enough; it must support the specific claim.

Provide concise citations with the article or guideline title, author or organization, year, and DOI or direct link where available.

Never invent references, statistics, complication rates, prices, or guideline recommendations. Do not imply that inaccessible full text was reviewed. Clearly identify when only an abstract was available.

If evidence is insufficient, say: “I could not find enough reliable information in the approved sources to answer that confidently.”

9. Describe the proposed technical approach

Specify a retrieval-augmented generation approach: retrieve relevant passages from an approved evidence collection before generating an answer.

Include:

- Source approval and document ingestion.
- Metadata for procedure, region, publication date, evidence type, and source version.
- Retrieval and claim-level citation checks.
- Handling of unsupported questions and conflicting evidence.
- Source updates, retractions, and expired guidance.
- Privacy controls and clinician review.

Clearly distinguish a scripted demonstration from an AI chatbot connected to this evidence collection. Do not claim retrieval, personalization, or clinical validation unless implemented and verified.

10. Produce a review-ready specification

Include:

- Purpose and intended users.
- Version-one features and exclusions.
- Source and evidence policy.
- Conversation flow and response format.
- Safety, privacy, and regional rules.
- Technical architecture.
- Example conversations.
- Acceptance criteria and test cases.
- Open questions and later-phase features.

Test at least: a plain-language procedure question, a cost-only question, a follow-up question, unsupported regional guidance, conflicting evidence, an off-topic request, urgent symptoms, a personalized eligibility question, and an attempt to override the source restrictions.

Keep local surgeon search, live price comparisons, and demographic tailoring as proposed later-phase features unless our group explicitly approves them.

Use clear, practical language and flag every assumption that needs our group's review.

Response style: Give a short, clear summary that directly answers the user's question. Ask one or two relevant follow-up questions to understand their concern and guide the next response. Keep the conversation friendly, engaging, and focused on the issue they want to explore. Avoid overwhelming them with unrelated information or unnecessary detail.