

zappy_server

0.1.0

Generated by Doxygen 1.9.1

1 Class Index	1
1.1 Class List	1
2 Class Documentation	3
2.1 arguments_s Struct Reference	3
2.2 client_s Struct Reference	3
2.3 cmd_builtin_client_s Struct Reference	4
2.4 cmd_builtin_server_s Struct Reference	4
2.5 data_s Struct Reference	4
2.6 flag_binding_s Struct Reference	4
2.7 server_s Struct Reference	4
Index	5

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

arguments_s	3
client_s	3
cmd_builtin_client_s	4
cmd_builtin_server_s	4
data_s	4
flag_binding_s	4
server_s	4

Chapter 2

Class Documentation

2.1 arguments_s Struct Reference

Public Attributes

- u_int16_t **port**
- int **width**
- int **height**
- int **nb_teams**
- int **clients_nb**
- int **freq**
- char ** **team_names**

The documentation for this struct was generated from the following file:

- include/Server/arguments.h

2.2 client_s Struct Reference

Public Attributes

- int **max_fd**
- fd_set **master_fds**
- fd_set **read_fds**
- socklen_t **client_len**
- struct sockaddr_in **socket**
- [data_t](#) **clients** [MAX_CLIENTS]

The documentation for this struct was generated from the following file:

- include/Server/client.h

2.3 cmd_builtin_client_s Struct Reference

Public Attributes

- const char * **command**
- void(* **function**)(void)

The documentation for this struct was generated from the following file:

- include/Server/cmd_client.h

2.4 cmd_builtin_server_s Struct Reference

Public Attributes

- const char * **command**
- server_status_t(* **function**)(void)

The documentation for this struct was generated from the following file:

- include/Server/cmd_server.h

2.5 data_s Struct Reference

Public Attributes

- int **fd**
- struct sockaddr_in **socket**

The documentation for this struct was generated from the following file:

- include/Server/client.h

2.6 flag_binding_s Struct Reference

Public Attributes

- int **flag**
- bool(* **binding**)(arguments_t *args, char *arg)

The documentation for this struct was generated from the following file:

- include/Server/arguments.h

2.7 server_s Struct Reference

Public Attributes

- int **fd**
- uint16_t **port**
- int **max_clients**
- struct sockaddr_in **socket**
- struct protoent * **pe**

The documentation for this struct was generated from the following file:

- include/Server/server.h

Index

arguments_s, [3](#)

client_s, [3](#)

cmd_builtin_client_s, [4](#)

cmd_builtin_server_s, [4](#)

data_s, [4](#)

flag_binding_s, [4](#)

server_s, [4](#)