zappy\_server 0.1.0

Generated by Doxygen 1.9.1

1 Class Index	1
1.1 Class List	1
2 Class Documentation	3
2.1 arguments_s Struct Reference	3
2.2 client_s Struct Reference	3
2.3 cmd_ai_client_s Struct Reference	4
2.4 cmd_builtin_client_s Struct Reference	4
2.5 cmd_builtin_server_s Struct Reference	4
2.6 data_s Struct Reference	4
2.7 flag_binding_s Struct Reference	5
2.8 game_s Struct Reference	5
2.9 map_s Struct Reference	5
2.10 player_s Struct Reference	5
2.11 resource_s Struct Reference	6
2.12 server_clock_s Struct Reference	6
2.13 server_s Struct Reference	6
2.14 tile_s Struct Reference	6
Index	7

# **Chapter 1**

# **Class Index**

# 1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

arguments_s	3
${\sf client\_s}  \dots $	3
cmd_ai_client_s	4
cmd_builtin_client_s	4
cmd_builtin_server_s	4
data_s	4
${\sf flag\_binding\_s}  \dots  \dots  \dots  \dots  \dots  \dots  \dots  \dots  \dots  $	
game_s	
map_s	
player_s	5
resource_s	6
server_clock_s	6
server_s	6
tile s	6

2 Class Index

# **Chapter 2**

# **Class Documentation**

## 2.1 arguments\_s Struct Reference

#### **Public Attributes**

- u\_int16\_t port
- · int width
- · int height
- int nb\_teams
- int clients\_nb
- int freq
- char \*\* team\_names

The documentation for this struct was generated from the following file:

• include/Server/arguments.h

## 2.2 client\_s Struct Reference

#### **Public Attributes**

- int max\_fd
- fd\_set master\_fds
- · fd set read fds
- socklen\_t client\_len
- struct sockaddr\_in socket
- data\_t clients [MAX\_CLIENTS]

The documentation for this struct was generated from the following file:

· include/Server/client.h

4 Class Documentation

### 2.3 cmd ai client s Struct Reference

#### **Public Attributes**

- const char \* command
- void(\* function )(const int fd)

The documentation for this struct was generated from the following file:

· include/Server/cmd ai client.h

## 2.4 cmd\_builtin\_client\_s Struct Reference

#### **Public Attributes**

- const char \* command
- void(\* function )(const int fd, char \*\*arg)

The documentation for this struct was generated from the following file:

· include/Server/cmd gui client.h

### 2.5 cmd builtin server s Struct Reference

#### **Public Attributes**

- const char \* command
- server\_status\_t(\* function )(void)

The documentation for this struct was generated from the following file:

• include/Server/cmd\_server.h

### 2.6 data\_s Struct Reference

#### **Public Attributes**

- int fd
- identity\_t identity

The documentation for this struct was generated from the following file:

· include/Server/client.h

# 2.7 flag\_binding\_s Struct Reference

#### **Public Attributes**

- int flag
- bool(\* binding )(arguments\_t \*args, char \*arg)

The documentation for this struct was generated from the following file:

• include/Server/arguments.h

# 2.8 game\_s Struct Reference

#### **Public Attributes**

- int max\_clients
- int nb\_teams
- map\_t \* map
- server\_clock\_t \* clock
- char \*\* team\_names

The documentation for this struct was generated from the following file:

· include/Server/Game/game.h

## 2.9 map\_s Struct Reference

#### **Public Attributes**

- int width
- · int height
- tile\_t \*\* tiles

The documentation for this struct was generated from the following file:

• include/Server/Game/game.h

## 2.10 player\_s Struct Reference

#### **Public Attributes**

- int pos\_x
- int pos\_y
- direction\_t direction
- resource\_t resources [COUNT]

The documentation for this struct was generated from the following file:

• include/Server/Game/game.h

6 Class Documentation

### 2.11 resource\_s Struct Reference

#### **Public Attributes**

- · int quantity
- · double density
- resource\_type\_t type

The documentation for this struct was generated from the following file:

• include/Server/Game/game.h

## 2.12 server\_clock\_s Struct Reference

#### **Public Attributes**

- · struct timespec value
- int freq

The documentation for this struct was generated from the following file:

· include/Server/Game/clock.h

## 2.13 server\_s Struct Reference

#### **Public Attributes**

- int fd
- uint16\_t port
- int max\_clients
- game\_t \* game
- struct sockaddr\_in socket
- struct protoent \* pe

The documentation for this struct was generated from the following file:

· include/Server/server.h

### 2.14 tile\_s Struct Reference

#### **Public Attributes**

- int pos\_x
- int pos y
- resource\_t resources [COUNT]

The documentation for this struct was generated from the following file:

• include/Server/Game/game.h

# Index

```
arguments_s, 3

client_s, 3

cmd_ai_client_s, 4

cmd_builtin_client_s, 4

cmd_builtin_server_s, 4

data_s, 4

flag_binding_s, 5

game_s, 5

map_s, 5

player_s, 5

resource_s, 6

server_clock_s, 6

server_s, 6

tile_s, 6
```