

zappy_server

0.1.0

Generated by Doxygen 1.9.1

1 Class Index	1
1.1 Class List	1
2 Class Documentation	3
2.1 action_s Struct Reference	3
2.2 arguments_s Struct Reference	3
2.3 client_s Struct Reference	4
2.4 cmd_ai_client_s Struct Reference	4
2.5 cmd_builtin_client_s Struct Reference	4
2.6 cmd_builtin_server_s Struct Reference	4
2.7 data_s Struct Reference	5
2.8 egg_s Struct Reference	5
2.9 flag_binding_s Struct Reference	5
2.10 game_s Struct Reference	5
2.11 map_s Struct Reference	6
2.12 player_s Struct Reference	6
2.13 position_s Struct Reference	6
2.14 resource_s Struct Reference	7
2.15 server_clock_s Struct Reference	7
2.16 server_s Struct Reference	7
2.17 tile_s Struct Reference	7
Index	9

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

action_s	3
arguments_s	3
client_s	4
cmd_ai_client_s	4
cmd_builtin_client_s	4
cmd_builtin_server_s	4
data_s	5
egg_s	5
flag_binding_s	5
game_s	5
map_s	6
player_s	6
position_s	6
resource_s	7
server_clock_s	7
server_s	7
tile_s	7

Chapter 2

Class Documentation

2.1 `action_s` Struct Reference

Public Attributes

- `action_type_t` **type**
- `int` **duration**
- `server_clock_t` * **clock**
- `struct action_s` * **next**

The documentation for this struct was generated from the following file:

- `include/Server/Game/action.h`

2.2 `arguments_s` Struct Reference

Public Attributes

- `u_int16_t` **port**
- `int` **width**
- `int` **height**
- `int` **nb_teams**
- `int` **clients_nb**
- `int` **freq**
- `char **` **team_names**

The documentation for this struct was generated from the following file:

- `include/Server/arguments.h`

2.3 client_s Struct Reference

Public Attributes

- int **max_fd**
- fd_set **master_fds**
- fd_set **read_fds**
- socklen_t **client_len**
- struct sockaddr_in **socket**
- [data_t](#) **clients** [MAX_CLIENTS]

The documentation for this struct was generated from the following file:

- include/Server/client.h

2.4 cmd_ai_client_s Struct Reference

Public Attributes

- const char * **command**
- void(* **function**)(const int fd)

The documentation for this struct was generated from the following file:

- include/Server/cmd_ai_client.h

2.5 cmd_builtin_client_s Struct Reference

Public Attributes

- const char * **command**
- void(* **function**)(const int fd, char **arg)

The documentation for this struct was generated from the following file:

- include/Server/cmd_gui_client.h

2.6 cmd_builtin_server_s Struct Reference

Public Attributes

- const char * **command**
- server_status_t(* **function**)(void)

The documentation for this struct was generated from the following file:

- include/Server/cmd_server.h

2.7 data_s Struct Reference

Public Attributes

- int **fd**
- identity_t **identity**

The documentation for this struct was generated from the following file:

- include/Server/client.h

2.8 egg_s Struct Reference

Public Attributes

- int **id**
- int **player_id**
- int **laid_time**
- char * **team_name**
- position_t **pos**

The documentation for this struct was generated from the following file:

- include/Server/Game/egg.h

2.9 flag_binding_s Struct Reference

Public Attributes

- int **flag**
- bool(* **binding**)(arguments_t *args, char *arg)

The documentation for this struct was generated from the following file:

- include/Server/arguments.h

2.10 game_s Struct Reference

Public Attributes

- int **max_clients**
- int **nb_teams**
- map_t * **map**
- server_clock_t * **clock**
- char ** **team_names**
- player_t ** **players**

The documentation for this struct was generated from the following file:

- include/Server/Game/game.h

2.11 map_s Struct Reference

Public Attributes

- int **width**
- int **height**
- [tile_t](#) ** **tiles**

The documentation for this struct was generated from the following file:

- include/Server/Game/map.h

2.12 player_s Struct Reference

Public Attributes

- int **level**
- int **id**
- int **fd_client**
- char * **team_name**
- [position_t](#) **position**
- [orientation_t](#) **direction**
- [resource_t](#) **resources** [COUNT]
- [action_t](#) * **action_queue**
- [action_t](#) * **action_queue_tail**

The documentation for this struct was generated from the following file:

- include/Server/Game/player.h

2.13 position_s Struct Reference

Public Attributes

- int **x**
- int **y**

The documentation for this struct was generated from the following file:

- include/Server/Game/position.h

2.14 resource_s Struct Reference

Public Attributes

- int **quantity**
- double **density**
- resource_type_t **type**

The documentation for this struct was generated from the following file:

- include/Server/Game/resource.h

2.15 server_clock_s Struct Reference

Public Attributes

- struct timespec **value**
- int **freq**

The documentation for this struct was generated from the following file:

- include/Server/Game/clock.h

2.16 server_s Struct Reference

Public Attributes

- int **fd**
- uint16_t **port**
- int **max_clients**
- [game_t](#) * **game**
- struct sockaddr_in **socket**
- struct protoent * **pe**

The documentation for this struct was generated from the following file:

- include/Server/server.h

2.17 tile_s Struct Reference

Public Attributes

- [position_t](#) **pos**
- [resource_t](#) **resources** [COUNT]
- [egg_t](#) **egg**

The documentation for this struct was generated from the following file:

- include/Server/Game/map.h

Index

`action_s`, [3](#)
`arguments_s`, [3](#)

`client_s`, [4](#)
`cmd_ai_client_s`, [4](#)
`cmd_builtin_client_s`, [4](#)
`cmd_builtin_server_s`, [4](#)

`data_s`, [5](#)

`egg_s`, [5](#)

`flag_binding_s`, [5](#)

`game_s`, [5](#)

`map_s`, [6](#)

`player_s`, [6](#)
`position_s`, [6](#)

`resource_s`, [7](#)

`server_clock_s`, [7](#)
`server_s`, [7](#)

`tile_s`, [7](#)