

Customer table sql queries :

```
139  -- 16. Find the total order amount for each customer.
140
141 • select c.customer_name, sum(o.amount) as total_orders_amount
142 from customers c join orders o on c.customer_id = o.customer_id
143 group by c.customer_name;
144
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_name	total_orders_amount
▶	Arun Kumar	10700.00
	Priya Sharma	3900.00
	Rahul Verma	11200.00
	Sneha Reddy	9300.00
	Karthik Raj	3300.00
	Divya Nair	5300.00
	Vikram Singh	7000.00
	Anjali Gupta	6200.00
	Suresh Babu	6200.00
	Meena Lakshmi	6500.00
	Ramesh Kumar	5500.00
	Pooja Mehta	4800.00
	Ajith Kumar	3100.00

```
146  -- 17. Find customers who have placed more than 1 orders.
147
148 • select c.customer_name, count(o.order_id) as placed_orders
149 from customers c join orders o on c.customer_id = o.customer_id
150 group by c.customer_name having count(o.order_id) > 1;
151
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_name	placed_orders
▶	Arun Kumar	4
	Priya Sharma	2
	Rahul Verma	3
	Sneha Reddy	2
	Karthik Raj	2

```

153  -- 18. Find the average order amount for each customer.
154
155 • select c.customer_name, avg(o.amount) as average_order_amount
156    from customers c join orders o on c.customer_id = o.customer_id
157    group by c.customer_name;

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	customer_name	average_order_amount
▶	Arun Kumar	2675.000000
	Priya Sharma	1950.000000
	Rahul Verma	3733.333333
	Sneha Reddy	4650.000000
	Karthik Raj	1650.000000
	Divya Nair	2650.000000
	Vikram Singh	3500.000000
	Anjali Gupta	6200.000000

```

160  -- 19. Find the highest order amount placed by each customer.
161
162 • select c.customer_name, max(o.amount) as highest_order
163    from customers c join orders o on c.customer_id = o.customer_id
164    group by c.customer_name;
165

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	customer_name	highest_order
▶	Arun Kumar	3200.00
	Priya Sharma	2100.00
	Rahul Verma	4500.00
	Sneha Reddy	5200.00
	Karthik Raj	1800.00
	Divya Nair	2700.00
	Vikram Singh	3600.00
	Anjali Gupta	6200.00
	Suresh Babu	3300.00
	Meena Lakshmi	4100.00
	Ramesh Kumar	5500.00
	Pooja Mehta	4800.00
	Ajith Kumar	3100.00

```

167  -- 20.  Display customers sorted by their total purchase amount.
168
169 • select c.customer_name, sum(o.amount) as total_purchase_amount
170 from customers c join orders o on c.customer_id = o.customer_id
171 group by c.customer_name order by sum(o.amount) asc;
---
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	customer_name	total_purchase_amount
▶	Aravind Rao	2500.00
	Ganesh Kumar	2600.00
	Kavitha R	2800.00
	Nandhini V	3000.00
	Ajith Kumar	3100.00
	Karthik Raj	3300.00
	Saravanan M	3500.00
	Priya Sharma	3900.00
	Revathi S	3900.00
	Swetha R	4000.00
	Deepika Rao	4400.00
	Sathish Kumar	4500.00
	Pooja Mehta	4800.00

```

174  -- 21.  Find customers whose total purchase amount exceeds 10,000.
175
176 • select c.customer_name, sum(o.amount) as total_purchase_amount
177 from customers c join orders o on c.customer_id = o.customer_id
178 group by c.customer_name having sum(o.amount) > 10000;
---
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	customer_name	total_purchase_amount
▶	Arun Kumar	10700.00
	Rahul Verma	11200.00

```

181  -- 22. Display customer names along with the total number of orders placed.
182
183 • select c.customer_name, count(o.order_id) as total_order_placed
184   from customers c left join orders o on c.customer_id = o.customer_id
185   group by c.customer_name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_name	total_order_placed
▶	Arun Kumar	4
	Priya Sharma	2
	Rahul Verma	3
	Sneha Reddy	2
	Karthik Raj	2
	Divya Nair	2

```

188  -- 23. Find the customer who spent the highest amount.
189
190 • select c.customer_name, sum(o.amount) as highest_spender
191   from customers c join orders o on c.customer_id = o.customer_id
192   group by c.customer_name order by sum(o.amount) desc limit 1;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows: |

	customer_name	highest_spender
▶	Rahul Verma	11200.00

```

195  -- 24. Find the customer who placed the maximum number of orders.
196
197 • select c.customer_name, count(o.order_id) as maximum_order_placer
198   from customers c join orders o on c.customer_id = o.customer_id
199   group by c.customer_name limit 1;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows: |

	customer_name	maximum_order_placer
▶	Arun Kumar	4

```

202  -- 25. Find customers whose average order amount is greater than 2,000.
203
204 • select c.customer_name, avg(o.amount) as average_amount
205    from customers c join orders o on c.customer_id = o.customer_id
206    group by c.customer_name having avg(o.amount) > 2000;

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

	customer_name	average_amount
▶	Arun Kumar	2675.000000
	Rahul Verma	3733.333333
	Sneha Reddy	4650.000000
	Divya Nair	2650.000000
	Vikram Singh	3500.000000
	Anjali Gupta	6200.000000
	Suresh Babu	3100.000000

```

208
209  -- 26. Display the top 5 customers based on total purchase amount.
210
211 • select c.customer_name, sum(o.amount) as total_purchase_amount
212    from customers c join orders o on c.customer_id = o.customer_id
213    group by c.customer_name order by sum(o.amount) desc limit 5;

```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content:  | Fetch rows: 

	customer_name	total_purchase_amount
▶	Rahul Verma	11200.00
	Arun Kumar	10700.00
	Sneha Reddy	9300.00
	Manoj Das	8800.00
	Asha Devi	7200.00

215

216 -- 27. Find the minimum order amount for each customer.

217

```
218 • select c.customer_name, min(o.amount) minimum_order_amount
219 from customers c join orders o on c.customer_id = o.customer_id
220 group by c.customer_name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_name	minimum_order_amount
▶	Arun Kumar	2200.00
	Priya Sharma	1800.00
	Rahul Verma	2900.00
	Sneha Reddy	4100.00
	Karthik Raj	1500.00
	Divya Nair	2600.00

222

223 -- 28. Find customers who have placed orders worth more than 5,000 in total.

224

```
225 • select c.customer_name, sum(o.amount) as order_placed
226 from customers c join orders o on c.customer_id = o.customer_id
227 group by c.customer_name having sum(o.amount) > 5000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_name	order_placed
▶	Rahul Verma	11200.00
	Arun Kumar	10700.00
	Sneha Reddy	9300.00
	Manoj Das	8800.00
	Asha Devi	7200.00
	Vikram Singh	7000.00

229

230 -- 29. Display customer-wise total orders and total purchase amount.

231

```
232 • select c.customer_name, count(o.order_id) total_orders, sum(o.amount) total_purchase_amount
233 from customers c join orders o on c.customer_id = o.customer_id group by c.customer_name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_name	total_orders	total_purchase_amount
▶	Arun Kumar	4	10700.00
	Priya Sharma	2	3900.00
	Rahul Verma	3	11200.00
	Sneha Reddy	2	9300.00
	Karthik Raj	2	3300.00
	Divya Nair	2	5300.00
	Vikram Singh	2	7000.00
	Anjali Gupta	1	6200.00

```

235
236 -- 30. Find customers who placed more than 2 orders and spent more than 8,000.
237
238 • select c.customer_name, count(o.order_id) total_orders, sum(o.amount) total_purchase_amount
239 from customers c join orders o on c.customer_id = o.customer_id
240 group by c.customer_name having count(o.order_id) > 2 and sum(o.amount) > 8000;

```

Result Grid	Filter Rows:	Exports	Wrap Cell Contents:
	customer_name	total_orders	total_purchase_amount
▶	Arun Kumar	4	10700.00
	Rahul Verma	3	11200.00