

A Project Report on
FARMERS ORGANI STORE
USING HTML & CSS

submitted by
PERLA BHAVANA - GQT-S0152

under the mentorship of
KESHAV MURTHY



GLOBAL QUEST TECHNOLOGIES

info@gqtech.in

Yelahanka Satellite Town,
Bangalore, Karnataka - 560064.

[2023]

Signature of the mentor

Keshav Murthy

Signature

G.R.Narendra Reddy

INTRODUCTION

HISTORY OF HTML:

HTML stands for **Hyper Text Markup Language**.

- It is used to share the information over the internet.
- HTML id developed by Tim Berner's Lee in 1991.But officially in 1993.
- The First version of HTML consists of "18 tags"
- HTML follows certain rules and regulations setup by "**ISO**".
- International Organization for standardization is set of rules and regulation are present in '**SGML**' document.

Versions of HTML

- **HTML-1** version in the year 1993.
- **Html-2** version in the year 1995.
- **HTML-3.02** version in the year 1997.
- **HTML-4.1** version in the year 1999.
- **HTML-5** version in the year 2014.

Features of HTML

- It is easy to Learn.
- It is a tag based language.
- HTML is supported by multiple browsers.
- First web browser is Netscape navigation which was developed by the "Mosaic".
- It is a portable language.
- **WORA** stands for 'write once run anywhere'

Limitation of HTML

- HTML has less designing capabilities.
- It is dependent on other technology such as CSS in order to develop well designed Webpages.
- HTML has no programming capabilities.
- Using HTML and CSS we can develop only static Web page.
- In order to write the HTML code required an editor such as VS Code, Notepad, Eclipse.
- In order to execute the HTML code we required Web browsers. Like Chrome, Firefox, edge, Opera Safari .

CSS

- **CSS** stands for **Cascading Style Sheets**.
- It was developed by W3C to add stylings to the HTML elements.
- W3C stands for World Wide Web.com

Versions of CSS:

- CSS-1 (level-1) in the year 1996.
- CSS-2 (level-2) in the year 1998.
- CSS-3 (level-3) in the year 1999.

Why do we required CSS ?

- Since HTML has less designing capabilities we cannot create well designed or most appealing Websites.
- Using HTML we cannot add style, animation and transitions to the Webpage.
- Therefore we require CSS to create well designed Webpages.

Advantages of CSS

- It allows to add styles, animation and various effects to the Webpage.
- It allows us to develop the Webpage rapidly. It is also known as RAD (rapid application Developer).
- It allows us to separate from formatting develop page to the presentation of Webpage.
- It allows to create well designed Websites.

Limitations of CSS

- Using CSS we can perform static styles for the Webpages.
- In order to create dynamic styling for the Websites. We must make use of scripting language such as JavaScript and Libraries of JavaScript.

Types of CSS:

1. Inline CSS
2. Internal CSS
3. External CSS
4. Default Browser CSS

Inline CSS:

Defining all the CSS properties within the style attribute inside the opening of the tag is referred to as Inline CSS.

Internal CSS:

Defining all the CSS properties within <style> inside the HTML document is referred to as Internal CSS.

External CSS:

Defining all the CSS properties within as external Script or File with an extension CSS is referred to as External CSS.

- In order to link external CSS file within the HTML document we must use of <link>.
- The value for the 'ref' attribute should be 'stylesheet'.

FARMERS ORGANIC STORE

Scope of the document

The scope of a project to establish an organic store using the "Formers" name (assuming Formers is a brand or concept) would typically involve defining the objectives, deliverables, tasks, and constraints associated with this venture. Below is a general outline of the project scope for an organic store project using the name "Formers"

Technologies Used

- HTML5
- CSS3

Our Project

Root Structure:

Farmers Organi Store

→CODES

→HTML_Files

- Farmers.html
- Vegitables.html
- Sample.html
- Fruits.html
- Leafy.html
- DryFruits.html
- Spices.html
- DryFruits.html
- Flowers.html
- Login.html

→CSS_Files

- Farmers.css
- Vegitables.css
- sample.css
- Fruits.css
- Leafy.css
- spices.css
- Dryfruits.css
- flowers.css


PROJECT REPORT

- FRONT END PROJECT 2 FARMARS.DOC

SCREENSHOTS

- ALL THE CORRESPONDING SCREENSHOTS OF PAGES.

CONTROL FLOW DIAGRAM:



Source Code:-

Farmers.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="Farmers.css" >
  <style>
    *{
      margin: 0px;
      box-sizing: border-box;
    }
    #a{
      height: 350px;
      background-color:rgb(3, 94, 3);

    }
    .v{
      color:white;
      text-decoration: none;

      font-size: 15px;
      font-family: sans-serif;
      margin-left: 30%;
      margin-top: 12%;
      position: absolute;

    }
```



```
</style>
</head>
<body>
<div id="id1">
  <h1 id="id2">The Farmer Organic Store</h1>
  <h1 id="id4">Deliver to 560064 Bangaluru</h1>
  
  <a id="id3" href="login.html">Login</a>

</div>
<div id="d1">
<a href="Formers.html"></
a>
<div id="d2">
  

<input id="d3" type="search" placeholder="search our Store">

</div>
</div>
<div id="d6">
  <a class="class" href="vegetables.html" target="_self">
  <figcaption class="c2"><b>VEGETABLES</b></figcaption></a>
  <a class="class" href="sample.html" target="_self">
```

<figcaption class="c22">STAPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div id="p">

<h1 class="class1" style="margin-top:-35% ;">We grow our own Produce</h1>

<h1 class="class1">organically as well as source</h1>

<h1 class="class1">Produce directly from farmers who</h1>

<h1 class="class1">grow it organically!</h1>

<h1 class="class1">#organicallyproduced</h1>

</div>

<div id="b">

<h1 style="color: rgb(90, 89, 89);margin-left: 33%;margin-top: 3%;">What you'll get with
us</h1>

<figcaption style="color: rgb(87, 85, 85);font-size: small;font-family: sans-serif;margin-
left: 13%;">UNMATCHED FRESHNESS</figcaption>

<figcaption style="color: gray;font-size: small;font-family: sans-serif;margin-left:
15%;margin-top: -10px;">We harvest for you</figcaption>

<figcaption style="color: gray;font-size: small;font-family: sans-serif;margin-left:
18%;margin-top: -10px;">order</figcaption>

<figcaption style="color: rgb(87, 85, 85);font-family: sans-serif;margin-left: 34%;font-
size: small;margin-top: -60px;">ASSURED SAFETY</figcaption>

<figcaption style="color: gray;font-family: sans-serif;margin-left: 34%;font-size:
small;margin-top: -10px;">Zero-residue & Zero-</figcaption>

<figcaption style="color: gray;font-family: sans-serif;margin-left: 34%;font-size:
small;margin-top: -10px;">additives</figcaption>

<figcaption style="color: rgb(87, 85, 85);font-family: sans-serif;margin-left: 50%;font-
size: small;margin-top: -60px;">ONE STOP DESTINATION</figcaption>

<figcaption style="color: gray;font-family: sans-serif;margin-left: 50%;font-size:
small;margin-top: -10px;">Widest range of fresh</figcaption>


```
</div>
```

```
</body>
```

```
</html>
```

Home.css:

```
#id1 {
```

```
    height: 50px;
```

```
    background-color:#579e21;
```

```
    border: none;
```

```
    width: 100%;
```

```
}
```

```
#id2 {
```

```
    padding-top:0.6%;
```

```
    color: white;
```

```
    font-family: sans-serif;
```

```
    font-size: x-large;
```

```
    padding-left: 6%;
```

```
}
```

```
#id3 {
```

```
    color:white;
```

```
    font-family: sans-serif;
```

```
    margin-top: -1.5%;
```

```
    position: absolute;
```

```
    text-decoration: none;
```

```
    font-size: large;
```

```
margin-left: 80%;  
}  
#id4{  
    color: white;  
    margin-top: -2%;  
    font-size: small;  
    font-family: sans-serif;  
    margin-left: 38%;  
    margin-top: -1.5%;  
}  
#id5{  
    width: 1.5%;  
    height: 20px;  
    margin-top: -10%;  
    margin-left: 36%;  
    margin-top: -1.4%;  
    position: absolute;  
}  
#id6{  
    width: 5%;  
    height: 70px;  
    margin-left: 5%;  
    padding-top: 0.3%;
```

```
}
```

```
#d1{
```

```
    height: 80px;
```

```
}
```

```
#d2{
```

```
    border-radius: 50px;
```

```
    width: 60%;
```

```
    height: 40px;
```

```
    margin-top: -4.5%;
```

```
    margin-left: 15%;
```

```
    background-color: rgb(243, 243, 243);
```

```
}
```

```
#d3{
```

```
    outline: none;
```

```
    border: none;
```

```
    margin-left: 1%;
```

```
    background-color: rgb(243, 243, 243);
```

```
    padding-top: 0.8%;
```

```
    position: absolute;
```

```
}
```

```
#d4{
```

```
    margin-left: 2%;
```

```
padding-top: 1.5%;  
  
}  
  
#d5{  
  
width: 3%;  
  
height: 40px;  
  
margin-left: 70%;  
  
position: absolute;  
  
margin-top: 2px;  
  
}  
  
#d6{  
  
  
  
  
  
  
  
height: 100px;  
  
background-color:rgb(243, 243, 243) ;  
  
}  
  
.c1 {  
  
padding-top: 1%;  
  
width: 4.5%;  
  
height: 70px;  
  
margin-left: 8%;  
  
}  
  
.c2{  
  
font-family: sans-serif;  
  
font-size: small;  
  
margin-left: 7%;
```



```
}
```

```
.c11{
```

```
padding-top: 1%;
```

```
width: 4.5%;
```

```
height: 70px;
```

```
margin-left: 20%;
```

```
margin-top: -7.1%;
```

```
position: absolute;
```

```
}
```

```
.c22{
```

```
font-family: sans-serif;
```

```
font-size: small;
```

```
margin-left: 20%;
```

```
margin-top: -1.2%;
```

```
}
```

```
.c111{
```

```
padding-top: 1%;
```

```
width: 4.5%;
```

```
height: 70px;
```

```
margin-left: 32%;
```

```
margin-top: -7.1%;
```

```
position: absolute;
```

```
}
```

```
.c222{
```

```
font-family: sans-serif;

font-size: small;

margin-left: 32%;

margin-top: -1.1%;

}
```

```
.class{

text-decoration: none;

color: black;

}
```

```
#p{

height: 400px;

}
```

```
#d8{

height: 498px;

width: 100%;

opacity: 0.6;

}
```

```
.class1 {

font-family: sans-serif;

font-size: xx-large;

line-height: 170%;

margin-left: 2%;

color:black;
```

```

}

#b{

    height: 350px;

    margin-top: -274px;

}

.h{

    width: 12%;

    height: 140px;

    margin-left: 13%;

    margin-top: 3%;

}

```

Output:-




Fig:1.1




Fig:1.2




Fig:1.3

Vegitables.html:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <link rel="stylesheet" href="vegetable.css">
```

```
  <style>
```

```
    *{
```

```
      margin: 0px;
```

```
      box-sizing: border-box;
```

```
    }
```

```
    .cp{
```

```
      font-size:small;
```

```
      font-family: sans-serif;
```

```
      color: gray;
```

```
      margin-left: 8%;
```

```
    }
```

```
    #a{
```

```
      height: 350px;
```

```
      background-color:rgb(3, 94, 3);
```

```
    }
```

```
    .v{
```

```
      color:white;
```

```
      text-decoration: none;
```

```
      font-size: 15px;
```

```
      font-family: sans-serif;
```

margin-left: 30%;
margin-top: 12%;
position: absolute;

}

</style>

</head>

<body>

<div id="id1">

<h1 id="id2">The Farmer Organic Store</h1>

<h1 id="id4">Deliver to 560064 Bangaluru</h1>

Login

</div>

<div id="d1">

<div id="d2">

<input id="d3" type="search" placeholder="search our Store">

</div>

</div>

<div id="d6">

<figcaption class="c2">VEGETABLES</figcaption>

<figcaption class="c22">STAPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">

<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 40%;padding-top:6%;">Fresh Vegetables</h1>

</div>

<div style="width:80%;height:1500px;margin-left: 12%;">

<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">onions & Tomato Bundle</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm each</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Indian cucumber</h1>

<h1 class="cp"><strike>Rs.18</strike> <b style="color: black;">Rs.14</h1>

<h1 class="cp">450g-500g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Cluster Bean</h1>

<h1 class="cp"><strike>Rs.45</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Brinjal Long</h1>

<h1 class="cp"><strike>Rs.45</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Chilli Bajji</h1>

<h1 class="cp"><strike>Rs.37</strike> <b style="color: black;">Rs.25</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Brinjal Bharta</h1>

<h1 class="cp"><strike>Rs.57</strike> <b style="color:
black;">Rs.45</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-
top: -300px;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp"> Tomato-Hybrid</h1>

<h1 class="cp"><strike>Rs.28</strike> <b style="color:
black;">Rs.22</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-
top: -300px;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp"> Spring onions</h1>

<h1 class="cp"><strike>Rs.28</strike> <b style="color:
black;">Rs.22</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Flat Beans</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color:
black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%<br>off</b>
```

```
<h1 class="cp">Baby Potato</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.65</strike>&nbsp;<b style="color:
black;">Rs.55</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%<br>off</b>
```

```
<h1 class="cp">Baby Bitter gourd</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.30</strike>&nbsp;<b style="color:
black;">Rs.20</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Ridge Gourd</h1>

<h1 class="cp"><strike>Rs.30</strike> <b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Ivy Gourd</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Banana</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart"></div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">English cucumber</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">15%
off

<h1 class="cp">Ladies finger</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

</div>

<div id="a">

<b style="font-family: sans-serif;font-size: large;margin-left: 40%;margin-top: 8%;position: absolute;color: white;">Indian Farmers

Terms

About

Vegitables.css:-

```
#id1 {  
    height: 50px;  
    background-color:#579e21;  
    border: none;  
    width: 100%;  
}
```

```
#id2 {  
    padding-top:0.6%;  
    color: white;  
    font-family: sans-serif;  
    font-size: x-large;  
    padding-left: 6%;  
}
```

```
#id3 {  
    color:white;  
    font-family: sans-serif;  
    margin-top: -1.5%;  
    position: absolute;  
    text-decoration: none;  
    font-size: large;  
    margin-left: 80%;  
}
```

```
#id4 {  
    color: white;  
    margin-top: -2%;  
    font-size: small;  
    font-family: sans-serif;  
    margin-left: 38%;  
    margin-top: -1.5%;
```

```
}
```

```
#id5{
```

```
width: 1.5%;
```

```
height: 20px;
```

```
margin-top: -10%;
```

```
margin-left: 36%;
```

```
margin-top: -1.4%;
```

```
position: absolute;
```

```
}
```

```
#id6{
```

```
width: 5%;
```

```
height: 70px;
```

```
margin-left: 5%;
```

```
padding-top: 0.3%;
```

```
}
```

```
#d1{
```

```
height: 80px;
```

```
}
```

```
#d2{
```

```
border-radius: 50px;
```

```
width: 60%;
```

```
height: 40px;
```

```
margin-top: -4.5%;
```

```
margin-left: 15%;
```

```
background-color: rgb(243, 243, 243);
```

```
}
```

```
#d3{
```

```
outline: none;
border: none;
margin-left: 1%;
background-color: rgb(243, 243, 243);
padding-top: 0.8%;
position: absolute;
}
#d4{
margin-left: 2%;
padding-top: 1.5%;
}
#d5{
width: 3%;
height: 40px;
margin-left: 70%;
position: absolute;
margin-top: 2px;
}
#d6{

height: 100px;
background-color:rgb(243, 243, 243) ;
}
.c1{
padding-top: 1%;
width: 4.5%;
height: 70px;
margin-left: 8%;
}
.c2{
```

```
font-family: sans-serif;  
font-size: small;  
margin-left: 7%;  
}
```

```
.c11{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 20%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c22{  
font-family: sans-serif;  
font-size: small;  
margin-left: 20%;  
margin-top: -1.2%;  
}
```

```
.c111{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 32%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c222{  
font-family: sans-serif;  
font-size: small;  
margin-left: 32%;
```

```
margin-top: -1.1%;
```

```
}
```

```
.class{
```

```
text-decoration: none;
```

```
color: black;
```

```
}
```

Output :-




Fig:2.1




Fig:2.2

Staples.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="vegetable.css">

  <style>

    *{

      margin: 0px;

      box-sizing: border-box;

    }

    .cp{

      font-size:small;

      font-family: sans-serif;

      color: gray;

      margin-left: 8%;

    }

    #a{

      height: 350px;

      background-color:rgb(3, 94, 3);

    }

    .v{

      color:white;

      text-decoration: none;

      font-size: 15px;
```



```
font-family: sans-serif;

margin-left: 30%;

margin-top: 12%;

position: absolute;

}

</style>

</head>

<body>

<div id="id1">

    <h1 id="id2">The Farmer Organic Store</h1>

    <h1 id="id4">Deliver to 560064 Bangaluru</h1>

    <a id="id3" href="">Login</a>

</div>

<div id="d1">

    <a href="Formers.html"></
a>

    <div id="d2">

    <input id="d3" type="search" placeholder="search our Store">

</div>

</div>
```

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">

<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 43%;padding-top:6%;">Staples</h1>

</div>

<div style="width:80%;height:1200px;margin-left: 12%;">

<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Jaggery(Powder)</h1>

<h1 class="cp"><strike>Rs.101</strike> <b style="color: black;">Rs.88</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Toor Dal</h1>

<h1 class="cp"><strike>Rs.167</strike> <b style="color: black;">Rs.145</h1>

<h1 class="cp">500g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Moong Dal</h1>

<h1 class="cp"><strike>Rs.45</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Ragi Powder</h1>

<h1 class="cp"><strike>Rs.45</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Urad Dal(White | Split)</h1>

<h1 class="cp"><strike>Rs.37</strike> <b style="color: black;">Rs.25</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Bajra Flour</h1>

~~Rs.57~~ ~~Rs.45~~

500 gm

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

Black Rice

~~Rs.70~~ ~~Rs.50~~

500 gm

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

Kabuli channa

```
<br>

        <h1 class="cp"><strike>Rs.28</strike>&nbsp;<b style="color:
black;">Rs.22</b></h1>

<br>

<h1 class="cp">500 gm </h1>

<br>

        <input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">

        <b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>

        <h1 class="cp">Red Rice</h1>

<br>

        <h1 class="cp"><strike>Rs.65</strike>&nbsp;<b style="color:
black;">Rs.55</b></h1>

<br>

<h1 class="cp">500 gm </h1>

<br>

        <input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-
top: -300px;">

        <b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

<h1 class="cp">Red Rajma</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Jaggery</h1>

<h1 class="cp"><strike>Rs.30</strike> <b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">


```

```

```
#id1 {
```

$$\}$$

```
#id2{
```

$$\}$$

```
#id3 {
```

```
color:white;
font-family: sans-serif;
margin-top: -1.5%;
position: absolute;
```

```
text-decoration: none;

font-size: large;

margin-left: 80%;
}
#id4{
    color: white;

    margin-top: -2%;

    font-size: small;

    font-family: sans-serif;

    margin-left: 38%;

    margin-top: -1.5%;
}
#id5{
    width: 1.5%;

    height: 20px;

    margin-top: -10%;

    margin-left: 36%;

    margin-top: -1.4%;

    position: absolute;
}
#id6{
    width: 5%;

    height: 70px;

    margin-left: 5%;

    padding-top: 0.3%;

}
#d1{
    height: 80px;
```

```
}  
#d2{  
  
    border-radius: 50px;  
    width: 60%;  
    height: 40px;  
    margin-top: -4.5%;  
    margin-left: 15%;  
    background-color: rgb(243, 243, 243);  
}  
#d3{  
    outline: none;  
    border: none;  
    margin-left: 1%;  
    background-color: rgb(243, 243, 243);  
    padding-top: 0.8%;  
    position: absolute;  
}  
#d4{  
    margin-left: 2%;  
    padding-top: 1.5%;  
}  
#d5{  
    width: 3%;  
    height: 40px;  
    margin-left: 70%;  
    position: absolute;  
    margin-top: 2px;  
}  
#d6{
```

```
height: 100px;
background-color:rgb(243, 243, 243) ;
}
.c1{
padding-top: 1%;
width: 4.5%;
height: 70px;
margin-left: 8%;
}
.c2{
font-family: sans-serif;
font-size: small;
margin-left: 7%;
}
.c11{
padding-top: 1%;
width: 4.5%;
height: 70px;
margin-left: 20%;
margin-top: -7.1%;
position: absolute;
}
.c22{
font-family: sans-serif;
font-size: small;
margin-left: 20%;
margin-top: -1.2%;
}
.c111{
```

```
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 32%;  
margin-top: -7.1%;  
position: absolute;  
}  
.c222{  
font-family: sans-serif;  
font-size: small;  
margin-left: 32%;  
margin-top: -1.1%;  
  
}  
.class{  
text-decoration: none;  
color: black;  
}
```

Output:




Fig:3.1




Fig:3.2

Fruits.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <link rel="stylesheet" href="vegetable.css">
```

```
  <style>
```

```
    *{
```

```
      margin: 0px;
```

```
      box-sizing: border-box;
```

```
    }
```

```
    .cp{
```

```
      font-size:small;
```

```
      font-family: sans-serif;
```

```
      color: gray;
```

```
      margin-left: 8%;
```

```
    }
```

```
    #a{
```

```
      height: 350px;
```

```
      background-color:rgb(3, 94, 3);
```

```
    }
```

```
    .v{
```

```
      color:white;
```

```
      text-decoration: none;
```

```
      font-size: 15px;
```

```
      font-family: sans-serif;
```



```
margin-left: 30%;  
margin-top: 12%;  
position: absolute;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div id="id1">
```

```
<h1 id="id2">The Farmer Organic Store</h1>
```

```
<h1 id="id4">Deliver to 560064 Bangaluru</h1>
```

```

```

```
<a id="id3" href="">Login</a>
```

```
</div>
```

```
<div id="d1">
```

```
<a href="Formers.html"></  
a>
```

```
<div id="d2">
```

```

```

```
<input id="d3" type="search" placeholder="search our Store">
```

```

```

```
</div>
```

```
</div>
```

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">

<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 45%;padding-top:6%;">Fruits</h1>

</div>

<div style="width:80%;height:1200px;margin-left: 12%;">

<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Banana</h1>

<h1 class="cp"><strike>Rs.101</strike> <b style="color: black;">Rs.88</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Papaya</h1>

<h1 class="cp"><strike>Rs.167</strike> <b style="color: black;">Rs.145</h1>

<h1 class="cp">500g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Pomaganate</h1>

<h1 class="cp"><strike>Rs.45</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">


```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%<br>off</b>
```

```
<h1 class="cp">Mini Orenge</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.45</strike>&nbsp;<b style="color:
black;">Rs.55</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm</h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%<br>off</b>
```

```
<h1 class="cp">Pinapple</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.37</strike>&nbsp;<b style="color:
black;">Rs.25</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-
top: -300px;">
```


<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Custerd Apple</h1>

<h1 class="cp"><strike>Rs.57</strike> <b style="color:
black;">Rs.45</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-
top: -300px;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp"> Apple</h1>

<h1 class="cp"><strike>Rs.70</strike> <b style="color:
black;">Rs.50</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%<br>off</b>
```

```
<h1 class="cp">Green Grapes</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.28</strike>&nbsp;<b style="color:
black;">Rs.22</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%<br>off</b>
```

```
<h1 class="cp">Water Melon</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.65</strike>&nbsp;<b style="color:
black;">Rs.55</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Thai Guava</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Blueberries</h1>

<h1 class="cp"><strike>Rs.30</strike> <b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">20%
off

<h1 class="cp">Blue GrapesS</h1>

<h1 class="cp"><strike>Rs.30</strike> <b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

</div>

<div id="a">

<b style="font-family: sans-serif;font-size: large;margin-left: 40%;margin-top: 8%;position: absolute;color: white;">Indian Farmers

Terms

About

Fruits.css:

```
#id1 {  
    height: 50px;  
    background-color:#579e21;  
    border: none;  
    width: 100%;  
}
```

```
#id2 {  
    padding-top:0.6%;  
    color: white;  
    font-family: sans-serif;  
    font-size: x-large;  
    padding-left: 6%;  
}
```

```
#id3 {  
    color:white;  
    font-family: sans-serif;  
    margin-top: -1.5%;  
    position: absolute;  
    text-decoration: none;  
    font-size: large;  
    margin-left: 80%;  
}
```

```
#id4 {  
    color: white;  
    margin-top: -2%;  
    font-size: small;  
    font-family: sans-serif;  
    margin-left: 38%;
```

```
        margin-top: -1.5%;
    }
    #id5{
        width: 1.5%;
        height: 20px;
        margin-top: -10%;
        margin-left: 36%;
        margin-top: -1.4%;
        position: absolute;
    }
    #id6{
        width: 5%;
        height: 70px;
        margin-left: 5%;
        padding-top: 0.3%;

    }
    #d1 {
        height: 80px;
    }
    #d2 {

        border-radius: 50px;
        width: 60%;
        height: 40px;
        margin-top: -4.5%;
        margin-left: 15%;
        background-color: rgb(243, 243, 243);
    }
```

```
#d3{  
    outline: none;  
    border: none;  
    margin-left: 1%;  
    background-color: rgb(243, 243, 243);  
    padding-top: 0.8%;  
    position: absolute;  
}
```

```
#d4{  
    margin-left: 2%;  
    padding-top: 1.5%;  
}
```

```
#d5{  
    width: 3%;  
    height: 40px;  
    margin-left: 70%;  
    position: absolute;  
    margin-top: 2px;  
}
```

```
#d6{  
  
    height: 100px;  
    background-color:rgb(243, 243, 243) ;  
}
```

```
.c1{  
    padding-top: 1%;  
    width: 4.5%;  
    height: 70px;  
    margin-left: 8%;  
}
```

```
.c2{  
    font-family: sans-serif;  
    font-size: small;  
    margin-left: 7%;  
}
```

```
.c11{  
    padding-top: 1%;  
    width: 4.5%;  
    height: 70px;  
    margin-left: 20%;  
    margin-top: -7.1%;  
    position: absolute;  
}
```

```
.c22{  
    font-family: sans-serif;  
    font-size: small;  
    margin-left: 20%;  
    margin-top: -1.2%;  
}
```

```
.c111{  
    padding-top: 1%;  
    width: 4.5%;  
    height: 70px;  
    margin-left: 32%;  
    margin-top: -7.1%;  
    position: absolute;  
}
```

```
.c222{  
    font-family: sans-serif;  
    font-size: small;
```

```

margin-left: 32%;
margin-top: -1.1%;

}

.class{
text-decoration: none;
color: black;
}

```

Output:




Fig:4.1




Fig:4.2

Leafy Greens.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="Leafy.css">

  <style>

    *{

      margin: 0px;

      box-sizing: border-box;

    }

    .cp{

      font-size:small;

      font-family: sans-serif;

      color: gray;

      margin-left: 8%;

    }

    #a{

      height: 350px;

      background-color:rgb(3, 94, 3);

    }

    .v{

      color:white;

      text-decoration: none;

      font-size: 15px;
```

font-family: sans-serif;

margin-left: 30%;

margin-top: 12%;

position: absolute;

}

</style>

</head>

<body>

<div id="id1">

<h1 id="id2">The Farmer Organic Store</h1>

<h1 id="id4">Deliver to 560064 Bangaluru</h1>

Login

</div>

<div id="d1">

<div id="d2">

<input id="d3" type="search" placeholder="search our Store">

</div>

</div>

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

```

<div style="height: 200px;background-color:#579e21;">

  <h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left:
41%;padding-top:6%;">Leafy Greens</h1>

</div>

<div style="width:80%;height:1200px;margin-left: 12%;">

  <div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left:
5%;">

    <b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">22%<br>off</b>

    <h1 class="cp">Palak (Root-cut)</h1>

    <br>

    <h1 class="cp"><strike>Rs.37</strike>&nbsp;<b style="color:
black;">Rs.29</b></h1>

    <br>

    <h1 class="cp">500 gm </h1>

    <br>

    <input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

  </div>

  <div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-
top: -300px;">

    <b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">22%<br>off</b>

    <h1 class="cp">Curry Leaves</h1>

    <br>

```

<h1 class="cp"><strike>Rs.19</strike> <b style="color: black;">Rs.15</h1>

<h1 class="cp">100g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">22%
off

<h1 class="cp">Mint (Root-cut)</h1>

<h1 class="cp"><strike>Rs.23</strike> <b style="color: black;">Rs.18</h1>

<h1 class="cp">100 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">22%
off

```

        <h1 class="cp">Methi (Root-cut)</h1>

        <br>

        <h1 class="cp"><strike>Rs.45</strike>&nbsp;<b style="color:
black;">Rs.55</b></h1>

        <br>

        <h1 class="cp">100 gm</h1>

        <br>

        <input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

    </div>

    <div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">

        <b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>

        <h1 class="cp">Coriander (Root -cut)</h1>

        <br>

        <h1 class="cp"><strike>Rs.37</strike>&nbsp;<b style="color:
black;">Rs.25</b></h1>

        <br>

        <h1 class="cp">100 gm </h1>

        <br>

        <input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

    </div>

    <div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-
top: -300px;">

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Italian Basil</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.25</strike>&nbsp;<b style="color:
black;">Rs.20</b></h1>
```

```
<br>
```

```
<h1 class="cp">100 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-
top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp"> Thyme</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.14</strike>&nbsp;<b style="color:
black;">Rs.11</b></h1>
```

```
<br>
```

```
<h1 class="cp">25 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-
top: -300px;">
```


<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp"> Kabuli channa</h1>

<h1 class="cp"><strike>Rs.28</strike> <b style="color:
black;">Rs.22</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">

<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Iceberg Lettuce</h1>

<h1 class="cp"><strike>Rs.65</strike> <b style="color:
black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>


```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Rocket (Arugular)</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.37</strike>&nbsp;<b style="color:
black;">Rs.29</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Bok Choy</h1>
```

```
<br>
```

```
<h1 class="cp"><strike>Rs.30</strike>&nbsp;<b style="color:
black;">Rs.20</b></h1>
```

```
<br>
```

```
<h1 class="cp">150 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Gongura Microgreens</h1>

<h1 class="cp"><b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

</div>

<div id="a">

<b style="font-family: sans-serif;font-size: large;margin-left: 40%;margin-top: 8%;position: absolute;color: white;">Indian Farmers

Terms

About

Privacy

Leafy Greens.CSS:

```
#id1 {  
    height: 50px;  
    background-color:#579e21;  
    border: none;  
    width: 100%;  
}
```

```
#id2 {  
    padding-top:0.6%;  
    color: white;  
    font-family: sans-serif;  
    font-size: x-large;  
    padding-left: 6%;  
}
```

```
#id3 {  
    color:white;  
    font-family: sans-serif;  
    margin-top: -1.5%;  
    position: absolute;  
    text-decoration: none;  
    font-size: large;  
    margin-left: 80%;  
}
```

```
#id4 {  
    color: white;  
    margin-top: -2%;  
    font-size: small;  
    font-family: sans-serif;  
    margin-left: 38%;  
    margin-top: -1.5%;
```

```
}
```

```
#id5{
```

```
width: 1.5%;
```

```
height: 20px;
```

```
margin-top: -10%;
```

```
margin-left: 36%;
```

```
margin-top: -1.4%;
```

```
position: absolute;
```

```
}
```

```
#id6{
```

```
width: 5%;
```

```
height: 70px;
```

```
margin-left: 5%;
```

```
padding-top: 0.3%;
```

```
}
```

```
#d1 {
```

```
height: 80px;
```

```
}
```

```
#d2{
```

```
border-radius: 50px;
```

```
width: 60%;
```

```
height: 40px;
```

```
margin-top: -4.5%;
```

```
margin-left: 15%;
```

```
background-color: rgb(243, 243, 243);
```

```
}
```

```
#d3{
```

```
outline: none;
border: none;
margin-left: 1%;
background-color: rgb(243, 243, 243);
padding-top: 0.8%;
position: absolute;
}
#d4{
margin-left: 2%;
padding-top: 1.5%;
}
#d5{
width: 3%;
height: 40px;
margin-left: 70%;
position: absolute;
margin-top: 2px;
}
#d6{

height: 100px;
background-color:rgb(243, 243, 243) ;
}
.c1{
padding-top: 1%;
width: 4.5%;
height: 70px;
margin-left: 8%;
}
.c2{
```

```
font-family: sans-serif;  
font-size: small;  
margin-left: 7%;  
}
```

```
.c11{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 20%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c22{  
font-family: sans-serif;  
font-size: small;  
margin-left: 20%;  
margin-top: -1.2%;  
}
```

```
.c111{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 32%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c222{  
font-family: sans-serif;  
font-size: small;  
margin-left: 32%;
```

```

margin-top: -1.1%;

}

.class{
text-decoration: none;
color: black;
}

```

Output:




Fig:5.1




Fig:5.2

Dry Fruits:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <link rel="stylesheet" href="sample.css">
```

```
<style>
```

```
  *{
```

```
    margin: 0px;
```

```
    box-sizing: border-box;
```

```
  }
```

```
  .cp{
```

```
    font-size:small;
```

```
    font-family: sans-serif;
```

```
    color: gray;
```

```
    margin-left: 8%;
```

```
  }
```

```
  #a{
```

```
    height: 350px;
```

```
    background-color:rgb(3, 94, 3);
```

```
  }
```

```
  .v{
```

```
    color:white;
```

```
    text-decoration: none;
```

```
    font-size: 15px;
```

```
    font-family: sans-serif;
```

```
margin-left: 30%;  
margin-top: 12%;  
position: absolute;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div id="id1">
```

```
<h1 id="id2">The Farmer Organic Store</h1>
```

```
<h1 id="id4">Deliver to 560064 Bangaluru</h1>
```

```

```

```
<a id="id3" href="">Login</a>
```

```
</div>
```

```
<div id="d1">
```

```
<a href="Formers.html"></  
a>
```

```
<div id="d2">
```

```

```

```
<input id="d3" type="search" placeholder="search our Store">
```

```

```

```
</div>
```

```
</div>
```

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">

<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 40%;padding-top:6%;">Dry Fruits & Nuts</h1>

</div>

<div style="width:80%;height:1200px;margin-left: 12%;">

<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Classic Casews</h1>

<h1 class="cp"><b style="color: black;">Rs.279</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Classic Almondas</h1>

<h1 class="cp"><b style="color: black;">218</h1>

<h1 class="cp">200g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Super Premium Figs</h1>

<h1 class="cp"><b style="color: black;">Rs.475</h1>

<h1 class="cp">200 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Mamra Almonds</h1>

<h1 class="cp"><b style="color: black;">Rs.425</h1>

<h1 class="cp">100 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Super Premium Walnuts-California</h1>

<h1 class="cp"><b style="color: black;">Rs.445</h1>

<h1 class="cp">200 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Pecans-California</h1>

<h1 class="cp"><b style="color: black;">Rs.370</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<b style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%
off

<h1 class="cp">Hezelnuts-California</h1>

<h1 class="cp"><b style="color: black;">Rs.230</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">


```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Sunflower Seeds</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.75</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left:
5%;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Super Permium Green</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.299</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-
top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Super Premium Salted</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.389</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-
top: -300px;">
```

```

```

```
<b
style="margin-left:0.5%;margin-top: 4px;position: absolute;">13%<br>off</b>
```

```
<h1 class="cp">Watermelon seeds</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.200</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```


```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-
top: -300px;">
```

```

```

```

```

Dry Fruits.css:

```
#id1 {  
    height: 50px;  
    background-color:#579e21;  
    border: none;  
    width: 100%;  
}
```

```
#id2 {  
    padding-top:0.6%;  
    color: white;  
    font-family: sans-serif;  
    font-size: x-large;  
    padding-left: 6%;  
}
```

```
#id3 {  
    color:white;  
    font-family: sans-serif;  
    margin-top: -1.5%;  
    position: absolute;  
    text-decoration: none;  
    font-size: large;  
    margin-left: 80%;  
}
```

```
#id4 {  
    color: white;  
    margin-top: -2%;  
    font-size: small;  
    font-family: sans-serif;  
    margin-left: 38%;  
    margin-top: -1.5%;
```

```
}
```

```
#id5{
```

```
width: 1.5%;
```

```
height: 20px;
```

```
margin-top: -10%;
```

```
margin-left: 36%;
```

```
margin-top: -1.4%;
```

```
position: absolute;
```

```
}
```

```
#id6{
```

```
width: 5%;
```

```
height: 70px;
```

```
margin-left: 5%;
```

```
padding-top: 0.3%;
```

```
}
```

```
#d1{
```

```
height: 80px;
```

```
}
```

```
#d2{
```

```
border-radius: 50px;
```

```
width: 60%;
```

```
height: 40px;
```

```
margin-top: -4.5%;
```

```
margin-left: 15%;
```

```
background-color: rgb(243, 243, 243);
```

```
}
```

```
#d3{
```

```
outline: none;
border: none;
margin-left: 1%;
background-color: rgb(243, 243, 243);
padding-top: 0.8%;
position: absolute;
}
#d4{
margin-left: 2%;
padding-top: 1.5%;
}
#d5{
width: 3%;
height: 40px;
margin-left: 70%;
position: absolute;
margin-top: 2px;
}
#d6{

height: 100px;
background-color:rgb(243, 243, 243) ;
}
.c1{
padding-top: 1%;
width: 4.5%;
height: 70px;
margin-left: 8%;
}
.c2{
```

```
font-family: sans-serif;  
font-size: small;  
margin-left: 7%;  
}
```

```
.c11{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 20%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c22{  
font-family: sans-serif;  
font-size: small;  
margin-left: 20%;  
margin-top: -1.2%;  
}
```

```
.c111{  
padding-top: 1%;  
width: 4.5%;  
height: 70px;  
margin-left: 32%;  
margin-top: -7.1%;  
position: absolute;  
}
```

```
.c222{  
font-family: sans-serif;  
font-size: small;  
margin-left: 32%;
```



```
margin-top: -1.1%;
```

```
}
```

```
.class{
```

```
text-decoration: none;
```

```
color: black;
```

```
}
```

Output:




Fig6.1




Fig:6.2

Spices.html\InlineCSS

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="vegetable.css">

  <style>

    *{

      margin: 0px;

      box-sizing: border-box;

    }

    .cp{

      font-size:small;

      font-family: sans-serif;

      color: gray;

      margin-left: 8%;

    }

    #a{

      height: 350px;

      background-color:rgb(3, 94, 3);

    }

    .v{

      color:white;

      text-decoration: none;

      font-size: 15px;

      font-family: sans-serif;
```

margin-left: 30%;
margin-top: 12%;
position: absolute;

}

</style>

</head>

<body>

<div id="id1">

<h1 id="id2">The Farmer Organic Store</h1>

<h1 id="id4">Deliver to 560064 Bangaluru</h1>

Login

</div>

<div id="d1">

<div id="d2">

<input id="d3" type="search" placeholder="search our Store">

</div>

</div>

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">

<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 40%;padding-top:6%;">Authentic Spices</h1>

</div>

<div style="width:80%;height:1200px;margin-left: 12%;">

<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">

<h1 class="cp">Himalayan Pink Salt</h1>

<h1 class="cp" ><b style="color: black;">Rs.88</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">

<h1 class="cp">Cumin (Jeera) Seeds</h1>

<h1 class="cp"><b style="color: black;">Rs.145</h1>

<h1 class="cp">500g</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<h1 class="cp">Bay Leaf (Tej Patta)</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<h1 class="cp">Black Papper</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<h1 class="cp">Turmeric Powder-Salem</h1>

<h1 class="cp"><b style="color: black;">Rs.25</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart"/>

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<h1 class="cp">Byadgi chilli</h1>

<h1 class="cp"><b style="color: black;">Rs.45</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart"/>

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<h1 class="cp"> Coriander Powder</h1>

<h1 class="cp"><b style="color: black;">Rs.50</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<h1 class="cp">Star Anise-vietnam</h1>

<h1 class="cp"><b style="color: black;">Rs.22</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

```
<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">
```

```

```

```
<h1 class="cp">Ceylon Cinnamon Cigars</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.55</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-
top: -300px;">
```

```

```

```
<h1 class="cp">Clovers-Indonesia</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.55</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-
top: -300px;">
```


<h1 class="cp">Green Cardanom</h1>

<h1 class="cp"><b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-
top: -300px;">

<h1 class="cp">Guntur Chill</h1>

<h1 class="cp"><b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color:
white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to
Cart">

</div>

</div>

<div id="a">

Output:




Fig:7.1




Fig:7.2

Flowers.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="vegetable.css">

  <style>

    *{

      margin: 0px;

      box-sizing: border-box;

    }

    .cp{

      font-size:small;

      font-family: sans-serif;

      color: gray;

      margin-left: 8%;

    }

    #a{

      height: 350px;

      background-color:rgb(3, 94, 3);

    }

    .v{

      color:white;

      text-decoration: none;

      font-size: 15px;
```

font-family: sans-serif;

margin-left: 30%;

margin-top: 12%;

position: absolute;

}

</style>

</head>

<body>

<div id="id1">

<h1 id="id2">The Farmer Organic Store</h1>

<h1 id="id4">Deliver to 560064 Bangaluru</h1>

Login

</div>

<div id="d1">

<div id="d2">

<input id="d3" type="search" placeholder="search our Store">

</div>

</div>

<div id="d6">

<figcaption class="c2">VEGITABLES</figcaption>

<figcaption class="c22">SAMPLES</figcaption>

<figcaption class="c222">FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 43%;">LEAFY GREENS</figcaption>

<figcaption class="c222" style="margin-left: 56%;margin-top: -1.1%;">DRY FRUITS</figcaption>

<figcaption class="c222" style="margin-left: 67%;margin-top: -1.1%;">SPICES</figcaption>

<figcaption class="c222" style="margin-left: 78%;margin-top: -1.1%;">FLOWERS</figcaption>

</div>

<div style="height: 200px;background-color:#579e21;">


```
<h1 style="font-family: sans-serif;font-size: xx-large;color: white;margin-left: 43%;padding-top:6%;">Flowers</h1>
```

```
</div>
```

```
<div style="width:80%;height:1200px;margin-left: 12%;">
```

```
<div style="width: 20%;height: 300px;border: solid gray;margin-top: 10%;margin-left: 5%;">
```

```

```

```
<h1 class="cp">Roce</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.88</b></h1>
```

```
<br>
```

```
<h1 class="cp">500 gm </h1>
```

```
<br>
```

```
<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">
```

```
</div>
```

```
<div style="width: 20%;height: 300px;border: 2px solid gray;margin-left: 27%;margin-top: -300px;">
```

```

```

```
<h1 class="cp">Hybiscus</h1>
```

```
<br>
```

```
<h1 class="cp"><b style="color: black;">Rs.15</b></h1>
```

```
<br>
```

```
<h1 class="cp">10g</h1>
```

```
<br>
```

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<h1 class="cp">Lotus</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<h1 class="cp">Red Flowers</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm</h1>

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<h1 class="cp">Marigold</h1>

<h1 class="cp"> <b style="color: black;">Rs.25</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart"/>

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<h1 class="cp">Jasmin</h1>

<h1 class="cp"><b style="color: black;">Rs.45</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<h1 class="cp"> Lily</h1>

<h1 class="cp"><b style="color: black;">Rs.50</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<h1 class="cp"> Tulip</h1>

<h1 class="cp"><b style="color: black;">Rs.22</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: solid grey;margin-top: 5%;margin-left: 5%;">

<h1 class="cp">Daisy</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 27%;margin-top: -300px;">

<h1 class="cp">Dhalia</h1>

<h1 class="cp"><b style="color: black;">Rs.55</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 49%;margin-top: -300px;">

<h1 class="cp">Daffodils</h1>

<h1 class="cp"><b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

<div style="width: 20%;height: 300px;border: 2px solid grey;margin-left: 71%;margin-top: -300px;">

<h1 class="cp">Sunflower</h1>

<h1 class="cp"><b style="color: black;">Rs.20</h1>

<h1 class="cp">500 gm </h1>

<input style="border-radius: 50px;background-color:rgb(15, 211, 15);color: white;border: none;width: 60%;height: 30px;margin-left: 8%;" type="button" value="Add to Cart">

</div>

</div>

<div id="a">

<b style="font-family: sans-serif;font-size: large;margin-left: 40%;margin-top: 8%;position: absolute;color: white;">Indian Farmers

[Terms](#)[About](#)[**Privacy**](#)

[src="https://gourmetgarden.in/cdn/shop/t/61/assets/footer_ig_icon.svg?v=110514061604159201831646454328"> &](https://gourmetgarden.in/cdn/shop/t/61/assets/footer_ig_icon.svg?v=110514061604159201831646454328)

```
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

</html>

Output:




Fig:8.1




Fig:8.2

Conclusion

The Formers Organic Store project aims to establish a sustainable and profitable organic store under the Formers brand. This venture is driven by a commitment to providing high-quality organic products to the local community while promoting health-conscious and sustainable living practices. Throughout the project, the team will focus on various aspects, including market research, location selection (if applicable), online presence development, product procurement, branding and marketing, staffing and training, sustainability initiatives, and financial planning. However, it's important to acknowledge the constraints and challenges such as budget limitations, regulatory requirements, and market competition.