UNEXPLAINED COINCIDENCES FOR 123

BRIDGET TENNER, ANDERS CLAESSON, AND HENNING ULFARSSON

ABSTRACT. The following coincidences are found by first applying the Shading Algorithm to get all coincidence classes on the pattern 123. Then for each class we pick (one of) the least shaded pattern(s) and compute the avoiding permutations of lengths $0, \ldots, 9$. If two (or more) classes turn out to have the same avoiding permutations they are listed together below.


1. PARAMETERS USED BY THE SHADING ALGORITHM

depth	multbox	q-check	forcelen	#united
-1	False	False	0	30910
1	False	False	1	8
1	False	False	2	0
1	False	False	3	0
1	False	True	1	500
1	False	True	2	0
1	False	True	3	0
1	True	False	1	0
1	True	False	2	428
1	True	False	3	40
1	True	True	1	0
1	True	True	2	16
1	True	True	3	0
2	False	False	1	0
2	False	False	2	0
2	False	False	3	0
2	False	True	1	0
2	False	True	2	0
2	False	True	3	0
2	True	False	1	0
2	True	False	2	0
2	True	False	3	0
2	True	True	1	30
2	True	True	2	2
2	True	True	3	0
3	False	False	1	52
3	False	False	2	0


Key words and phrases. Permutation Patterns.

3	False	False	3	0
3	False	True	1	0
3	False	True	2	0
3	False	True	3	0
3	True	False	1	0
3	True	False	2	2
3	True	False	3	0
3	True	True	1	0
3	True	True	2	0
3	True	True	3	0
4	False	False	1	4
4	False	False	2	0
4	False	False	3	0
4	False	True	1	0
4	False	True	2	0
4	False	True	3	0
4	True	False	1	4
4	True	False	2	0
4	True	False	3	0
4	True	True	1	0
4	True	True	2	0
4	True	True	3	0
5	False	False	1	0
5	False	False	2	0
5	False	False	3	0
5	False	True	1	0
5	False	True	2	0
5	False	True	3	0
5	True	False	1	2
5	True	False	2	0
5	True	False	3	0
5	True	True	1	0
5	True	True	2	0

2. Coincidences



Coincidence 4	
Coincidence 5	
Coincidence 6	
Coincidence 7	
Coincidence 8	
Coincidence 9	
Coincidence 10	
Coincidence 11	
Coincidence 12	
Coincidence 13	
Coincidence 14	
Coincidence 15	
Coincidence 16	
Coincidence 17	
Coincidence 18	
Coincidence 19	



(Tenner) School of Computer Science, Reykjavík University, Menntavegi 1, 101 Reykjavík, Iceland

(Claesson) Department of Computer and Information Sciences, University of Strath-Clyde, Glasgow G1 1XH, UK

(Ulfarsson) School of Computer Science, Reykjavík University, Menntavegi 1, 101 Reykjavík, Iceland

E-mail address: anders.claesson@cis.strath.ac.uk, henningu@ru.is