

- hydrolysis
GroEL–GroES binding 103
swinging cross-bridge model 292F
role in muscular contraction 296–297
- B cells (B lymphocytes) 299
antibody formation 300
numbers produced 302
- Bacillus amyloliquefaciens* 215
Bacillus subtilis, PRA-isomerase and IGP-synthase 52
'Backbone', formation 4, 4F
- Bacteria
antibody-tagged 299, 300
disulfide bridge formation 96
lysogenic strains 129–130
lytic strains 130
outer membrane proteins *see* Porins
photosynthetic reaction center *see* Photosynthetic reaction center
protein A 363, 363F
purple 242
see also specific genera
- Bacteriochlorophyll 236, 236F
LH2 light-harvesting complex 241, 242F
- Bacteriophage
filamentous 359–361, 360F
gene control 129–130
helper 360
lytic–lysogenic cycle switch 130–131, 130F, 133
repressors *see* Repressor proteins; *specific bacteriophage*
temperate 130
T-even 326F
- Bacteriophage 434
Cro protein
DNA complex structure 136–137
DNA distortion after binding 138, 138F
operator region binding 138–139, 138F, 139F
repressor DNA-binding domain similarity 137
genetic switch region 130–131, 130F
operator regions 137T
base pair 4 140
central region and overwinding 140–141
repressor 137, 137F
DNA complex structure 136–137
DNA distortion after binding 138, 138F
DNA-binding surface 135, 136F
sequence-specific OR interactions 138–139, 138F, 139F, 140
- Bacteriophage display 359–363
applications 361–365
binding specificity of proteinase inhibitors 362–363
DNA shuffled libraries 366
Kunitz domains 362, 362T
libraries of erythropoietin receptor agonists 364–365
procedures 360
protein linked to DNA by 359–361
proteinase inhibitor optimization 361–363
sorting of libraries 360F
- Bacteriophage lambda
Cro protein 129
dimer 132, 132F
DNA-binding motif 133–134, 134F
structure 131–132
Cro–DNA interactions model 134–135
genetic studies supporting 135
genetic switch region 130–131, 130F
operator regions, nucleotide sequences 130, 131–132, 131T
repressor 129, 161F
dimers 132, 132F, 133, 133F
DNA-binding domain 132–133, 133F
DNA-binding motif 133–134
N-terminal domain 133F
POU region structure similarity 164
- Bacteriophage M13 359–361
Bacteriophage MS2 339–340
dimer recognizing RNA packaging signal 339–340, 339F, 340F
polypeptide chain fold 339
subunit structure 339, 339F
- Bacteriophage P22 130–131, 130F
repressor, DNA-binding surface 135, 136F
tailspike protein 84–85
- Bacteriophage replicase 339
Bacteriophage T4 325
lysozyme 354
 $\alpha + \beta$ type 355F
cavities in hydrophobic core 358
dipoles of α helices 357, 357F
glycine and proline effect on stability 356–357
melting temperatures 356F
mutations to increase proline 356–357
polypeptide chain 355F
stability increased by disulfide bridges 355–356
- Bacteriorhodopsin
light-driven proton pump 227–228, 229F
retinal binding site 227
transmembrane α helices 226–227, 226F
- Ball-and-stick diagram 22
antiparallel β sheet 18F
collagen model 284F
parallel β sheet 19F
- Banner, David 39
Barnase 357–358
destabilizing mutants 358
folding 94–95, 94F
stability increased by histidine 357–358
- Bax, Ad 110
B-DNA *see* DNA
Bence-Jones protein 304
Benzoate, mandelate conversion to 54–55, 54F
Berman, Helen 285
 β barrels, antiparallel *see* Antiparallel β barrels
 β domains 31
 β hairpin *see* Hairpin β motif
 β sheets 14, 19–20, 47, 48
active sites in α/β structures 57, 59
antiparallel *see* Antiparallel β sheets
in antiparallel β structures 67, 67F
in β helix 84–85, 84F, 85F
 β strand insertion in latent serpin 112, 112F
in α/β twisted open sheets 56–57, 57F
barnase folding intermediate 94, 94F
DNA-binding site of TATA box-binding protein 154
four-stranded 30–31, 31F, 68
GroEL domain 100
hairpin β motifs in 26, 26F
immunoglobulins 307
jelly roll barrel 78
MHC class I molecule 314
mixed 20, 20F
carboxypeptidase 60–62, 61F
thioredoxin 97
open structures, topologies 57, 58F
open twisted 47, 48, 48F
parallel 19, 19F
 α/β -horseshoe folds 55, 56F
subtilisin 215, 216F
topology diagram 24F
see also β strands
- pleated 19, 19F
silk fibroins 289, 290F
topology diagrams 23, 24F
twisted 20, 20F
transthyretin 288, 288F, 289F
up-and-down *see* Up-and-down β sheets
zinc finger motif binding 178
- β strand-loop-helix 184
 β strands 19
antiparallel *see* Antiparallel β strands;
Antiparallel β structures
in β helix 84
barrel or sheet structures 47–48
change of active to latent form of serpins 112, 112F
conversion to α structure (protein design) 368–370, 369F, 369T
Cro protein 132F
in hairpin β motif 26–27, 26F
hairpin loops 21–22, 21F
hydrogen bonds 19
immunoglobulins 304, 304F, 305, 308F
interactions 19
jelly roll barrel formation 77–78, 77F
loop region connections 21
membrane proteins 223
p53 167, 168, 169
parallel
active site of carboxypeptidase 62
in α/β barrels 48, 49F, 306
 β - α - β motif 27–28, 28F
barrels or sheet structures 47–48
subtilisin 215
see also β sheet
phosphofructokinase 116
pleated 19
prediction of secondary structure 352
Ramachandran plot 10, 19
Ras protein 255
schematic diagram representation 23
superbarrel formation in neuraminidase 72
SV40 343, 343F
transmembrane
porins 228–229
prediction 230
twisted in β sheet 20, 20F
see also β sheet
 β strand-turn- α -helix motif, p53 domain 167
 β structures 67–88
antiparallel *see* Antiparallel β structures
 β -helix 84–85
 β - α - β motif 27–28, 28F
in α/β domains 32
in barrel and sheet structures 47, 49F
handedness 28, 48, 49F
left-handed in subtilisin 217
orientation and alignments 47–48, 49F
thioredoxin 97
 β - α - β motifs 30, 30F
 β - β unit (hairpin β motif) 26–27, 26F
see also Hairpin β motif
 β -helix 84–85
 β strands in 84
 α/β structure relationship 84
three-sheet 85, 85F, 86F
twisted, in transthyretin 288, 288F, 289F
two-sheet 84, 84F
 β -loop- α structure 55, 56F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- β -loop- β units 31F, 68
 b/HLH transcription factors 175, 196F, 197, 202
 amino acid sequences 201F
 consensus sequence recognized 197, 199, 201
 homodimer and heterodimers 196–197, 196F
 structure 197, 200
 b/HLH/zip transcription factors 196F, 199–200
 amino acid sequences 201F
 motif structure 200
 Myc 199
 Biliverdin 70
 Biochemical studies 391
 Biopolymers, fiber diffraction 386–387
 Björkman, Pamela 312
 Blake, Colin 288
 Blow, David 59, 210
 Bluetongue virus 326
 Blundell, Tom 74, 76
 Bovine pancreatic trypsin inhibitor (BPTI) 26, 26F, 96–97, 96F
 folding pathway 96–97, 96F
 NMR and x-ray crystallography comparison 390–391
 Bragg, Lawrence 378
 Bragg, W.L. 13
 Bragg's law 378, 379F
 Braisted, Andrew 363
 Branden, Carl 20F, 49F, 53F, 59, 97
 Breathing, proteins 105
 Brennan, Richard 143
 Bugg, Charles 109
 Burley, Stephen 154, 159, 199–200
 b/zip family, Fos and Jun 199
 b/zip transcription factor 196F, 197

 C₆-zinc cluster family 190–191, 190F, 202
 Calcium 25F
 Calcium-binding domain 29F
 Calcium-binding motif 24, 25F
 amino acid sequences 26F
 Calcium-binding proteins 25
 Calmodulin 24, 26, 109–110
 calcium binding 26
 domains and structure 110, 110F
 peptide binding 109–110, 110F
 Campbell, Ian 274
 Canonical loop structures 311
 CAP *see* Catabolite gene activating protein (CAP)
 Capsid 325, 326
 bacteriophage MS2 339–340
 see also specific viruses
 Carbon atoms 4
 Carbonyl groups, GAL4 binding to DNA 188, 189F
 Carboxyl groups 4, 4F
 Carboxypeptidase
 active site 62F
 α/β protein with mixed β sheet 60–62, 61F
 zinc environment 62F
 Cardioviruses 333
 Carrel, Robin 111
 Caspar, Don 330, 342
 Catabolite gene activating protein (CAP) 132
 cAMP–DNA complex 146, 146F
 DNA bending 146–147, 156
 helix–turn–helix motif 146, 146F
 Catalysis 205
 reactions, α/β barrels in 51
 substrate-assisted 218–219, 218F
 without catalytic triad in subtilisin 217–218
 see also Serine proteinases
 Catalytic triad 209
 alphavirus coat protein protease 341
 catalysis without 217–218
 chymotrypsin 211, 211F, 212F
 subtilisin 216, 217
 CCG triplets 191
 GAL4 binding 188, 189
 zinc-containing motifs binding to 190, 191
 CD4 168, 319, 319F
 CDK *see* Cyclin-dependent protein kinases (CDKs)
 CDR *see* Complementarity determining regions
 Cell cycle 105–106, 106F
 G₀ phase 106
 Gap 1 (G₁ phase) 105
 Gap 2 (G₂ phase) 105–106
 M phase 105
 protein kinase conformational changes 105–109
 regulation by p21 166
 S phase 105
 Cell growth/differentiation 271, 272F
 Cellulase, NMR 387F, 390F
 Cephalosporinase genes, DNA shuffling 366, 366F, 367F
 C_H *see* Immunoglobulins, constant domains
 Chaperones 89
 hsc70 293
 Chaperonin
 definition 100
 GroEL *see* GroEL
 protein folding/unfolding in 99–100
 Chemical shifts, in NMR methods 387, 387F, 388
 Chimeric protein 190
 Chiral forms, amino acids 5
 Chlorophyll
 accessory molecules 238, 238F, 239
 arrangement 238F
 circular rings in light-harvesting complex LH2 241, 241F, 242F, 243
 photon absorption 239
 'special pair' 236, 238, 238F, 239, 244
 Cholera toxin 254
 Chothia, Cyrus 31, 32, 42, 311, 317
 cH-ras p21 254F
 Chymotrypsin 29F
 active site structure 211–212, 211F, 212F
 domains 211, 211F
 evolution 210
 gene duplication 212
 preferential cleavage mechanism 212–213
 specificity mechanism 209
 specificity pockets 212–213, 213F
 structure 210–211, 210F
 subtilisin similarity 216–217
 superfamily 210, 212
 see also Serine proteinases
 cis-peptide 98, 98F
 cis-retinoid acid receptor (RXR) 185
 heterodimer formation 186, 186F
 Citrate synthase 17T
 Classification of protein structure
 classes 31–32
 topology diagrams 23
 Clonal selection theory 299F, 300
 Coagulation cascade 361
 Cogdell, Richard 241
 Coiled-coil α helix *see* α helix
 Collagen 284–286
 alanine mutation 285, 285F
 fibers 283
 polypeptide chains 284, 284F, 285
 superhelix of left-handed helices 284–286, 284F
 hydrogen bonding 286, 286F
 synthesis 284
 Collectins 36
 Colman, Peter 71
 Combinatorial control, leucine zipper dimerization 193
 Combinatorial design, FSD-1 peptide 368
 Combinatorial joining 302, 302F, 303
 Combinatorial libraries 358
 Combinatorial methods
 definition 358
 protein engineering 358–359
 in vitro selection *see* Bacteriophage display
 Combinatorial screening, sequence recognition by SH3 274
 Common cold, drugs 337–338
 Complementarity determining regions (CDR) 301, 302F
 CDR1 305
 CDR2 305, 311
 CDR3 302–303, 305, 310, 311
 loop conformations and sequences 350
 conformation prediction 350, 350F
 conformational changes 311–312
 limited range 311–312, 350
 lysozyme and Fab binding 309–310, 310F
 T-cell receptor 317F
 see also Hypervariable regions, immunoglobulins
 Computer-generated diagrams
 γ -crystallin structure 74, 74F
 myoglobin 22F
 Computer-generated models 23
 building from x-ray diffraction data 382, 382F, 384
 Concanavalin A 77
 Concerted model 113–114
 Conformational changes 105
 calmodulin and peptide binding 109–110, 110F
 complementarity determining regions 311–312
 ligand-induced 142–143
 protein kinase 105–109
 R and T states of allosteric proteins 113–114
 phosphofructokinase 114–117, 117F
 serpins 111–113, 112F
 switch regions in G α 257–259
 trp repressor 142–143
 Consensus motif, sequence recognition by SH3 274
 Consensus sequence
 b/HLH transcription factors binding to 197, 199, 201
 α/β -horseshoe fold 55
 TATA box 154F
 Continuous lipidic cubic phase 225
 Control module 151
 Cooperative binding 113
 Coreceptors, CD4 319
 Corepressor 142–143, 143F
 COSY (correlation spectroscopy) NMR experiments 388, 388F, 389
 cross-peaks ('fingerprints') 388F, 389
 Covalent bonds
 native/denatured state of proteins 90
 peptide units 8
 Craik, Craig 213
 Creighton, Thomas 96
 Creutzfeldt-Jacob disease 113
 Crick, Francis 13, 35, 36, 121, 285, 387
 Critical Assessment of Structure Prediction (CASP) 353
Cro gene, repression by repressor protein 130
Cro protein 129

- action in genetic switch region 130–131, 130F
- differential binding to operator sites 140–141
- as dimer 132, 132F
- dimerization 132
- DNA interactions 134–135
- helix-turn-helix motif 132, 134F
- lambda *see* Bacteriophage lambda
- phage 434 *see* Bacteriophage 434
- phage P22 135, 136F
- as repressor 131
- summary 141–142
- synthesis 131
- Cross-bridges *see under* Myosin
- Cross-peaks, in COSY spectra 388F, 389
- Cryocooling 377
- Cryoelectron microscopy, alphaviruses 340–341
- Cryoprotectants 377
- β-Crystallin, mouse 76
- γ-Crystallin
- coding sequence 76
- evolution 76
- Greek key motifs 74–75, 75F, 76
- two domains 74, 74F
- amino acid sequences 76
- identical topology 75–76
- structures 76
- Crystallites 384, 385F
- Crystallization 375
- hanging-drop method 375, 376F
- membrane proteins 224–225
- Crystals, protein
- channels in 374–375, 375F
- cooling 377
- difficulties in obtaining 374, 375, 384
- growth 375
- isomorphous 380
- structure 373F
- unit cell 374
- Cyclic AMP 253
- Cyclic AMP-dependent protein kinase 277–278
- Cyclic GMP phosphodiesterase 265
- Cyclin 106, 166
- half-life 106
- Cyclin A 106
- binding to CDK2 107, 107F, 108F, 109F
- structure 107F
- Cyclin box 108
- Cyclin fold 108, 159
- Cyclin-dependent protein kinases (CDKs) 106, 272
- CDK2 106–108, 107F, 272
- cyclin A binding and conformational change 107–108, 107F, 108F, 109F
- domains 107–108, 107F
- T-loop 108, 109F
- as relay of switches 106
- Cyclophilin 98–99, 99F
- cis-trans* isomerization enhancement 99
- structure 99, 99F
- Cyclosporin A 98–99
- Cysteine
- disulfide bridge formation 5–8
- DNA-binding domain of GAL4 187, 188F
- loop length between, effect of stability 355–356
- side chain in alcohol dehydrogenase 11, 11F
- structure 6F
- zinc finger motif 176, 176F
- DNA-binding domain of glucocorticoid receptor 181–182, 183, 184
- Cysteine proteinase 205
- Cys-X-X-Cys motif 97
- Cytochrome, in photosynthetic reaction center 235, 236, 240
- Cytochrome b₅₆₂ 37, 38F
- Cytochrome c' 37
- Cytochrome c oxidase, crystallization 225
- Cytosine, in DNA, hydrogen bonds 123F
- ‘D (dimerization) box’ 184
- 3D profile method 353
- D-form of amino acids 5, 9
- Dahiyat, Bassil 367
- Database
- homologous proteins 348
- protein folds 353
- on World Wide Web 393, 394
- Davies, David 304, 309
- Deacylation 208, 209F
- Dehydration, ion selectivity filter mechanism 234
- Deisenhofer, Hans 235
- Deisenhofer, Johann 55, 102
- Denatured state of proteins 90
- Dennis, Mark 362
- Detergents, membrane protein solubilization 224, 225F
- D-form, of amino acids 5, 9
- Dictyostelium* myosin 295
- Diffraction patterns *see also* X-ray diffraction
- Diffraction spot 379, 386
- Dijkstra, Bauke 39
- Dimeric proteins
- bacteriophage MS2 339–340, 339F, 340F
- glucocorticoid receptor 183–184
- lambda Cro protein 132, 132F
- lambda repressor 132, 132F
- phosphofructokinase (PFK) 116
- see also* Heterodimers
- Dipole moment
- α helix 16, 16F, 357–358, 357F
- peptide unit 16, 16F
- Distance constraints, NMR methods 390–391
- Disulfide bonds/bridges 5
- in α + β domains 32
- chymotrypsin 210
- collagen 285
- formation 5–8
- during protein folding 96–98
- insulin 8
- protein stability increased 354–356
- stability 97–98
- Disulfide bridge-forming enzymes (Dsb) 96, 97, 97F
- DNA 121
- A-DNA 121, 122F
- diffraction patterns 386, 386F
- major groove 123, 123F
- base pairs, in major and minor grooves 123F, 124F
- B-DNA 121, 121F, 122F
- base pairs in turn 135
- base sequences 124–125, 124F
- deformation after TBP binding 155–157
- diffraction patterns 386, 386F
- distortions due to protein binding 138, 138F, 145
- helix-turn-helix motif binding 134
- hydrogen bonds with protein side chains 124–125
- major and minor grooves 122–123, 123F
- as preferred conformation 124
- bending
- CAP-induced 146–147, 156
- energy 147
- functional implications 158
- TATA box-binding protein inducing 155–157, 156F, 158
- conformational changes
- differential binding of repressors and Cro 140–141
- glucocorticoid receptor binding 182F, 183
- protein-DNA backbone interactions 139–140
- in control module 151
- γ-crystallin sequence 76
- diffraction patterns 386–387, 386F
- distortion, p53 binding 170
- hairpin, in TATA box 154
- helix regularity, fiber formation 384
- helix structure 121–122, 122F
- major and minor grooves 122–123, 122F, 123F
- homeodomain complex 161, 161F
- homeodomain protein monomer binding 160–162, 161F
- kinks 156, 156F
- major groove
- b/HLH motif binding 198–199, 198F
- classic zinc fingers binding 177–178
- Cro protein binding 134–135
- GCN4 binding 196
- homeodomain binding 161, 161F
- hydrophilic protein-DNA interactions 157
- lac repressor binding 143–145, 145F
- p53 binding 169–170, 169F, 171
- sequence-specific recognition 124–125, 125F
- zinc cluster of GAL4 binding 188, 189F
- zinc finger of glucocorticoid receptor binding 184
- Mat α2–Mat α1 complex binding 163, 163F
- minor groove
- homeodomain recognition 161
- lac repressor binding 143–145, 145F
- p53 binding 169–170, 169F, 171
- TATA box-binding protein binding 155–157, 156F
- palindromic sequences 131–132, 131T, 135
- POU region binding 165–166, 165F
- protein interactions *see* Protein-DNA interactions
- protein linked to 359–361
- recognition *see* DNA recognition
- sequence-specific interactions, operator regions and repressors 139, 139F
- sequence-specific recognition pattern 124–125, 125F
- site-directed mutagenesis 354
- structural change after TBP binding 155–157
- structures 121–126
- sugar-phosphate backbone 139, 141
- synthesis, cell cycle 105, 106
- twist angles 121
- unwinding, TATA box-binding protein binding 156, 156F
- Z-DNA *see* Z-DNA
- DNA recognition 129
- by helix-turn-helix motifs 129–149
- see also* Cro proteins; Helix-turn-helix motif; Repressor proteins
- sequence-specific 124–125, 125F
- recognition pattern 124–125, 125F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- for restriction enzymes 125
- by transcription factors 151–174
- DNA shuffling 359F, 365–366
- cephalosporinase genes 366, 366F, 367F
- process 366, 366F
- DNA-binding domain 129
 - cis*-retinoic acid receptor (RXR) 186, 186F
 - GCN4 194, 195F
 - glucocorticoid receptor 181–183
 - MyoD 197F
 - p53 167, 167F, 168–169, 168F
- DNA-binding motifs
 - helix-turn-helix 133, 134F
 - see also* Helix-turn-helix motif
 - lambda Cro and repressor proteins 133–134
 - zinc in 175
- DNA-binding proteins 121, 152
- catabolite gene activating protein (CAP) 146
- procaryotic, homeodomain differences 160
- transcription factors *see* Transcription factors
- see also* Cro protein; Repressor proteins
- DnaK (Hsp 70) 100
- Dodecahedron 327F
- Dodson, Christopher 95
- Dodson, Guy 94
- Domain-domain associations, immunoglobulin hypervariable region 307
- Domains 3F, 29, 29F
 - CDK2 107–108, 107F
 - definition 29
 - GroEL *see* GroEL
 - interdomain movements 109–110
 - large polypeptide chains 29–30
 - lysozyme 95F
 - movements 89
 - from structural motifs 30
 - thioredoxin 97
 - types 29F
 - see also* α domains; α/β domains; β domains; β structures
- Doolittle, D.F. 245
- Drenth, Jan 215
- Drosophila* 159, 160, 162F, 179
- Drug design, for common cold 337–338, 337F
- DsbA 96, 97, 97F
 - as oxidizing agent 98
- Dystrophin 36
- Edmundson, Allen 304
- EF motif (EF hand) 24, 25F
 - amino acid sequences 26F
 - calmodulin 110
- Eisenberg, David 353
- Elastase 212–213, 213F
- Electron microscopy 374
 - membrane proteins 225–226, 226F
 - myosin cross-bridges 292
 - transthyretin 288
- Electron-density map 381–382, 382F, 384
- Electronic area detectors 377
- Electrons
 - scattering 378
 - transfer in photosynthesis 239
 - x-ray interactions 381
- Electron-transfer reactions 11
- Elongation factor, Tu 255
- Emphysema 113
- Endoplasmic reticulum, MHC molecule loading 316
- Energy
 - folded and denatured state of proteins 90
 - light, conversion to electrical energy 239–240
- Engelman, D.A. 245
- engrailed* gene 160, 162F
- engrailed homeodomain 162F, 165
- Enhancer elements, distal 151, 151F, 152
 - distance from promoters 152
- Enhancer elements, GAL4 zinc cluster regions binding to 188–189, 189F
- Enteroviruses 333
- Enthalpy, folded/denatured proteins 90
- Entropy
 - cost of folding proteins 354
 - native/denatured state of proteins 90
- Enzyme(s)
 - activation energy of reactions decreased by 206–207, 207F
 - antibodies as *see* Antibodies, catalytic
 - α/β barrels 48–49
 - catalysis *see* Catalysis
 - catalytic properties 206
 - evolution 54–55
 - K_m and K_{cat} values 206
 - multidomain subunits 51
 - in protein folding 89
 - R and T states 114–117
 - phosphofructokinase 115, 116–117, 117F
 - reactions *see* Catalysis
 - transition-state affinities 207, 207F
- Enzyme-linked receptors 251
 - classes 270–271
 - tyrosine kinase receptors 270–271
- Enzyme-substrate (ES) complex 206
- Epidermal growth factor (EGF) 29F
- Epinephrine 253, 254
- Erabutoxin 26, 26F
- Erythropoietin 364
- Erythropoietin receptor (EPOR)
 - agonists, phage display of random peptide libraries 364–365
 - EMP1 peptide 364, 365, 365F
 - extracellular domain (EBP) 364, 365, 365F
- Escherichia coli*
 - arabinose-binding protein 62–63, 62F
 - bacteriophage growth 129–130
 - DsbA structure 97, 97F
 - heat-shock proteins *see* GroEL; GroES
 - lac operon 143–145
 - maltoporin 230
 - met repressor 175
 - phosphofructokinase 115–116, 115F
 - porins 229
 - PRA isomerase and IGP synthase 53, 53F
 - ribonucleotide reductase 11, 11F
- Estrogen receptor 181, 181F, 183
- Ethane 10F
- Eucaryotic cells, disulfide bridge formation 96
- Evans, Phil 50, 115
- Evolution
 - antibodies, T-cell receptor and MHC 300
 - chymotrypsin 210, 212
 - combinatorial methods accelerating 358–359
 - conservation
 - of α domains 41–42
 - of heme pocket 43
 - γ -crystallin 76
 - directed, recombination and mutation in 365–366, 366F
 - DNA shuffling 365–366
 - enzymes 54–55
 - globin fold preservation 41–42
 - homeodomain proteins role 159–160
 - immunoglobulin domains 301
 - jelly roll barrel structures of viruses 335–337, 335F
 - new enzyme activities and α/β barrels 54–55
- POU-specific domains 166
- proteinases 205
- serine proteinases 210
- subtilisin 210
- transcription factors 202
- Evolutionary relatedness, primary structure of proteins 29
- 6-F Helix 116
- Fab fragments 303, 304, 306, 307F, 308F
 - lysozyme complex 309–310, 310F
- F-actin 293
- Factor IX 29F
- Familial amyloidotic polyneuropathy 288
- Fatty acids, synthesis 30
- Fc fragment 303, 312
- Fe atom, in photosynthetic reaction center 236, 238
- Feedback, negative loop 142
- Feedback inhibition 113
- Feher, G. 246F
- Fersht, Alan 60, 93, 357
- Fiber diffraction methods 384–385, 385F
 - biopolymers 386–387
 - diffraction patterns 385F
 - DNA 386–387, 386F
 - transthyretin 288
- Fibers
 - symmetry 384
 - x-ray diffraction *see* Fiber diffraction methods
- Fibrils 283, 285
- Fibrinogen, heptad repeats 36
- Fibronectin type III domain 267, 319, 319F
- Fibrous proteins 283–298
 - amyloid and transthyretin 288–289
 - coiled-coil α helix 35
 - oligomers, coiled coil α helices 286–287
 - silk fibroins 289–290
 - see also* Actin; Collagen; Myosin
- Filamentous bacteriophage 359–361, 360F
- Filaments 283
- Flavodoxin 24F, 58F, 59
- Fletterick, Robert 213
- Flexibility of proteins 91
 - folded proteins 104–105
- FMN-binding redox protein 58F, 59
- Fold recognition (threading) 353–354
- Folding of proteins *see* Protein folding
- Foot-and-mouth disease virus 333
- Fos 191, 192, 199
 - amino acid sequence 192, 192F
- fos* gene 199
- Fos-Jun heterodimer 192–193
- Four-helix bundle 37–39, 38F
- Fourier, Jean Baptiste Joseph 379
- Fourier transform 379
- Franklin, Rosalind 121, 387
- Free energy 90, 92, 93
- Freeman, Hans 24F
- Frog muscle 292–293
- Fructose-6-phosphate (F6P) 114F, 115, 116, 117
- FSD-1 peptide 368, 368F, 368T
- Functions of proteins 3
- Fusogen, hemagglutinin as 80
- Fv fragment 224–225
- Fyn 274, 275
- G protein-linked receptors 251
- G proteins 252–264
 - activated (G_{α} -GTP) 253, 254, 256
 - structure 253, 253F
 - activation 252, 264
 - by rhodopsin 265

- adenylate cyclase activation 253, 253F
definition 252
- G_{α} 252
activation by switch region change 257–259
 $G_{\beta\gamma}$ binding blocked by phosducin 265–266
GTP complex structure 256
GTP hydrolysis mechanism 260, 260F, 261F
GTPase domain binding to G_{β} 263–264
inactive and active forms 258F
Ras comparison 256–257
RGS regulating via 252, 261, 266
switch regions 257–259, 258F
three-dimensional structure 254–257, 264
- G_{β} 253
binding to GTPase domain of G_{α} 263–264
seven-blade propeller fold and WD units 261–263
genes 252
- G_{γ} 252
structure 263
as GTPases 252, 259–260
heterodimer ($G_{\beta\gamma}$) 253
phosducin binding in rod cells 265–266, 266F
regulation by phosducin 265, 266
structure 262, 262F, 263, 263F, 264
- heterotrimer ($G_{\alpha\beta\gamma}$) 252, 253, 253F
 G_{α} binding to G_{β} 263–264
regulators 266
structure 262–263
inactive ($G_{\alpha\beta\gamma}$) 253, 253F
as molecular amplifiers 252–254
physiological processed mediated by 252T
signal transduction 254–264
subunits 252
amino acid residues 261
see also Transducin
- G-actin 293, 293F
- GAL4 187–189
amino acids 187
dimerization regions 187, 190
DNA binding, linker region role 189
DNA-binding domain 187F
binuclear zinc cluster 187–188, 188F
domain swapping with PPR1 190, 190F
upstream-activating sequence (UAS) 188
zinc cluster regions 187–188, 188F
binding to enhancer (CCG triplet) 188–189, 189F, 191
- GAP (GTPase-activating protein) 254, 261
- GCN4 36, 175, 191
amino acid sequence 192F, 193, 194F
DNA binding
nucleotide sequence 194, 194F
specific and nonspecific contacts 194–196
DNA recognition sites 194, 194F
DNA-binding domain 194, 195F
leucine zipper binding to DNA 193–194
- GDP, GTP hydrolysis to 252, 260
- Gelatin 285
- Gene control, lysogeny and lytic cycle 129–130
- Gene duplication
antibodies, T-cell receptor and MHC 300
chymotrypsin evolution 212
 γ -crystallin Greek key motifs and 76
enzyme evolution 55
immunoglobulin evolution 301
- Gene expression, regulation 151
eucaryotes 159
procaryotes 159
- Gene fusion, double α/β barrel formation 52–53, 52F
- Genetic code, amino acid side chains 4–5
- Genetic economy, viruses 327, 330
- Genome organization, enzyme differences and 53
- Gilbert, Walter 76
- GLI 179, 180F
- Globin
hydrophobic interior 42–43
low sequence homology between 42–43
- Globin family 42
- Globin fold 22F, 35, 40, 40F
conservation during evolution 41–42
- Globular proteins 90–91
coiled coils in 287
 α helix 15
turnover and flexibility 91
- Glucagon, NMR and x-ray crystallography comparison 391
- Glucocorticoid receptor 181–183, 182F
 α helix in zinc motif 184–185
dimer binding to DNA 183–184
DNA-binding domain 181–183, 181F
amino acid sequence 182F
sequence-specific interactions 184–185, 185F
function of two zinc ions 185
recognition helix 184–185
structure 182F, 183, 183F
- Glucocorticoid response element (GRE) 183
- Glutamic acid
side chain in ribonucleotide reductase 11, 11F
structure 6F
- Glutamine
GTP hydrolysis mechanism 260, 260F
lysozyme–antilysozyme complex 310F
parvalbumin calcium-binding motif 25
recognition helix of repressor and Cro 139, 141
structure 6F
- Glycine
collagen 285, 286
conformations 9–10
in folded structures 356
effect on protein stability 356–357
p53 mutations 167–168
side chain 5, 7F
in silk fibroins 289
specificity of serine proteinases 213
structure 7F
- Glycolysis 114
- Glycolytic enzymes 47
- Gly-Gly-X repeats 289, 290
- Goldman, A. 245
- Goldsmith, Elizabeth 111
- Greek key motif 27, 27F, 73F
alphaviruses core proteins 341
in antiparallel β structures 72–74
chymotrypsin 211, 211F
complex arrangements 31, 31F
constant domain of immunoglobulin 304, 304F
- γ -crystallin 74–75, 75F, 76
evolution 76
jelly roll barrel formation 77
see also Jelly roll motifs
- GroEL 100–102
ATP complex 103
cylindrical structure 100–102, 100F
model 101F
domains 100–101, 101F
apical 100, 101F, 102
equatorial 100, 101F
intermediate 101F, 102
GroES binding 101F, 102–104
model 101F
- GroEL–GroES complex 102–104
functional cycle 104F
protein folding inside 104
- GroES 100
binding to GroEL 101F, 102
subunits and structure 102, 103F
- Growth hormone 37, 38F, 267–270
binding to prolactin receptor 269–270, 269F, 270F, 271F
dimerization of receptor induced by 267–268, 269
four-helix bundle structure 37, 38F, 267, 267F
receptor complex 268F, 365
- Growth hormone receptor 267
1:1 complex 268–269
1:2 complex 268
C-terminal regions 267, 268
dimerization
induced by growth hormone 267–268, 269
sequential process 268–269
extracellular domains 267, 267F
ligand-binding site 268
as model for erythropoietin receptor agonist 364–365
- GTP
G protein activation 252
hydrolysis *see* GTP hydrolysis
linking to Ras proteins 255, 255F
- GTP hydrolysis 252
by G_{α} 259–260, 260F, 261F
mechanism 259–261, 260F, 261F
prevention by cholera toxin 254
by Ras 260–261
rate, GAP and RGS effect 261
regulators (RGS) 252, 261, 266
- GTP hydrolyzing enzymes 255
see also G proteins, G_{α} ; GTPase; Ras protein
- GTPase 254
G proteins as 252, 259–260
mechanism of GTP hydrolysis 259–261, 260F, 261F
transducin G_{α} 256, 256F
see also GTP hydrolysis
- GTPase-activating protein (GAP) 254, 261
- GTP-binding proteins 254
see also G proteins
- Guanine
in DNA, hydrogen bonds 123F
G proteins binding 252
zinc finger motif binding 181
- Guanyl cyclases, transmembrane 271
- H subunit, photosynthetic reaction center 235, 236–237
- Haemophilus influenzae*, genome 55
- Hairpin β motif 26–27, 26F
chymotrypsin 211, 211F
complex motif arrangement 30–31, 31F
hemagglutinin and pH changes 82F
- Hairpin loops 21, 21F
reverse turns 21–22, 21F
- Halobacterium halobium* 226
- Handedness
amino acids 5
 β - α - β motif 28, 48, 49F, 217

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- α helix 16, 285
- polyproline type II (left-handed) 285
- Hanging-drop method 375, 376F
- Haptens 308
 - antigen-binding site 308–309, 309F
- Hardman, Karl 23
- Harrison, Stephen 136, 169, 187, 190, 276, 319, 331, 342
- Hartl, Ulrich 104
- Hck 275, 276
- Heat-shock proteins (Hsps) 100
- Heavy chains *see under* Immunoglobulin(s)
- Heavy metals, in x-ray diffraction 380–381
- Helical wheel 17T
- Helix, α *see* α helix (helices)
- 6-F Helix 116
- π Helix 15
- Helix-loop-helix (HLH) motif 24, 39, 196–197
 - amino acid sequences 201F
 - calcium binding 24, 25F
 - consensus sequence recognized 197, 199, 201
 - homodimer and heterodimers 196–197, 196F
 - transcription factors *see* b/HLH transcription factors
- Helix-turn-helix motif 24, 25F, 129–149, 133, 134F, 159
 - catabolite gene activating protein (CAP) 146, 146F
 - Cro proteins 132, 134F
 - DNA binding 133, 134F
 - homeodomain similarity 160, 161F
 - lac* repressor 144, 145F
 - lambda repressor 133, 133F
 - phage 434 repressor and Cro protein 137
 - POU region binding to DNA 164–166, 164F, 165F
 - trp* repressor 142, 142F
 - two tandemly orientated in POU region 164–166, 164F
- Hemagglutinin 77
 - HA₁ and HA₂ 79, 79F
 - inhibitors 80
 - jelly roll motif 80, 81F
 - low and high pH forms 82–83, 82F, 83F
 - as membrane fusogen 80
 - pH effect 82
 - polypeptide chains 78F, 79
 - sialic acid binding domain 80, 81F
 - subunit structure 79, 79F
 - pH change effect 81–84
 - stem and tip 79–80, 80F
 - synthesis 79
 - trimer molecule 79–80
- Heme pocket 43
 - evolutionary conservation 43
- Hemoglobin
 - concentrations 43
 - globin fold in 40
 - polymerization in sickle-cell anemia 44
 - sickle-cell *see* Sickle-cell hemoglobin
 - structure 43, 44F
- Hen egg-white lysozyme, folding pathways 95–96, 95F
- Henderson, Richard 226
- Hendrickson, Wayne 319, 381
- Heparin 113
- Heptad repeats 36, 36F, 192, 286
 - in fibrous proteins 287
- Herzberg, Osnat 26
- Heterodimers
 - Fos-Jun 192–193
 - HLH motif 196–197, 196F
 - leucine zippers 192–193, 193F
- Myc with Max 199
- retinoid X receptor 185–186
- transcription factor binding to DNA 163, 163F
- Hexokinase 58F, 293
- Hinge helix, *lac* repressor 144
- Hinge region, immunoglobulins 303, 312, 312F
- Histidine
 - barnase stabilization 357–358
 - DNA binding domain of glucocorticoid receptor 181–182
 - in LH1 light-harvesting complex 242
 - in LH2 light-harvesting complex 241, 241F
 - in serine proteinases 209
 - side chain in alcohol dehydrogenase 11, 11F
 - structure 7F
 - substrate-assisted catalysis 218
 - zinc finger motif 176, 176F
 - interaction with DNA 179, 179F
- HIV
 - CD4 receptor 319
 - Nef protein 275, 276F
- HIV-1 protease, L- and D- forms 9
- HLA-A2 312, 313, 313F
- HLH motif *see* Helix-loop-helix (HLH) motif
- Hogle, James 333
- Hol, Wim 111
- Holmes, Ken 255, 292, 296
- Homeobox 159
- Homeodomain proteins 159–160, 160
 - definition 159
 - evolutionary role 159–160
 - monomer binding to DNA 160–162, 161F
- Homeodomains 160
 - amino acid sequences 160, 162, 162F
 - conserved residues 161
 - engrailed 162F, 165
 - function *in vivo* 166
 - helix-turn-helix motif comparison 160, 161F
 - recognition helix 161
 - selectivity 162–164
 - structure 160, 160F
- Homeotic transformations 159
- Homodimerization 202
- Homologous proteins 29, 348–350
 - conserved structural cores and variable loops 349–350, 349F
 - definition 348
 - multiple alignment, secondary structure prediction 351–352
 - similar structure and function 348
- Homology, definition 348
- Hormone-response elements 181
- Horseshoe folds 47, 55
 - leucine-rich motifs in 55–56
- Horwich, Arthur 100
- 'Hot-spot' principle 364
- hsc70 293
- Hsp 10 100
- Hsp 60 100
- Hsp 70 (DnaK) 100
- Huber, Robert 26, 26F, 111, 210, 235
- Human growth hormone *see* Growth hormone
- Human lymphocyte antigen (HLA), HLA-A2 312, 313, 313F
- Human rhinovirus 333, 336F
 - antiviral drug design 337–338, 337F, 338F
 - 'canyons' in VP1 337, 337F, 338
 - ICAM-1 receptor 338
- Huxley, A.F. 292
- Huxley, H.E. 292, 293
- Hydrogen atoms, in NMR 387
- Hydrogen bonds
 - in α helix 15
 - acceptors and donors in DNA 125
 - in β strands 19
 - B-DNA-protein interactions 124–125
 - G α activation 257, 259F
 - jelly roll motif 78
 - mixed β sheet 20, 20F
 - nonspecific protein-DNA interactions 139–140, 140F
 - subtilisin 217
 - TATA box and TBP binding 157, 158
 - triple helix collagen 286, 286F
 - zinc finger motif 177
- Hydropathy index 245
- Hydropathy plots 245, 246F
 - photosynthetic reaction center 245, 246, 246F
- Hydrophilic regions, membrane proteins 223, 223F
- Hydrophilic residues
 - in α domains 35
 - in α helix 17
- Hydrophobic core 14
 - α domains 35, 42–43
 - formation 14
 - T4 lysozyme 358
- Hydrophobic interactions, TATA box and TBP 157–158
- Hydrophobic residues, in α helix 17
- Hydrophobic side chains *see* Side chains
- Hydrophobicity
 - light-harvesting complex 242
 - porins 231
 - scales 245, 245T
 - transmembrane regions 223
- Hydroxyproline, in collagen 284
- Hypervariable regions, immunoglobulins 301, 302F, 305–306, 349
 - antigen-binding site 306–308, 306F
 - formation 306–308, 306F, 307F, 308F
 - conformations 305–306
 - loop structure 305–306, 306F
 - modeling 349
 - space-filling model 308F
 - see also* Complementarity determining regions
- Hypervariable regions, T-cell receptor 316, 317, 318F
- ICAM-1 338
- Icosahedral symmetry 327–328, 328F
 - viruses 327, 327F
- Icosahedron 327–328, 328F
 - asymmetric units 328, 328F
 - quasi-equivalent packing 330–331
 - satellite tobacco necrosis virus 329
 - symmetry 327–328
 - triangulation numbers (T) 330
- IgG *see* Immunoglobulin G (IgG)
- IGP-synthase 52
- Image plates 377
- Immune system 299–323
- Immunoglobulin(s) 299
 - antigen recognition 315
 - antigen-binding site *see* Antigen-binding site
 - class-switching 302
 - conformational flexibility 312, 312F
 - constant domains 301, 301F, 302
 - association in antigen-binding site 307, 307F
 - comparison with variant domains 305, 305F
 - globular units 306, 306F
 - structure 304, 304F

- diversity 302–303
domains 301, 301F, 302, 302F
 classification 318–319
 three-dimensional structures 303–304, 304F
evolution 301
genetic recombination 302, 302F, 303F
heavy chain 300–301
 antigen-binding site formation 306–308, 306F
 CDR3 and CDR2 311
 diversity generation 302
 genes 302
hinge region 303, 312, 312F
hypervariable regions *see* Hypervariable regions
light chain 300–301
 antigen-binding site formation 306–308, 306F
 CDR2 311
 diversity generation 302–303
structure 301F
variable domains 301, 301F, 302F, 305, 305F
 association in antigen-binding site 307–308, 307F
 globular units 306, 306F
 hypervariable regions in loops 305–306
V–D–J joining process 302, 303F
see also Antibodies
- Immunoglobulin A (IgA) 301F
Immunoglobulin D (IgD) 301F
Immunoglobulin E (IgE) 301F
Immunoglobulin fold 168, 304, **304–305**
 antiparallel β sheets 304–305, 304F
 in transcription factors 168–169
Immunoglobulin G (IgG) 301, 302
 cleavage 304F
 crystallization 312
Immunoglobulin M (IgM) 302
 structure 301F
Immunoglobulin-like domain 300
Immunosuppression, peptidyl
 prolylisomerases in 98
Indoleglycerol phosphate (IGP) synthase 52–53, 53F
Induced fit: ligand binding theory 114
Influenza virus 70
 binding site 80
 drug design targets 80
 hemagglutinin *see* Hemagglutinin
 infection initiation 80, 82
 neuraminidase *see* Neuraminidase
 progeny and release 79
 protease treatment 79
Insulin, disulfide bridges 8
Interdomain movements 109–110
Intermediate filaments 287, 287F
 construction model 287F
Inverse folding problem 353
Ion channels **232–234**, 251
 definition 232
 see also Potassium channels
- Iron
 functions 11
 in ribonucleotide reductase 11, 11F
Iron atom, in photosynthetic reaction center 236, 238
Isaacs, Neil 241
Isoleucine
 binding to SH2 domain 274
 Nef binding to SH3 domain 275
 structure 6F
 x-ray diffraction data 382
Isomerization 227F
 proline residues 98–99, 99F
 retinal 227F, 228, 229F
- Isotypes 300
- Jacob, Francois 143
James, Michael 210
Jansonius, Hans 52
Janus protein 369T, 370
Jelinski, Lynn 290
Jelly roll barrel
 canonical 335, 336F
 formation 77–78
 in two β sheets 78
 viruses 335, 335F
 VP1 of rhinovirus 337, 338F
Jelly roll domain, SV40 and polyomavirus VP1 342
Jelly roll motif 77
 formation/folding 77–78, 77F
 hemagglutinin 80, 81F
Jelly roll structure
 picornaviruses 335, 336F
 spherical plant viruses 335–337, 335F, 336F
Johnson, Louise 106
Jones, Alwyn 69
Jun 191, 192, 199
 amino acid sequence 192F
jun gene 199
Junction diversity, immunoglobulins 302
Jurnak, Frances 255
- K⁺ leak channels *see* Potassium (K⁺) channels
Kallikrein 362
Kaptein, Robert 164, 181
Karle, Jerome 379
K_{cat} values 206, 213, 214
Kendrew, John 13, 13F, 14, 370F, 379–381, 380F
Kent, Stephen 9
Keratins 287
Kim, Peter 96
Kim, Sung-Ho 106, 255
‘Kinase insert region’ 272F
Kinderström-Lang, Kai 28
Kinemage Supplement 23
Kinetic factors, protein folding **91–92**
Klevit, Rachel 177
Klug, Aaron 176, 181, 183, 327, 330
K_m values 206, 213, 214
‘Knobs in holes’ model 36–37, 37F
Koshland, Daniel 113
Kossiakoff, Anthony 267
Kraut, Joseph 215
Kretsinger, Robert 24, 25
Kring domains 29F
Kühlbrandt, Werner 241
Kunitz domains 361, 361F
 inhibitors 361
 phage-optimized sequences 362T
Kuriyan, John 273, 276
Kyte, J. 245
- L subunit, photosynthetic reaction center 235, 236–237, 246F
 conservation between species 246–247
 pigments bound to 237–239
L amino acids 5, 9
lac operon 143, 146
Lac repressor 143–145
 binding to major and minor DNA grooves 143–145, 145F
 helix-turn-helix motif 144, 145F
 subunit structure 144, 144F
 V-shape tetrameric structure 144, 145F
LACI-D1 (Lipoprotein-associated coagulation inhibitor D1) 361, 362, 362T
Lactate dehydrogenase, Rossmann fold 47
 β -Lactoglobulin 70
- Ladner, Robert 362
Lambda bacteriophage *see* Bacteriophage lambda
Laue diffraction picture 374F, 376
Lazarus, Robert 362
Lens, crystallin structure 74, 74F
Lesk, Arthur 22F, 23, 42, 311
Leucine
 structure 6F
 x-ray diffraction data 382
Leucine zippers 175, **191–193**, 202
 in b/HLH/zip family 196F, 199–200
 definition 192
 dimerization interactions 191–193
 globular proteins using coiled coils 287
 heterodimers 192–193, 193F
 side chain interactions 192, 193F
see also GCN4
Leucine-rich motifs 47, 55, 56F
 α/β -horseshoe fold **55–56**
Levinthal, Cyrus 91
Lewis, Mitchell 143
L-form of amino acids 5, 9
LH1 and LH2 *see* Light-harvesting complexes
Ligand-binding sites
 α helix 16
 orientation importance 270
see also Receptors
Light chains *see under* Immunoglobulin(s)
Light-harvesting complexes 240–241
 LH1 241
 antenna protein ring 242–244, 243F
 LH2 241
 circular ring of chlorophyll 241, 241F, 242F, 243
Liljas, Lars 339, 340
Linker regions
 C₆-zinc cluster family binding to DNA 190–191, 190F
 GAL4 binding to DNA 189
 growth hormone binding to prolactin receptor 270, 270F
 transducin G _{α} 256
Lipid-binding proteins 70
Lipids, membrane 223, 246–247, 253
Lipscomb, William 60
Loop regions **21–22**
 in α/β barrels 49
 in β - α - β motif 28
 b/HLH family 200
 b/HLH/zip family 200
 carboxypeptidase 61, 61F
 CDK2 (T-loop) 108
 chymotrypsin 211, 211F, 212
 complementarity determining regions 311
 GroES 102
 growth hormone receptor 267, 267F
 hairpin 21–22, 21F
 homeodomains 160
 immunoglobulins 304–305, 304F, 305–306
 model building from x-ray diffraction data 383
 movements time scale 105
MyoD 197
neuraminidase 71, 71F
omega loop 22
‘open’ and ‘closed’ conformations 22
p53 169–170, 171, 171F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- prediction 21
- Ras protein 255–256
- serpins 111
- spherical viruses 335–336
- three-dimensional structure 21
- variable in homologous proteins 349–350
- Low, Barbara 27
- Lysine
 - GAL4 binding to DNA 188, 189F
 - recognition helix of glucocorticoid receptor 184–185
 - specificity of serine proteinases 213
 - structure 6F
 - trypsin mutation 215
- Lysozyme
 - antilysozyme complex, structure 310–311, 310F
 - Fab binding 309–310, 310F
 - folding pathways 95–96, 95F
 - structure 310–311
 - T4 bacteriophage *see* Bacteriophage T4
- α -Lytic protease 92
 - folding with prosegment 92
- Lytic-lysogenic cycle switch 130–131, 130F, 133
- M subunit, photosynthetic reaction center 235, 236–237, 246F
 - conservation between species 246–247
 - pigments bound to 237–239
- MacKinnon, Roderick 232, 234
- 'Mad cow disease' 113
- Magnesium
 - G α activation 258
 - GTP linking to Ras protein by 255, 255F
 - LH2 light-harvesting complex 241
- Main-chain
 - formation 4, 4F
 - modeling of protein structures 349
 - polarity 14
- Major histocompatibility complex 300
 - see also* MHC molecules
- Malaria, resistance and sickle-cell hemoglobin 43–45, 44F
- Maltoporin 230
- Mandelate, conversion to benzoate 54–55, 54F
- Mandelate racemase 54–55, 54F
- Mariuzza, Roy 317
- Mat α 1 162
- Mat α 2 gene, homeodomain 162, 162F
- Mat α 2 repressor 160
- Mat α 2–Mat α 1 complex 163, 163F
- Matthews, Brian 132, 134, 354, 355
- Max 175, 192F
 - binding to DNA 200F
 - heterodimer with Myc 199
 - homodimers 199–200
 - monomer structure 200F
 - sequence-specific interactions with DNA 201, 201F
- Mayo, Stephen 367
- Mcm1 162
- McPherson, Alexander 312
- Melting temperature (T_m) 354, 356F
- Membrane fusogen, hemagglutinin as 80
- Membrane lipids 223, 246–247, 253
- Membrane proteins 223–250
 - crystallization
 - difficulties 224
 - novel methods 224–225
 - functions 224
 - signal transduction 251
 - solubilization by detergents 224, 225F
 - two-dimensional crystals and EM 225–226, 226F
 - types 223, 223F
 - see also specific proteins*
- Membrane-bound proteins, α helices 35
- Membranes 223
 - functions 224
- Mengo virus 333, 336
- Menten, Maud 206
- Met repressor 175
- Metal atoms, in proteins 11, 11F
- Metallo proteinases 205
- Metallo proteins 11
- Methallothionein, NMR and x-ray crystallography comparison 391
- Methionine, structure 7F
- 3-Methylisoxazole groups 338
- Methylmalonyl-coenzyme A mutase, α/β barrel domain 50–51, 50T
- MHC genes 314–315
 - polymorphism 315
- MHC molecules 300, 312–313
 - antigen recognition 314–315, 316
 - class I 300
 - antigen-binding site 314
 - peptide binding 315F, 316
 - peptide complexes 318, 318F
 - structure 312, 313, 313F
 - class II 300
 - domains 315
 - peptide binding 315–316, 315F
 - domains 313–314, 313F
 - peptide complex as ligand for T-cell receptor 318, 318F
 - structures 312–313
 - synthesis 316
- Michaelis, Leonor 206
- Michaelis–Menten equation 206F
- Michaelis–Menten scheme 206, 206F
- Michel, Hartmut 234, 241
- β 2 Microglobulin 313, 314–315
- Microtubules 284
- Milligan, Ronald 295
- Mineralocorticoid receptor 181F
- 'Miniglobular protein' 177
- Model building
 - antigen-binding sites of immunoglobulins 349–350
 - Cro–DNA interactions 134–135
 - hypervariable regions, immunoglobulins 349
 - x-ray diffraction data 381–382, 382F
 - see also specific models*
- Modeling of protein structures 349
- Molecular chaperones *see* Chaperones
- Molecular disease *see* Sickle-cell anemia
- Molecular dynamics simulations 105
- Molten globular proteins 89, 92, 92F
 - barnase folding intermediate 94
- Monoclonal antibodies, CDR conformation prediction 350, 350F
- Monod, Jacques 113, 117, 142, 143
- Monomeric proteins 29
- Motifs 13–34, 29
 - in barrel and sheet structures 47–48, 49F
 - β - α - β motif *see* β - α - β motif
 - combined into domains 29, 30
 - Greek key *see* Greek key motif
 - hairpin β *see* Hairpin β motif
 - jelly roll *see* Jelly roll motifs
 - simple 24–26
 - combination into complex motifs 30–31
 - see also* α helices; β sheets; Loop regions; other specific motifs
- Muconate lactonizing enzyme 54, 54F
- Muirhead, Hilary 51
- Multimeric proteins 29
- Multiple isomorphous replacement (MIR) 379–380
- Multiwavelength Anomalous Diffraction (MAD) 381
- μ -oxo bridge 11, 11F
- Muramidase, bacterial 39, 39F
- Muscle contraction 292
 - ATP role 296–297
- Muscle fibers 290–291
 - thick and thin filaments 290, 291
 - see also* Actin; Myosin
- Mutagenesis
 - oligonucleotide-directed 359F
 - random 359, 359F
 - site-directed 163–164
- Mutations
 - DNA shuffling method 365–366
 - enzyme evolution 55
 - point 366
 - protein folding studies 93–95
- Myc 191
 - heterodimer with Max 199
- myc* gene 199
- Myeloma proteins 309
- MyoD 197
 - binding to DNA 198F
 - dimerization region structure 197F
 - α helix region 197, 198–199
 - sequence-specific interactions with DNA 201
- Myofibrils 291F
- Myogenic proteins 197
- Myoglobin
 - breathing of molecule 105
 - as α domain structure 35
 - globin fold in 40
 - oxygen binding 105
 - structural irregularity 13
 - structure 384
 - computer-generated schematic diagram 22F
 - early results 13, 13F
 - schematic diagram 23F
 - two-dimensional 22F
 - x-ray diffraction 379
- Myohemerythrin 37, 381F
- Myosin 36, 197, 256, 290–291, 291F
 - actin complex, structure 295, 295F
 - conformational change 294–295, 296
 - cross-bridge movement 291–292, 295
 - confirmation 292–293, 295–296
 - nucleotide-binding cleft 295, 296
 - S1 fragment 294, 294F, 295
 - sliding filament model 291, 291F
 - structure 292, 294–295, 294F
 - swinging cross-bridge hypothesis 292, 292F, 295–296, 296F
- Nef protein 275, 275F, 276F
- Neuraminidase 70–71
 - active site 71F, 72
 - amino acids 71
 - folding motifs in propeller-like structure 71–72, 71F, 73F
 - function 70–71
 - subunit structure 71, 71F, 72F
- Neurofilament proteins 287F
- Neurospora crassa*, PRA isomerase and IGP synthase 53
- Neutrofil elastase 110
- NF- κ B 168–169
- NMR 374, 387–388
 - advantages 391
 - COSY 388, 388F, 389
 - distance constraints 390–391
 - folded protein flexibility 105
 - homeodomain binding to DNA 162

- interpretation of spectra 390
 limitations 390, 391
 NOE 388, 388F, 389, 389F
 one-dimensional spectra 387F, 388
 radio frequency (RF) 387
 SH2 domain 273
 silk fibroins 290
 two-dimensional spectra 388, 388F, 390F
 sequential assignment 389–390
 x-ray crystallography results comparisons 390–391
- NOE NMR 388, 388F, 389, 389F
 NOE (nuclear Overhauser effect) spectrum 388, 388F, 389, 389F
 Nuclear lamins 287F
 Nuclear magnetic resonance *see* NMR
 Nuclear receptors 181, 191, 202
see also Glucocorticoid receptor
 Nyborg, Jens 255
- Oct-1 164F, 165
 Octylglucoside 224
 Oligonucleotide-directed mutagenesis 359F
 Omega loop 22
 Operator regions (OR) 130
 bacteriophage 434 137T
 overwinding 140–141
 repressor recognition 135, 136
 bacteriophage lambda 130, 131–132, 131T
 differential binding of Cro and repressor
 DNA conformation changes 140–141
 sequence-specific 138–139
 palindromic sequences 131–132, 131T, 135
 sequence-specific protein–DNA
 interactions 138–139, 139F
- Ovalbumin 111, 111F
 Overwinding, operator region, phage 434
 140–141
- 4-Oxazolinyl phenoxy group 338
 Oxidation, disulfide bridge formation 5
 Oxidizing agents 98
 μ -Oxo bridge 11, 11F
 Oxyanion hole 209
 chymotrypsin 211, 211F
 subtilisin 216–217
- Oxygen
 binding to myoglobin 105
 ion selectivity filter of K⁺ channel 234
- P2 family 70
 p21 166, 254F
 transcription activation by p53 166
 p53 166
 Arg mutations 170, 170F, 171
 DNA binding 169–170, 169F
 DNA-binding domain 167, 167F
 antiparallel β barrel 168–169, 168F
 mutations 167, 170–171, 170F, 171F
 nucleotide sequence of DNA 169F
 domains 167, 167F
 function 166
 loop regions 169–170, 171, 171F
 mutations, regions 170–171, 170F, 171F
 oligomerization domain 167–168, 167F
 tetramers 167
 formation 167–168, 167F
- Pabo, Carl 133, 160, 165, 177, 197
 Palindromic sequences 131–132, 131T, 135
 glucocorticoid receptor binding 185, 191
 MyoD recognition sequence 198F
 Papain 304F
 Papovavirus family 341
 Paracelsus challenge 368–370, 369F, 369T
 Parvalbumin, motif 24, 25
 Parvoviruses 326
 Patterson maps 380, 380F
- Pauling, Linus 14, 43, 205, 285
 Pavletich, Nikola 107, 167, 177
 Pectate lyase, β helix structure 84, 84F, 86F
 Peptide, binding to MHC molecules 314–315, 315F, 316
 Peptide bonds
 cleavage by serine proteinases 208, 208F
 formation 4, 4F
 hydrolysis 208, 208F
 Peptide inhibitor, binding to chymotrypsin 211
 Peptide units 8
 dipole moment 16, 16F
 Peptidyl prolyl isomerases 98
 Periplasmic space 228, 231
 Perutz, Max 14, 44F, 113, 370F, 379–381, 380F
 Petsko, Greg 54
 pH, hemagglutinin structural change 81–84
 PH domain 272
 Phage *see* Bacteriophage
 Phage display *see* Bacteriophage display
 Phage replicase 339
 Phase determination, diffracted beams 370F, 379–381, 380F
 PHD program 351
 Phenylalanine
 insertion in TATA box 156
 structure 6F
 Pheophytin 238, 239
 Phi (ϕ) angle 8, 9, 14
 Ramachandran plot 9, 9F, 10
 Phillips, David 23F, 95F
 Phosducin 265–266
 binding to G $\beta\gamma$ 265–266, 266F
 C-terminal domain 265, 266
 structure and domains 265–266, 265F
 thioredoxin homology 265–266
- Phosphate
 in α helix 16F
 Ras and G α binding to GTP 255, 257, 259
 Phosphoenolpyruvate (PEP) 115, 117
 Phosphofructokinase (PFK) 114–117
 allosteric properties 114–117
 amino acids 115–116
 dimers and packing of 116
Escherichia coli 115–116, 115F
 quaternary structure 116F
 R and T states 115, 116–117, 117F
 reaction 114F
 subunit structure 115
 catalytic sites 116
- Phosphoglycerate mutase 58F
 2-Phosphoglycolate 115
 Phosphoribosyl anthranilate (PRA)
 isomerase 52–53, 53F
 Phosphorylation, Src tyrosine kinase 275, 276
 Phosphorylcholine 308–309, 309F
 Phosphotyrosine (pTyr) 272–273
 binding to SH2 domain 273–274, 278
 Photoisomerization, retinal 227, 228, 229F
 Photon absorption
 photosynthesis 239–240, 243
 rhodopsin 265
- Photosynthesis
 energy flow and mechanisms 243–244, 244F
 process 239–240
 Photosynthetic pigments 234–236, 235, 236, 236F
 arrangement 238F
 bound to L and M subunits 237–239
 in photosynthetic reaction center 235, 236, 236F
 Photosynthetic reaction center 234–236
- amino acid sequences 247F
 definition 235
 Fe atom 236, 238
 hydrophathy plots, correlation with crystal structure data 246
 L, M and H subunits 235
 transmembrane α helices 236–237, 237F
 light energy converted to electrical energy 239–240
 light-harvesting (LH1 and LH2) complexes surrounding 240–241, 243F
 modeling 244
 pigments *see* Photosynthetic pigments
 polypeptide chains 234–236
 three-dimensional structure 237F
 transmembrane α helices 244–245
see also Light-harvesting complexes
- Picornaviruses 326, 326F, 333–335, 333F
 antibody binding sites 333
 capsid 333
 subunit arrangement 334–335, 334F
 jelly roll structure 335, 336F
 structural proteins (VP1–VP4) 334, 336
 T=3 plant virus relationship 337
see also Human rhinovirus
- Pigments, photosynthetic *see* Photosynthetic pigments
 π helix 15
 Plasma membrane proteins 228
 Plasminogen 29F
 Plasminogen activator inhibitor (PAI) 111, 113
 Plastocyanin 24F
 NMR and x-ray crystallography comparison 391
- Pleated β sheets 19, 19F
 Pleckstrin 272
 Pleckstrin-homology (PH) domain 272
 Point mutations 366
 Poliovirus 336F
 Poljak, Roberto 304, 309
 Polyalanine repeats 290
 Polymerase chain reaction (PCR), random mutagenesis method 359F
 Polyomavirus 326, 341–343
 structure 342
- Polypeptide chains (subunits) 4, 29
 antibodies 300–301
 in hemagglutinin 78F, 79, 79F
 large, domains 29–30
 main-chains 4
 organization 29F
 unfolded and folded states 90F
 virus capsid 325
- Polyproline type II helix 274
 Porins 228–231
 channels 230–231, 231F
 eyelet 230, 231F
 up and down β barrels 229–230, 230F
 transmembrane channels formed by β strands 228–229
- Positive control protein 146
 Potassium (K⁺) channels 232
 ion pore 232F, 233
 ion selectivity filter mechanism 233–234, 233F
 selectivity filter structure 233F
 tetrameric molecule 232–233, 232F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- POU homeodomain 162F
 POU regions 164–166, 175
 binding to DNA by helix-turn-helix motifs 164–166, 164F, 165F
 domains 164F
 structure 164, 164F
 PPR1 transcription factor 190–191, 190F
 PRA-isomerase:IGp-synthase, double barrels 52–53, 52F
 Prealbumin 69
 Prediction of structure 348–354
 active sites in α/β barrels 57, 59
 α helix (helices) 352
 from amino acid sequences 352–353
 CDR regions 350F
 complementarity determining regions 350, 350F
 loop regions 21
 secondary structure *see* Secondary structure of proteins
 side chain conformation 349
 tertiary structure, secondary structure knowledge needed 350–351
 threading methods 353–354
 three-dimensional, in homologous proteins 349–350
 transmembrane α helix from, amino acid sequence 244–245
 Primary structure of proteins 3F, 4, 28, 29
 Prion diseases 283
 Prion proteins 290
 model system for 370
 Procollagen 284
 Prolactin receptor 267
 extracellular domain 269
 growth hormone complex 269–270, 269F, 270F, 271F
 Proline
 α helix 16–17
 cis-trans isomerization 98–99, 98F
 in collagen 284
 effect on protein stability 356–357
 structure 7F
 Proline-rich regions, binding to SH3 domain 273, 274–275
 Prolyl hydroxylase 284
 Promoter elements 130
 core (basal) 151, 151F
 see also TATA box
 enhancer element distance from 152
 proximal 151, 151F
 Pronase 71
 Protein(s)
 aggregation 99
 breathing 105
 classes 283
 conformational state changes *see* Conformational changes
 denatured state 90
 folded 90F, 92F
 flexible structure 104–105
 folding *see* Protein folding
 functions 3
 homologous *see* Homologous proteins
 membrane *see* Membrane proteins
 molten globules *see* Molten globular proteins
 native state 89, 90
 secondary structure 92
 stability 90
 techniques to determine structure 373–392
 see also x-ray crystallography; NMR
 unfolded 90F, 92F
 as ensemble of interconverting structures 92, 94F
 unfolding, in chaperonins 99–100
 Protein Data Bank 353
 Protein design
 β structure conversion to a structure 368–370, 368F, 369T
 definition 347
 from first principles 367–368
 zinc finger not stabilized by zinc 367–368, 368F, 368T
 Protein disulfide isomerase (PDI) 96, 97
 Protein engineering 347–354
 combinatorial methods 358–359
 definition 347
 goal 367
 protein folding studies 93–95
 specificity pockets 213–215
 stability increased 354–358
 disulfide bridges 354–356
 increasing proline residues 356–357
 stabilizing dipoles of α helices 357–358, 357F
 see also Bacteriophage T4, lysozyme
 subtilisin 215, 217, 219
 Protein fold, database 353
 Protein fold assignments (threading) 353–354
 Protein folding 4, 89–120
 assignment of amino acid sequences (threading) 353–354
 blocked, prevention 91
 definition 89
 disulfide bond formation 96–98
 enzymes role in 89, 96–98
 in GroEL–GroES complex 104
 hydrophobic side chain burying 93
 inside chaperonins 99–100
 intermediates 93, 94
 accumulation 113
 disulfide-bonded 96–97
 unstable 91
 inverse folding problem 353
 isomerization of proline residues 98–99, 98F
 kinetic factors 91–92
 molten globule as intermediate 93, 94
 multiple pathways 95F
 problem in protein engineering 348
 rate limiting step 98–99, 98F
 single pathway 93–95
 single-site mutations and energetics 93–95
 temperature-dependent fluctuations 104–105
 see also Conformational changes
 Protein G 369–370, 369F
 Protein kinase 106
 conformational changes 105–109
 cyclin-dependent (CDKs) *see* Cyclin-dependent protein kinases (CKDs)
 domains of enzyme-linked receptors 271
 Protein structure *see specific entries*
 Proteinase
 families 205–206
 see also Serine proteinases
 Proteinase inhibitors 110–111
 affinity and specificity optimization 361–363
 Protein–DNA interactions
 carbonyl groups of GAL4 in 188–189, 189F
 glucocorticoid receptor 184
 Max and MyoD 201, 201F
 water mediating 162
 see also other specific proteins
 Protein–protein interactions
 cytochrome subunit of photosynthetic reaction center 236
 Mat α 2–Mat α 1 binding 163–164
 transcription activation 152–153, 159
 Proteolytic degradation, loop regions 22
 Protofibrils 283
 Protofilaments 283
 Proton abstraction 54, 54F
 Proton channel, bacteriorhodopsin 227, 228F
 Proton pump 227
 light-driven, bacteriorhodopsin as 227–228, 229F
 Psi (ψ) angle 8, 9, 14
 Ramachandran plot 9, 9F, 10
 PSTAIRE helix 107F, 108, 108F, 109F, 278
 Ptashne, Mark 135, 190
 Pulse amide hydrogen–deuterium exchange 95
 PurR 143
 repressor 144
 pY+3 pocket 274, 277
 Pyrrol rings 238
 Pyruvate kinase, domains and α/β barrel 51–52, 51F
 Quasi-equivalent packing
 icosahedral subunits 330, 343
 T=3 plant viruses 331–332
 Quaternary structure of proteins 3F, 29
 phosphofructokinase 116F
 Quinone in photosynthetic reaction center 238, 238F
 Q_A and Q_B 238, 238F, 239
 Quiocho, Florante 62, 110
 R factors 383
 R (relaxed) state 113–114
 Radio frequency (RF), in NMR 387
 Ramachandran plot 9–10, 9F, 15, 19, 167
 Random mutagenesis 359, 359F
 Ras protein 254–257
 diphosphate-binding loop (P-loop) 255–256
 G α comparison 256–257
 GTP hydrolysis mechanism 260–261
 GTP linking via Mg²⁺ 255, 255F
 loop regions 255–256
 mutants 254, 261
 switch regions 256
 three-dimensional structure 254–257, 254F
 Rayment, Ivan 294, 295, 342
 Rec A 131
 Receptor tyrosine kinases 270
 activation and signaling 271
 in cell growth and differentiation 271, 272F
 Receptors
 enzyme-linked *see* Enzyme-linked receptors
 extracellular domains 251, 251F
 genes 252
 immunoglobulin-like domains 318–319
 organization 251F
 orientation importance 270
 peptide hormones 267
 transmembrane helices 252
 see also specific types
 Recognition α helix 134
 Recombinant DNA techniques 3, 252, 375
 Multiwavelength Anomalous Diffraction method 381
 Recombination 365–366
 immunoglobulin genes 302, 302F, 303F
 Reflection angle 378, 379F
 Regan, Lynne 369
 REL-homology region 169
 Repressor proteins 125, 129
 action in genetic switch region 130–131, 130F
 actions/functions 130–131
 as activator for own synthesis 130F, 131
 differential binding to operator sites 140–141
 dimerization 132–133, 133F
 dimers 131, 132

- DNA-binding
 allosteric control 142
 Cro protein and DNA 134–135
 phage 434 136–137, 137, 137F
 phage 434 and P22 135, 136F
 DNA-binding domain 132–133, 133F
 lac *see* Lac repressor
 Mat $\alpha 2$ 160
 met 175
 repression of *Cro* gene 130
 summary 141–142
trp *see* *trp* repressor
see also Bacteriophage lambda
- Restriction enzymes 125
- Retinal 226
 binding to bacteriorhodopsin 227
 isomerization 227F, 228, 229F
trans state 228, 229F
- Retinoic acid receptor 181, 181F
- Retinoid X receptor 185–186
- Retinol 68, 69F
- Retinol-binding protein (RBP)
 amino acid sequence 69–70, 70F
 binding site for retinol 69F
 structure 68F
 superfamily 70
 synthesis 68–69
 up-and-down β barrels 68–69, 68F
- RGS (Regulators of GTP hydrolysis) 252, 261, 266
- Rhinovirus *see* Human rhinovirus
- Rhinoviruses 333
- Rhodobacter capsulatus*, porins 229, 230F
- Rhodobacter sphaeroides* 236, 246F, 247F
- Rhodopseudomonas acidophila* 240F, 241
- Rhodopseudomonas viridis* 235, 236
- Rhodopsin 265
- Rhodospirillum molischianum* 241
- Rhodospirillum rubrum* 243F
- Ribonuclease, barnase, folding 94–95, 94F
- Ribonuclease inhibitor 47
 horseshoe folds 55, 56F
- Ribonucleotide reductase, iron in 11, 11F
- Ribulose biphosphate carboxylase (RuBisCo)
see RuBisCo
- Rich, Alexander 285
- Richardson, Jane 23, 23F, 25F
- Richmond, Tim 196
- 'Ridges in grooves' model 38, 40, 41F
 geometry 40–41
- Rigor mortis 295, 296
- RNA
 bacteriophage MS2 packaging 339–340, 340F
 virus capsid units recognizing 332–333, 333F
- RNA phage 339
- RNA polymerase, classes 151
- RNA polymerase I 151
- RNA polymerase II 151, 152
- RNA polymerase III 151
- RNA-binding protein, ROP *see* ROP
- Rod cells 265
 light-adapted and dark-adapted 265
- Rop protein 38–39, 39F, 196
 amino acid sequence 369T
- Rossmann fold 47, 115
- Rossmann, Michael 47, 333, 337, 341
- Rotamers 11, 349
 libraries 11
- Rotating anode x-ray generators 376
- Rous sarcoma virus 271
- RuBisCo
 active site 53F
 crystals 374F
- Rutter, William 213
- Salt bridges 36, 37F
 G_{α} activation 258F, 259
- Sander, Chris 351
- Sarcomeres 291F
- Satellite tobacco necrosis virus 326F, 329, 329F
 coat 336F
 jelly roll structure 336F
- Satellite viruses 329
- Scaffolds, structural
 homologous proteins 349
 Kunitz domains of LACI-D1 and APPI 362
 size reduction with full function 363–364
- Scattering of electrons 378
- Scattering of x-rays, anomalous 381
- Schematic diagrams 22–23
 α/β domains 48F
Antennapedia homeodomains 160F
 arabinose-binding protein 62F, 63F
 β sheet
 antiparallel 18F
 parallel 19F
 bacterial muramidase 39F
 B-DNA 121F
 β helix 84F, 85F, 86F
 β - α - β motif 28F
 bovine pancreatic trypsin inhibitor (BPTI) 96F
 carboxypeptidase 61F
 CDK2 106
 chymotrypsin 210F
 coiled-coil α helix 35F, 36F
 γ -crystallin 74F, 75F
 DNA-binding domain of glucocorticoid receptor 182F
 four-helix bundle 38F
 $G_{\alpha\beta\gamma}$ complex 264F
 G_{β} and WD repeat 263F
 $G_{\beta\gamma}$ from transducin 262F
 globin fold 40F
 GroEL 100F, 101F
 GroES 103F
 hemagglutinin 78F, 82F
 hydrogen bonding in collagen 286F
 immunoglobulins 301F, 308F
 constant and variable domains 307F, 308F
 ion pore of K^{+} channel 233F
 'knobs in holes' model 37F
 major and minor grooves of DNA 122F, 123F
 Max binding to DNA 200F
 MHC molecules 313F
 MyoD binding to DNA 198F
 myosin 294F
 neuraminidase 71F, 72F
 open twisted α/β structures 58F
 ovalbumin 111F
 p53 DNA-binding domain 168F
 p53 oligomerization domain 167
 phosphofructokinase 115F
 Ras proteins 254F
 representations in 23
 Rop molecule 39F
 serpin fold 111F
 SH2 domain 273F
 SH3 domain 275F
 specificity pockets of serine proteinases 213F
 subtilisin 216F
 SV40 343F
 TATA box-binding protein 155F
 transducin G_{α} 256F
 up-and-down β barrels 68F
 virus jelly roll barrels 336F
 zinc finger motif 176F
 zinc fingers of Zif 268 178F
- Schematic model, transcriptional activation 152F
- Schiff base 227, 228, 229F
- Schulz, Georg 58F, 229
- Scissile bonds 209, 213F
- Scrapie 113
- Second messengers 253
- Secondary structure of proteins 3F, 14, 28, 29, 89
 formation during folding process 93
 local, imposed by tertiary structure 351
 motif formation 24–26
 prediction
 α helix (helices) 352
 from amino acid sequences 352–353
 from homologous proteins 351–352
 in prediction of tertiary structure 350–351
 x-ray crystallography and NMR 374–392
see also α helix (helices); β sheets
- Secretory pathway, proteins 5
- Selenomethionine 381
- Semliki Forest virus 340
- Sequences *see* Amino acid sequence
- Sequential assignment, two-dimensional NMR 389–390
- Sequential model 113
- Serine
 in serine proteinases 209
 structure 6F
- Serine proteinases 205–221
 active sites 211–212, 211F, 212F, 361
 domains 29F, 210F, 211F
 essential structural features 209
 evolution 210
 inhibition by serpins 110–113
 reaction mechanisms 208, 208F
see also Chymotrypsin; Subtilisin
- Serine/threonine kinases 271
- Serpell, Louise 288
- Serpin fold 111, 111F
- Serpins 110–113
 active, cleaved and latent forms 112, 112F
 serine proteinase inhibition mechanism 110–113
 structure 111–112, 111F
- SH2 domain 272, 273–274
 phosphotyrosine-containing regions
 binding 272, 273–274, 278
 pY+3 pocket 274, 277
 in Src tyrosine kinase 273F, 275–277
 structure 273F
- SH3 domain 272, 274–275, 285
 Nef binding 275, 275F, 276F
 proline-rich regions binding 273, 274–275
 in Src tyrosine kinase 275–277
 structure 274, 275F
- Sialic acid
 binding domain of hemagglutinin 80, 81F
 chemical formula 80F
 hemagglutinin binding 80
 neuraminidase role 70–71
- Sickle-cell anemia 43–45
 malaria resistance 44–45
- Sickle-cell hemoglobin 43–45, 44F
 hydrophobic patch on surface 43, 44F
 mutation in 44F
- Side chains 4, 4F
 alcohol dehydrogenase 11, 11F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- α helix 17
- antigen recognition in MHC molecules 314–315, 316
- branched hydrophobic, in α/β barrels 49–51
- charged 5, 6F
- conformation prediction 349
- energetically favourable 10–11
- hydrophobic 5, 6F, 14
 - antiparallel β structures 67
 - α/β barrels 49–51
- burying as event in protein folding 93
- coiled-coil α helix 36, 36F
- hydrophobicity scales 245
- interactions in leucine zippers 192, 193F
- mutations, α helix movements
 - accommodating 43
- number 4–5
- pectate lyase β helix 85
- polar 5, 6F
 - porins 231
 - in Xfin 177
- ribonucleotide reductase 11, 11F
- serine proteinase specificity 209
- staggered conformations 10–11, 10F
- TATA box-binding protein 154, 157
- tyrosyl-tRNA synthetase 61F
- Sigler, Paul 100, 154, 159, 169, 183, 185, 256, 262
- Signal transduction 251–281
 - amplification by rhodopsin 265
 - by G proteins 254–264
 - see also* G proteins
 - phosducin system 265–266
 - protein modules as adaptors 272–273
 - see also* SH2 domain; SH3 domain
 - receptor tyrosine kinases 271
 - tyrosine kinases 271
- Signal-transducing receptors 251
 - G proteins *see* G proteins
- Silk fibroins 289, 290F
 - genes 289
- Sindbis virus 340
 - core protein 341, 341F
- Sippl, Manfred 354
- SLH (strand-loop-helix) motif 168F, 171
- Sliding filament model 291, 291F
- Smith, George 361
- Snake venom 26, 26F
- Solar cells 240, 244
- Somatic hypermutation 303
- Specificity constant 206
- Specificity pocket 209
 - chymotrypsin 211, 211F
 - engineered mutations 213–215
 - hydrophobic, in subtilisin 217
 - preferential cleavage conferred by side chains 212–213
- Spectrin 36
- Spider dragline fibers 289
- Spider silk 289–290, 290F
 - see also* Silk fibroins
- Spiders' webs 283
- Spin, of nuclei 387
- Spiral *see* Helical wheel
- Spongiform encephalopathies 113, 288
- Sprang, Stephen 256, 262
- 'Spring-loaded safety catch' mechanism 110–113
- Src tyrosine kinase 275–277
 - active and inactive forms 278
 - helix α C 278
 - phosphorylation 275, 276
 - regulation 278F
 - SH2 domain 273F, 275–277
 - linker region with N-terminal domain 277
 - SH3 domain 275–277
 - structure 276F, 277F
 - Src-homology-2 *see* SH2 domain
 - Src-homology-3 *see* SH3 domain
 - Stability in protein engineering *see* Protein engineering
 - Staggered conformations 10–11, 10F
 - Staphylococcus* nuclease 27, 27F
 - Steitz, Thomas 58F, 146, 245
 - Stemmer, Willem 365
 - Stereochemical data, prediction of secondary structure 351
 - Strandberg, Bror 329
 - Streptomyces lividans* 232
 - Structural hierarchy, of proteins 28–29
 - Stuart, David 333
 - Substrate specificity
 - chymotrypsin family 212–213
 - trypsin mutation 213, 215
 - Substrate-assisted catalysis 218–219, 218F
 - Substrates, transition state 207, 207F
 - Subtilisin 28F, 215
 - active sites 216–217, 216F
 - amino acids 215
 - β - α - β motif and handedness 217
 - catalysis without catalytic triad 217–218
 - catalytic triad 216, 217
 - evolution 210
 - protein engineering 215, 217, 219
 - structural anomaly and functional effects 217
 - structure 215, 216F
 - substrate-assisted catalysis 218–219
 - transition-state stabilization 217
 - Sugar-binding proteins 62F, 6363F
 - Superbarrel, neuraminidase 72
 - Superfamily
 - chymotrypsin 210, 212
 - retinol-binding protein (RBP) 70
 - Superoxide dismutase (SOD) 67F
 - Supersaturated solutions 375
 - Supersecondary structures *see* Motifs
 - SV40 326, 341–343
 - structure 342, 342F
 - Swinging cross-bridge model 292, 292F, 296F
 - myosin structure supporting 295–296
 - Switch points, topological 59, 60
 - Switch regions 256
 - G_{α} activation 257–259
 - myosin S1 fragment 294
 - Synchrotrons 376, 377, 384
 - T (tense) state 113–114
 - T4 bacteriophage *see* Bacteriophage T4
 - Tandem repeats
 - leucine-rich in in α/β -horseshoe folds 56
 - retinoid X receptor recognizing 185–186
 - TATA box 151, 151F, 155
 - consensus sequence 154F
 - DNA deformation 155–157
 - TBP binding
 - hydrogen bonds 157, 158
 - hydrophobic interactions 157–158
 - sequence-specific 157–158, 157F
 - TBP complexes with 154
 - TBP preference for 157, 158
 - TATA box-binding protein (TBP) 151, 152, 152F, 153–154
 - amino acid sequences 153
 - binding to minor groove of DNA 155–157, 156F
 - C-terminal domain 153–154
 - DNA deformation after binding 155–157, 156F
 - DNA-binding sites as β sheet 154
 - isolation 153
 - motifs 158
 - mutants 153–154
 - N-terminal segment 154
 - preference for TATA box 157, 158
 - promoter complex 159
 - side chains 154, 157
 - TATA box complexes 154
 - TFIIA and TFIIB binding 159
 - ubiquity 153–154
 - Taylor, Susan 278
 - TBP *see* TATA box-binding protein (TBP)
 - TBP-associated factors (TAFs) 152, 153
 - T-cell receptors (TCR) 299, 300, 316–317
 - antigen-binding site 317F
 - gene rearrangements 316F, 317
 - hypervariable regions 316, 317, 318F
 - MHC-peptide complexes as ligands 318, 318F
 - variable and constant regions 316–317
 - T-cells, activation 312–313
 - Temperature, melting (Tm) 354, 356F
 - Temperature factor (B) 383
 - Tertiary structure of proteins 3F, 28, 29
 - local secondary structure imposed by 351
 - molten globular state 89
 - prediction, secondary structure knowledge required 350–351
 - protein engineering 347–348
 - see also* Domains; Motifs; Three-dimensional structure
 - TFIIA *see* Transcription factor TFIIA
 - Thioredoxin
 - NMR and x-ray crystallography comparison 391
 - phosducin homology 265–266
 - structure 20F, 97
 - Threading methods 353–354
 - Three-dimensional model, homologous proteins 348
 - Three-dimensional structure of proteins 3, 4
 - disulfide bridge stabilization of 8
 - prediction 89, 349, 349F
 - similar with different amino acid sequences 352
 - see also* Domains; Motifs; Tertiary structure of proteins
 - Threonine
 - Ras and G_{α} proteins 256
 - structure 6F
 - Thymine, in DNA, hydrogen bonds 123F
 - Thyroid hormone receptor 185, 186F
 - TIM barrel 47, 267
 - Tissue factor-factor VIIa (TF-FVIIa) 361, 362, 362T
 - Titin 290–291
 - T-loop 108, 109F
 - Tm (melting temperature) 354, 356F
 - Tobacco mosaic virus 326F
 - coat protein 37
 - Tomato bushy stunt virus 331–332, 332F
 - capsid structure 331–332, 332F
 - jelly roll structure 335F
 - S and P domains 332, 332F
 - size 332
 - subunits recognizing RNA 332–333, 333F
 - Topological switch points 59, 60
 - Topology diagram 23
 - α/β domains 48F
 - β - α - β motif 28F
 - carboxypeptidase 61F
 - chymotrypsin 211F
 - complex motifs 31, 31F
 - γ -crystallin 74F, 75F
 - fibronectin type III domain 319F
 - Greek key motifs 27F
 - immunoglobulin 304F

- jelly roll motif 78F
- neuraminidase 71F
- open twisted α/β structures 58F
- p53 DNA-binding domain 168
- Ras proteins 254F
- subtilisin 217F
- TATA box-binding protein 155F
- up-and-down β barrels 68F
- uses and advantages 76
- Transcription
 - activation
 - by CAP-induced DNA bending 146–147
 - model 152F
 - protein–protein interactions 152–153
 - DNA elements involved 151F
 - initiation, TBP binding to TATA box and 158
 - initiation complex 153
 - preinitiation complex 151, 152, 159
 - regulation 152
 - eucaryotes 151
- Transcription factor 151–174, 175–203
 - classes 152
 - definition 151
 - domains 153
 - eucaryotic 175, 191
 - evolution 202
 - families 153, 175–203
 - functions of polypeptide chains 152–153
 - genes encoding, cloning 153
 - helix-loop-helix (HLH) family 39
 - heterodimer binding to DNA 163, 163F
 - homeodomains *see* Homeodomains
 - immunoglobulin fold in 168–169
 - leucine zipper motifs 191–193
 - POU region 164F
 - procaryotic 175
 - selectivity, homeodomains 162–164
 - zinc-containing motifs *see* Zinc-containing motifs
- Transcription factor GCN4 *see* GCN4
- Transcription factor Oct-1 164F, 165
- Transcription factor PPR1 190–191, 190F
- Transcription factor TFIIA
 - binding to TBP and DNA 159
 - domains 159
- Transcription factor TFIIB
 - binding to TBP and DNA 159
 - domains 159
- Transcription factor TFIID 151, 152, 158
- Transcription factor TFIIE, zinc finger motifs 176, 177
- Transducin 256
 - activation by rhodopsin 265
 - G_α structure 256, 256F
 - $G_{\beta\gamma}$ structure 262, 262F, 263, 263F
- Transition states 206
- Transmembrane α helices 226–227
 - bacteriorhodopsin 226–227, 226F
 - hydropathy plots 245, 246F
 - LH2 light-harvesting complex 241, 241F, 242F
 - no specific interaction with membrane lipids 246–247
 - photosynthetic reaction center 244–245
 - prediction from amino acid sequences 244–245
 - subunits of photosynthetic reaction center 236–237, 237F
- Transmembrane enzyme-linked receptors 271
- Transmembrane proteins, α helices 18
- Trans-peptide 98, 98F
- trans-retinoic acid (RAR) receptor 185, 186F
- Transthyretin 288
- twisted β helix 288, 288F, 289F
- Triangulation numbers (T) 330
- Triosephosphate isomerase
 - amino acids of β strands 48, 50T
 - β - α - β motif 28, 28F
 - β - α - β - α motifs 30, 30F
 - structure 23F
 - TIM barrel structure 47
- Troponin-C 24, 26
 - helical wheel 17T
- trp* repressor
 - conformational change effect 142–143
 - dimerization 142, 142F
 - helix-turn-helix motif 142, 142F
 - structure 142
 - tryptophan binding 142–143, 143F
- Trypsin
 - Asp 189-Lys mutation 215
 - kinetic data 214F
 - mutant, specificity pocket 214F
 - preferential cleavage sites 212, 213, 213F
 - specificity mechanism 209
 - specificity pocket 214F
- Tryptophan
 - binding to *trp* repressor 142–143, 143F
 - operon 142
 - structure 7F
 - synthesis 142
- TTK 179, 180F
- Tu, elongation factor 255
- Tubulin 284
- Tumor suppressor gene 166
 - see also* p53
- Tumorigenic mutations 166
 - p53 regions 170–171, 170F
- Turnover number (K_{cat}) 206
- Two-dimensional crystals, membrane proteins 225–226, 226F
- Tyrosine, structure 6F, 59
- Tyrosine kinase
 - receptor 270–271, 271, 272F
 - Src *see* Src tyrosine kinase
- Tyrosine kinase-associated receptors 270, 271, 272F
 - adaptor modules 272, 272F
- Tyrosine phosphatases 271
- Tyrosyl adenylate 60F
- Tyrosyl-tRNA synthetase
 - domains 59–60, 59F, 60F
 - side chains 61F
 - tyrosine bound to 60, 60F
- Ubiquinone 236F
- Ultraviolet light, Cro formation and lytic cycle 131, 133
- Unit cell 374
- Unwin, Nigel 226
- Up-and-down β barrels 68, 68–71, 68F
 - porin channels 229–230, 230F
 - SH3 domain 274, 275F
 - see also* Retinol-binding protein (RBP)
- Up-and-down β sheets, in neuraminidase 70–71, 71F
- Upstream-activating sequence (UAS), GAL4 188
- Urokinase 29F
- Valegård, Karin 339
- Valine
 - recognition helix of glucocorticoid receptor 184–185
- staggered conformations 10–11, 10F
- structure 6F
- Vibrio cholerae* 254
- Vimentin 287F
- Viruses 325–345
 - capsid 325, 326
 - polypeptide chains 325
 - enveloped 325
 - genomes 325, 326, 330
 - infections 325
 - jelly roll structures 335–337, 335F, 336F
 - pentamers of coat protein 341–343, 342F
 - simplest 328–239
 - sizes and shapes 326F
 - spherical 325–345
 - complex 329–331
 - icosahedral symmetry 327, 327F
 - T=3 structure 330, 330F
 - plant viruses 331–332, 337
 - T=4 structure 331, 331F
 - Sindbis virus 341
 - T=7 design 341–342, 342F
 - see also specific viruses*
- Vitamin A (retinol) 68, 68F, 69F
- Vitamin D receptor 185, 186F
- Vitamin D-resistant rickets 184
- Vitronectin 113
- V_{max} 206
- Water
 - in G_α activation 258
 - GTP hydrolysis by GTPase 259–261
 - interchain bridges in collagen 286, 286F
 - protein-DNA interactions 162
- Water-mediated hydrogen bonds 286, 286F
- Watson, Herman 58F
- Watson, James 13, 121, 387
- Wavelength, diffracted beams 370F, 379, 380F
- WD repeats 262, 262T, 263F
- Weedkillers 239
- Wells, James 363
- Welte, Wolfram 229
- Wiley, Don 79, 81, 317
- Wilkins, Maurice 121, 387
- Wilson, Ian 317
- WIN 51711 drug 337
- Wittinghofer, Alfred 260
- Wolberger, Cynthia 162
- Wool, α -helical fibers 283
- World Wide Web 393–394
 - homologous proteins sequences 348
 - Protein Data Bank 353
 - websites 393–394
- Wright, Peter 164, 177
- Wrighton, Nicholas 364
- Würthrich, Kurt 99, 160, 389
- Xenopus laevis* 176, 176F, 177
- Xfin 176F, 177
- X-ray 376–377
 - electron interactions 381
 - monochromatic 376
 - polychromatic 376
- X-ray crystallography 13, 374
 - advantages and limitations 391
 - bacteriophage MS2 339
 - calmodulin 109
 - data interpretation 381–382, 382F
 - DNA complex with phage 434 Cro and repressor 136–137
 - DNA-binding domain of lambda repressor 132–133, 133F
 - EMP1 dimer from erythropoietin receptor 365F

Page numbers in **bold** refer to a major text discussion; page numbers with an F refer to a figure; page numbers with a T refer to a table.

- G_{α} protein with GDP/GTP 256
 GroEL 100
 GroES 102
 lambda Cro protein 131–132
 NMR results comparison 390–391
 phase determination 379–381
 phosphofructokinase 114–117
 polyomaviruses 342
 POU region 165
 PPR1NA complex 190–191
 recording of x-ray data 377
 serpins 111
 SH2 domain 273
 TBP binding to DNA 155–157
 technological advances 383–384
 thioredoxin 20F, 97
 time-resolved 376
 zinc finger motif 177
see also Crystallization; Crystals; X-ray diffraction
- X-ray diffraction** 374
 amplitude and wavelength of beam 379, 379F, 380, 380F
 Bragg's law 378, 379F
 diffraction pattern 374, 374F
 diffraction spots 379, 386
 fibers *see* Fiber diffraction methods
 heavy metals in 380–381
 interference calculation 380–381, 380F
 model building
 data interpretation 381–382, 382F
 error removal by refinement 383
 patterns 374, 374F, 378F
 phase determination 379–381, 379F, 380F
 Multiwavelength Anomalous Diffraction 381
- photosynthetic reaction center 234, 235F
 porins 229
 principles 376–377, 377F, 378F
 recording of data 377
 resolution of data 381–382
 scattering and anomalous scattering 378, 381
 schematic view 377F
 time-resolved, cross-bridge movement 292–293
 x-ray sources 376–377
see also X-ray crystallography
- Yanofsky, Charles 143
- Yeast**
 genome 271
 TATA box-binding protein 153
 transcription factor *see* GAL4
 Yeast transcription factor GCN4 *see* GCN4
 Yeast transcription factor PPR1 190–191, 190F
- Z domains, bacterial protein A 363, 363F
 Z-DNA 121, 122F
 zigzag pattern 123
- Zif, DNA binding sequence 180F
 Zif 268 protein 177–178, 178F
 amino acid sequences 177F, 368T
 design without stabilization by zinc (FSD-1) 367–368, 368F, 368T
 DNA interactions 179, 179F
- Zinc**
 in carboxypeptidase 62F
 DNA-binding motifs 175
 functions 11
 in glucocorticoid receptor 185
 growth hormone binding to prolactin receptor 270, 271F
 p53 DNA-binding domain 169, 171
 in proteins 11, 11F
 transcription factors 176–177
 with cysteine residues bound to 181F
 see also Zinc finger motif
- Zinc finger motif** 11, 176, 176F
 cis-retinoic acid receptor (RXR) 186, 186F
 classic 176, 176F, 191, 367
 binding to DNA in tandem 177–178
 finger region interaction with DNA 178–181
 sequence-specific binding 180–181, 180F
 TK and GLI 179
 without zinc stabilization, design 367–368, 368F, 368T
 Xfin 177
 Zif 268 177–178, 178F
- definition** 176
- DNA binding**
 classic motif 177–181, 179F, 180F
 dimers 183–184
 glucocorticoid receptor 183–185
 monomers 177
 glucocorticoid receptor 181–183, 191
 see also Glucocorticoid receptor
 nuclear receptor family 181–183, 191
- Zinc-containing motifs** 191
 binuclear zinc cluster 187–188, 188F
 C₆-zinc cluster family 190–191, 190F, 202
 GAL4 family 187–188, 191
 see also Zinc finger motif; *specific motifs*
- Z-scores** 354