

- Non-optimal Krylov space methods, 41–7 to 41–11
- Nonprimary matrix function, 11–2
- Nonrandom matrices, 52–3
- Nonrandom vectors, 52–3
- Nonregular matrices, 32–7 to 32–9
- Nonscalar multiplications
 - approximation algorithms, 47–6
 - fast algorithms, 47–2
- Nonseparability, 35–2
- Nonsingular properties
 - distribution, 53–8
 - fundamentals, 2–9 to 2–10
 - isomorphism, 3–7 to 3–8
 - matrices, 1–12
 - multivariate normal distribution, 53–3
- Nonsquare case, 32–2 to 32–12
- Nonsymmetric eigenproblems, 75–17 to 75–20
- Nonsymmetric eigenvalue problems, 75–11 to 75–13
- Nonsymmetric Lanczos process
 - Arnoldi process, 49–10
 - large-scale matrix computations, 49–8 to 49–10
 - linear dynamical systems, 49–15
- Nonsymmetric problems, ARPACK, 76–8
- Nonzero spectra, 20–7 to 20–8
- Norm, Maple software, 72–3, 72–5
- Norm, Mathematica software
 - fundamentals, 73–26, 73–27
 - matrix algebra, 73–10, 73–11
 - vectors, 73–3, 73–5
- Normal, Mathematica software, 73–6, 73–8
- Normal equations
 - least squares problems, 5–14
 - linear statistical models, 52–8
- Normalization, 23–5
- Normalized properties
 - floating point numbers, 37–11
 - immanant, 31–13
 - matrices, 25–6
 - scaling nonnegative matrices, 9–20
- Normal vector, Euclidean point space, 66–2
- norm command, Matlab software, 71–17
- Norm estimation, 18–9 to 18–10
- Norms, matrices, 37–4 to 37–6
- Notation index, N–1 to N–9
- Notebooks, Mathematica software, 73–1
- Not invertible, 1–12, *see also* Invertibility
- Nth-derived algebra, 70–3
- null command, Matlab software, 71–8, 71–17
- Null graphs, 28–2
- Nullity
 - linear independence, span, and bases, 2–6
 - matrix equalities and inequalities, 14–12 to 14–15
- Null recurrent state, 54–7 to 54–9
- NullSpace, Maple software
 - matrix factoring, 72–9
 - modular arithmetic, 72–14 to 72–15
- NullSpace, Mathematica software
 - fundamentals, 73–27
 - matrix algebra, 73–10, 73–12
- Nullspaces, 39–4
- Null spaces
 - dimension theorem, 2–6 to 2–9
 - kernel and range, 3–5
 - linear independence, span, and bases, 2–6
 - matrix range, 2–6 to 2–9
 - rank, 2–6 to 2–9
- Numerical linear algebra
 - Maple software, 72–13 to 72–15
 - support routines, 77–1
- Numerically orthogonal matrices, 46–2
- Numerical methods
 - affine parameterized IEPs, 20–11 to 20–12
 - fast matrix multiplication, 47–1 to 47–10
 - high relative accuracy computation, 46–1 to 46–16
 - implicitly restarted Arnoldi method, 44–1 to 44–12
 - iterative solution methods, 41–1 to 41–17
 - large-scale matrix computations, 49–1 to 49–15
 - Markov chains, 54–12 to 54–14
 - singular value decomposition, 45–1 to 45–12
 - stability and instability, 37–18 to 37–21
 - structured matrix computations, 48–1 to 48–9
 - symmetric matrix techniques, 42–1 to 42–22
 - unsymmetric matrix techniques, 43–1 to 43–11
- Numerical methods, linear systems
 - direct solutions, 38–1 to 38–17
 - efficiency, 37–1 to 37–21
 - error analysis, 37–1 to 37–21
 - factorizations, 38–1 to 38–17
 - least squares solutions, 39–1 to 39–12
 - matrix norms, 37–1 to 37–21
 - sparse matrix methods, 40–1 to 40–18
 - stability, 37–1 to 37–21
 - vector norms, 37–1 to 37–21
- Numerical orthogonality, 46–2
- Numerical radius, 18–1
- Numerical range
 - boundary points, 18–3 to 18–4
 - dilations, 18–9 to 18–10
 - examples, 18–1 to 18–3
 - fundamentals, 18–1
 - location, 18–4 to 18–6
 - matrix mappings, 18–11
 - matrix products, 18–8 to 18–9
 - norm estimation, 18–9 to 18–10
 - properties, 18–1 to 18–3
 - radius, 18–6 to 18–8
 - special boundary points, 18–3 to 18–4
 - spectrum, 18–3 to 18–4
 - unitary similarity, 7–2
- Numerical rank, 39–11
- Numerical stability and instability
 - error analysis, 37–18 to 37–21
 - Strassen's algorithm, 47–4
- numnull command, Matlab software, 71–13

O

- O and o, P–5
- Objective function, 50–1

- Oblique Petrov-Galerkin projection
 - eigenvalue computations, 49–12
 - large-scale matrix computations, 49–2
 - Observability Hessenberg form, 57–9
 - Observability Kalman decomposition, 57–7
 - Observability matrix, 57–7
 - Observableness, control theory, 57–2
 - Observer equation, 57–2
 - Octonions, generalized, 69–4
 - Odd cycle, 33–2
 - Oettli-Prager theorem, 38–3
 - Off-diagonal entry, 1–4
 - Off-norm, Jacobi method, 42–17
 - One-bit quantum gate, 62–2
 - One(1)-chordal graphs, 35–2
 - One-dimensional harmonic oscillator, 59–8
 - One(1)-norm, 37–2
 - One-sided Jacobi SVD algorithm
 - high relative accuracy, 46–2 to 46–5
 - positive definite matrices, 46–11
 - preconditioned Jacobi SVD algorithm, 46–6
 - singular value decomposition, 45–5
 - symmetric indefinite matrices, 46–15
 - One-to-one, kernel and range, 3–5
 - Onto, kernel and range, 3–5
 - Open halfspaces, 66–2
 - Open sector, 33–14
 - Operations and functions, Maple software, 72–3, 72–5
 - Operator norms
 - matrix norms, 37–4
 - unitary similarity, 7–2
 - Optimal control problem, 57–14
 - Optimal estimation problem, 57–12
 - Optimality conditions, 51–5 to 51–7
 - Optimality theorem, 51–6
 - Optimal Krylov space methods, 41–4 to 41–11
 - Optimal pivoting strategy, 42–17
 - Optimal solution, 50–1
 - Optimal value, 50–1
 - Optimization
 - linear programming, 50–1, 50–1 to 50–24
 - matrix games, 50–18
 - semidefinite programming, 51–1 to 51–11
 - standard row tableaux, 50–8
 - Orbit
 - linear dynamical systems, 56–5
 - simultaneous similarity, 24–8
 - Order
 - control theory, 57–2
 - graphs, 28–1
 - reducible matrices, 26–9
 - Order predictable signals, 64–7
 - Order sequence, 58–8
 - Ordinary least squares estimator, 52–8
 - Ordinary least squares solution, 52–8
 - Orientation, 13–24 to 13–26
 - Orientation preservation, 56–5
 - Oriented incidence matrix, 28–7
 - orth command, Matlab software, 71–17
 - Orthogonality relations, 68–6 to 68–8
 - Orthogonalization, 38–13 to 38–15
 - Orthogonal Petrov-Galerkin projection
 - Arnoldi process, 49–10
 - large-scale matrix computations, 49–2
 - symmetric Lanczos process, 49–7
 - Orthogonal properties
 - classical groups, 67–5
 - complement, 5–3
 - congruence, 25–10
 - Euclidean point space, 66–2
 - Euclidean spaces, 65–4
 - fundamentals, 5–3 to 5–5
 - general properties, 69–5
 - least squares solutions, 39–5 to 39–6
 - linear inequalities and projections, 25–10
 - projection, 5–6 to 5–8
 - rank revealing decomposition, 39–11
 - sign-pattern matrices, 33–16 to 33–17
 - symmetric bilinear forms, 12–3
 - symmetric indefinite matrices, 46–14
 - symmetric matrix eigenvalue techniques, 42–2
 - unitary similarity, 7–1
 - Oscillation modes, 59–2 to 59–5
 - Oscillatory matrices, 21–2
 - Oseledets theorem, 56–14 to 56–15
 - Ostrowski theorem
 - eigenvalue problems, 15–13
 - spectrum localization, 14–6 to 14–7
 - Outer, Mathematica software, 73–2, 73–3, 73–4
 - Outer normal, Euclidean simplexes, 66–7
 - Outerplanar graphs, 28–4
 - OuterProductMatrix, Maple software, 72–3
 - Outlets, 66–13
 - Output
 - algorithms and efficiency, 37–16
 - LTI systems, 57–14
 - Output feedback, 57–7, 57–13
 - Output space, 57–2
 - Output vector, 57–2
 - Ovals of Cassini, 14–6 to 14–7
 - Overall constraint length, 61–12
 - Overflow, floating point numbers, 37–12
- ## P
-
- P_- , $P_{0,1}$ - and P_0 -matrices
 - completion problems, 35–15 to 35–17
 - stability, 19–3
 - Packed format, 74–2
 - Padé approximate, 11–10 to 11–11, 11–12
 - Padé iterations, 11–12
 - Padé models
 - dimension reduction, 49–14
 - linear dynamical systems, 49–15
 - PadRight, Mathematica software, 73–13
 - Page, Larry, 54–4, 63–9, 63–10
 - PageRank
 - fundamentals, 63–10
 - information retrieval, 63–10 to 63–14
 - Markov chains, 54–4 to 54–5

- vector, 63–11
- Web search, 63–9
- Page repository, 63–9
- Pairwise orthogonality, 7–5
- Paley-Wiener theorem, 64–3 to 64–4
- Pan, V., 47–7
- Pappus' theorem, 65–8, 65–9
- Parabolic subgroup, 67–4
- Parabolic subgroup, BN structure, 67–5
- Parallelepiped, Gram matrices, 66–5
- Parallel hyperplanes, 66–2
- Parallelogram, Gram matrices, 66–5
- Parallelogram law, inner product spaces, 5–3
- Parallel vector subspace, 65–2
- Parameters, graphs, 28–9 to 28–11
- Parametric programming, 50–17 to 50–18
- Parametrization of correlation matrices, 8–8
- Parity check
 - matrix, 61–3
 - polynomial, 61–7
- Parlett and Reinsch studies, 43–3
- Parlett's recurrence, 11–10, 11–11
- Parseval's Inequality, 5–4
- Parter vertices, 34–2 to 34–4
- Parter-Wiener theorem
 - given multiplicities, 34–9
 - multiplicities and Parter vertices, 34–2
- Parter-Wiener vertex, 34–2
- Partial completely positive matrices, 35–10
- Partial copositive matrices, 35–11
- Partial correlation coefficient
 - linear prediction, 64–8
 - random vectors, 52–4
- Partial correlation matrix, 52–4
- Partial covariance matrix, 52–4
- Partial differential equations, 58–7
- Partial doubly nonnegative matrices, 35–10
- Partial entry sign symmetric P -, $P_{0,1}$ - and P_0 -matrices, 35–19 to 35–20
- Partial entry weakly sign symmetric P -, $P_{0,1}$ - and P_0 -matrices, 35–19 to 35–20
- Partial Euclidean distance matrices, 35–10
- Partial inverse M -matrices, 35–14
- Partial matrices, 35–2
- Partial matrix multiplication, 47–8
- Partial M -matrices, 35–12 to 35–13
- Partial M_0 -matrices, 35–12 to 35–13
- Partial nonnegative P -, $P_{0,1}$ - and P_0 -matrices, 35–17 to 35–18
- Partial order, checkerboard, 21–9
- Partial P -, $P_{0,1}$ - and P_0 -matrices, 35–15
- Partial pivoting, 40–18, *see also* Pivoting
- Partial positive definite matrices, 35–8
- Partial positive P -matrices, 35–17
- Partial positive semidefinite matrices, 35–8
- Partial Schur decomposition, 44–6, 44–8
- Partial semidefinite ordering
 - positive definite matrices, 8–10
 - random vectors, 52–4
- Partial strictly copositive matrices, 35–11
- Partition, Mathematica software, 73–14
- Partitioned matrices
 - block diagonal matrices, 10–4 to 10–6
 - block matrices, 10–1 to 10–3
 - block triangular matrices, 10–4 to 10–6
 - Kronecker products, 10–8 to 10–9
 - random vectors, 52–3
 - Schur complements, 10–6 to 10–8
 - submatrices, 10–1 to 10–3
 - submatrices and block matrices, 10–1
- Partly decomposable, 27–3
- Pascal matrices
 - factorizations, 21–6
 - totally positive and negative matrices, 21–4
- Passage class, 54–5
- Path
 - digraphs, 29–2
 - modeling and analyzing fill, 40–10
 - sign-pattern matrices, 33–2
- Path-connection, P–5
- Path cover number, 34–4
- Path of length, 28–1, 28–2
- Pattern block triangular form, 35–2
- Patterns, 27–1, *see also* Sign-pattern matrices
- Payoff matrix, 50–18
- Peak characteristics, 26–9
- peaks function, Matlab software, 71–17
- PEIEPs (prescribed entries inverse eigenvalue problems), 20–1 to 20–3
- PEIPs, *see* Affine parameterized IEPs (PIEPs)
- Pencils, matrix
 - generalized eigenvalue problem, 43–2
 - linear differential-algebraic equations, 55–7
 - matrices over integral domains, 23–9 to 23–10
- Pendant path, 34–2
- Penrose conditions, 5–12
- Perfect code, 61–2
- Perfect elimination ordering
 - bipartite graphs, 30–4
 - reordering effect, 40–14
- Perfectly well determined, high relative accuracy, 46–8
- Perfect matching, 30–2
- Period
 - complex sign and ray patterns, 33–14
 - Fourier analysis, 58–2
 - imprimitive matrices, 29–10
 - irreducible matrices, 9–3
 - linear dynamical systems, 56–5
 - reducible matrices, 9–7
 - Simon's problem, 62–13
- Periodic characteristics
 - Fourier analysis, 58–2
 - irreducible classes, 54–5
 - linear dynamical systems, 56–5
- Periodic linear differential equations, 56–12 to 56–14
- Peripheral eigenvalues, 26–6
- Peripheral spectrum
 - cone invariant departure, matrices, 26–5 to 26–7
 - Perron-Schaefer condition, 26–6

- perm, Mathematica software, 73–19
- permanent, Mathematica software, 73–12
- Permanental dominance conjecture, 31–13
- Permanents
 - binary matrices, 31–5 to 31–7
 - determinant connections, 31–12 to 31–13
 - doubly stochastic matrices, 31–3 to 31–4
 - evaluation, 31–11 to 31–12
 - fundamentals, 31–1 to 31–3
 - (± 1) -matrices, 31–8
 - matrices over $\mathbb{R}$, 31–8 to 31–9
 - max-plus algebra, 25–9 to 25–10
 - nonnegative matrices, 31–7
 - rook polynomials, 31–10 to 31–11
 - subpermanents, 31–9 to 31–10
- permMatr, Mathematica software, 73–19
- Permutation invariants
 - absolute norm, 17–5
 - vector norms, 37–2
- Permutation matrix
 - fundamentals, 1–6
 - Gauss elimination, 38–7
 - matrices, 1–4
 - systems of linear equations, 1–13
- Permutations
 - eigenvalue problems, 15–2
 - equivalence, 31–1
 - fundamentals, P–5
 - pattern, 33–2
 - representation, 68–3
 - restricted positions, 31–6
 - similarity, 27–5, 33–2
- Perpendicular bisectors, 65–4
- Perpendicular hyperplanes, 66–2
- Perron branch, 36–5
- Perron component, 36–10
- Perron-Frobenius theorem
 - cone invariant departure, matrices, 26–1 to 26–3
 - elementary analytic results, 26–12
 - irreducible matrices, 9–4, 29–6
- Perron-Frobenius-type results, 9–10
- Perron-Schaefer condition, 26–5 to 26–7
- Perron spaces
 - Collatz-Wielandt sets, 26–4
 - K -reducible matrices, 26–10
- Perron's theorem, 9–3
- Perron value
 - convergence properties, 9–9 to 9–10
 - irreducible matrices, 9–4 to 9–5
 - nonnegative and stochastic matrices, 9–2
 - nonzero spectra, 20–7
 - reducible matrices, 9–8 to 9–10
- Persistently exciting of order, 64–12
- Personalization vector, 63–11
- Perturbations, 38–2 to 38–5
- Perturbation theory, matrices
 - eigenvalue problems, 15–1 to 15–6, 15–9 to 15–11, 15–13 to 15–15
 - polar decomposition, 15–7 to 15–9
 - relative distances, 15–13 to 15–16
 - singular value problems, 15–6 to 15–7, 15–12 to 15–13, 15–15 to 15–16
- Perturbed linear system, 38–2
- Petersen graphs
 - adjacency matrices, 28–7
 - embedding, 28–5
 - graph parameters, 28–10
 - Laplacian, 28–9
 - nonsquare case, 32–11
- Petrie matrix, 30–4, 30–5, 30–7
- Petrov-Galerkin projection
 - Arnoldi process, 49–10
 - eigenvalue computations, 49–12
 - Krylov subspaces, 49–5
 - large-scale matrix computations, 49–2
 - symmetric Lanczos process, 49–7
- Pfaffian properties, 12–5
- Phase 2 geometric interpretation, 50–13
- Phillips regularization, 39–9
- Physical sciences applications, 59–1 to 59–11
- Pick's inequalities, 14–2
- PID (principal ideal domain), 23–2
- Pierce decomposition, 69–13
- Pi function, Mathematica software, 73–26
- pi function, Matlab software, 71–4
- Pillai's trace statistic, 53–13
- Pinching, inequalities, 17–7
- Pisarenko's method, 64–14
- Pi theorem, 47–8, 47–9
- Pivot column, 1–7
- Pivoted QR factorization, 39–11
- Pivoting
 - elements, Jacobi method, 42–17
 - Gauss elimination, 1–7, 38–7
 - Gauss-Jordan elimination, 1–7
 - Jacobi method, 42–17, 42–18
 - linear programming, 50–10 to 50–11
 - LU decomposition, 38–10
 - positions, 1–7
 - preconditioned Jacobi SVD algorithm, 46–5
 - reordering effect, 40–18
- Pivot row, 1–7
- Pivot step, 50–10
- Planar graphs, 28–4
- Planck's constant, 59–6
- Plane, affine spaces, 65–2
- planerot function, Matlab software, 42–9
- PLDU factorization, 1–14 to 1–15
- p-Lie algebra, 70–2
- plot command, Matlab software, 71–14
- Plotkin bound, 61–5
- PLU factorization, 1–13
- Plus, Mathematica software, 73–27
- Plus algebra, 69–3
- p -norm, 37–2
- Poincaré-Bendixson theorem, 56–8
- Poincaré-Birkhoff-Witt theorem
 - Lie algebras, 70–3
 - Malcev algebras, 69–17
 - nonassociative algebra, 69–3

- Pointed cones, 8–10
- Points
 - affine spaces, 65–2
 - Euclidean point space, 66–1
 - projective spaces, 65–6
- Point spaces, 66–1 to 66–5
- Point-wise bounded, 37–3
- Point-wise similarity, 24–1
- Poisson's equation
 - discrete theory, 58–12
 - Green's functions, 59–11
- Polar cones, 51–3
- Polar decomposition
 - perturbation theory, 15–7 to 15–9
 - singular values, 17–1
- PolarDecomposition, Mathematica software, 73–19
- Polar form
 - positive definite matrices, 8–7
 - singular values, 17–1
- Polarization formula, 12–8
- Polarization identity, 5–3, 13–11
- Policy iteration algorithm, 25–7
- Polya matrix, 21–11
- Polyhedral cones, 26–4
- Polynomials
 - adjacency matrix, 28–5
 - certain integral domains, 23–1
 - eigenvalues and eigenvectors, 4–6, 4–8
 - interpolation, 11–2
 - linear code classes, 61–7
 - numerical hull, 41–16
 - restarting, 44–5 to 44–6
 - span and linear independence, 2–2
 - stability, 19–3
 - vector spaces, 1–3
 - zeros, 37–8
- PolynomialTools, Maple software, 72–20, 72–21
- PO (potentially orthogonality), 33–16
- Population, 52–2
- Population canonical correlations and variates, 53–7
- Population principal component, 53–5
- Positionally symmetric partial matrix, 35–2
- Positive definite Jacobi EVD, 46–11
- Positive definite matrices (PSD), *see also* Completely positive matrices
 - completion problems, 35–8 to 35–9
 - fundamentals, 8–6 to 8–12
 - high relative accuracy, 46–10 to 46–14
 - inner product spaces, 5–2
 - symmetric factorizations, 38–15
- Positive definite properties
 - Hermitian forms, 12–8
 - matrix norms, 37–4
 - symmetric bilinear forms, 12–3
 - vector norms, 37–2
 - vector seminorms, 37–3
- Positive/null recurrent state, 54–7 to 54–9
- Positive properties, *see also* Nonnegatives
 - eigenvectors, 9–11
 - Fiedler vectors, 36–7
 - generalized eigenvectors, 9–11
 - half-life, 13–24
 - matrix mapping, 18–11
 - orientation, 13–24
 - Perron-Frobenius theorem, 26–2
 - P -matrices, 35–17 to 35–18
 - recurrent state, 54–7 to 54–9
 - root, semisimple and simple algebras, 70–4
 - stability, 19–3, 26–13
 - stable matrices, 9–17
 - vector seminorms, 37–3
- Positive semidefinite properties
 - completion problems, 35–8 to 35–9
 - Hermitian forms, 12–8
 - matrix completion problems, 35–8
 - positive definite matrices, 8–6
 - semidefinite programming, 51–3
 - symmetric bilinear forms, 12–3
- Potential energy
 - Lagrangian mechanics, 59–5
 - oscillation modes, 59–2
 - protein motion modes, 60–9
- Potentially orthogonality (PO), 33–16
- Potential matrix, 54–7 to 54–9
- Potentials, duality, 50–17
- Potential stability, 33–7
- Potent square sign or ray patterns, 33–14
- Powell-Reid's complete pivoting, 46–5, 46–7
- Power
 - algorithm, 25–7
 - convergence properties, 9–4, 9–9
 - irreducible matrices, 9–4
 - matrices, 1–12
 - method, 42–2
 - m th, matrices, 1–12
 - reducible matrices, 9–9
 - sign-pattern matrices, 33–15 to 33–16
 - symmetric and Grassmann tensors, 13–12
 - tensor products, 13–3
- Power associative algebras
 - general properties, 69–5
 - nonassociative algebra, 69–14 to 69–16
- Precision, Mathematica software, 73–17
- Precisions
 - ARPACK subroutine package, 76–3 to 76–4
 - floating point numbers, 37–12
 - vector space method, 63–2
- Preconditioned conjugate gradient (PCG) algorithm, 41–13
- Preconditioned Jacobi SVD algorithm, 46–5 to 46–7
- Preconditioners, iterative solution methods
 - algorithms, 41–12 to 41–14
 - fundamentals, 41–11 to 41–12
 - Krylov subspaces, 41–2 to 41–4
- Preconditioning
 - algorithms, 41–12 to 41–14
 - coefficient matrix, 49–4
 - iteration matrices, 41–3
 - Jacobi SVD algorithm, 46–5 to 46–7
 - Krylov subspaces and preconditioners, 41–3
 - sparse matrix factorizations, 49–4

- Predicable random signals, 64–7
- Prediction error, 64–7
- Prediction error filter, 64–7
- Prefixes, 74–2
- Prepend, Mathematica software
 - matrices manipulation, 73–13
 - vectors, 73–3
- Prescribed entries inverse eigenvalue problems (PEIEPs), 20–1 to 20–3
- Prescribed-line-sum scalings, 9–21
- Preservation, *see also* Linear preserver problems
 - bilinear forms, 12–2
 - linear dynamical systems, 56–5
 - Lyapunov diagonal stability, 19–9
 - multiplicative D -stability, 19–5
 - sesquilinear forms, 12–6
- Primal-dual interior point algorithm, 51–8 to 51–9
- Primary decomposition, 6–9
- Primary Decomposition Theorem
 - eigenvectors, 6–2
 - rational canonical form, 6–10
- Primary factors, 6–9
- Primary matrix function, 11–2
- Prime elements, 23–2
- Primitive Bose-Chadhuri-Hocquenghem (BCH) code, 61–8
- Primitive properties
 - certain integral domains, 23–2
 - digraphs and matrices, 29–8 to 29–9
 - elements, 69–18
 - gates, 62–7
- Principal angles, 17–14, 17–15
- Principal Axes Theorem, 7–5 to 7–6
- Principal character, 68–5
- Principal component, 26–12
- Principal component analysis, 53–5 to 53–6
- Principal eigenprojection, 26–12
- Principal ideal domain (PID), 23–2
- Principal ideals, 23–2
- Principal logarithm, 11–6
- Principal minors
 - determinants, 4–3
 - stability, 19–3
- Principal parts, 24–1
- Principal square root, 11–5
- Principal submatrix
 - fundamentals, 1–6
 - matrices, 1–4
 - reducible matrices, 9–7
 - submatrices and block matrices, 10–1
- Principal vectors, 17–14
- Probability, 52–2
- Probability and statistics applications
 - linear statistical models, 52–1 to 52–15
 - Markov chains, 54–1 to 54–14
 - multivariate statistical analysis, 53–1 to 53–14
 - random vectors, 52–1 to 52–15
- Probability density function, 52–2
- Probability function, 52–2
- Probability vector, 4–10
- Procrustes problem, 60–4 to 60–7
- Product
 - algebraic connectivity, 36–1
 - characters, 68–5
 - vector spaces, 3–2
- Product form, 9–23
- Product-moment correlation, 52–3
- Profile methods, 40–10, 40–16
- Profiles, reordering effect, 40–14
- Programming
 - associated linear programming, 50–14
 - Delsarte's Linear Programming Bound, 28–12
 - dynamic, 25–3
 - LinearProgramming, Mathematica software, 73–24
 - linear semidefinite, 51–3
 - mathematical, 50–1
 - parametric, 50–17 to 50–18
 - programming, Matlab software, 71–11 to 71–14
 - symmetric cone, 51–2
- Programming, linear
 - canonical forms, 50–7 to 50–8
 - duality, 50–13 to 50–17
 - formulation, 50–3 to 50–7
 - fundamentals, 50–1 to 50–2
 - geometric interpretation, phase 2, 50–13
 - interior point methods, 50–23 to 50–24
 - linear approximation, 50–20 to 50–23
 - Mathematica software, 73–23 to 73–24
 - matrix games, 50–18 to 50–20
 - parametric programming, 50–17 to 50–18
 - phase 2 geometric interpretation, 50–13
 - pivoting, 50–10 to 50–11
 - sensitivity analysis, 50–17 to 50–18
 - simplex method, 50–11 to 50–13
 - standard forms, 50–7 to 50–8
 - standard row tableaux, 50–8 to 50–10
- Programming, Matlab software, 71–11 to 71–14
- Programming, semidefinite (SDP)
 - applications, 51–9 to 51–11
 - constraint qualification, 51–7
 - duality, 51–5 to 51–7
 - fundamentals, 51–1 to 51–3
 - geometry, 51–5
 - notation, 51–3 to 51–5
 - optimality conditions, 51–5 to 51–7
 - primal-dual interior point algorithm, 51–8 to 51–9
 - results, 51–3 to 51–5
 - strong duality, 51–7
- Projection, Mathematica software, 73–4, 73–5
- Projectionally exposed face, 51–5
- Projection formulas, 44–2
- Projections, 3–6, 3–6 to 3–7
- Projective general linear group, 67–3
- Projective plane
 - linear code classes, 61–10
 - projective spaces, 65–6
- Projective spaces, 65–6 to 65–9
- Projective special linear group, 67–3
- Projective transformation, 65–7

Propagator, 59–10
 Proper cones, 26–1
 Proper digraphs, 29–2
 Properly signed nest, 33–7
 Proper point, Euclidean simplexes, 66–8
 Properties
 nonassociative algebra, 69–4 to 69–8
 numerical range, 18–1 to 18–3
 Property C, satisfying, 9–17
 Property L
 similarity of matrix families, 24–6 to 24–7
 spectral theory, 7–5
 Protein motion mode calculation, 60–9 to 60–10
 Proximity measure, 53–13
 PSD, *see* Positive definite matrices (PSD)
 Pseudo-code, 37–16
 Pseudoeigenvalues, 16–1
 Pseudoeigenvectors, 16–1
 Pseudo-inverse, 5–12 to 5–14
 PseudoInverse, Mathematica software
 linear systems, 73–20, 73–23
 matrix algebra, 73–10, 73–11
 Pseudospectra
 computation, 16–11 to 16–12
 extensions, 16–12 to 16–15
 fundamentals, 16–1 to 16–5
 matrix function behaviors, 16–8 to 16–11
 Toeplitz matrices, 16–5 to 16–8
 Pseudospectral abscissa
 matrix function behavior, 16–8
 Pseudospectral radius, 16–8
 Pseudospectrum
 convergence in gap, 44–10
 rectangular matrix, 16–12
 Puiseux expansion
 matrix similarities, 24–1
 matrix similarity, 24–2
 Puiseux expansions, 9–10
 Puntanen, Simo, 52–1 to 52–15, 53–1 to 53–14
 Pure strategies, matrix games, 50–18

Q

QFT (Quantum Fourier transform), 62–6
 QMR (quasi-minimal residual) algorithm
 Krylov space methods, 41–8, 41–10 to 41–11
 linear systems of equations, 49–13
 preconditioners, 41–12
 Q-norm, 17–6
 QR decomposition, 38–13 to 38–15
 QRDecomposition, Maple software, 72–9
 QRDecomposition, Mathematica software, 73–18
 QR factorization, *see also* Factorizations
 algorithm efficiency, 37–17
 Gram-Schmidt orthogonalization, 5–8 to 5–10
 least squares solutions, 39–8 to 39–9
 numerical stability and instability, 37–20
 orthogonal factorizations, 39–5
 preconditioned Jacobi SVD algorithm, 46–5
 rank revealing decomposition, 39–11

QR iteration
 explicit, 43–5 to 43–6
 symmetric matrix eigenvalue techniques, 42–3
 QR method, *see* Implicitly shifted QR method
 Quadrangular bipartite graph, 30–1
 Quadratic algebras, 69–8
 Quadratic forms
 fundamentals, 12–1, 12–3 to 12–5
 matrices, 53–8 to 53–11
 Qualitative class
 complex sign and ray patterns, 33–14
 sign-pattern matrices, 33–1
 Quantum bit, 62–2
 Quantum circuit, 62–2
 Quantum computation
 Bernstein-Vazirani problem, 62–11 to 62–13
 Deutsch-Jozsa problem, 62–9 to 62–11
 Deutsch's problem, 62–8 to 62–9
 fundamentals, 62–1 to 62–7
 Grover's search algorithm, 62–15 to 62–17
 Shor's factorization algorithm, 62–17 to 62–19
 Simon's problem, 62–13 to 62–15
 universal quantum gates, 62–7 to 62–8
 Quantum Fourier transform (QFT), 62–6
 Quantum register, 62–2
 Quantum Turing machine, 62–2
 Quaternions, generalized, 69–4
 Quartics, Mathematica software, 73–14
 Quasi-associative algebras, 69–15
 Quasi-irreducibility characteristics, 24–8, 24–11
 Quasi-minimal residual (QMR) algorithm
 Krylov space methods, 41–8
 linear systems of equations, 49–13
 preconditioners, 41–12
 Quasi-triangular characteristics, 43–6
 Query module, 63–9
 Query processing, 63–2
 Query vector, 63–2
 Queueing system, 54–4
 Quotient, direct sum decompositions, 2–5
 Quotient algebra, 69–4
 Quotient field, 23–1
 Quotient representation, 68–1

R

Radical algebras, 69–5, 70–4
 Radius, 18–6 to 18–8
 Radix 2 FFT, 58–17 to 58–19
 Raising operator, 59–8, 59–9
 rand command, Matlab software, 71–6
 Random linear dynamical systems, *see also* Dynamical systems
 fundamentals, 56–14 to 56–16
 linear skew product flows, 56–12
 Random samples, data matrix, 53–3
 Random signals, 64–4 to 64–7
 Random vectors
 fundamentals, 52–1 to 52–8
 linear statistical models, 52–8 to 52–15

- Random walk, Markov chains, 54–3 to 54–4
- Range
 - kernel, 3–5 to 3–6
 - least squares solution, 39–4
 - linear independence, span, and bases, 2–6
 - linear inequalities and projections, 25–10
- Range, Mathematica software, 73–3, 73–4
- Rank
 - bilinear forms, 12–2
 - combinatorial matrix theory, 27–2
 - convolutional codes, 61–11
 - decomposable tensors, 13–7
 - decompositions, bipartite graphs, 30–8
 - dimension theorem, 2–6 to 2–9
 - Gaussian and Gauss-Jordan elimination, 1–7
 - inertia, 33–11
 - kernel and range, 3–5
 - linear independence, 2–6, 25–13
 - matrix equalities and inequalities, 14–12 to 14–15
 - matrix range, 2–6 to 2–9
 - null space, 2–6 to 2–9
 - semisimple and simple algebras, 70–4
 - sesquilinear forms, 12–6
- Rank, Maple software, 72–9
- rank command, Matlab software, 71–17
- Rank-deficient least squares problem, 5–14
- Rank Equalities method, 2–7 to 2–8
- Rank Inequalities method, 2–7 to 2–8
- Ranking module, 63–9
- Rank revealing, 46–5
- Rank revealing decomposition (RRD)
 - high relative accuracy, 46–7 to 46–10
 - least squares solutions, 39–11 to 39–12
- Rank revealing QR (RRQR) decomposition, 39–11
- Rate, linear block codes, 61–3
- Rational canonical forms (RCF)
 - elementary divisors, 6–8 to 6–11
 - invariant forms, 6–12 to 6–14
 - matrix similarity, 24–3, 24–4
- Rational similarity, 24–1
- Ravindrudu, Rahul, 60–13
- Rayleigh quotient
 - Arnoldi factorization, 44–3
 - Hermitian matrices, 8–3
 - symmetric matrix eigenvalue techniques, 42–3
 - total least squares problem, 48–9
- Rayleigh-Ritz inequalities, 14–4
- Rayleigh-Ritz theorem, 8–3, 8–4, 8–5
- Ray nonsingular pattern, 33–14
- Ray patterns, 33–14 to 33–16
- RCF, *see* Rational canonical forms (RCF)
- Reaction equations, 60–10
- Real affine space, 65–2
- Real division algebra, 69–4
- Realization, 57–6
- Real-Jordan block, 6–7
- Real-Jordan canonical form, 6–6 to 6–8, *see also* Jordan canonical form
- Real Jordan form, 56–2
- Real-Jordan matrix, 6–7
- Real square matrices, 19–5, 19–9
- Real structured pseudospectrum, 16–12
- Reams, Robert, 10–1 to 10–9
- Recall, vector space method, 63–2
- Recognition
 - matrix power asymptotics, 25–8
 - total positive and total negative matrices, 21–6 to 21–7
- Reconstructibility, 57–2
- Rectangular matrix multiplication, 47–5
- Rectangular matrix pseudospectrum, 16–12
- Recurrent state, 54–7 to 54–9
- Recursive least squares (RLS), 64–12
- Reduce, Mathematica software, 73–20, 73–21
- Reduced digraphs
 - irreducible matrices, 29–7
 - nonnegative and stochastic matrices, 9–2
 - reducible matrices, 9–7
- Reduced-order model, 49–14
- Reduced QR factorization, 5–8
- ReducedRowEchelonForm, Maple software, 72–9, 72–10
- Reduced row echelon form (RREF)
 - computational methods, 69–23, 69–25
 - Gaussian and Gauss-Jordan elimination, 1–7 to 1–9
 - rank, 2–6
 - systems of linear equations, 1–10 to 1–11, 1–12, 1–13
- Reduced singular value decomposition (reduced SVD)
 - fundamentals, 45–1
 - singular value decomposition, 5–10 to 5–11
- Reducibility
 - group representations, 68–1
 - matrix group, 67–1
 - matrix representations, 68–3
 - modules, 70–7
 - square matrices, weak combinatorial invariants, 27–5
- Reducible matrices
 - cone invariant departure, matrices, 26–8 to 26–10
 - fundamentals, 9–7 to 9–15
 - max-plus eigenproblem, 25–7
 - nonnegative matrices, 9–7 to 9–15
- Reducing eigenvalue, 18–3
- Redundancy, 50–4
- Reed-Solomon code, 61–8, 61–9, 61–10
- REF, *see* Row echelon form (REF)
- Reflection, 70–4
- Reflection coefficients, 64–8
- Reflection matrix, 65–5
- Regression, random vectors, 52–4
- Regressor vectors, 52–8
- Regular bimodule algebras, 69–6
- Regular graphs, 28–3
- Regularly cyclic simplexes, 66–12
- Regular matrices, 32–5 to 32–7, *see also* Matrices
- Regular matrix pencils, 55–7
- Regular pencils, 43–2
- Regular point, 24–8
- Regular signals, 64–7
- Regular splitting
 - Krylov subspaces and preconditioners, 41–3
 - numerical methods, 54–12
- Regulated output, 57–14
- Reinsch, Parlett and, studies, 43–3
- Relational functions field, 23–2

- Relational operators, Matlab software, 71–12
- Relative backward errors, linear system, 38–2
- Relative condition number, 37–7
- Relative distances, 15–13
- Relative errors
 - conditioning and condition numbers, 37–7
 - floating point numbers, 37–13, 37–16
- Relative perturbation theory
 - eigenvalue problems, 15–13 to 15–15
 - singular value problems, 15–15 to 15–16
- Relative separation measure, 17–7
- Relevance, vector space method, 63–2
- Reordering effect, 40–14 to 40–18
- Representation
 - group representations, 68–2 to 68–3
 - Malcev algebras, 69–16
 - modules, 70–7
- Residual matrix, 52–9
- Residuals
 - Krylov subspaces and preconditioners, 41–2
 - least squares problems, 5–14
 - linear approximation, 50–20
 - linear statistical models, 52–8
 - random vectors, 52–4
- Residual sum of squares, 52–8
- Residual vector
 - least squares solution, 39–1
 - linear system perturbations, 38–2
- Resistive electrical networks, 66–13 to 66–15
- Resolvents
 - expansions, 9–10
 - nonnegatives, 26–13
 - pseudospectra, 16–1
- Respectively definite matrices, 51–3
- Rest, Mathematica software, 73–3, 73–13
- Restarted GMRES algorithm, 41–7
- Restarting process, 44–4 to 44–5
- Restricted subspace dimensions, 44–10
- Retrieved documents, 63–2
- Reverse, Mathematica software, 73–27
- Reverse communication, 76–2
- rhs, Mathematica software, 73–20
- Riccati equation, 51–9
- Ridge aggression, 39–9
- Rigal-Gaches theorem, 38–3
- Right alternative algebras, 69–10, 69–14 to 69–16
- Right alternative identities, 69–2
- Right deflating subspaces, 55–7
- Right divide operator, Matlab software, 71–7
- Right Kronecker indices, 55–7
- Right Krylov subspace
 - Arnoldi process, 49–10
 - nonsymmetric Lanczos process, 49–8
- Right Lanczos vectors, 49–8
- Right-looking methods, 40–10
- Right Moufang identity, 69–10
- Right multiplication operators, 69–5
- Right nilpotency, 69–14
- Right preconditioning, 41–3
- Right reducing subspaces, 55–7
- Right simplexes, 66–10
- Right singular space, 45–1
- Right singular vectors, 45–1
- Rigid motion, 65–4
- Ring, P–6
- Ring automorphism, 22–7
- Ritz pairs
 - Arnoldi factorization, 44–3
 - sparse matrices, 43–10
- Ritz values
 - implicit restarting, 44–8
 - Krylov subspace projection, 44–2
 - sparse matrices, 43–10
- Ritz vectors
 - Krylov subspace projection, 44–2
 - polynomial restarting, 44–6
 - sparse matrices, 43–10
- RLS (recursive least squares), 64–12
- RMSD (root-mean-square deviation), 60–4 to 60–7
- Robinson, J., 50–24
- Robust linear systems
 - dynamical systems, 56–16 to 56–19
 - linear skew product flows, 56–12
- Robust representations, 42–15 to 42–17
- Romani, R., 47–8
- Rook numbers, 31–10
- Rook polynomials, 31–10 to 31–11
- Root, positive definite matrices, 8–6
- Root-mean-square deviation (RMSD), 60–4 to 60–7
- RootOf, Maple software, 72–11, 72–20
- roots function, Matlab software, 72–16
- Root space, 70–4
- Root system, 70–4
- Rosenthal, Joachim, 61–1 to 61–13
- Rosette, 29–13
- RotateLeft, Mathematica software, 73–13
- RotateRight, Mathematica software, 73–13
- Rotation group, representations, 59–9 to 59–10
- Rotation matrix, 65–5
- Rothblum, Uriel G., 9–1 to 9–23
- Rothblum index theorem, 26–8, 26–10
- Rounding error bounds, 37–14
- Rounding errors, 37–12, *see also* Error analysis
- Rounding mode, 37–12
- Round-robin tournament, 27–9
- Round-to-nearest standard, 37–12
- Routh-Hurwitz matrices
 - stability, 19–3
 - totally positive and negative matrices, 21–3 to 21–4
- Routh-Hurwitz Stability Criterion, 19–4
- Row cyclic pivoting strategy, 42–18
- Row-cyclic pivoting strategy, 42–18
- Row-echelon form, 38–7
- Row echelon form (REF), 1–7
- RowReduce, Mathematica software
 - linear systems, 73–20, 73–23
 - matrix algebra, 73–10, 73–12
- Rows
 - balanced signing, 33–5
 - equivalence, 1–7, 23–5
 - feasibility, 50–8

- indices, 23–9
- matrices, 1–3
- pivoting, 46–5
- rank, 25–13
- row-major format, 74–2
- scaling, 9–20
- sign solvability, 33–5
- spaces, 2–6
- sum vectors, 27–7
- vectors, 1–3
- Row-stochastic matrices, 9–15
- Roy's maximum root statistic, 53–13
- RRD, *see* Rank revealing decomposition (RRD)
- RREF, *see* Reduced row echelon form (RREF)
- rref command, Matlab software, 71–17
- RRQR (rank revealing QR) decomposition, 39–11
- Ruskeepää, Heikki, 73–1 to 73–27
- Ryser/Nijenhuis/Wilf (RNW) algorithm, 31–12

S

- Sabinin algebra, 69–16 to 69–17
- Saddle point, 50–18
- Sadun, Lorenzo, 59–1 to 59–11
- Saigo, Carlos M., 34–1 to 34–15
- Sample canonical correlations and variates, 53–8
- Sample correlation coefficient, 52–9
- Sample covariance matrix, 53–8
- Sample mean, 53–4
- Sample points, 52–2
- Sample principal components, 53–5
- Samples, statistics and random variables, 52–2
- Sample spaces, 52–2
- Sampling, functional and discrete theories, 58–12
- Sandwich theorem, 28–10
- SAP (spectrally arbitrary pattern), 33–11
- Saturation digraphs, 25–6, 25–7
- Scalar matrix, 1–4
- Scalar multiple, vector spaces, 3–2
- Scalar multiplication
 - matrices, 1–3
 - vector spaces, 1–1
- Scalar transformation, 3–2
- Scaled sampling, 58–12
- Scaling
 - doubly stochastic matrices, 27–10
 - nonnegative matrices, 9–20 to 9–23
- Schatten-p norms, 17–5
- Schein rank, 25–13
- Schlaefli simplexes, 66–10, 66–11, 66–12
- Schneider, Barker and, studies, 26–3
- Schneider, Hans, 26–1 to 26–14
- Schneider's theorem, 14–3
- Schoenberg characteristics, 66–8
- Schoenberg's variation diminishing property, 21–10
- Schoenberg transform, 35–10
- Schönhage, A., 47–8
- Schrödinger's equation, 59–2, 59–6 to 59–9
- Schur algorithm, 64–8
- Schur complements
 - bipartite graphs, 30–6 to 30–7
 - determinants, 4–3, 4–4, 4–5
 - inverse identities, 14–15
 - partitioned matrices, 10–6 to 10–8
 - random vectors, 52–4, 52–5 to 52–7
 - symmetric indefinite matrices, 46–16
- Schur decomposition
 - function computation methods, 11–11
 - implicit restarting, 44–6
 - pseudospectra, 16–3
- SchurDecomposition, Mathematica software, 73–19
- Schur-Horn theorem, 20–1 to 20–2
- Schur properties
 - basis, 44–6
 - form, 16–11
 - inequalities, 14–2, 68–11
 - linear prediction, 64–8
 - product, 8–9
 - relations, 68–4
 - spectral estimation, 64–15
- Schur's Lemma, 68–2
- Schur's theorem
 - eigenvalue problem, 43–2
 - unitary similarity, 7–5
- Schur's Triangularization theorem, 10–5
- Scilab's Maxplus toolbox, 25–6
- Scores, estimation, 53–8
- Score vector, 27–9
- SCT, *see* Standard column tableau (SCT)
- SDP, *see* Semidefinite programming (SDP)
- Search engines, Markov chains, 54–4 to 54–5, *see also* Google (search engine)
- Seber, George A.F., 53–1 to 53–14
- Second canonical correlations and variates, 53–7
- Segment, Euclidean point space, 66–2
- Seidel matrix, 28–8
- Seidel switching
 - graphs, 28–9
 - matrix representations, 28–8
- Self-adjoints
 - Hermitian matrices, 8–1
 - linear operators, 5–5
 - Schrödinger's equation, 59–7
- Self-dual code, 61–3
- Self-inverse sign pattern, 33–3
- Self-polar cone, 51–5
- Semantic indexing, latent, 63–3 to 63–5
- Semiaffine characteristics, 65–2
- Semicolon, Maple software, 72–2
- Semiconvergence
 - numerical methods, 54–12
 - reducible matrices, 9–8, 9–11
- Semidefinite programming (SDP)
 - applications, 51–9 to 51–11
 - constraint qualification, 51–7
 - duality, 51–5 to 51–7
 - fundamentals, 51–1 to 51–3
 - geometry, 51–5
 - notation, 51–3 to 51–5
 - optimality conditions, 51–5 to 51–7

- primal-dual interior point algorithm, 51–8 to 51–9
- results, 51–3 to 51–5
- strong duality, 51–7
- Semidistinguished face, 26–8
- Semimodules, 25–2
- Semipositive basis, 26–8
- Semipositive Jordan basis, 26–8
- Semipositive Jordan chain, 26–8
- Semipositives
 - fundamentals, 9–2
 - Perron-Frobenius theorem, 26–2
- Semisimple algebras
 - general properties, 69–4, 69–5
 - Lie algebras, 70–3 to 70–7
- Semisimple eigenvalues, 4–6
- Semistable matrices, 19–9
- Šemrl, Peter, 22–1 to 22–8
- Sensitivity
 - least squares solutions, 39–7 to 39–8
 - linear programming, 50–17 to 50–18
- Separation
 - alternative algebras, 69–10
 - eigenvalue problems, 15–2
- Separation theorem, 25–11
- Separator, reordering effect, 40–16
- Sesquilinear forms, 12–1, 12–6 to 12–7
- Sets, nonnegative matrices, 9–23
- Setting up linear programs, 50–3 to 50–7
- Severin, Andrew, 60–13
- SGEEV, driver routine, 75–11 to 75–13
- SGELS driver routine, 75–5 to 75–6
- SGESVD, driver routine, 75–14 to 75–15
- SGESV driver routine, 75–3 to 75–4
- SGGEV, driver routine, 75–18 to 75–20
- SGGLM, driver routine, 75–8 to 75–9
- SGGLSE driver routine, 75–7
- SGGSVD, driver routine, 75–22 to 75–23
- Shader, Bryan L., 30–1 to 30–10
- Shannon capacity, 28–9
- Shannon's Coding theorem, 61–3 to 61–4
- Shape, matrices, 1–3
- Shapiro, Helene, 7–1 to 7–9
- Sherman-Morrison, 14–15
- Shestakov, Ivan P., 69–1 to 69–25
- Shift, symmetric matrix eigenvalue techniques, 42–2
- Shift and invert spectral transformation mode, ARPACK, 76–7
- Shifted matrices, 42–2
- Shifted QR iteration, 42–3
- Shifts, polynomial restarting, 44–6
- Shor's factorization algorithm
 - Grover's search algorithm, 62–17
 - quantum computation, 62–6, 62–17 to 62–19
- Show, Mathematica software, 73–5
- Sign, P-6
- Signal model, 64–16
- Signal processing
 - adaptive filtering, 64–12 to 64–13
 - arrival estimation direction, 64–15 to 64–18
 - fundamentals, 64–1 to 64–4
 - linear prediction, 64–7 to 64–9
 - random signals, 64–4 to 64–7
 - spectral estimation, 64–14 to 64–15
 - Wiener filtering, 64–10 to 64–11
- Signal subspace, 64–16
- Signature
 - Hermitian forms, 12–8
 - symmetric bilinear forms, 12–3
- Signature matrix
 - square case, 32–2
- Signature pattern, 33–2
- Signature similarity, 33–2
- Sign-central patterns, 33–17
- Sign changes, 21–9
- Signed bigraph, 30–4
- Signed bipartite graph, 30–1
- Signed 4-cockade, 30–4
- Signed digraphs, 33–2
- Signed singular value decomposition, 46–16
- Sign function, 11–12
- Significand, 37–11
- Signing, 33–5
- Signless Laplacian matrix, 28–7
- Sign nonsingularity
 - rank revealing decomposition, 46–8
 - sign-pattern matrices, 33–3 to 33–5
- Sign pattern, 30–4
- Sign pattern class
 - complex sign and ray patterns, 33–14
 - sign-pattern matrices, 33–1
- Sign-pattern matrices
 - allowing properties, 33–9 to 33–11
 - complex sign patterns, 33–14 to 33–15
 - eigenvalue characterizations, 33–9 to 33–11
 - fundamentals, 33–1 to 33–3
 - inertia, minimum rank, 33–11 to 33–12
 - inverses, 33–12 to 33–14
 - L*-matrices, 33–5 to 33–7
 - orthogonality, 33–16 to 33–17
 - powers, 33–15 to 33–16
 - ray patterns, 33–14 to 33–16
 - sign-central patterns, 33–17
 - sign nonsingularity, 33–3 to 33–5
 - sign solvability, 33–5 to 33–7
 - S*-matrices, 33–5 to 33–7
 - stability, 33–7 to 33–9
- Sign potentially orthogonality (SPO), 33–16
- Sign semistability, 33–7
- Sign singularity
 - rank revealing decomposition, 46–8
 - sign nonsingularity, 33–3
- Sign solvability, 33–5 to 33–7
- Sign stable, 33–7
- Sign symmetric, 19–3
- Similarity
 - change of basis, 3–4
 - linear independence, span, and bases, 2–7
 - matrix similarities, 24–1
- Similarity of matrix families
 - classification I, 24–7 to 24–10
 - classification II, 24–10 to 24–11

- fundamentals, 24–1 to 24–5
 - property L , 24–6 to 24–7
 - simultaneous similarity, 24–5 to 24–11
- Similarity-scaling, 9–20
- Simon's problem, 62–13 to 62–15
- Simple algebras
 - general properties, 69–4
 - Lie algebras, 70–3 to 70–7
- Simple cycles
 - matrix completion problems, 35–2
 - sign-pattern matrices, 33–2
- Simple eigenvalues, 4–6
- Simple events, 52–2
- Simple graphs
 - algebraic connectivity, 36–1 to 36–4, 36–9 to 36–10
 - graphs, 28–1
- Simple linear regression, 52–8
- Simple row operations, 23–6
- Simple walk, 29–2
- Simplexes, 66–7 to 66–13
- Simplex method, 50–11 to 50–13
- Simplicial cones, 26–4
- simplify, Maple software, 72–8
- Simplify, Mathematica software
 - eigenvalues, 73–15, 73–16
 - fundamentals, 73–25
 - matrix algebra, 73–12
- Simultaneous similarity
 - classification I, 24–7 to 24–10
 - classification II, 24–10 to 24–11
 - fundamentals, 24–5 to 24–6
- Sin, Mathematica software, 73–26
- Sine, function computation methods, 11–11
- Single-input, single-output, time-invariant linear
 - dynamical system, 49–14
- Single precision, 37–13
- Singleton bound
 - convolutional codes, 61–12
 - linear block codes, 61–5
- Singularity, isomorphism, 3–7
- Singular matrices, 1–12
- Singular pencils
 - generalized eigenvalue problem, 43–2
 - linear differential-algebraic equations, 55–7
- Singular-triplet, 15–6
- SingularValueDecomposition, Mathematica software
 - decomposition, 73–18
 - fundamentals, 73–27
 - singular values, 73–17
- Singular value decomposition (SVD)
 - accuracy, 46–2 to 46–5, 46–7 to 46–10
 - algorithms, 45–4 to 45–12
 - fundamentals, 5–10 to 5–12, 45–1 to 45–4
 - LAPACK subroutine package, 75–13 to 75–15, 75–20 to 75–23
 - numerical stability and instability, 37–20
 - orthogonal factorizations, 39–5
- SingularValueList, Mathematica software
 - fundamentals, 73–27
 - matrix algebra, 73–11
 - singular values, 73–16
- Singular values
 - inequalities, 17–7 to 17–8, 17–9, 17–10 to 17–11
 - Mathematica software, 73–16 to 73–18
 - matrix equalities and inequalities, 14–8 to 14–10
 - singular value decomposition, 5–10
- Singular values, high relative accuracy
 - accurate SVD, 46–2 to 46–5, 46–7 to 46–10
 - fundamentals, 46–1 to 46–2
 - one-sided Jacobi SVD algorithm, 46–2 to 46–5
 - positive definite matrices, 46–10 to 46–14
 - preconditioned Jacobi SVD algorithm, 46–5 to 46–7
 - rank revealing decomposition, 46–7 to 46–10
 - structured matrices, 46–7 to 46–10
 - symmetric indefinite matrices, 46–14 to 46–16
- SingularValues, Maple software, 72–9
- SingularValues, Mathematica software, 73–27
- Singular values, problems
 - generalized, 15–12 to 15–13
 - perturbation theory, 15–6 to 15–7, 15–12 to 15–13
 - relative perturbation theory, 15–15 to 15–16
- Singular values and singular value inequalities
 - characterizations, 17–1 to 17–3
 - eigenvalues, Hermitian matrices, 17–13 to 17–14
 - fundamentals, 17–1 to 17–3
 - generalizations, 17–14 to 17–15
 - general matrices, 17–13 to 17–14
 - inequalities, 17–7 to 17–12
 - matrix approximation, 17–12 to 17–13
 - results, 17–14 to 17–15
 - special matrices, 17–3 to 17–5
 - unitarily invariant norms, 17–5 to 17–7
- Singular value vector, 17–1
- Sinusoids in noise, 64–14
- Size, matrices, 1–3
- size command, Matlab software, 71–2
- Skeel condition number, 38–2
- Skeel matrix condition number, 38–2
- Skew-component, 56–11
- Skew-Hermitian characteristics
 - matrices, 1–4, 1–6
 - spectral theory, 7–5, 7–8
- Skew product flows, linear, 56–11 to 56–12
- Skew-symmetric matrices
 - direct sum decompositions, 2–5
 - fundamentals, 1–4, 1–6
 - invariance, 3–7
 - kernel and range, 3–6
- Slackness
 - duality, 50–14, 51–6
 - max-plus eigenproblem, 25–7
 - optimality conditions, 51–6
- Slack variables
 - linear programming, 50–7
 - linear programs, 50–8
- Slapnicar, Ivan, 42–1 to 42–22
- Slater's Constraint Qualification, 51–7, 51–8
- Small oscillations, 59–4
- S-matrices
 - sign-pattern matrices, 33–5 to 33–7
- SmithForm, Maple software, 72–16

- Smith invariant factors
 - rational canonical form, 6–13
 - Smith normal form, 6–11
- Smith normal form
 - canonical forms, 6–11 to 6–12
 - matrix equivalence, 23–5 to 23–8, 23–6
- Smith normal matrix, 6–11
- Smooth curve, 61–10
- Smooth point, 24–8
- Soft information, 61–10
- Software, *see also specific package*
 - freeware, 77–1 to 77–3
 - pseudospectra computation, 16–12
- sol, Mathematica software, 73–21, 73–23
- Solution perturbation
 - linear system perturbations, 38–2
- Solutions
 - linear differential equations, 55–2
 - matrix, inverse eigenvalue problems, 20–1
 - systems of linear equations, 1–9
- Solution set, 1–9
- Solvability
 - general properties, 69–5
 - semisimple and simple algebras, 70–3
- Solvability index, 69–5
- Solvable radical algebras, 69–6
- Solve, Mathematica software
 - eigenvalues, 73–14
 - linear systems, 73–20, 73–21, 73–23
- Sorenson, D.C., 44–1 to 44–12, 76–1 to 76–10
- SOR (successive overrelaxation) methods, 41–3 to 41–4
- Spacing
 - Fourier analysis, 58–3
 - functional and discrete theories, 58–12
- Span
 - linear independence, 2–1 to 2–3
 - span and linear independence, 2–1
- Spanning family, 25–2
- Spanning subgraphs, 28–2
- Spanning tree, 28–2
- Spans, max-plus algebra, 25–2
- Spare matrices
 - fundamentals, 43–1
 - Matlab software, 71–9 to 71–11
- SPARFUN directory, Matlab software, 71–10
- Sparity pattern, 46–8
- Sparse approximate inverse, 41–11
- SparseArray, Mathematica software, 73–6, 73–8, 73–9
- Sparse Cholesky factorization, 49–3
- Sparse direct solvers, 77–2
- Sparse eigenvalue solvers, 77–2
- Sparse iterative solvers, 77–3
- Sparse LU factorization, 49–3
- Sparse matrices
 - analyzing fill, 40–10 to 40–13
 - effect of reorderings, 40–14 to 40–18
 - factorizations, 40–4 to 40–10
 - fundamentals, 40–1 to 40–2
 - Lanczos methods, 42–21
 - large-scale matrix computations, 49–2
 - modeling, 40–10 to 40–13
 - reordering effect, 40–14 to 40–18
 - sparse matrices, 40–2 to 40–4
 - unsymmetric matrix eigensvalue techniques, 43–9 to 43–11
- Sparse matrix factorizations, 49–2 to 49–5
- Sparse nonsymmetric matrices
 - modeling and analyzing fill, 40–11
 - reordering effect, 40–15, 40–17
- Sparse symmetric positive definite matrices, 40–15
- Sparse triangular solve, 49–3
- Sparsity pattern, 9–21
- Sparsity structure, 40–4
- Special, Jordan algebra, 69–12
- Special boundary points, 18–3 to 18–4
- Special gate, 62–7
- Special linear group, 67–3
- Special matrices, Matlab software, 71–5 to 71–7
- Special-purpose indices, 63–9
- Specialty problem, 69–17
- Special unitary group, 67–6
- Spectra, nonnegative IEPs, 20–6 to 20–10
- Spectral absolute value, 17–1
- Spectral cones, 26–8
- Spectral Conjecture, 20–7
- Spectral density, 64–5
- Spectral estimation, 64–14 to 64–15
- Spectral factorization, 64–5
- Spectrally arbitrary pattern (SAP), 33–11
- Spectral norm
 - matrix norms, 37–4
 - unitarily invariant norms, 17–6
 - unitary similarity, 7–2
- Spectral pair, 26–9
- Spectral projections, 55–8
- Spectral projector, 25–8
- Spectral properties, 21–8
- Spectral radius
 - eigenvalues and eigenvectors, 4–6
 - reducible matrices, 9–10
- Spectral Theorem
 - Hermitian matrices, 8–2
 - spectral theory, 7–5 to 7–6
- Spectral theory
 - cone invariant departure, matrices, 26–8 to 26–10
 - matrices, special properties, 7–5 to 7–9
- Spectral transformations
 - ARPACK, 76–7, 76–8
 - implicitly restarted Arnoldi method, 44–11 to 44–12
- Spectral value set, 16–12
- Spectrum
 - adjacency matrix, 28–5
 - eigenvalues and eigenvectors, 4–6
 - numerical range, 18–3 to 18–4
- Spectrum localization, 14–5 to 14–8
- Spectrum of reducible matrices, 25–7
- Speed, methods comparison, 42–21
- Sphere-packing bound, 61–5
- Spin-factor, 69–13
- Split composition algebras, 69–8
- Split null extension, 69–6

- Split quasi-associative algebras, 69–16
- Splitting theorems, 26–13 to 26–14
- spy command, Matlab software, 71–10
- Sqrt, Mathematica software, 73–17, 73–26
- Square case, 32–2 to 32–4
- Square complex matrix, 19–3
- Squared multiple correlation, 52–8
- Square linear system solution, 1–14
- Square matrices
 - combinatorial matrix theory, 27–3 to 27–6
 - fundamentals, 1–3, 1–4
 - nonsingularity characteristics, 2–9 to 2–10
 - stability, 19–3, 19–5, 19–9
- Square root, matrices, 11–4 to 11–5
- Squareroot-free method, 45–5
- SRRD, *see* Symmetric rank revealing decomposition (SRRD)
- SRT, *see* Standard row tableaux (SRT)
- SSYEV, driver routine, 75–10 to 75–11
- SSYGV, driver routine, 75–16 to 75–17
- Stability
 - cone invariant departure, matrices, 26–13 to 26–14
 - error analysis, 37–18 to 37–21
 - group representations, 68–1
 - linear differential-algebraic equations, 55–14 to 55–16
 - linear ordinary differential equations, 55–10 to 55–14
 - LTI systems, 57–7
 - matrices, Maple software, 72–20 to 72–21
 - matrix stability and inertia, 19–3 to 19–5
 - pseudospectra, 16–2
 - signal processing, 64–2
 - sign pattern matrices, 33–7
 - sign-pattern matrices, 33–7 to 33–9
 - subspaces, linear differential equations, 56–3
- Stability and inertia
 - additive D -stability, 19–7 to 19–8
 - fundamentals, 19–1 to 19–2
 - inertia, 19–2 to 19–3
 - Lyapunov diagonal stability, 19–9 to 19–10
 - multiplicative D -stability, 19–5 to 19–7
 - stability, 19–3 to 19–5
- Staircase form, 57–9
- Standard basis, 2–3
- Standard column tableau (SCT), 50–13
- Standard deviations
 - random vectors, 52–3
 - statistics and random variables, 52–2
- Standard forms
 - linear preserver problems, 22–2 to 22–4
 - linear programming, 50–7, 50–7 to 50–8
 - singular value decomposition, 45–1
- Standard inner product, 5–2, 13–23
- Standardized population principal component, 53–5
- Standard linear preserver problems, 22–4 to 22–7
- Standard map, 22–2
- Standard matrix, 3–3
- Standard row tableaux (SRT), 50–8 to 50–10
- Stars, multiplicity lists, 34–10 to 34–14
- Star-shaped sets, 20–6
- Starting vector, ARPACK, 76–6
- stat, Mathematica software, 73–15, 73–16
- State
 - classification, 54–7 to 54–9
 - equation, control theory, 57–2
 - estimation, control theory, 57–11 to 57–13
 - feedback, 57–2, 57–7, 57–13
 - observer, 57–12
 - space, 54–1, 57–2
 - stochastic and substochastic matrices, 9–15
 - variables, 49–14
 - vectors, 4–10, 57–2
- State-space dimension, 49–14
- State-space transformations
 - frequency-domain analysis, 57–6
 - LTI systems, 57–7
- Static feedback, 57–13
- Stationary characteristics, 64–4 to 65–5
- Stationary distribution
 - Markov chain, 54–2
 - stochastic and substochastic matrices, 9–15
- Statistical independence, 53–2
- Statistical inference, 53–12 to 53–13
- Statistics, *see* Probability and statistics applications
- Steady-state flux cone, 60–10
- Steady-state flux equation, 60–10
- Steady state vector, 4–10
- Stein studies, 26–14
- Stewart, Michael, 64–1 to 64–18
- Stewart studies, 44–4
- Stochastic and substochastic matrices, 9–15 to 9–17
- Stochastic hyperlink matrix, 63–11
- Stochastic spectral estimation, 64–14
- Stoichiometric coefficient, 60–10
- Stoichiometry matrix, 60–10
- Stopping criteria, 41–16 to 41–17
- Stopping criterion, ARPACK, 76–6
- Stopping matrices, 9–15
- Storage declaration, ARPACK, 76–5 to 76–6
- Strassen, V., 47–8
- Strassen's algorithm, 47–3, 47–4
- Strassen's formula, 47–3
- Strategies, matrix games, 50–18
- Stratification, 24–8
- Strengthened Landau inequalities, 27–9
- Strict column signing, 33–5
- Strict complementarity, 51–6
- Strict equivalence, pencils
 - generalized eigenvalue problem, 43–2
 - matrices over integral domains, 23–9 to 23–10
- Strictly block lower triangular matrices, 10–4
- Strictly block upper triangular matrices, 10–4
- Strictly copositive matrices, 35–11 to 35–12
- Strictly diagonally dominant matrices, 9–17
- Strictly similarity, 24–5
- Strictly unitarily equivalence, 43–2
- Strictly upper triangular matrices, 10–4
- Strict row signing, 33–5
- Strict signing, 33–5
- Strong Arnold Hypothesis, 28–9, 28–10
- Strong combinatorial invariants, 27–1, 27–3 to 27–5
- Strong connections, 9–2

- Strong duality
 - duality and optimality conditions, 51–6
 - semidefinite programming, 51–7
- Strongly connected components
 - irreducible matrices, 29–7
 - Jordan algebras, 69–13
- Strongly connected digraphs, 29–6 to 29–8
- Strongly inertia preserving, 19–9
- Strongly regular graphs, 28–3
- Strongly stable matrices, 19–7
- Strong nonsingularity, 47–9
- Strong Parter vertex, 34–2
- Strong preservation, 22–1
- Strong product, 28–2
- Strong rank, 25–13
- Strong sign nonsingularity, 33–3
- Strong stability, 37–18
- Structure and invariants, 27–1 to 27–3
- Structure constants, 69–2
- Structured matrices
 - high relative accuracy, 46–7 to 46–10
 - Maple software, 72–16 to 72–18
- Structured matrices, computations
 - direct Toeplitz solvers, 48–4 to 48–5
 - fundamentals, 48–1 to 48–4
 - iterative Toeplitz solvers, 48–5
 - linear systems, 48–5 to 48–8
 - total least squares problems, 48–8 to 48–9
- Structured pseudospectrum, 16–12
- Structure index, 63–9
- Structure matrix, 27–7
- Stuart, Jeffrey L., 6–14, 29–1 to 29–13
- Studham, Matthew, 60–13
- Sturn-Liouville problem, 20–10
- Styan, Evelyn Mathason, 53–14
- Styan, George P.H., 52–1 to 52–15, 53–1 to 53–14
- Stykel, Tatjana, 55–1 to 55–16
- Subalgebra, 69–3
- Sub-bimodules, 69–6
- Subdigraphs, 29–2
- Subgraph, 28–2
- Submatrices
 - fundamentals, 1–4, 1–6
 - Gaussian and Gauss-Jordan elimination, 1–8 to 1–9
 - inequalities, 17–7
 - Matlab software, 71–1 to 71–3
 - partitioned matrices, 10–1 to 10–3
- SubMatrix, Mathematica software, 73–13
- Submodules
 - Bezout domains, 23–8
 - modules, 70–7
- Submultiplicative properties, 18–6
- Subnormal floating point numbers, 37–11
- Suboptimal control problem, 57–15
- Subordinate matrix norms, 37–4
- Subpatterns, sign-pattern matrices, 33–2
- Subpermanents, 31–9 to 31–10
- Subrepresentation, 68–1
- Subroutine packages
 - ARPACK, 76–1 to 76–10
 - BLAS, 74–1 to 74–7
 - EIGS, 76–1 to 76–10
 - LAPACK, 75–1 to 75–23
- subs command, Matlab software, 71–17, 71–18
- Subsemimodules, 25–2
- Subspaces
 - direction, arrival estimation, 64–16
 - direct sum decompositions, 2–5
 - implicitly restarted Arnoldi method, 44–9 to 44–10
 - iteration, 42–2
 - nonassociative algebra, 69–3
 - vector spaces, 1–2
- Substochastic matrices, 9–15 to 9–17
- Subtractive cancellation
 - conditioning and condition numbers, 37–8
 - floating point numbers, 37–15
- Subtractive cancellation, significant digits, 37–13
- Subtuple theorem, 20–7
- Successive overrelaxation (SOR) methods, 41–3 to 41–4
- Sufficient conditions, 20–8 to 20–10
- Sum
 - characters, 68–5
 - direct sum decompositions, 2–5
 - vector spaces, 3–2
- sum command, Matlab software, 71–17
- Sum-norm, 37–2
- Sum of squares, residual, 52–8
- Sun lemma
 - eigenvalue problems, 15–10
 - singular value problems, 15–12
- Superposition Principle
 - double generalized stars, 34–12 to 34–14
 - mathematical physics, 59–1
 - quantum computation, 62–1 to 62–2
- Sup-norm, 37–2
- supply, Mathematica software, 73–24
- Support
 - linear inequalities and projections, 25–10
 - scaling nonnegative matrices, 9–21
 - square matrices, strong combinatorial invariants, 27–3
- Support line, 18–3
- surfc command, Matlab software, 71–15
- Surjective, kernel and range, 3–5
- Surplus variables, 50–7
- Suttle's algebra, 69–15
- Suttle's example, 69–8
- SVD, *see* Singular value decomposition (SVD)
- Sweedler notation, 69–20
- Sweep, Jacobi method, 42–18
- Switch, Mathematica software, 73–8
- Switching equivalent, 28–8
- Sylvester's equation, 57–10, 57–11
- Sylvester's Identity, 4–5
- Sylvester's law of nullity, 14–13
- Sylvester's laws of inertia
 - congruence, 8–6
 - Hermitian forms, 12–8 to 12–9
 - symmetric bilinear forms, 12–4
- Sylvester's observer equation, 57–12
- Sylvester's theorem, 42–14
- Symbol curve, Toeplitz matrices, 16–6
- Symbolic mathematics, 71–17 to 71–19

Symbols, Toeplitz matrices, 16–6
 sym command, Matlab software, 71–17
 Symmetric algebra
 Lie algebras, 70–2
 tensor algebras, 13–22
 Symmetric matrices, *see also* Multiplicity lists
 direct sum decompositions, 2–5
 fundamentals, 1–6
 invariance, 3–7
 kernel and range, 3–6
 Maple software, 72–14
 semidefinite programming, 51–3
 Symmetric matrix eigenvalue techniques
 bisection method, 42–14 to 42–15
 comparison of methods, 42–21 to 42–22
 divide and conquer method, 42–12 to 42–14
 fundamentals, 42–1 to 42–2
 implicitly shifted QR method, 42–9 to 42–11
 inverse iteration, 42–14 to 42–15
 Jacobi method, 42–17 to 42–19
 Lanczos method, 42–19 to 42–21
 method comparison, 42–21 to 42–22
 methods, 42–2 to 42–5
 multiple relatively robust representations, 42–15 to 42–17
 tridiagonalization, 42–5 to 42–9
 Symmetric properties
 asymmetric maps, 13–10 to 13–12
 bilinear forms, 12–3 to 12–5
 cone programming, 51–2
 definite eigenproblems, 75–15 to 75–17
 digraphs, 35–2
 dissimilarity, 53–13
 eigenvalue problems, 75–9 to 75–11
 factorizations, 38–15 to 38–17
 form, 12–1 to 12–5
 function, elementary, P–2 to P–3
 group representations, 68–10 to 68–11
 Hamiltonian, minimally chordal, 35–15
 Hermitian matrices, 8–1
 indefinite matrices, 46–14 to 46–16
 inertia set, 33–11
 Kronecker product, 51–3
 Lanczos process, 49–6 to 49–7
 maps, 13–10 to 13–12
 matrices, 1–4
 matrix games, 50–18
 maximal rank, 33–11
 minimal rank, 33–11
 positive definite matrices, 40–11
 product, 13–13
 reducible matrices, 9–11 to 9–12
 scaling, 9–20, 27–10
 tensors, 13–12 to 13–17
 Symmetric rank revealing decomposition (SRRD), 46–14
 Symmetrization, 25–13
 Symmetrized rank, 25–13
 Sym multiplication, 13–17 to 13–19
 Symplectic group, 67–5
 syms command, Matlab software, 71–17

Syndrome of y , 61–3
 Systematic encoder, 61–3
 Systems analysis, 58–7
 Systems of linear equations, 1–9 to 1–11

T

Table, Mathematica software
 linear programming, 73–24
 matrices, 73–6, 73–8
 singular values, 73–18
 vectors, 73–3, 73–4
 Tablespace, Mathematica software, 73–7
 Take, Mathematica software
 matrices manipulation, 73–13
 vectors, 73–3
 TakeColumns, Mathematica software, 73–13
 TakeMatrix, Mathematica software, 73–13
 TakeRows, Mathematica software, 73–13
 Tam, Bit-Shun, 26–1 to 26–14
 Tam, T.Y., 68–1 to 68–11
 Tam-Schneider condition, 26–7
 Tangents, 24–1, 24–2
 Tangent space, 65–2
 Tanner, M., 61–11
 Tao, Knutson and, studies
 eigenvalues, 17–13
 Hermitian matrices, 8–4
 Tausky, Motzkin and, studies, 7–8
 Taylor coefficients, 49–15
 Taylor series, 37–20 to 37–21
 Taylor series expansion
 irreducible matrices, 9–5
 matrix function, 11–3 to 11–4
 Templates, ARPACK, 76–8
 Tensor algebras, 13–20 to 13–22, 70–2
 Tensor products, 10–8, 68–3
 Tensors
 algebras, 13–20 to 13–22
 decomposable tensors, 13–7
 Grassmann tensors, 13–12 to 13–17
 inner product spaces, 13–22 to 13–24
 linear maps, 13–8 to 13–10
 matrix similarities, 24–1
 multiplication, 13–17 to 13–19
 products, 13–3 to 13–7, 13–8 to 13–10, 13–22 to 13–24
 symmetric tensors, 13–12 to 13–17
 Term-by-document matrix, 63–1
 Term rank
 combinatorial matrix theory, 27–2
 inertia, 33–11
 Term-wise singular value inequalities, 17–9
 Ternary Golay code, 61–8, 61–9
 Testing, 21–6 to 21–7
 Text, Mathematica software, 73–5
 TFQMR (transpose-free quasi-minimal residual)
 linear systems of equations, 49–14
 TGEVC LAPACK subroutine, 43–7
 TGSN LAPACK subroutine, 43–7
 TGSNA LAPACK subroutine, 43–7

- th cofactor, 4–1
- th compound matrix, 4–3
- th minor, 4–1
- Thompson's Standard Additive inequalities, 17–8
- Thompson's Standard Multiplicative inequalities, 17–8
- Thread, Mathematica software
 - fundamentals, 73–26
 - linear programming, 73–24
 - linear systems, 73–20, 73–22
- Threshold pivoting, 38–10
- Ties-to-even standard, 37–12
- Tight sign-central matrices, 33–17
- Tikhonov regularization, 39–9
- Timed event graphs, 25–4
- Time-invariance, 57–2
- Time-map, 56–5
- Time space, 54–1
- Time varying linear differential equations, 56–11
- Tisseur, Higham and, studies, 16–12
- Tits system, 67–4
- Toeplitz-Block matrices, 48–3
- toeplitz function, Matlab software, 71–6
- Toeplitz IEPs (ToIEPs), 20–10
- Toeplitz-like matrices, 48–5 to 48–6
- Toeplitz matrices
 - direct Toeplitz solvers, 48–4 to 48–5
 - iterative Toeplitz solvers, 48–5
 - least squares algorithms, 39–7
 - linear prediction, 64–8
 - Maple software, 72–18
 - pseudospectra, 16–5 to 16–8
 - structured matrices, 48–1, 48–4
 - totally positive and negative matrices, 21–12
- Toeplitz operator, 16–5
- Toeplitz-plus-band matrices, 48–5, 48–7 to 48–8
- Toeplitz-plus-Hankel matrices, 48–5, 48–6 to 48–7
- ToIEPs (Toeplitz IEPs), 20–10
- Tolerance, Mathematica software
 - matrix algebra, 73–11
 - singular values, 73–17
- Top-down algorithm, 40–17
- Topic drift, 63–13 to 63–14
- Topological conjugacy, 56–5
- Topological equivalence, 56–5
- Torus, 70–4
- Total, Mathematica software
 - fundamentals, 73–27
 - linear programming, 73–24
 - linear systems, 73–23
 - matrices, 73–7, 73–9
 - vectors, 73–3, 73–5
- Total degree, 23–2
- Total least squares problems, 39–2, 48–8 to 48–9
- Totally hyperacute simplexes, 66–10
- Totally nonnegative matrix, 46–10
- Totally positive matrices, 21–12
- Totally unimodular, 46–8
- Total memory, 61–12
- Total positive and total negative matrices
 - deeper properties, 21–9 to 21–12
 - factorizations, 21–5 to 21–6
 - fundamentals, 21–1
 - properties, 21–2 to 21–4
 - recognition, 21–6 to 21–7
 - spectral properties, 21–8
 - testing, 21–6 to 21–7
- Total signed compound (TSC)
 - rank revealing decomposition, 46–8
 - rank revealing decompositions, 46–9, 46–10
- Total support, 27–3
- Total variance, 53–5
- Tournament matrices, 27–8 to 27–10
- Tr, Mathematica software, 73–7
- Trace, 1–4, 3–3
- Trace, composition algebras, 69–8
- trace command, Matlab software, 71–17
- Trace debugging capability, ARPACK, 76–7
- Trace-minimal graph, 32–9
- Trace norm, 17–6
- Trace-sequence, 32–9
- Trailing diagonal, 15–12
- Trajectory, *see* Orbit
- Transfer function
 - dimension reduction, 49–14
 - frequency-domain analysis, 57–5
 - signal processing, 64–2
- Transform, ATLAST, 71–22
- Transformations, linear, 3–1 to 3–9
- Transform principal component, 26–12
- Transience, 9–8, 9–11
- Transient class matrices, 9–15
- Transient state, 54–7 to 54–9
- Transient substochastic matrices, 9–15
- Transition graphs, 54–5
- Transition matrix
 - coordinates and change of basis, 2–10
 - Markov chains, 4–10, 54–1
- Transition probability, 4–10
- Transitive tournament matrices, 27–9
- Transpose
 - linear functionals and annihilator, 3–8
 - matrices, 1–4
- Transpose, Maple software, 72–3, 72–5, 72–9
- Transpose, Mathematica software
 - eigenvalues, 73–15, 73–16
 - fundamentals, 73–27
 - linear systems, 73–23
 - matrices manipulation, 73–13
 - matrix algebra, 73–9
- Transpose-free quasi-minimal residual (TFQMR)
 - linear systems of equations, 49–14
- Transvection, 67–3
- Tree of legs, simplexes, 66–10
- Trees
 - algebraic connectivity, 36–4 to 36–6
 - digraphs, 29–2
 - graphs, 28–2
 - multiplicity lists, 34–8 to 34–10
 - sign pattern, 33–9
 - vines, 34–15
- TREVC LAPACK subroutine, 43–6
- TREXC LAPACK subroutine, 43–7

Triangle, points, 65–2
 Triangle inequality
 inner product spaces, 5–2
 matrix norms, 37–4
 vector norms, 37–2
 vector seminorms, 37–3
 Triangular back substitution, 37–20
 Triangular factorization, 1–13
 Triangular linear systems, 38–5 to 38–7
 Triangular matrices, 10–4
 Triangular property, 35–2
 Tridiagonalization, 42–5 to 42–9
 Tridiagonal matrices, 21–4
 TridiagonalMatrix, Mathematica software, 73–6
 TridiagonalSolve, Mathematica software, 73–20
 Trigonometric form, 58–3
 Trilinear aggregating technique, 47–7
 Trilinear maps, 13–1
 Trinomial distribution, 52–4
 Trivial face, 26–2
 Trivial factors, 23–5
 Trivial linear combination, 2–1
 Trivial perfect codes, 61–9
 Trivial representation, 68–3
 Tropical semiring, 25–1
 TRSEN LAPACK subroutine, 43–7
 TRSNA LAPACK subroutine, 43–7
 Truncated singular value decomposition, 39–5
 Truncated Taylor series, 37–20 to 37–21
 Truncation errors, 37–12
 Tsatsomeros, Michael, 14–1 to 14–17
 TSC (total signed compound), 46–8
 Turbo codes, 61–11
 Turing machine, 62–2
 Turnpike theorem, 25–9
 Twisted factorization, 42–17
 Two-bit Controlled- U gate, 62–4 to 62–5
 Two-bit gate, 62–7
 Two(2)-design, 32–2
 Two-dimensional column-major format, 74–1 to 74–2
 Two(2)-norm, 37–2
 Two-sided Lanczos algorithm, 41–7

U

UFD (unique factorization domain), 23–2
 ULV decomposition, 39–12
 Unbounded region, 50–1
 Uncertainty, 59–7
 Uncontrollable modes, 57–8
 Uncorrelated vectors
 data matrix, 53–2
 random vectors, 52–4
 Underflow, 37–11 to 37–12
 Undirected graphs
 digraphs, 29–2
 modeling and analyzing fill, 40–10
 Unicyclic graphs, 36–3
 Uniform distribution, 52–2
 Unimodular properties, 23–5
 Union, graphs, 28–2
 Unipotent, linear group of degree, 67–1
 Unique factorization domain (UFD), 23–2
 Unique inertia, 33–11
 Unique normalization, 23–3 to 23–4
 Unital characteristics, 69–2
 Unital hull, 69–5
 Unital matrices mappings, 18–11
 Unitary matrices
 adjoint operators, 5–6
 orthogonality, 5–3
 pseudo-inverse, 5–12
 singular value decomposition, 5–10
 Unitary properties, 5–2
 classical groups, 67–5
 equivalence, 7–2
 groups, 67–5
 Hessenberg matrix, 64–15
 invariance, 17–2, 18–6
 invariant norms, 17–5 to 17–7
 linear operators, 5–5
 Schrödinger's equation, 59–7
 similarity, 7–2
 Unitary similarity
 invariant, numerical radius, 18–6
 matrices, special properties, 7–1 to 7–5
 transformation to upper Hessenberg form, 43–4
 upper Hessenberg form, 43–4
 Unit displacement rank matrix, 46–9
 Unit round, 37–12
 Units, certain integral domains, 23–2
 Unit triangular, 1–4
 Unit vectors, 5–1
 Univariate linear model, 53–11
 Universal enveloping algebra, 70–2
 Universal factorization property, 13–3 to 13–4
 Universal property
 Lie algebras, 70–2, 70–3
 symmetric and Grassmann tensors, 13–14 to 13–15
 Universal quantum gates, 62–7 to 62–8, *see also* Quantum computation
 Unknown vector, 1–9
 Unobservable modes, 57–8
 Unordered multiplicities, 34–1
 Unreduced Hessenberg matrix, 44–3
 Unreduced upper Hessenberg, 43–3
 Unsigned vectors, 33–5
 Unstability
 linear differential-algebraic equations, 55–14
 linear ordinary differential equations, 55–10
 subspaces, 56–3
 Unsymmetric matrix eigensvalue techniques
 dense matrix techniques, 43–3 to 43–9
 fundamentals, 43–1
 generalized eigenvalue problem, 43–1 to 43–3
 sparse matrix techniques, 43–9 to 43–11
 Updating, least squares solutions, 39–8 to 39–9
 Upper Collatz-Wielandt numbers, 26–4

UpperDiagonalMatrix, Mathematica software, 73–6

Upper Hessenberg matrices

- Arnoldi factorization, 44–3
- block diagonal and triangular matrices, 10–4
- dense matrices, 43–3
- form, 43–3, 43–4 to 43–5
- implicit restarting, 44–6
- Krylov space methods, 41–8
- linear systems of equations, 49–13
- pseudospectra, 16–3
- pseudospectra computation, 16–11
- spectral estimation, 64–15

Upper triangular properties

- block diagonal and triangular matrices, 10–4
- generalized eigenvalue problem, 43–2
- linear matrix, 38–5
- matrices, 1–4

Upward eigenvalues, 34–11

Upward multiplicity, 34–11

URV decomposition, 39–11

V

Valency, graphs, 28–2

Valuation, 36–7

Value, matrix games, 50–18

Vandermonde Determinant, 4–3

Vandermonde matrices

- factorizations, 21–6
- linear systems conditioning, 37–11
- Maple software, 72–18
- rank revealing decomposition, 46–9
- structured matrices, 48–2
- symmetric indefinite matrices, 46–16
- totally positive and negative matrices, 21–3

Variables

- pivoting, 50–10
- systems of linear equations, 1–9

Variance

- principal component analysis, 53–5
- statistics and random variables, 52–2

Variance-covariance matrix, 52–3

Variety, simultaneous similarity, 24–8

vars, Mathematica software

- linear programming, 73–24
- linear systems, 73–20, 73–21

Vaserstein, Leonid N., 50–1 to 50–24

Vec-function, 10–8

Vector, Maple software, 72–1, 72–2 to 72–3

vector, Maple software, 72–1

Vector, Mathematica software, 73–3

Vector generation, Maple software, 72–2 to 72–3

Vector-Matrix products, Maple software, 72–6

VectorNorm, Mathematica software, 73–27

VectorQ, Mathematica software, 73–4

Vectors, *see also specific type*

- balanced, 33–5
- control theory, 57–2
- Euclidean point space, 66–1

- fundamentals, 1–1 to 1–3, 2–3 to 2–4, 3–2 to 3–3
- Gauss elimination, 38–7
- Google's PageRank, 63–11
- Maple software, 72–2 to 72–4
- Mathematica software, 73–3 to 73–5
- max-plus algebra, 25–1
- multiply, spare matrices, 43–10
- NMR protein structure determination, 60–2
- norms, error analysis, 37–2 to 37–3
- Perron-Frobenius theorem, 26–2
- query, 63–2
- seminorms, error analysis, 37–3 to 37–4
- sign solvability, 33–5
- space over, 1–1
- spaces, 1–2
- vector space method, 63–2

Vectors, Maple software, 72–9

Vector spaces

- direct sum decompositions, 2–5
- grading, 70–8
- information retrieval, 63–1 to 63–3
- linear independence, 2–4

Vedell, Peter, 60–13

Vertex coloring, 28–9

Vertex-edge incidence matrix, 28–7 to 28–8

Vertex independence number, 28–9

Vertices

- digraphs, 29–1
- Euclidean simplexes, 66–7
- graphs, 28–1
- nonnegative and stochastic matrices, 9–2
- phase 2 geometric interpretation, 50–13
- stars, 34–10

Vines, 34–15

Volodin, Kimmo Vahkalahti Andrei, 53–14

Volterra-Lyapunov stability, 19–9

von Neumann, J., 50–24

Vorobyev-Zimmermann covering theorem, 25–11

vpa command, Matlab software, 71–17, 71–19

W

Walk of length

- digraphs, 29–2
- graphs, 28–1

Walk-regular graphs, 28–3

Walks

- digraphs, 29–2
- irreducible classes, 54–5
- products, 29–4 to 29–5

Walsh-Hadamard gate

- quantum computation, 62–3
- universal quantum gates, 62–7

Walsh-Hadamard transform, 62–10

Wang, Jenny, 75–1 to 75–23

Wangsness, Amy, 35–1 to 35–20

Wanless, Ian M., 31–1 to 31–13

Watkins, David S., 43–1 to 43–11

Watkins, William, 32–1 to 32–12
 Watson efficiency, 52–9, 52–10, 52–13 to 52–14
 Weak combinatorial invariants, 27–1, 27–5 to 27–6
 Weak properties
 cyclic of index, 54–9
 duality, 51–6
 expanding characteristics, 9–8, 9–11 to 9–12
 Floquet theory, 56–15 to 56–16
 model, 52–8
 numerical stability, 37–19
 sign symmetric, 19–3
 unitarily invariant, 18–6
 Web Crawlers, 63–9
 Web searches, 63–8 to 63–10, *see also* Computer science
 applications
 Wedin theorem, 15–7
 Wehrfritz, B.A.F., 67–6
 Weierstrauss preparation theorem, 24–4
 Weight characteristic
 coding theory, 61–2
 convolutional codes, 61–11
 Fiedler vectors, 36–7
 max-plus algebra, 25–2
 Weighted bigraph, 30–4
 Weighted digraphs, 29–2
 Weighted graphs
 algebraic connectivity, 36–7 to 36–9
 Fiedler vectors, 36–7
 Weight function
 digraphs, 29–2
 Fiedler vectors, 36–7
 Weight least squares problem, 39–1
 Weight space, 70–7
 Weiner, Paul, 61–1 to 61–13
 Well-conditioned data, 37–7
 Well-conditioned linear systems, 37–10
 Weyl character formula, 70–9
 Weyl group
 BN structure, 67–4
 Lie algebra and modules, 70–9
 semisimple and simple algebras, 70–4
 Weyl inequalities
 eigenvalues, 14–4
 Hermitian matrices, 8–3, 8–4
 Weyl's theorem, 70–8
 Which, Mathematica software, 73–8
 while loops, Matlab software, 71–11
 White noise process, 64–5
 Wide-sense stationary signals, 64–4
 Wiegmann studies, 7–8
 Wielandt-Hoffman theorem, 37–21
 Wiener deconvolution problem, 64–10
 Wiener filter, 64–10
 Wiener filtering, 64–10 to 64–11
 Wiener-Hopf equations
 linear prediction, 64–7, 64–8
 Wiener filter, 64–11
 Wiener prediction problem, 64–10
 Wiener smoothing problem, 64–10
 Wiener vertex, 34–2
 Wiens, Douglas P., 53–14

Wild problem, 24–10
 Wilkinson's shift, 42–9
 Wilk's Lambda, 53–13
 Wilson, Robert, 70–1 to 70–10
 Winograd, Coppersmith and, studies, 47–9
 Winograd's commutative algorithm, 47–2
 Winograd's formula, 47–5
 Wishart distribution, 53–8
 With, Mathematica software
 fundamentals, 73–26
 singular values, 73–18
 Within-groups matrix, 53–6
 Witsenhausen studies, 30–9
 Witt dimension, 69–19
 Witt index, 67–5, 67–6
 Witt's Lemma, 67–6
 Wold decomposition theorem, 64–8
 Wolkowicz, Henry, 51–1 to 51–11
 Word error rate, 61–2
 Wronskian determinant, 4–3
 Wu, Di, 60–13
 Wu, Zhijun, 60–1 to 60–13

X

X gate, 62–7 to 62–8
 X-rotation gate, 62–3

Y

Y gate, 62–7 to 62–8
 YoonAnn, Eun-Mee, 60–13
 Young, Wonbin, 60–13
 Y-rotation gate, 62–4
 Yule-Walker equations
 linear prediction, 64–8, 64–9
 spectral estimation, 64–14, 64–15

Z

Zelmanov's Simple theorem, 69–12
 Zero character, 68–5
 Zero completion, 35–12
 Zero-free diagonal matrix, 40–4
 Zero function, linear, 52–9
 Zero lines, 27–2
 Zero matrix, 25–1
 ZeroMatrix, Mathematica software, 73–6
 Zero pattern
 bipartite graphs, 30–4
 sign nonsingularity, 33–3
 Zero row and column, 1–13
 Zero submatrix size, 27–2
 Zero transformation, 3–1
 Zero vector, 1–1
 Zero vertices, 36–7
 z gate, 62–7 to 62–8
 Zhou, Rich Wen, 60–13

Z-matrices*M*-matrices, 9–17, 9–19, 35–13splitting theorems and stability, 26–13 to
26–14

stability, 19–3 to 19–4

Zones, duality, 50–17

Zorn vector-matrix algebra, 69–9

z-rotation gate, 62–4*z*-transform

signal processing, 64–2, 64–3 to 64–4

Wiener filter, 64–11

Zyskind-Martin model, 52–8

HANDBOOK OF LINEAR ALGEBRA

The **Handbook of Linear Algebra** provides comprehensive coverage of linear algebra concepts, applications, and computational software packages in an easy-to-use handbook format. The esteemed international contributors guide you from the very elementary aspects of the subject to the frontiers of current research.

The book features an accessible layout of parts, chapters, and sections, with each section containing definition, fact, and example segments. The five main parts of the book encompass the fundamentals of linear algebra, combinatorial and numerical linear algebra, applications of linear algebra to various mathematical and nonmathematical disciplines, and software packages for linear algebra computations. Within each section, the facts (or theorems) are presented in a list format and include references for each fact to encourage further reading, while the examples illustrate both the definitions and the facts.

Linearization often enables difficult problems to be estimated by more manageable linear ones, making the **Handbook of Linear Algebra** essential reading for professionals in diverse disciplines who deal with an assortment of mathematical problems.

Features

- Covers combinatorial and numerical linear algebra—two important branches of linear algebra
- Features matrix notation throughout the text
- Explores both mathematical and nonmathematical applications, such as quantum computing, control theory, signal processing, and computational biology
- Discusses software packages useful for linear algebra computations, including MATLAB[®], Maple[™], and Mathematica[®]
- Provides numerous references for additional information as well as a glossary that covers all major linear algebra terminology

About the Editor

Leslie Hogben, Ph.D., is a professor of mathematics at Iowa State University, Ames, USA, where she is the founder of the ISU Combinatorial Matrix Theory Research Group. Dr. Hogben is also the assistant secretary/treasurer of the International Linear Algebra Society.



Chapman & Hall/CRC

Taylor & Francis Group
an informa business

www.taylorandfrancisgroup.com

6000 Broken Sound Parkway, NW
Suite 300, Boca Raton, FL 33487

270 Madison Avenue
New York, NY 10016

2 Park Square, Milton Park
Abingdon, Oxon OX14 4RN, UK

C5106

ISBN 1-58488-510-6



9 781584 885108

www.crcpress.com