

- JAHNKE, E., and EMDE, F. 1945. *Tables of Functions*, 4th ed.. Dover, New York.
- JAIN, V. K., and CROCHIERE, R. E. 1984. "Quadrature Mirror Filter Design in the Time Domain." *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-32, pp. 353–361, April.
- JENKINS, G. M., and WATTS, D. G. 1968. *Spectral Analysis and Its Applications*, Holden-Day, San Francisco.
- JOHNSTON, J. D. 1980. "A Filter Family Designed for Use in Quadrature Mirror Filter Banks," *IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp. 291–294, April.
- JOHNSON, D. H. 1982. "The Application of Spectral Estimation Methods to Bearing Estimation Problems." *Proc. IEEE*, Vol. 70, pp. 1018–1028, September.
- JONES, R. H. 1976. "Autoregression Order Selection." *Geophysics*, Vol. 41, pp. 771–773, August.
- JURY, E. I. 1964. *Theory and Applications of the z-Transform Method*, Wiley, New York.
- KAILATH, T. 1974. "A View of Three Decades of Linear Filter Theory." *IEEE Trans. Information Theory*, Vol. IT-20, pp. 146181, March.
- KAILATH, T. 1981. *Lectures on Wiener and Kalman Filtering*, 2nd Printing, Springer-Verlag, New York.
- KAILATH, T. 1985. "Linear Estimation for Stationary and Near-Stationary Processes." in *Modern Signal Processing*, T. Kailath, ed., Hemisphere Publishing Corp., Washington, D.C.
- KAILATH, T. 1986. "A Theorem of I. Schür and Its Impact on Modern Signal Processing," in Gohberg (1986).
- KAILATH, T., VIEIRA, A. C. G., and MORF, M. 1978. "Inverses of Toeplitz Operators, Innovations, and Orthogonal Polynomials," *SIAM Rev.*, Vol. 20, pp. 1006–1019.
- KAISER, J. F. 1963. "Design Methods for Sampled Data Filters." *Proc. First Allerton Conference on Circuit System Theory*, pp. 221–236, November.
- KAISER, J. F. 1966. "Digital Filters," in *System Analysis by Digital Computer*, F. F. Kuo and J. F. Kaiser, Eds., Wiley, New York.
- KALOUPSIDIS, N., and THEODORIDIS, S. 1987. "Fast Adaptive Least-Squares Algorithms for Power Spectral Estimation," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-35, pp. 661–670, May.
- KALMAN, R. E. 1960. "A New Approach to Linear Filtering and Prediction Problems." *Trans. ASME, J. Basic Eng.*, Vol. 82D, pp. 35–45, March.
- KALMAN, R. E., and BUCY, R. S. 1961. "New Results in Linear Filtering Theory." *Trans. ASME, J. Basic Eng.*, Vol. 83, pp. 95–108.
- KASHYAP, R. L. 1980. "Inconsistency of the AIC Rule for Estimating the Order of Autoregressive Models." *IEEE Trans. Automatic Control*, Vol. AC-25, pp. 996–998, October.
- KAWEH, J., and BRUZZONE, S. P. 1979. "Order Determination for Autoregressive Spectral Estimation." *Record of the 1979 RADC Spectral Estimation Workshop*, pp. 139–145, Griffing Air Force Base, Rome, N.Y.
- KAWEH, M., and LIPPERT, G. A. 1983. "An Optimum Tapered Burg Algorithm for Linear Prediction and Spectral Analysis," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-31, pp. 438–444, April.

- KAY, S. M. 1980. "A New ARMA Spectral Estimator," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-28, pp. 585–588, October.
- KAY, S. M. 1988. *Modern Spectral Estimation*, Prentice Hall, Englewood Cliffs, N. J.
- KAY, S. M., and MARPLE, S. L., JR. 1979. "Sources of and Remedies for Spectral Line Splitting in Autoregressive Spectrum Analysis," *Proc. 1979 ICASSP*, pp. 151–154.
- KAY, S. M., and MARPLE, S. L., JR. 1981. "Spectrum Analysis: A Modern Perspective," *Proc. IEEE*, Vol. 69, pp. 1380–1419, November.
- KESLER, S. B., ed. 1986. *Modern Spectrum Analysis II*, IEEE Press, New York.
- KNOWLES, J. B., and OLCAYTO, E. M. 1968. "Coefficient Accuracy and Digital Filter Response," *IEEE Trans. Circuit Theory*, Vol. CT-15, pp. 3141, March.
- KRISHNA, H. 1988. "New Split Levinson, Schür, and Lattice Algorithms for Digital Signal Processing," *Proc. 1988 International Conference on Acoustics, Speech, and Signal Processing*, pp. 1640–1642, New York, April.
- KROMER, R. E. 1969. "Asymptotic Properties of the Autoregressive Spectral Estimator," Ph.D. dissertation, Department of Statistics, Stanford University, Stanford, Calif.
- KUNG, S. Y., and HU, Y. H. 1983. "A Highly Concurrent Algorithm and Pipelined Architecture for Solving Toeplitz Systems," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-31, pp. 66–76, January.
- KUNG, S. Y., WHITEHOUSE, H. J., and KAILATH, T., eds. 1985. *VLSI and Modern Signal Processing*, Prentice Hall, Englewood Cliffs, N.J.
- LACOSS, R. T. 1971. "Data Adaptive Spectral Analysis Methods," *Geophysics*, Vol. 36, pp. 661–675, August.
- LANG, S. W., and MCCLELLAN, J. H. 1980. "Frequency Estimation with Maximum Entropy Spectral Estimators," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-28, pp. 716–724, December.
- LEVINSON, N. 1947. "The Wiener RMS Error Criterion in Filter Design and Prediction," *J. Math. Phys.*, Vol. 25, pp. 261–278.
- LEVY, H., and LESSMAN, F. 1961. *Finite Difference Equations*, Macmillan, New York.
- LIU, B. 1971. "Effect of Finite Word Length on the Accuracy of Digital Filters—A Review," *IEEE Trans. Circuit Theory*, Vol. CT-18, pp. 670–677, November.
- MAKHOUL, J. 1975. "Linear Prediction: A Tutorial Review," *Proc. IEEE*, Vol. 63, pp. 561–580, April.
- MAKHOUL, J. 1978. "A Class of All-Zero Lattice Digital Filters: Properties and Applications," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-26, pp. 304–314, August.
- MARKE, J. D., and GRAY, A. H., JR. 1976. *Linear Prediction of Speech*, Springer-Verlag, New York.
- MARPLE, S. L., JR. 1980. "A New Autoregressive Spectrum Analysis Algorithm," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-28, pp. 441–454, August.
- MARPLE, S. L., JR. 1987. *Digital Spectral Analysis with Applications*, Prentice Hall, Englewood Cliffs, N.J.
- MARZETTA, T. L. 1983. "A New Interpretation for Capon's Maximum Likelihood Method of Frequency–Wavenumber Spectral Estimation," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-31, pp. 445–449, April.

- MARZETTA, T. L., and LANG, S. W. 1983. "New Interpretations for the MLM and DASE Spectral Estimators," *Proc. 1983 ICASSP*, pp. 844–846, Boston, April.
- MARZETTA, T. L., and LANG, S. W. 1984. "Power Spectral Density Bounds," *IEEE Trans. Information Theory*, Vol. IT-30, pp. 117–122, January.
- MASON, S. J., and ZIMMERMAN, H. J. 1960. *Electronic Circuits, Signals and System*, Wiley, New York.
- MCCLELLAN, J. H. 1982. "Multidimensional Spectral Estimation," *Proc. IEEE*, Vol. 70, pp. 1029–1039, September.
- MCDONOUGH, R. N. 1983. "Application of the Maximum-Likelihood Method and the Maximum Entropy Method to Array Processing," in *Nonlinear Methods of Spectral Analysis*, 2nd ed., S. Haykin, ed., Springer-Verlag, New York.
- MCGILLEM, C. D., and COOPER, G. R. 1984. *Continuous and Discrete Signal and System Analysis*, 2nd ed., Holt Rinehart and Winston, New York.
- MEDITCH, J. E. 1969. *Stochastic Optimal Linear Estimation and Control*, McGraw-Hill, New York.
- MILLS, W. L., MULLIS, C. T., and ROBERTS, R. A. 1981. "Low Roundoff Noise and Normal Realizations of Fixed-Point IIR Digital Filters," *IEEE Trans. Acoustics, Speech, and Signal processing*, Vol. ASSP-29, pp. 893–903, August.
- MORF, M., VIEIRA, A., and LEE, D. T. 1977. "Ladder Forms for Identification and Speech Processing," *Proc. 1977 IEEE Conference Decision and Control*, pp. 1074–1078, New Orleans, La., December.
- MULLIS, C. T., and ROBERTS, R. A. 1976a. "Synthesis of Minimum Roundoff Noise Fixed-Point Digital Filters," *IEEE Trans. Circuits and Systems*, Vol. CAS-23, pp. 551–561, September.
- MULLIS, C. T., and ROBERTS, R. A. 1976b. "Roundoff Noise in Digital Filters: Frequency Transformations and Invariants," *IEEE Trans. Acoustics, Speech and Signal Processing*, Vol. ASSP-24, pp. 538–549, December.
- MUSICUS, B. 1985. "Fast MLM Power Spectrum Estimation from Uniformly Spaced Correlations," *IEEE Trans. Acoustics, Speech, and Signal Proc.*, Vol. ASSP-33, pp. 1333–1335, October.
- NEWMAN, W. I. 1981. "Extension to the Maximum Entropy Method III," *Proc. 1st ASSP Workshop on Spectral Estimation*, pp. 1.7.1–1.7.6, Hamilton, Ontario, Canada, August.
- NIKIAS, C. L., and RAGHUVEER, M. R. 1987. "Bispectrum Estimation: A Digital Signal Processing Framework," *Proc. IEEE*, Vol. 75, pp. 869–891, July.
- NIKIAS, C. L., and SCOTT, P. D. 1982. "Energy-Weighted Linear Predictive Spectral Estimation: A New Method Combining Robustness and High Resolution," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-30, pp. 287–292, April.
- NUTTALL, A. H. 1976. "Spectral Analysis of a Univariate Process with Bad Data Points, via Maximum Entropy and Linear Predictive Techniques," *NUSC Technical Report TR-5303*, New London, Conn., March.
- NYQUIST, H. 1928. "Certain Topics in Telegraph Transmission Theory," *Trans. AIEE*, Vol. 47, pp. 617–644, April.
- OPPENHEIM, A. V. 1978. *Applications of Digital Signal Processing*, Prentice Hall, Englewood Cliffs, NJ.


- OPPENHEIM, A. V., and SCHAFER, R. W. 1989. *Discrete-Time Signal Processing*, Prentice Hall, Englewood Cliffs, N.J.
- OPPENHEIM, A. V., and WEINSTEIN, C. W. 1972. "Effects of Finite Register Length in Digital Filters and the Fast Fourier Transform," *Proc. IEEE*, Vol. 60, pp. 957–976. August.
- OPPENHEIM, A. V., and WILLSKY, A. S. 1983. *Signals and System*, Prentice Hall, Englewood Cliffs, N.J.
- PAPOULIS, A. 1962 *The Fourier Integral and Its Applications*, McGraw-Hill, New York.
- PAPOULIS, A. 1984. *Probability, Random Variables, and Stochastic Processes*, 2nd ed., McGraw-Hill. New York.
- PARKER, S. R., and HESS, S. F. 1971. "Limit-Cycle Oscillations in Digital Filters," *IEEE Trans. Circuit Theory*, Vol. CT-18, pp. 687–696, November.
- PARKS, T. W., and MCCLELLAN, J. H. 1972a. "Chebyshev-Approximation for Nonrecursive Digital Filters with Linear Phase," *IEEE Trans. Circuit Theory*, Vol. CT-19, pp. 189–194, March.
- PARKS, T. W., and MCCLELLAN, J. H. 1972b. "A Program for the Design of Linear Phase Finite Impulse Response Digital Filters," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-20, pp. 195–199, August.
- PARZEN, E. 1957. "On Consistent Estimates of the Spectrum of a Stationary Time Series," *Am. Math. Stat.*, Vol. 28, pp. 329–348.
- PARZEN, E. 1974. "Some Recent Advances in Time Series Modeling," *IEEE Trans. Automatic Control*, Vol. AC-19, pp. 723–730, December.
- PEACOCK, K. L., and TREITEL, S. 1969. "Predictive Deconvolution—Theory and Practice," *Geophysics*, Vol. 34, pp. 155–169.
- PEEBLES, P. Z., JR. 1987. *Probability, Random Variables, and Random Signal Principles*, 2nd ed., McGraw-Hill, New York.
- PISARENKO, V. F. 1973. "The Retrieval of Harmonics from a Covariance Function," *Geophys. J. R. Astron. Soc.*, Vol. 33, pp. 347–366.
- POOLE, M. A. 1981. *Autoregressive Methods of Spectral Analysis*, E.E. degree thesis, Department of Electrical and Computer Engineering, Northeastern University, Boston, May.
- PRICE, R. 1990. "Mirror FFT and Phase FFT Algorithms," unpublished work, Raytheon Research Division, May.
- PROAKIS, J. G. 1995. *Digital Communications*, 3rd ed., McGraw-Hill, New York.
- RABINER, L. R., and SCHAEFER, R. W. 1974a. "On the Behavior of Minimax Relative Error FIR Digital Differentiators," *Bell Syst. Tech. J.*, Vol. 53, pp. 333–362, February.
- RABINER, L. R., and SCHAFER, R. W. 1974b. "On the Behavior of Minimax FIR Digital Hilbert Transformers," *Bell Syst. Tech. J.*, Vol. 53, pp. 363–394, February.
- RABINER, L. R., and SCHAFER, R. W. 1978. *Digital Processing of Speech Signals*, Prentice Hall, Englewood Cliffs, N.J.
- RABINER, L. R., SCHAFER, R. W., and RADER, C. M. 1969. "The Chirp z-Transform Algorithm and Its Applications," *Bell Syst. Tech. J.*, Vol. 48, pp. 1249–1292, May–June.
- RABINER, L. R., GOLD, B., and MCGONEGAL, C. A. 1970. "An Approach to the Approximation Problem for Nonrecursive Digital Filters," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-18, pp. 83–106, June.

- RABINER, L. R., MCCLELLAN, J. H., and PARKS, T. W. 1975. "FIR Digital Filter Design Techniques Using Weighted Chebyshev Approximation," *Proc. IEEE*, Vol. 63, pp. 595-610, April.
- RADER, C. M. 1970. An Improved Algorithm for High-Speed Auto-correlation with Applications to Spectral Estimation," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-18, pp. 439-441, December.
- RADER, C. M., and BRENNER, N. M. 1976. "A New Principle for Fast Fourier Transformation," *IEEE Trans. Acoustics, Speech and Signal Processing*, Vol. ASSP-24, pp. 264-266, June.
- RADER, C. M., and GOLD, B. 1967a. "Digital Filter Design Techniques in the Frequency Domain," *Proc. IEEE*, Vol. 55, pp. 149-171, February.
- RADER, C. M., and GOLD, B. 1967b. "Effects of Parameter Quantization on the Poles of a Digital Filter," *Proc. IEEE*, Vol. 55, pp. 688-689, May.
- RAMSTAD, T. A. 1984. "Digital Methods for Conversion Between Arbitrary Sampling Frequencies," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-32, pp. 577-591, June.
- REMEZ, E. YA. 1957. *General Computational Methods of Chebyshev Approximation*, Atomic Energy Translation 4491. Kiev, USSR.
- RISSANEN, J. 1983. "A Universal Prior for the Integers and Estimation by Minimum Description Length," *Ann. Stat.*, Vol. 11, pp. 417-431.
- ROBERTS, R. A., and MULLIS, C. T. 1987. *Digital Signal Processing*, Addison-Wesley, Reading, Mass.
- ROBINSON, E. A. 1962. *Random Wavelets and Cybernetic System*, Charles Griffin, London.
- ROBINSON, E. A. 1982. "A Historical Perspective of Spectrum Estimation," *Proc. IEEE*, Vol. 70, pp. 885-907, September.
- ROBINSON, E. A., and TREITEL, S. 1978. "Digital Signal Processing in Geophysics," in *Applications of Digital Signal Processing*, A. V. Oppenheim, ed., prentice Hall, Englewood Cliffs, NJ.
- ROBINSON, E. A., and TREITEL, S. 1980. *Geophysical Signal Analysis*, Prentice Hall, Englewood Cliffs, NJ.
- ROY, R., PAULRAJ, A., and KAILATH, T. 1986. "ESPRIT: A Subspace Rotation Approach to Estimation of Parameters of Cisoids in Noise," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-34, pp. 1340-1342, October.
- SAFRANEK, R. J., MACKEY, K. JAYANT, N. W., and KIM, T. 1988. "Image Coding Based on Selective Quantization of the Reconstruction Noise in the Dominant Sub-band," *Proc. 1988 IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp. 765-768, April.
- SAKAI, H. 1979. "Statistical Properties of AR Spectral Analysis," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-27, pp. 402-409, August.
- SANDBERG, I. W., and KAISER, J. F. 1972. "A Bound on Limit Cycles in Fixed-Point Implementations of Digital Filters," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-20, pp. 110-112, June.
- SATORIUS, E. H., and ALEXANDER, J. T. 1978. "High Resolution Spectral Analysis of Sinusoids in Correlated Noise," *Proc. 1978 ICASSP*, pp. 349-351, Tulsa, Okla., April 10-12.

- SCHAFER, R. W., and RABINER, L. R. 1973. "A Digital Signal Processing Approach to Interpolation," *Proc. IEEE*, Vol. 61, pp. 692–702, June.
- SCHUEERMANN, H., and GÖCKLER, H. 1981. "A Comprehensive Survey of Digital Transmultiplexing Methods," *Proc. IEEE*, Vol. 69, pp. 1419–1450.
- SCHMIDT, R. D. 1981. "A Signal Subspace Approach to Multiple Emitter Location and Spectral Estimation," *Ph.D.* dissertation, Department of Electrical Engineering, Stanford University, Stanford, Calif., November.
- SCHMIDT, R. D. 1986. "Multiple Emitter Location and Signal Parameter Estimation," *IEEE Trans. Antennas and Propagation*, Vol. AP 34, pp. 276–280, March.
- SCHOTT, J. P., and MCCLELLAN, J. H. 1984. "Maximum Entropy Power Spectrum Estimation with Uncertainty in Correlation Measurements," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-32, pp. 410–418, April.
- SCHÜR, I. 1917. "On Power Series Which Are Bounded in the Interior of the Unit Circle," *J. Reine Angew. Math.*, Vol. 147, pp. 205–232, Berlin. For an English translation of the paper, see Gohberg 1986.
- SCHUSTER, SIR ARTHUR. 1898. "On the Investigation of Hidden Periodicities with Application to a Supposed Twenty-Six-Day Period of Meteorological Phenomena," *Terr. Mag.*, Vol. 3, pp. 13–41, March.
- SEDLMEYER, A., and FETTWEIS, A. 1973. "Digital Filters with True Ladder Configuration," *Int. J. Circuit Theory Appl.*, Vol. 1, pp. 5–10, March.
- SHANKS, J. L. 1967. "Recursion Filters for Digital Processing," *Geophysics*, Vol. 32, pp. 33–51, February.
- SHANNON, C. E. 1949. "Communication in the Presence of Noise," *Proc. IRE*, pp. 10–21, January.
- SHEINGOLD, D. H., ed. 1986. *Analog-Digital Conversion Handbook*, Prentice Hall, Englewood Cliffs, NJ.
- SIEBERT, W. M. 1986. *Circuits, Signals and Systems*, McGraw-Hill, New York.
- SINGLETON, R. C. 1967. "A Method for Computing the Fast Fourier Transform with Auxiliary Memory and Limit High speed Storage," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-15, pp. 91–98, June.
- SINGLETON, R. C. 1969. "An Algorithm for Computing the Mixed Radix Fast Fourier Transform," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-17, pp. 93–103, June.
- SMITH, M. J. T., and BARWELL, T. P. 1984. "A Procedure for Designing Exact Reconstruction Filter Banks for Tree Structured Subband Coders," *Proc. 1984 IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp. 27.1.1–27.1.4, San Diego, March.
- SMITH, M. J. T., and EDDINS, S. L. 1988. "Subband Coding of Images with Octave Band Tree Structures," *Proc. 1987 IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp. 1382–1385, Dallas, April.
- STEIGLITZ, K. 1965. "The Equivalence of Digital and Analog Signal Processing," *Inf. Control*, Vol. 8, pp. 455–467, October.
- STEIGLITZ, K. 1970. "Computer-Aided Design of Recursive Digital Filters," *IEEE Trans. Audio and Electroacoustics*, Vol. AU-18, pp. 123–129, June.

- STOCKHAM, T. G. 1966. "High Speed Convolution and Correlation." 1966 *Spring Joint Computer Conference, AFIPS Proc.*, Vol. 28, pp. 229-233.
- STORER, J. E. 1957. *Passive Network Synthesis*. McGraw-Hill, New York.
- SWARZTRAUBER, P. 1986. "Symmetric FFT's," *Mathematics of Computation*. Vol. 47, pp. 323-346, July.
- SWINGLER, D. N. 1979a. "A Comparison Between Burg's Maximum Entropy Method and a Nonrecursive Technique for the Spectral Analysis of Deterministic Signals," *J. Geophys. Res.*, Vol. 84, pp. 679-685, February.
- SWINGLER, D. N. 1979b. "A Modified Burg Algorithm for Maximum Entropy Spectral Analysis," *Proc. IEEE*, Vol. 67, pp. 1368-1369, September.
- SWINGLER, D. N. 1980. "Frequency Errors in MEM Processing," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-28, pp. 257-259, April.
- SZEGÖ, G. 1967. *Orthogonal Polynomials*, 3rd ed., Colloquium Publishers, no. 23, American Mathematical Society, Providence, R.I.
- THORVALDSEN, T. 1981. "A Comparison of the Least-Squares Method and the Burg Method for Autoregressive Spectral Analysis," *IEEE Trans. Antennas and Propagation*. Vol. AP-29, pp. 675-679, July.
- TONG, H. 1975. "Autoregressive Model Fitting with Noisy Data by Akaike's Information Criterion," *IEEE Trans. Information Theory*, Vol. IT-21, pp. 476-480, July.
- TONG, H. 1977. "More on Autoregressive Model Fitting with Noise Data by Akaike's Information Criterion," *IEEE Trans. Information Theory*. Vol. IT-23, pp. 409-410, May.
- TRETTNER, S. A. 1976. *Introduction to Discrete-Time Signal Processing*, Wiley, New York.
- TUFTS, D. W., and KUMARESAN, R. 1982. "Estimation of Frequencies of Multiple Sinusoids: Making Linear Prediction Perform Like Maximum Likelihood," *Proc. IEEE*. Vol. 70, pp. 975-989, September.
- ULRYCH, T. J., and BISHOP, T. N. 1975. "Maximum Entropy Spectral Analysis and Autoregressive Decomposition," *Rev. Geophys. Space Phys.*, Vol. 13, pp. 183-200, February.
- ULRYCH, T. J., and CLAYTON, R. W. 1976. "Time Series Modeling and Maximum Entropy," *Phys. Earth Planer. Inter.*, Vol. 12, pp. 188-200, August.
- VAIDYANATHAN, P. P. 1990. "Multirate Digital Filters, Filter Banks, Polyphase Networks, and Applications: A Tutorial," *Proc. IEEE*, Vol. 78, pp. 56-93, January.
- VAIDYANATHAN, P. P. 1993. *Multirate Systems and Filter Banks*, Prentice Hall, Englewood Cliffs, N.J.
- VETTERLI, J. 1984. "Multi-dimensional Sub-band Coding: Some Theory and Algorithms," *Signal Processing*, Vol. 6, pp. 97-112, April.
- VETTERLI, J. 1987. "A Theory of Multirate Filter Banks," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-35, pp. 356-372, March.
- VIEIRA, A. C. G. 1977. "Matrix Orthogonal Polynomials with Applications to Autoregressive Modeling and Ladder Forms," Ph.D. dissertation, Department of Electrical Engineering, Stanford University, Stanford, Calif., December.
- WALKER, G. 1931. "On Periodicity in Series of Related Terms," *Proc. R. Soc., Ser. A*. Vol. 313, pp. 518-532.
- WAX, M., and KAILATH, T. 1985. "Detection of Signals by Information Theoretic Criteria," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-32, pp. 387-392, April.

- WEINBERG, L. 1962. *Network Analysis and Synthesis*, McGraw-Hill, New York.
- WELCH, P. D. 1967. "The Use of Fast Fourier Transform for the Estimation of Power Spectra: A Method Based on Time Averaging over Short Modified **Periodograms**," *IEEE Trans. Audio and Electroacoustics*, Vol. **AU-15**, pp. 70–73, June.
- WIENER, N. 1949. *Extrapolation, Interpolation and Smoothing of Stationary Time Series with Engineering Applications*. Wiley. New York.
- WIENER, N., and PALEY, R. E. A. C. 1934. *Fourier **Transforms** in the **Complex** Domain*. American Mathematical Society, Providence, R.I.
- WINOGRAD, S. 1976. "On Computing the Direte Fourier **Transform**," *Proc. **Natl.** Acad. Sci.*, Vol. 73, pp. 105–106.
- WINOGRAD, S. 1978. "On Computing the Discrete Fourier Transform," *Math. Comp.*, Vol. 32, pp. 177–199.
- WOLD, H. 1938. *A Study in the Analysis of Stationary Time Series*. reprinted by Almqvist & Wiksell, Stockholm, 1954,
- WOOD, L. C., and TREITEL, S. 1975. "Seismic Signal Processing," *Proc. IEEE*, Vol. 63, pp. 649–661, April.
- WOODS, J. W., and O'NEIL, S. D. 1986. "Subband Coding of Images," *IEEE Trans. Acoustics, Speech, and Signal Processing*, Vol. ASSP-34, pp. 1278–1288, October.
- YOULA, D., and KAZANJIAN, N. 1978. "Bauer-Type Factorization of Positive Matrices and the Theory of Matrices Orthogonal on the Unit Circle," *IEEE Trans. Circuits and **Systems***, Vol. CAS-25, pp. 57–69, January.
- YULE, G. U. 1927. "On a Method of Investigating **Periodicities** in Disturbed Series with Special References to **Wolfer's** Sunspot Numbers." *Philos. Trans. R. Soc. London*, Ser. A. Vol. 226, pp. 267–298, July.
- ZADEH, L. A., and DESOER, C. A. 1963. *Linear System Theory: The State-Space Approach*, McGraw-Hill, New York.
- ZVEREV, A. I. 1967. *Handbook of Filter Synthesis*, Wiley, New York.



Index

- Accumulator**, 58
- Akaike information criterion (AIC)**, 932
- Algorithms**, 4
 - Chirp-z**, 482-486
 - FFT**, 448-475
 - Goertzel**, 480-481
 - Remez**, 645-647
- Aliasing**
 - frequency-domain**, 22, 276-279
 - time-domain**, 276
- Alternation theorem**, 643
- Amplitude**, 16
- Analog-to-digital (A/D) converter**, 5, 21, 748-762
 - oversampling**, 756-762
- Analog signals (see Signals)**
- Antialiasing filter**, 746-747
- Autocorrelation**
 - of deterministic signals**, 118-133
 - of random signals**, 327-329, A3
- Autocovariance**, A4
- Autoregressive-moving-average (ARMA)**
 - process**, 855, 922
 - autocorrelation of**, 856
- Autoregressive (AR) process**, 855, 922
 - autocorrelation of**, 856
- Averages**
 - autocorrelation**, A3
 - autocovariance**, A4
 - ensemble**, A3-A5
 - for discrete-time signals**, A6-A7
 - expected value**, A3
 - moments**, A3
 - power**, A3
 - time-averages**, A8-A10
- Backward predictor**, 515, 860
- Bandlimited signals**, 281
- Bandpass filter**, 331, 337-338
- Bandpass signal**, 280, 738-742
- Bandwidth**, 279-282, 619
- Bartlett's method (see Power spectrum estimation)**
- Bessel filter**, 690-691
- Bibliography**, R1-R15
- Bilinear transformation**, 676-680
- Binary codes**, 752
- Blackman-Tukey method (see Power spectrum estimation)**
- Burg algorithm (see Power spectrum estimation)**
- Butterworth filters**, 682-683
- Canonical form**, 114
- Capon method (see Power spectrum estimation)**
- Carrier frequency**, 739-740
- Cauchy integral theorem**, 160
- Causal signals**, 87
- Causal systems**, 68-69, 86-87, 208-209
- Causality, implications of**, 615-618
- Cepstral coefficients**, 854
- Cepstrum**, 265-266
- Characteristic polynomial**, 101, 547
- Chebyshev filters**, 683-689
- Chirp signal**, 484
- Chirp-z transform algorithm**, 482-486
- Circular convolution**, 415-420
- Coding**, 22-38
- Comb filter**, 345-349
- Complex envelope**, 740
- Constant-coefficient difference equations**, 95-111
 - solution of**, 100-111
- Continuous-time signals**
 - exponentials**, 19-20
 - sampling of**, 21-24, 269-279
 - sampling theorem for**, 29-31, 269-279
- Convolution (linear)**, 75-82
 - circular**, 415-420
 - properties**, 82-85
 - sum**, 75
- Correlation**, 118-133, A3
 - autocorrelation**, 122, 325-330, A3
 - computation**, 130-131
 - cross-correlation**, 120, 325-327
 - of periodic signals**, 124, 130
 - properties**, 122-124
- Coupled-form oscillator**, 352-354
- Cross-power density spectrum**, A6
- Dead band**, 584
- Decimation**, 784-787
 - See also Sampling rate conversion**
- Deconvolution**, 266, 355-359, 363-365
 - homomorphic**, 266, 365-367
- Delta modulation**, 758
- Difference equations**, 91-111
 - constant coefficient**, 100-111
 - solution**, 100-111
 - homogeneous solution**, 100-103
 - particular solution**, 103-104
 - for recursive systems**, 95, 111
 - total solution**, 105-111
 - from one-sided z-transform**, 201-202
- Differentiator**, 652
 - design of**, 652-657
- Digital resonator**, 340
- Digital sinusoidal oscillator**, 353-354
- Digital-to-analog (D/A) converter**, 5, 22, 38, 763-774
 - oversampling**, 774
- Dirichlet conditions**
 - for Fourier series**, 234
 - for Fourier transform**, 243
- Discrete Fourier transform (DFT)**, 399-402
 - computation**, 449-473
 - butterfly**, 460, 464, 466
 - decimation-in-frequency FFT algorithm**, 461-464
 - decimation-in-time FFT algorithm**, 456-461
 - direct**, 449-450
 - divide-and-conquer method**, 450-473
 - in-place computations**, 461
 - radix-2 FFT algorithms**, 456-464
 - radix-4 FFT algorithms**, 465-469
 - shuffling of data**, 461
 - split radix**, 470-473
 - via linear filtering**, 479-486
 - definition**, 401
 - IDFT**, 401
 - implementation of FFT algorithm**, 47-79
 - properties**, 409-425
 - circular convolution**, 415-420
 - circular correlation**, 423
 - circular frequency shift**, 422
 - circular time shift**, 421-422
 - complex conjugate**, 423
 - linearity**, 410
 - multiplication**, 415-420

Index

- Parseval's theorem**, 424
periodicity, 410
symmetry, 413–415
table, 415
time reversal, 421
relationship to Fourier series, 407, 409
relationship to Fourier transform, 407
relationship to z -transform, 408
use in frequency analysis, 433–440
use in linear filtering, 42—43
- Discrete-time signals**, 9, 43–55
antisymmetric (odd), 51
correlation, 118–133
definition, 9, 43
exponential, 46–47
frequency analysis of, 247–264
nonperiodic, 50
periodic, 14–19
random, 12
representation of, 44
sinusoidal, 16–18
symmetric (even), 51
unit ramp, 45
unit sample, 45
unit step, 45
- Discrete-time systems**, 56–71
causal, 68–69, 86–87
dynamic, 62
finite-duration impulse response, 90–91
finite memory, 62, 90–91
implementation of, 500–556
infinite-duration impulse response, 90–91
infinite memory, 62, 90–91
linear, 65
memoryless, 60
noncausal, 68–69
nonlinear, 67
nonrecursive, 94–95
recursive, 92–93
relaxed, 59
representation, 44
shift-invariant, 63–65
stability test for, 213–219
stability triangle, 216
stable (BIBO), 69–70, 87–90
static, 62
time-invariant, 63–65
unit sample (impulse) response, 76–82
unstable, 69–70, 87–90
- Distortion**
amplitude, 317
delay, 332
harmonic, 378
phase, 317
- Down sampling**, 54, 55
See also Sampling rate conversion
- Dynamic range**, 35, 561, 751
- Eigenfunction**, 307
Eigenvalue, 307, 547
Eigenvector, 547
Elliptic filters, 689–690
- Energy**
definition, 47
density spectrum, 243–246, 260–264
partial, 391
signal, 47–49
Energy density spectrum, 243–246, 260–264
computation, 897–902
- Ensemble**, A1
averages, A3–A5
Envelope, 740–741
complex, 740
Envelope delay, 332
- Ergodic**, A8
correlation-ergodic, A9–A10
mean-ergodic, A8–A9
Estimate (properties)
asymptotic bias, 904
asymptotic variance, 904
bias, 904
consistent, 904
variance, 904
See also Power spectrum estimation
- Fast Fourier transform (FFT) algorithms**, 448–475
application to
correlation, 477–479
efficient computation of DFT, 448–475
linear filtering, 477–479
implementation, 473–475
mirror FFT, 473
phase FFT, 473
radix-2 algorithm, 456–464
decimation-in-frequency, 461–464
decimation-in-time, 456–461
radix-4 algorithm, 465–469
split-radix, 470–473
Fibonacci sequence, 201, 548–549, 553
difference equation, 201–202
state-space form, 548–549, 553
- Filter**
bandpass, 331, 337–338
definition, 317, 330–332
design of linear-phase FIR, 620–665
transition coefficient for, C1–C5
design of IIR filters, 330–354, 666–692
all pass, 350–352
comb, 345–349
notch, 343–344
by pole-zero placement, 333–354
resonators (digital), 340–343
distortion, 317
distortionless, 332
frequency-selective, 331
highpass, 331, 333–334
ideal, 331–332
least squares inverse, 711–718
lowpass, 331, 333–334
nonideal, 332–333
passband ripple, 619
stopband ripple, 619
transition band, 619
prediction error filter, 512, 858
smoothing, 39
structures, 500–556
Wiener filter, 715, 880–890
Filter banks, 825–831
critically sampled, 829
quadrature mirror, 833–841
uniform DFT, 826–829
- Fitter transformations**, 338–340, 692–700
analog domain, 693–698
digital domain, 698–700
lowpass-to-highpass, 338–340
- Filtering**
of long data sequences, 430–433
overlap-add method for, 430–432
overlap-save method for, 430–431
via DFT, 430–433
Final prediction error (FPE) criterion, 931–932
Final value theorem, 200
- FIR filters**
antisymmetric, 620–622
design, 620–665
comparison of methods, 662–665
differentiators, 652–657
equipple (Chebyshev) approximation, 637–661
frequency sampling method, 630–637
Hilbert transformers, 657–662
window method, 623–630
linear phase property, 621–623
symmetric, 620–622
- FIR filter structures**, 502–519
cascade form, 504–505
direct form, 503–504
conversion to lattice form, 518–519
frequency sampling form, 506–510
lattice form, 511–561, 877
conversion to direct form, 516–517
transposed form, 525–526
- FIR systems**, 90, 94, 115
First-order hold, 768–769
Fixed-point representation, 557–560
Floating-point representation, 561–564
Flowgraphs, 521–524
Folding frequency, 28, 274–275
Forced response, 96–97
Forward predictor, 515, 857–858
Fourier series, 20, 232–240, 247–250
coefficients of, 234–235, 247–248
for continuous-time periodic signals, 232–240
for discrete-time periodic signals, 247–250
Fourier transform, 240–243, 253–256
of continuous-time aperiodic signals, 240–243
convergence of, 256–259
of discrete-time aperiodic signals, 253–256
inverse, 242
properties
convolution, 297–298
correlation, 298
differentiation, 303–304
frequency shifting, 300
linearity, 294–295
modulation, 300–302
multiplication, 302–303
Parseval's theorem, 302

- Fourier transform (continued)**
 symmetry, 287–294
 table, 304
 time-reversal, 297
 time-shifting, 296
 relationship to *z*-transform, 264–265
 of signals with poles on unit circle, 267–268
- Frequency**, 14–18
 alias, 18, 26
 content, 29
 folding, 28, 274–275
 fundamental range, 19
 highest, 19
 negative, 15
 normalized, 24
 positive, 15
 relative, 24
- Frequency analysis**
 continuous-time aperiodic signals, 240–243
 continuous-time periodic signals, 232–240
 discrete-time aperiodic signals, 253–256
 discrete-time periodic signals, 247–250
 dualities, 282–286
 for LTI systems, 305–330
 table of formulas for, 285
- Frequency response**, 311
 computation, 321–325
 to exponentials, 306–314
 geometric interpretation of, 321–325
 magnitude of, 311
 phase of, 311
 relation to system function, 319–321
 to sinusoids, 311–314
- Frequency transformations (see Filter transformations)**
 Fundamental period, 17
- Gibbs phenomenon, 259, 629
- Goertzel algorithm** 480–481
- Gratular** noise, 753
- Group (envelope) delay**, 332
- Harmonic distortion**, 378, 779–780
- High-frequency signal**, 280
- Hilbert transform**, 618
- Hilbert transformer**, 657–662, 739
- Homomorphic**
 deconvolution, 365–367
 system, 366
- IIR filters**
 design from analog filters, 666–692
 by approximation of derivatives, 667–671
 by bilinear transformation, 676–680, 692
 by impulse invariance, 671–676
 by matched-*z* transformation, 681
 least-squares design methods, 706–724
 frequency domain optimization, 719–724
 least squares inverse, 711–718
- Prony's (least squares), 706–708
 Shanks' (least squares), 709–710
 Padé approximation, 701–705
 pole-zero placement, 333–354
- IIR filter structures**, 519–556
 cascade form, 526–528
 direct form, 519–521
 lattice-ladder, 531–539, 878–880
 parallel form, 529–531
 second-order modules, 527
 state-space forms, 539–556
 transposed forms, 521–526
- Impulse response**, 108–110
 initial value theorems, 172
 innovations process, 852–854
- Interpolation**, 30–31, 273, 784, 787–790
 first-order hold, 768–771
 function, 30, 763
 ideal, 30–31, 273
 linear, 38, 768–774
- See also Sampling-rate conversion
- Inverse filter**, 355–356
- Inverse Fourier transform**, 242, 296
- Inverse system**, 355, 357
- Inverse *z*-transform**, 160–172, 184–197
 by contour integration, 160–161, 184–186
 integral formula, 160
 partial fraction expansion, 188–197
 power series, 186–188
- Lattice filters**, 511–516, 531–539, 859, 876–880
 AR structures, 877–878
 ARMA structure, 878–880
 MA structure, 857–859
- Leakage**, 434, 899
- Least squares**
 filter design, 706–724
 inverse filter, 711–718
- Levinson-Durbin algorithm**, 716, 865–868
 generalized, 868, 893
 split Levinson, 891
- Limit cycle oscillations**, 583–587
- Linear filtering**
 based on DFT, 425–433
 overlap-add method, 430–432
 overlap-save method, 430–431
- Linear interpolation**, 768–774
- Linear prediction**, 512, 857–876
 backward, 860–863
 forward, 857–860
 lattice filter for, 859–860
 normal equations for, 864
 properties of, 873–876
 maximum-phase, 843–844
 minimum-phase, 842–843
 orthogonality, 844
 whitening, 844
- Linear prediction filter (see Linear prediction)**
- LTI systems**
 moving average, 115, 117
 second order, 115–116
 structures, 111–118
- canonic form, 114
 direct form I, 111–112
 direct form II, 113–114
 nonrecursive, 116–118
 recursive, 116–118
 weighted moving average, 115
- Low-frequency signal**, 279
- Lowpass filter**, 331
- Maximal ripple filters, 644
- Maximum entropy method**, 928
- Maximum-phase system**, 361–362
- Mean square estimation**, 882
 orthogonality principle, 884–886
- Minimum description length (MDL)**, 932
- Minimum-phase system**, 359–362
- Minimum variance estimate**, 942–946
- Mixed-phase system**, 361–362
- Moving-average filter**, 309
- Moving-average (MA) process**, 855, 922
 autocorrelation of, 857
- Moving-average signal**, 115
- Multichannel signal**, 7
- Multidimensional signal**, 7–8
- Narrowband signal, 281
- Natural response**, 97
- Natural signals**, 282–283
- Noise subspace**, 951
- Noise whitening filter**, 854
- Normal quauons**, 864
 solution of, 864–873
 Levinson-Durbin algorithm, 865–868
 Schür algorithm, 868–872
- Number representation**, 556–564
 fixed-point, 557–561
 floating point, 561–564
- Nyquist rate**, 30
- One's complement**, 558
- One-sided *z*-transform**, 197–202
- Orthogonality principle**, 884–885
- Oscillators (sinusoidal generators)**
 CORDIC algorithm for, 354
 coupled-form, 353–354
 digital, 352
- Overflow**, 588–589
- Overlap-add method**, 430–432
- Overlap-save method**, 430–431
- Overload noise**, 418
- Oversampling A/D**, 756–762
- Oversampling D/A**, 774
- Paley-Wiener theorem**, 616
- Parseval's relations**
 aperiodic (energy) signals, 244, 260, 302
 DFT, 424
 periodic (power) signals, 236, 251
- Partial energy**, 363
- Partial fraction expansion (see Inverse *z*-transform)**
- Periodogram**, 902–906
 estimation of, 902–906
 mean value, 903

Index

- variance, 903
- Phase, 14, 741
 - maximum, 359–363
 - minimum, 359–363
 - mixed, 359–363
 - response, 311
- Pisarenko method, 948–950
- Poles, 172
 - complex conjugate, 193–194, 218–219
 - distinct, 178–179, 189–191, 217
 - location, 178–181
 - multiple-order, 179, 191–192
- Polyphase filters, 797–800
 - for decimation, 800
 - for interpolation, 797
- Power
 - definition, 49
 - signal, 50
- Power density spectrum, 235–240
 - definition, 236
 - estimation of (see Power spectrum estimation)
 - periodic signals, 235–240, 250–253
 - random signals, A5–A7
 - rectangular pulse train, 237–240
- Power spectrum estimation
 - Capon (minimum variance) method, 942–945
 - direct method, 899
 - eigenanalysis algorithms, 950–959
 - ESPRIT, 953–955
 - MUSIC, 952
 - order selection, 955–956
 - Pisarenko, 948–950
 - experimental results, 936–942
 - from finite data, 902–908
 - invariant method, 899
 - leakage, 899
 - nonparametric methods, 908–920
 - Bartlett, 910–911, 917
 - Blackman–Tukey, 913–916, 918–919
 - computational requirements, 919–920
 - performance characteristics, 916–919
 - Welch, 911–913, 917–918
 - parametric (model-based) methods, 920–942
 - AR model, 924
 - AR model order selection, 931–932
 - ARMA model, 924, 934–936
 - Burg method, 925–928
 - least-squares, 929–930
 - MA model, 924, 933–934
 - maximum entropy method, 928
 - model parameters, 923–924
 - modified Burg, 928
 - relation to linear prediction, 923–924
 - sequential least squares, 930–931
 - Yule–Walker, 925
 - use of DFT, 906–908
- Prediction coefficients, 857
- Prediction-error filter, 512, 858
 - properties of, 873–876
- Principal eigenvalues, 951
- Probability density function, A1–A3
- Probability distribution function, B1–B2
- Prony's method, 706–708
- Pseudorandom sequences
 - Barker sequence, 148
 - maximal-length shift register sequences, 148–149
- Quadrature components, 740
- Quadrature mirror filters
 - for perfect reconstruction, 833–841
 - for subband coding, 832
- Quality, 916–919
 - of Bartlett estimate, 917
 - of Blackman–Tukey estimate, 918–919
 - of Welch estimate, 917–918
- Quantization, 21–22, 33–38, 750–753
 - in A/D conversion, 750–753
 - differential, 756
 - differential predictive, 757
 - dynamic range, 35, 561, 751
 - error, 37, 42, 582–598
 - in filter coefficients, 569–582
 - rounding, 35, 565–567
 - truncation, 35, 564–565
 - level, 35, 750
 - resolution, 35, 561
 - step size, 35, 561
- Quantization effects
 - in A/D conversion, 37–38, 753–756
 - in computation of DFT, 486–493
 - direct computation, 487–489
 - FFT algorithms, 489–493
 - in filter coefficients, 569–582
 - fixed-point numbers, 557–560
 - one's complement, 558–559
 - sign-magnitude, 558
 - table of bipolar codes, 752
 - two's complement, 559–560
 - floating-point numbers, 561–564
 - limit cycles, 583–587
 - dead band, 584
 - overflow, 588–589
 - zero-input, 584
 - scaling to prevent overflow, 588–589
 - statistical characterization, 590–598
- Quantizer
 - midrise, 750
 - midtread, 750
 - resolution, 750–752
 - uniform, 750
- Random number generators, B1–B6
- Gaussian random variable, B4–B6
 - subroutine for, B6
- Random processes, 327–330, A1–A10
 - averages, A3–A8
 - autocorrelation, A3
 - autocovariance, A4
 - for discrete-time signals, A6–A7
 - expected value, A3
 - moments, A3
 - power, A3
 - correlation-ergodic, A9–A10
 - discrete-time, A6–A7
 - ergodic, A8
 - jointly stationary, A2–A3
 - mean-ergodic, A8–A9
 - power density spectrum, A5–A6
 - response of linear systems, 327–330
 - autocorrelation, 327–329
 - expected value, 328
 - power density spectrum, 329–330
 - sample function, A1
 - stationary, A3
 - wide-sense, A3
 - time-averages, A8–A9
- Random signals (see Random processes)
- Rational z-transforms, 188–196
 - poles, 172–174
 - zeros, 172–174
- Recursive systems, 116–118
- References, R1–R15
- Reflection coefficients, 512, 536, 863–864
- Resonator (see Digital resonator)
- Reverse (reciprocal) polynomial, 515, 861
 - backward system function, 515, 861
- Round-off error, 565–567, 590–598
- Sample function, A1
- Sample-and-hold, 748–749, 765
- Sampling, 9, 21, 23, 269–279, 742–746
 - aliasing effects, 27–28, 271–279
 - of analog signals, 23–33, 269–279, 742–746
 - of bandpass signals, 742–746
 - of discrete-time signals, 782–845
 - frequency, 23
 - frequency domain, 394–399
 - interval, 23
 - Nyquist rate, 30
 - period, 23
 - periodic, 23
 - rate, 23
 - of sinusoidal signals, 24–28
 - theorem, 29–30
 - timedomain, 24–28, 269–279
 - uniform, 23
- Sampling-rate conversion, 782–845
 - applications of, 821–845
 - for DFT filter banks, 825–831
 - for interfacing, 823
 - for lowpass filters, 824
 - for oversampling A/D and D/A, 843–844
 - for phase shifters, 821–822
 - for subband coding, 831–832
 - for transmultiplexing, 841–843
 - by arbitrary factor, 815–821
 - of bandpass signals, 810–815
 - decimation, 784–787
 - filter design for, 792–806
 - interpolation, 784, 787–790
 - multistage, 806–810
 - polyphase filters for, 797–800
 - by rational factor, 790–792
- Sampling theorem, 29–30, 269–279
- Schur algorithm, 8—22
 - pipelined architecture for, 872–873
 - split-Schur algorithm, 892

- Schur–Cohn stability test.** 213–215
conversion to **lattice coefficients**, 213–214
- Shanks' method.** 709–710
- Sigma-delta modulation.** 758
- Sign magnitude representation.** 558
- Signal flowgraphs.** 521–526
- Signals.** 2–3
analog. 8
antisymmetric. 51
aperiodic. 50
bandpass. 280, 738–742
complex envelope. 740
envelope. 741
quadrature components. 740
continuous-time. 8
deterministic. 11
digital. 11
discrete-time. 9, 42–55
electrocardiogram (ECG). 7
equivalent **lowpass.** 740
harmonically related. 19
multichannel. 7
multidimensional. 7
natural. 282
frequency ranges. 282–283
periodic. 15
random. 12, A1–A10
correlation-ergodic. A9–A10
ergodic. A9
expected value of. A4
mean-ergodic. A9–A10
moments of. A4–A7
statistically independent. A4
strict-sense stationary. A3
time-averages. A9–A10
wide-sense stationary. A3
unbiased. A8
uncorrelated. A4
seismic. 283
sinusoidal. 14
speech. 2–3
symmetric. 51
- Signal subspace.** 951
- Sinusoidal generators (see Oscillators)**
- Spectrum.** 230–232
analysis. 232
estimation of. 232, 896–959
line. 237
See also Power spectrum estimation
Split-radix algorithms. 470–473
- Stability of LTI systems.** 208–217
of **second-order systems.** 215–217
Stability triangle. 216
- State-space analysis.** 539–566
definition of **state.** 540
for difference equations. 540–542
LTI state-space model. 542
output equation. 542
relation to impulse response. 551–553
solution of **state-space equations.** 543–544
state equations. 542
state space. 541
state-space realizations
cascade form. 555
coupled form. 556
minimal. 546
normal (diagonal) form. 555
parallel form. 555
state transition matrix. 544
state variables. 539
z-domain. 550–554
zero-input response. 544
zero-state response. 544
Steady-state response. 206–207, 314–316
- Structures.** 111–118
direct form I. 111–112
direct form II. 113–114
- Subband coding.** 831–833
- Superposition principle.** 65
superposition summation. 76
- System.** 3, 56–59
dynamic. 62
finite memory. 62
infinite memory. 62
inverse. 356
invertible. 356
relaxed. 59
- System function** 181–184, 319–321
of all-pole system. 183
of all-zero system. 182–183
of **LTI systems.** 182–183
relation to frequency response. 319–321
- System identification.** 355, 363–364
- System modeling.** 855
- System responses**
forced. 96–97
impulse. 108–110
natural (free). 97, 204
of relaxed **pole-zero systems.** 172–184
steady-state. 206–207
of systems with initial conditions. 204–206
transient. 107, 206–207
zero-input. 97
zero-state. 96
- Toeplitz matrix.** 865, 883
- Time averages.** A8–A10
- Time-limited signals.** 281
- Transient response.** 107, 206–207, 314–315
- Transition band.** 619
- Transposed structures.** 521–526
- Truncation error.** 35, 564–565
- Two's complement representation.** 559
- Uniform distribution.** 487–488, 565–568, 755
- Unit circle.** 265, 267
- Unit sample (impulse) response.** 108–110
- Unit sample sequence.** 45
- Variability.** 916
- Variance.** 487–488, 591–593
- Welch method.** 911–913, 917–918, 919–920
- Wideband signal.** 281
- Wiener filters.** 715, 880–890
for **filtering.** 881
FIR structure. 715, 881–884
IIR structure. 885–889
noncausal. 889–890
for **prediction.** 881
for **smoothing.** 881
- Wiener–Hopf equation.** 882
- Wiener–Khinchine theorem.** 299
- Window functions.** 626
- Wold representation.** 854
- Wolfer sunspot numbers.** 10
- Autocorrelation.** 127–128
graph. 128
table. 127
- Yule–Walker equations.** 857
modified. 935
- Yule–Walker method.** 925
- Zero-input linear.** 98
- Zero-input response.** 97
- Zero-order hold.** 38, 765
- Zero padding.** 400
- Zero-state linear.** 98
- Zeros.** 172
- Zoom frequency analysis.** 850–851
- z-transforms**
definition. 151–152
bilateral (two-sided). 151–152
unilateral (one-sided). 197–202
inverse. 160–172, 184–197
by contour integration. 160–161, 184–186
by partial fraction expansion. 188–197
by power series. 186–188
- properties.** 161–172
convolution. 168–169
correlation. 169–170
differentiation. 166–167
initial value theorem. 172
linearity. 161–163
multiplication. 170–171
Parseval's relation. 171–172
scaling. 164–165
table of. 173
time reversal. 166
time shifting. 163–164
rational. 172–184
region of convergence (ROC). 152–160
relationship of Fourier transform. 264–265
table of. 174