Quantitative EEG and ERP report

CLINIC C LOGO

Patient:	Mock Patient 042
Date of birth:	1 Jan 2016
Age:	10 years
Sex:	female
Recorded:	15 Sep 2026
Case code:	MOCK-042
Earlier measurement:	12 Mar 2026

Software	V4 mockup 0.1
Norms	Mock norms 2026.1 (synthetic)
Recording system	Mitsar amplifier, WinEEG file (mockup label)
Report	R-MOCK-042-C01 · Version 1 · Draft, not issued

I. Summary

The largest marked deviations from the age norm in this measurement are: relative theta power, eyes open: Pz (z = -4.6), O1 (z = -4.0), O2 (z = -4.0); relative theta power, eyes closed: Pz (z = -4.4), O2 (z = -4.2), O1 (z = -4.0), P4 (z = -3.5), P3 (z = -3.2); SMR asymmetry index, eyes open: C3-C4 (z = 4.2); SMR asymmetry index, eyes closed: C3-C4 (z = 4.2); beta1 coherence, eyes closed: T5-O1 (z = 4.0), C3-T5 (z = 4.0), T5-P3 (z = 4.0), P3-O1 (z = 3.9), T3-T5 (z = 3.8), T3-C3 (z = 3.8), C3-P3 (z = 3.7); beta1 coherence, eyes open: T3-C3 (z = 3.9), C3-T5 (z = 3.9), T5-P3 (z = 3.8), P3-O1 (z = 3.8), C3-P3 (z = 3.7), T3-T5 (z = 3.7), T5-O1 (z = 3.6); P1 latency, Go: O1 (z = 3.7), O2 (z = 3.2); delta coherence, eyes closed: Cz-T6 (z = -3.5). SUM-2

This list ranks the marked values of these analyses by |z|: absolute and relative band power, maps per 1 Hz band, alpha peak frequency, theta/beta ratio, frontal alpha asymmetry index, asymmetry map, coherence per electrode pair, ERP peak amplitude and latency, and VCPT task results. It shows the 5 largest and every marked value of 3 z or more. Not ranked: the spectra per 0.5 Hz bin, which are shown as curves against the norm, and global coherence, which is still to be confirmed. SUM-RULE-2

Marked values in this measurement: band power 8 of 456, maps per 1 Hz band 0 of 1102, alpha peak and ratios 0 of 6, asymmetry map 2 of 96, coherence 15 of 2052, ERP peaks 2 of 21 and VCPT task 0 of 4. SUM-COUNT-1

CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

II. Signal quality and processing

Eyes open: 164 of 180 seconds were analysed after artefact removal. Q-DUR-1

Eyes closed: 171 of 180 seconds were analysed after artefact removal. Q-DUR-1

VCPT: 1168 of 1220 seconds were analysed after artefact removal. Q-DUR-1

Accepted VCPT trials: Go 95, NoGo 92, Ignore 93, Novelty 95 (of 100 each). Q-TRIALS-1

Artefact removal changed by the clinician: component 6 (muscle, left temporal) was kept although the automatic cleaning proposed removing it; 2 of 19 components were removed. Q-ICA-MAN-1

III. Anamnesis

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.

IV. Spectra and maps

Eyes open

Figure 1: Absolute power, z against the age norm, Eyes open





Figure 2: Relative power, z against the age norm, Eyes open



Relative theta power, eyes open, is below the age norm at Pz (z = -4.6), O1 (z = -4.0) and O2 (z = -4.0). SP-REL-1

The alpha peak frequency, eyes open, is 9.2 Hz and is not marked (z = 0.2). APF-IN-2

Eyes closed

Figure 3: Absolute power, z against the age norm, Eyes closed






Figure 4: Relative power, z against the age norm, Eyes closed



Relative theta power, eyes closed, is below the age norm at P3 (z = -3.2), Pz (z = -4.4), P4 (z = -3.5), O1 (z = -4.0) and O2 (z = -4.2). SP-REL-1

The alpha peak frequency, eyes closed, is 9.3 Hz and is not marked (z = 0.2). APF-IN-2



Black rings: values marked after correction for multiple comparisons.

Clinician's comment

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.


CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

V. Maps per 1 Hz band (absolute power, z)

Eyes closed

Figure 5: Maps per 1 Hz band (absolute power, z), Eyes closed



Black rings: values marked after correction for multiple comparisons.


CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

VI. Absolute spectra per electrode


Eyes open

Figure 6: Absolute spectra per electrode, Eyes open



Eyes closed

Figure 7: Absolute spectra per electrode, Eyes closed



Black: this measurement. Grey line and band: normative mean and mean ± 2 SD. Blue dashed: earlier measurement.

CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

VII. Band ratios and indices

Measure		Value	Norm mean	z
Theta/beta ratio at Cz	Eyes open	2.42	2.75	-0.4
Frontal alpha asymmetry index (ln F4 minus ln F3)	Eyes open	0.01	-0.01	0.1
Alpha peak frequency (Hz)	Eyes open	9.2	9.1	0.2
Theta/beta ratio at Cz	Eyes closed	2.56	3.00	-0.4
Frontal alpha asymmetry index (ln F4 minus ln F3)	Eyes closed	0.16	-0.00	0.9
Alpha peak frequency (Hz)	Eyes closed	9.3	9.2	0.2

The theta/beta ratio at Cz, eyes open, is 2.42 (z = -0.4). TBR-1


The frontal alpha asymmetry index (ln F4 minus ln F3), eyes open, is 0.01 (z = 0.1). FAA-1

The theta/beta ratio at Cz, eyes closed, is 2.56 (z = -0.4). TBR-1

The frontal alpha asymmetry index (ln F4 minus ln F3), eyes closed, is 0.16 (z = 0.9). FAA-1


VIII. Asymmetry

Eyes open




The SMR asymmetry index, eyes open, is above the age norm for C3-C4 (z = 4.2). ASY-1

Eyes closed



The SMR asymmetry index, eyes closed, is above the age norm for C3-C4 (z = 4.2). ASY-1




Asymmetry index (right minus left) / (right plus left) per electrode pair, z against the age norm. Black rings: values marked after correction for multiple comparisons.

CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

IX. Coherence

Eyes open




Beta1 coherence, eyes open, is above the age norm for 7 electrode pairs: T3-C3 (z = 3.9), C3-T5 (z = 3.9), T5-P3 (z = 3.8), P3-O1 (z = 3.8), C3-P3 (z = 3.7), T3-T5 (z = 3.7) and 1 more in the table. COH-1

Global coherence (mean over all pairs), to confirm, Eyes open

	delta	theta	alpha	SMR	beta1	beta2
Value	0.22	0.22	0.22	0.20	0.24	0.23
z	-0.5	-0.7	-0.8	-0.4	0.9	1.2

Eyes closed




Delta coherence, eyes closed, is below the age norm for 1 electrode pair: Cz-T6 (z = -3.5). COH-1

Beta1 coherence, eyes closed, is above the age norm for 7 electrode pairs: T5-O1 (z = 4.0), C3-T5 (z = 4.0), T5-P3 (z = 4.0), P3-O1 (z = 3.9), T3-T5 (z = 3.8), T3-C3 (z = 3.8) and 1 more in the table. COH-1

Global coherence (mean over all pairs), to confirm, Eyes closed

	delta	theta	alpha	SMR	beta1	beta2
Value	0.17	0.17	0.21	0.23	0.25	0.20
z	-1.8	-1.9	-1.5	0.2	1.4	0.4



Lines: electrode pairs with |z| of 2 or more. Global coherence is a core function still to be confirmed; it is not ranked in the summary.

Clinician's comment

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.

X. Event-related potentials at the electrodes (channel ERPs)

Figure 8: Event-related potentials at the electrodes (channel ERPs): Go





Figure 9: Event-related potentials at the electrodes (channel ERPs): NoGo



Black: this measurement. Grey line and band: normative mean and mean ± 2 SD. Time 0: second stimulus. Black rings: values marked after correction for multiple comparisons. Blue dashed: earlier measurement.

Figure 10: ERP peak values

Component	Trial type	Electrode	Amplitude (µV)	z	Latency (ms)	z
P1	Go	O1	13.7	0.2	144	3.7
P1	Go	O2	11.5	-0.5	140	3.2
N1	Go	O1	-8.8	0.2	192	0.9
N1	Go	O2	-9.4	0.0	192	0.9
N2	NoGo	Fz	-5.0	0.9	268	0.1
N2	NoGo	Cz	-2.8	0.7	260	-0.2
P3	Go	Pz	15.0	0.0	368	-0.6
P3	NoGo	Cz	22.0	1.1	396	-1.0
P3	NoGo	Fz	16.0	0.8	412	-0.4
P3a	Novelty	Cz	15.8	0.2	360	1.2
CNV	Go	Cz	-7.0	-1.8	-200 to 0	

P1 latency at O1, Go trials, is later than the age norm (144 ms, z = 3.7). ERP-LAT-1

P1 latency at O2, Go trials, is later than the age norm (140 ms, z = 3.2). ERP-LAT-1

Clinician's comment

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.


CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]

XI. VCPT task performance

Measure	Value	Percentile	z
Omission errors	2	46	-0.1
Commission errors	4	81	0.9
Mean reaction time	409 ms	47	-0.1
Reaction time variability (SD)	86 ms	42	-0.2

Figure 11: Errors per block of 40 trials (no norm)



Omission errors: 2, not marked (percentile 46). BEH-IN-2

Commission errors: 4, not marked (percentile 81). BEH-IN-2

Mean reaction time: 409 ms, not marked (percentile 47). BEH-IN-2

Reaction time variability (SD): 86 ms, not marked (percentile 42). BEH-IN-2

XII. Comparison of measurements

Measure	Earlier 12 Mar 2026	z	Current 15 Sep 2026	z
Omission errors	3	0.3	2	-0.1
Commission errors	5	1.2	4	0.9
Mean reaction time	421 ms	0.1	409 ms	-0.1
Reaction time variability (SD)	95 ms	0.1	86 ms	-0.2
Theta/beta ratio at Cz, Eyes open	2.81	0.0	2.42	-0.4
Alpha peak frequency (Hz), Eyes open	9.1	0.1	9.2	0.2
Theta/beta ratio at Cz, Eyes closed	2.88	-0.1	2.56	-0.4
Alpha peak frequency (Hz), Eyes closed	9.1	-0.1	9.3	0.2

Figure 12: Earlier 12 Mar 2026: Absolute power, z against the age norm, Eyes closed





Figure 13: Current 15 Sep 2026: Absolute power, z against the age norm, Eyes closed



Relative theta power at Pz, eyes open: z = -4.0 on 12 Mar 2026, z = -4.6 on 15 Sep 2026. CMP-1

Beta1 coherence T3-T5, eyes closed: z = 4.5 on 12 Mar 2026, z = 3.8 on 15 Sep 2026. CMP-1

Relative theta power at Pz, eyes closed: z = -3.9 on 12 Mar 2026, z = -4.4 on 15 Sep 2026. CMP-1

Beta1 coherence C3-P3, eyes closed: z = 4.4 on 12 Mar 2026, z = 3.7 on 15 Sep 2026. CMP-1

Beta1 coherence P3-O1, eyes closed: z = 4.4 on 12 Mar 2026, z = 3.9 on 15 Sep 2026. CMP-1

Beta1 coherence T3-C3, eyes closed: z = 4.3 on 12 Mar 2026, z = 3.8 on 15 Sep 2026. CMP-1

The earlier measurement of 12 Mar 2026 was processed again with the current software and norms (V4 mockup 0.1; Mock norms 2026.1 (synthetic)). L-REPROC-1

Measurements are shown side by side, each against its own age norm; differences between them are not tested for statistical significance. L-SIDE-1

XIII. Notes on the results

The results are one input to the clinician's assessment. The software does not diagnose and does not recommend treatment. L-AID-1

z is the distance of a value from the normative mean, in standard deviations of the normative sample; about 95% of the normative sample lies between z = -2 and z = 2. L-Z-1

Marked values differ from the age norm after correction for multiple comparisons, which keeps chance results among the many comparisons rare; a value beyond 2 z that is not marked may deviate by chance alone. The method of correction is still to be chosen. L-MC-1

XIV. Interpretation

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.

XV. Conclusion

Placeholder for the clinician's text. Written in the V4 report editor; the system does not write here.

Issued by

Issued by	_____ (entered when the clinician issues the report)
Date of issue	_____ (entered when the clinician issues the report)
Version	1 · Draft, not issued
Replaces	none, first version

CLINIC C LOGO

Clinic C · [Street placeholder] · [Postcode and town placeholder] · [Country placeholder]
[web address placeholder]