Combined Product and Technology Due Diligence Report

Product: Internet Banking Concept Microservices
Repository: Persistent-Systems-Test/ts-java-spring-boot-internet-banking
Baseline: main @ fa1c445
Assessment date: 2026-11-03
Prepared by: Devin (AI), evidence-based automated assessment

Combined Executive Summary

Item	Value
Product verdict	Prototype / reference implementation. Suitable as a delivery accelerator for a digital banking channel; not market-ready as a product.
Technology verdict	Well-structured but prototype-grade Spring Cloud microservices system. Keep the skeleton; re-engineer money movement, authorisation, secrets, delivery pipeline and operability.
Product score	1.7 / 5
Technology score	1.8 / 5
PDD findings	31 (Critical: 8, High: 12, Medium: 8, Low: 3)
TDD findings	65 (Critical: 13, High: 25, Medium: 19, Low: 8)
Risks	12 product + 12 technology
Recommendation	Reuse as accelerator. Phase 0 stabilisation (~4-6 weeks, ~3 engineers) closes all Critical items; Phase 1-2 (~6-8 months, 6-8 engineers) reaches bank-pilot readiness. Effort figures are indicative assessor estimates.

Top product messages

- Money-movement rules are unsafe: negative amounts accepted, no ownership check, available balance double-adjusted, core ledger reachable via gateway (PDD-F-01..04).
- Customer data is not scoped: every authenticated user can list all transfers and payments and read any account balance (PDD-F-05).
- Functional breadth is narrow: 0 fully-implemented and 9 partial out of a 35-capability retail internet-banking reference list (PDD-G-01).
- Regulatory capabilities (KYC/AML, SCA/MFA, consent, immutable audit) are absent (PDD-G-02).
- Runtime configuration and container images depend on third-party-owned assets (PDD-R-01).
- Business data (customers, revenue, adoption, KPIs, market position) is not in the repository and requires stakeholder validation.

Top technology messages

- Architecture: sensible decomposition (gateway, channel services, core ledger, discovery, config, tracing) but synchronous non-atomic distributed writes and core exposed at the edge (TDD-ARC-01, TDD-ARC-02).
- Security: 7 Critical findings incl. committed secrets, broken object/function-level authorisation, header-trust model, password logging, third-party config supply chain (TDD-SEC-*).
- Data integrity: no amount validation, double-adjusted balances, no locking, no idempotency, mutable single-entry ledger (TDD-DAT-*).
- Engineering maturity: no CI/CD, 18 unit tests in one service, no IaC/Kubernetes despite README claims (TDD-ENG-, *TDD-INF-*).
- Stack currency: Spring Boot 3.2.4 / Spring Cloud 2023.0.0 and Keycloak 23 are past their open-source support windows per vendor policy (to be re-verified) (TDD-STK-01, STK-02).
- Build/test results and dependency CVE scan could not be produced in the assessment environment (Maven Central HTTP 429) - limitation, not a code defect.

Product Context - Internet Banking Concept Microservices

This is the single source of truth for the PDD and TDD. Every statement is classified:

Class	Meaning
VERIFIED	Verified implementation - observed in source code/config in this repository
DOCUMENTED	Documented but unverified - stated in README/docs, not found in code
INFERRED	Inferred - assessor reasoning from code structure; not explicitly documented
MISSING	Missing information - not present in repository
STAKEHOLDER	Requires stakeholder validation - business information not derivable from code

1. Product overview and purpose

Aspect	Statement	Class	Evidence
Purpose	Digital (internet) banking channel platform exposing REST APIs for online-banking user onboarding, account lookup, intra-bank fund transfers and utility bill payments, on top of a simulated core banking ledger.	VERIFIED	E-01 `README.md` (1-20); E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Origin	Tutorial/reference implementation by javatodev.com (MIT), first commit 2021-05-09, upgraded to Java 21 / Spring Boot 3.2.4 in 2024.	VERIFIED	E-01 `README.md` (1-20); E-04 `LICENSE` (1-3); E-43 `git log`
Business Problem	Banks need a secure self-service digital channel decoupled from the core banking system so channel features evolve independently of the core.	INFERRED	E-01 `README.md` (1-20); E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Objectives	Stated objective is educational: demonstrate Spring Boot microservices patterns that 'evolve as a full fledged REST API collection until deployments'. Commercial objectives/outcomes are not documented.	DOCUMENTED / STAKEHOLDER	E-01 `README.md` (1-20)

2. Target users and stakeholders

User / stakeholder	Need / interaction	Class	Evidence
Retail bank customer (existing core customer)	Registers, logs in, transfers funds, pays bills	VERIFIED (API only, no UI)	E-28 `UserController.java` (28-55); E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Bank administrator / operations	Approves/blacklists registrations	VERIFIED (PATCH status; no role model)	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)
Developer / learner	Learns microservices patterns via tutorial, Postman, compose	DOCUMENTED	E-01 `README.md` (1-20); E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`
Compliance, risk, customer-service staff	No supporting capability	MISSING	No repository evidence available (absence of artefact)
Commercial buyer / target segment	Not documented	STAKEHOLDER	No repository evidence available (absence of artefact)

3. Functional capabilities

ID	Capability	Class	Evidence
CAP-01	Customer self-registration	VERIFIED	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)

ID	Capability	Class	Evidence
CAP-02	Registration approval / status management	VERIFIED	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)
CAP-03	Authentication (OIDC/JWT via Keycloak)	VERIFIED	E-10 `realm-export.json` (686-873); E-15 `SecurityConfiguration.java` (24-35)
CAP-04	Bank account & biller lookup	VERIFIED	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
CAP-05	Intra-bank fund transfer	VERIFIED	E-18 `TransactionService.java` (35-46); E-33 `FundTransferService.java` (31-51)
CAP-06	Utility bill payment (ledger debit only)	VERIFIED	E-21 `TransactionService.java` (48-75); E-34 `UtilityPaymentService.java` (31-53)
CAP-07	Transfer / payment history (paged)	VERIFIED	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
CAP-08	Customer & user listing	VERIFIED	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-29 `UserService.java` (33-111)
CAP-09	Audit columns on channel records	VERIFIED	E-36 `*/src/main/java/com/javatodev/finance/model/dto/AuditAware.java`
CAP-10	Distributed tracing	VERIFIED	E-37 `*/build.gradle`; E-14 `[external] *-service.yml` (ddl-auto / management)
CAP-11	Notifications via RabbitMQ	DOCUMENTED (not implemented)	E-02 `README.md` (60-75); E-03 `README.md` (83-101)
CAP-12	Prometheus metrics / Kubernetes deployment	DOCUMENTED (not implemented)	E-03 `README.md` (83-101)

4. Core business workflows and user journeys

WF-01 Onboarding

1. Customer POST /user/api/v1/bank-users/register {email, identification, password}
2. User svc: Keycloak search(email) -> reject if found
3. User svc -> Core GET /api/v1/user/{identification}
4. Email must equal core email
5. Create disabled Keycloak user with password
6. Persist local user status=PENDING
7. Admin PATCH /update/{id} status=APPROVED -> Keycloak user enabled

Evidence: E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)

WF-02 Login

1. Client calls Keycloak token endpoint (password grant)
2. Gateway validates JWT via JWKS on each call

Evidence: E-10 `realm-export.json` (686-873); E-15 `SecurityConfiguration.java` (24-35)

WF-03 Fund transfer

1. POST /fund-transfer/api/v1/transfer {fromAccount,toAccount,amount}
2. Persist fund_transfer PENDING
3. Feign -> Core POST /api/v1/transaction/fund-transfer
4. Core validates balance, updates both accounts, writes 2 ledger rows
5. Mark SUCCESS with core transactionId

Evidence: E-18 `TransactionService.java` (35-46); E-20 `TransactionService.java` (63-64,90-91,99-100); E-33 `FundTransferService.java` (31-51)

WF-04 Utility payment

1. POST /utility-payment/api/v1/utility-payment {providerId,amount,referenceNumber,account}
2. Persist PROCESSING
3. Feign -> Core util-payment: debit account, write ledger row
4. Mark SUCCESS

Evidence: E-21 `TransactionService.java` (48-75); E-34 `UtilityPaymentService.java` (31-53)

WF-05 History

1. GET /fund-transfer/api/v1/transfer or /utility-payment/api/v1/utility-payment (paged, all records)

Evidence: E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)

5. Business rules and validations

ID	Rule	Class	Evidence
BR-01	Registration requires the identification number to exist in core and email to match core record	VERIFIED	E-29 `UserService.java` (33-111)
BR-02	Email must not already exist in Keycloak (fuzzy search)	VERIFIED	E-29 `UserService.java` (33-111); E-30 `KeycloakUserService.java` (36)
BR-03	New online users start PENDING and disabled until APPROVED	VERIFIED	E-29 `UserService.java` (33-111)
BR-04	Debit allowed if actualBalance >= amount and actualBalance >= 0	VERIFIED	E-19 `TransactionService.java` (77-81)
BR-05	Amount must be positive	MISSING (not enforced)	E-19 `TransactionService.java` (77-81)
BR-06	Only ACTIVE accounts may transact	MISSING (enum exists, not enforced)	E-19 `TransactionService.java` (77-81); E-25 `core-banking-service/src/main/java/com/javatodev/finance/model/{AccountType,AccountStatus,TransactionType}.java`
BR-07	Customer may only debit own accounts	MISSING	E-33 `FundTransferService.java` (31-51)
BR-08	Transaction limits / cut-offs / fees	MISSING	No repository evidence available (absence of artefact)

6. Data entities and relationships

Entity / table	Owner service	Key attributes	Relationships
banking_core_user	core	id, first_name, last_name, email, identification_number	1-* account
banking_core_account	core	id, number, type, status, actual_balance, available_balance DECIMAL(19,2), user_id	*-1 user; 1-* transaction
banking_core_transaction	core	id, amount, transaction_type, reference_number, transaction_id, account_id	*-1 account (mapped @OneToOne)
banking_core_utility_account	core	id, number, provider_name	-
user	user-service	id, auth_id, identification, status + audit	auth_id -> Keycloak user
fund_transfer	fund-transfer	id, transaction_reference, from_account, to_account, amount, status + audit	transaction_reference -> core transaction_id
utility_payment	utility-payment	id, provider_id, amount, reference_number, account, transaction_id, status + audit	transaction_id -> core

7. API capabilities

Service	Method	Path	Purpose
Gateway	*	/user/ **/fund-transfer/** /banking-core/ **/utility-payment/**	Routing; JWT required except register & actuator
User	POST	/api/v1/bank-users/register	Register (public)
User	PATCH	/api/v1/bank-users/update/{id}	Change status
User	GET	/api/v1/bank-users, /api/v1/bank-users/{id}	List / read
Fund Transfer	POST/GET	/api/v1/transfer	Transfer / history
Utility Payment	POST/GET	/api/v1/utility-payment	Pay / history
Core	GET	/api/v1/account/bank-account/{n}, /api/v1/account/util-account/{provider}	Lookups
Core	POST	/api/v1/transaction/fund-transfer, /api/v1/transaction/util-payment	Ledger postings
Core	GET	/api/v1/user/{identification}, /api/v1/user	Customer lookup

8. Product modules and components

Module	Port	Java files	LOC	Responsibility
core-banking-service	8092	36	831	Simulated core ledger
internet-banking-user-service	8083	32	822	Registration, approval, Keycloak sync
internet-banking-fund-transfer-service	8084	25	547	Fund transfer orchestration + history
internet-banking-utility-payment-service	8085	23	530	Utility payment orchestration + history
internet-banking-api-gateway	8082	3	86	Edge routing + JWT validation
internet-banking-config-server	8090	1	15	Spring Cloud Config (git)
internet-banking-service-registry	8081	1	15	Eureka server


9. External integrations and product dependencies

Integration	Used by	Class	Evidence
Keycloak Admin REST API	User service (client_credentials)	VERIFIED	E-31 `KeycloakProperties.java` (25-40)
Keycloak OIDC / JWKS	Gateway	VERIFIED	E-15 `SecurityConfiguration.java` (24-35)
External config repo (GitHub)	Config Server	VERIFIED	E-11 `application.yml` (1-10)
Zipkin	All services	VERIFIED	E-14 `[external] *-service.yml` (ddl-auto / management)
RabbitMQ	-	DOCUMENTED only	E-03 `README.md` (83-101)
Real CBS / payment rails / biller aggregator	-	MISSING	E-21 `TransactionService.java` (48-75)

10. Deployment and operational context

docker-compose on a single host: 7 app containers + MySQL + Keycloak + Postgres + Zipkin, static IPs on 172.25.0.0/16, images referenced as javatodev/*; services wait for registry/config/MySQL via wait-for-it.sh. No Kubernetes/IaC/CI.

Class: VERIFIED. Evidence: E-05 `docker-compose.yml` (1-139); E-39 `*/Dockerfile`; E-43 `git log`



11. Missing information and items requiring stakeholder validation

- Business KPIs, customers, revenue, adoption, SLAs - not in repository (STAKEHOLDER)
- Production deployment history / incidents - not in repository (STAKEHOLDER)
- Ownership of external config repo and Docker Hub images (STAKEHOLDER)
- Target core banking system and payment rails (STAKEHOLDER)
- Non-functional requirements: TPS, latency, RPO/RTO, data residency (MISSING)
- Security testing / VAPT reports (MISSING)
- Build/test execution results - dependency download blocked (HTTP 429) in assessment environment (LIMITATION)

PDD - Executive Summary

Verdict: Prototype / reference implementation. Suitable as a delivery accelerator for a digital banking channel; not market-ready as a product.

Overall product score: 1.7 / 5

Maturity: Concept / prototype (self-described tutorial 'concept', E-01). Happy-path API flows exist end-to-end; no UI, no production hardening.

Key messages

- Money-movement rules are unsafe: negative amounts accepted, no ownership check, available balance double-adjusted, core ledger reachable via gateway (PDD-F-01..04).
- Customer data is not scoped: every authenticated user can list all transfers and payments and read any account balance (PDD-F-05).
- Functional breadth is narrow: 0 fully-implemented and 9 partial out of a 35-capability retail internet-banking reference list (PDD-G-01).
- Regulatory capabilities (KYC/AML, SCA/MFA, consent, immutable audit) are absent (PDD-G-02).
- Runtime configuration and container images depend on third-party-owned assets (PDD-R-01).
- Business data (customers, revenue, adoption, KPIs, market position) is not in the repository and requires stakeholder validation.

Scorecard (1 = absent, 5 = best-in-class; assessor judgement)

Dimension	Score	Basis
Functional breadth	1.5	9 partial / 26 absent of 35 reference capabilities
Functional correctness	1.0	PDD-F-01..F-04
Security & privacy (product view)	1.0	PDD-F-02, F-05, F-06, F-10
Compliance readiness	1.0	PDD-G-02
User experience	1.0	API-only, inconsistent errors (PDD-E-01..E-03)

Dimension	Score	Basis
Integration readiness	2.0	Clean Feign seam to core, OIDC; no adapters (PDD-A-02)
Operability	2.0	Tracing/actuator; no reconciliation (PDD-F-08)
Documentation & DX	3.5	README, tutorial series, Postman, compose
Architecture fitness	3.0	Sensible channel/core split (PDD-A-01)
Commercial readiness	1.5	MIT third-party code, branding, external deps (PDD-R-01, R-02)

Findings overview

31 findings (Critical: 8, High: 12, Medium: 8, Low: 3).

ID	Category	Title	Severity	Confidence
PDD-F-01	B. Functional	Negative and zero amounts accepted for transfers and payments	Critical	High
PDD-F-02	B. Functional	No check that the customer owns the source account	Critical	High
PDD-F-03	B. Functional	Core ledger operations reachable directly by end users	Critical	High
PDD-F-04	B. Functional	Available balance shown to customers is wrong after every transaction	Critical	High
PDD-F-05	B. Functional	History and lookups are not scoped to the customer	Critical	High
PDD-F-06	B. Functional	Any authenticated user can approve or blacklist registrations	Critical	High
PDD-G-02	G. Product Risk	Regulatory capabilities absent	Critical	High
PDD-R-05	G. Product Risk	Published credentials in README and repository	Critical	High
PDD-A-02	D. Product Architecture	No adapter layer for real core banking, payment rails or billers	High	Medium
PDD-E-01	E. User Experience	No customer-facing user interface	High	High
PDD-E-03	E. User Experience	No customer dashboard or own-account listing	High	High
PDD-F-07	B. Functional	Blocked, dormant or pending accounts can transact	High	High
PDD-F-08	B. Functional	Failed payments remain PENDING/PROCESSING forever	High	High
PDD-F-09	B. Functional	Duplicate submission creates duplicate debits	High	High
PDD-F-10	B. Functional	Utility payments debit the customer but no biller is paid	High	High
PDD-F-12	B. Functional	Disabling or blacklisting a user does not block login	High	High
PDD-G-01	G. Product Risk	Narrow functional coverage versus a retail internet-banking reference set	High	Medium
PDD-R-01	G. Product Risk	Operational dependency on third-party assets	High	High
PDD-R-04	G. Product Risk	Seed test data shipped in production migration	High	High
PDD-S-01	F. Scalability & Extensibility	Configuration externalised but owned by a third party	High	High
PDD-A-03	D. Product Architecture	API contracts are inconsistent across docs and code	Medium	High

ID	Category	Title	Severity	Confidence
PDD-C-02	C. Business Value	Business outcomes and KPIs not defined	Medium	High
PDD-E-02	E. User Experience	Error responses are technical and inconsistent	Medium	High
PDD-F-11	B. Functional	Same-account transfers are permitted	Medium	High
PDD-R-02	G. Product Risk	No exclusive IP; rebranding required	Medium	High
PDD-R-03	G. Product Risk	Low maintenance activity and single original author	Medium	High
PDD-S-02	F. Scalability & Extensibility	No multi-tenancy or multi-bank support	Medium	Medium
PDD-S-03	F. Scalability & Extensibility	Single-currency, single-product ledger model	Medium	High
PDD-A-01	D. Product Architecture	Clean separation between channel services and core ledger	Low	High
PDD-C-01	C. Business Value	Accelerator value for digital-channel delivery	Low	Medium
PDD-E-04	E. User Experience	Accessibility cannot be assessed	Low	High

Strengths

- Clear bounded contexts: onboarding/identity, transfers, bill-pay, ledger (PDD-A-01)
- Modern, widely-skilled stack (Java 21, Spring Boot 3, Spring Cloud) (E-37)
- Standards-based identity with Keycloak/OIDC (E-15)
- Easy local setup with docker-compose, seed data and Postman (E-05, E-42)
- Good learning documentation (tutorial series linked in README) (E-01)

Weaknesses

- Critical money-movement and authorisation defects (PDD-F-01..F-06)
- Narrow functional scope; no UI (PDD-G-01, PDD-E-01)
- No compliance capabilities (PDD-G-02)
- Third-party-owned runtime assets and branding (PDD-R-01, PDD-R-02)
- No business case/KPIs in evidence (PDD-C-02)

Overall Product Due Diligence assessment

Proceed only as an accelerator. Close Critical findings in a 4-6 week stabilisation phase before any external exposure; plan a 9-12 month programme to reach a bank-pilot MVP (indicative assessor estimate).

PDD - Product Overview and Context

Aspect	Assessment	Class	Evidence
Vision	Not documented. README states an educational intent: an 'internet banking API concept' that evolves 'as a full fledged REST API collection until deployments'.	DOCUMENTED	E-01 `README.md` (1-20)
Mission	Not documented - requires stakeholder validation.	STAKEHOLDER	No repository evidence available (absence of artefact)
Objectives	Implied by code: enable existing bank customers to self-onboard and perform transfers and bill payments online, separated from the core ledger.	INFERRED	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java` ; E-29 `UserService.java` (33-111)

Aspect	Assessment	Class	Evidence
Value Proposition	Channel/core separation; modern Spring Cloud stack; standards-based identity (Keycloak/OIDC); one-command local environment with seed data and Postman collection.	VERIFIED	E-05 `docker-compose.yml` (1-139); E-11 `application.yml` (1-10); E-15 `SecurityConfiguration.java` (24-35); E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`
Segments	Not documented. Assessor inference: system integrators and bank IT teams seeking a greenfield digital-channel accelerator for smaller banks/credit unions/NBFCs. Requires stakeholder validation.	INFERRED / STAKEHOLDER	No repository evidence available (absence of artefact)
Alignment	The implemented flows address the core of the stated problem (self-service money movement) but the absence of authorisation, validation and compliance features means the solution does not yet safely solve it.	INFERRED	E-19 `TransactionService.java` (77-81); E-33 `FundTransferService.java` (31-51)

Stakeholders

User / stakeholder	Need	Class	Evidence
Retail bank customer (existing core customer)	Registers, logs in, transfers funds, pays bills	VERIFIED (API only, no UI)	E-28 `UserController.java` (28-55); E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Bank administrator / operations	Approves/blacklists registrations	VERIFIED (PATCH status; no role model)	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)
Developer / learner	Learns microservices patterns via tutorial, Postman, compose	DOCUMENTED	E-01 `README.md` (1-20); E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`
Compliance, risk, customer-service staff	No supporting capability	MISSING	No repository evidence available (absence of artefact)
Commercial buyer / target segment	Not documented	STAKEHOLDER	No repository evidence available (absence of artefact)

Full context: `../context/product-context.md`.

PDD - Functional Capability Assessment

Product feature inventory

ID	Feature	Status	Quality	Evidence	Notes
FT-01	Customer self-registration	Implemented	Partial	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)	No email/OTP verification, no password policy, password logged
FT-02	Registration approval / blacklist	Implemented	Partial	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)	No admin role; DISABLED/BLACKLIST do not disable Keycloak login
FT-03	Login (OIDC password grant)	Implemented	Basic	E-10 `realm-export.json` (686-873); E-15 `SecurityConfiguration.java` (24-35)	No MFA; brute-force protection off
FT-04	Intra-bank fund transfer	Implemented	Defective	E-18 `TransactionService.java` (35-46); E-19 `TransactionService.java` (77-81); E-20 `TransactionService.java` (63-64,90-91,99-100); E-33 `FundTransferService.java` (31-51)	See PDD-F-01..F-04, F-07

ID	Feature	Status	Quality	Evidence	Notes
FT-05	Utility bill payment	Implemented	Defective	E-21 `TransactionService.java` (48-75); E-34 `UtilityPaymentService.java` (31-53)	Ledger debit only; no biller settlement
FT-06	Transfer / payment history	Implemented	Defective	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)	Not customer-scoped
FT-07	Account and biller lookup	Implemented	Basic	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`	Any account visible to any user
FT-08	Customer / user listing	Implemented	Basic	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-29 `UserService.java` (33-111)	No role restriction
FT-09	OpenAPI documentation (runtime)	Implemented	Basic	E-47 `*/src/main/java/com/javatodev/finance/controller/*Controller.java`; E-37 `*/build.gradle`	WebFlux UI starter in MVC services
FT-10	Notifications (RabbitMQ)	Documented only	Absent	E-02 `README.md` (60-75); E-03 `README.md` (83-101)	README: 'PENDING Development'
FT-11	Web / mobile UI	Absent	Absent	No repository evidence available (absence of artefact)	API-only

Core workflows

Workflow	Steps	Evidence
WF-01 Onboarding	Customer POST /user/api/v1/bank-users/register {email, identification, password} -> User svc: Keycloak search(email) -> reject if found -> User svc -> Core GET /api/v1/user/{identification} -> Email must equal core email -> Create disabled Keycloak user with password -> Persist local user status=PENDING -> Admin PATCH /update/{id} status=APPROVED -> Keycloak user enabled	E-28 `UserController.java` (28-55); E-29 `UserService.java` (33-111)
WF-02 Login	Client calls Keycloak token endpoint (password grant) -> Gateway validates JWT via JWKS on each call	E-10 `realm-export.json` (686-873); E-15 `SecurityConfiguration.java` (24-35)
WF-03 Fund transfer	POST /fund-transfer/api/v1/transfer {fromAccount,toAccount,amount} -> Persist fund_transfer PENDING -> Feign -> Core POST /api/v1/transaction/fund-transfer -> Core validates balance, updates both accounts, writes 2 ledger rows -> Mark SUCCESS with core transactionId	E-18 `TransactionService.java` (35-46); E-20 `TransactionService.java` (63-64,90-91,99-100); E-33 `FundTransferService.java` (31-51)
WF-04 Utility payment	POST /utility-payment/api/v1/utility-payment {providerId,amount,referenceNumber,account} -> Persist PROCESSING -> Feign -> Core util-payment: debit account, write ledger row -> Mark SUCCESS	E-21 `TransactionService.java` (48-75); E-34 `UtilityPaymentService.java` (31-53)
WF-05 History	GET /fund-transfer/api/v1/transfer or /utility-payment/api/v1/utility-payment (paged, all records)	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)

User journey assessment

Journey	Workflow	Assessment	Findings
UJ-01 Register & get approved	WF-01	Works on happy path; no verification step, approval not role-protected, password logged	PDD-F-06, PDD-F-12, PDD-E-02
UJ-02 Log in	WF-02	Password grant only; no MFA, no recovery	PDD-G-02
UJ-03 View my accounts	-	Not supported	PDD-E-03
UJ-04 Transfer money	WF-03	Works on happy path; unsafe rules, wrong balances, no confirmation/receipt	PDD-F-01, PDD-F-02, PDD-F-04, PDD-F-09
UJ-05 Pay a bill	WF-04	Ledger debit only; biller not paid	PDD-F-10
UJ-06 View history	WF-05	Shows all customers' records	PDD-F-05

Functional findings

PDD-F-01 - Negative and zero amounts accepted for transfers and payments

Field	Value
Finding ID	PDD-F-01
Assessment category	B. Functional
Description	validateBalance only rejects when balance < amount; there is no amount > 0 rule and no Bean Validation. A negative transfer debits the beneficiary and credits the initiator.
Supporting repository evidence	E-19 `TransactionService.java` (77-81); E-18 `TransactionService.java` (35-46)
Business impact	Direct fraud/theft vector; customer funds can be moved without consent.
Severity / priority	Critical
Recommendation	Enforce amount > 0 and max-amount rules at API and ledger level; add tests.
Confidence	High

PDD-F-02 - No check that the customer owns the source account

Field	Value
Finding ID	PDD-F-02
Assessment category	B. Functional
Description	Orchestrators forward fromAccount/account verbatim to core; JWT identity is never mapped to the customer's accounts.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53); E-18 `TransactionService.java` (35-46)
Business impact	Any logged-in user can move money out of any account.
Severity / priority	Critical
Recommendation	Introduce customer-account entitlement checks derived from the authenticated identity.
Confidence	High

PDD-F-03 - Core ledger operations reachable directly by end users

Field	Value
Finding ID	PDD-F-03
Assessment category	B. Functional
Description	Gateway routes /banking-core/** to core-banking-service with only 'authenticated' required, bypassing channel services and their history records.

Field	Value
Supporting repository evidence	E-13 `[external] internet-banking-api-gateway*.yml` (routes); E-15 `SecurityConfiguration.java` (24-35)
Business impact	Unrecorded ledger manipulation; channel controls can be bypassed.
Severity / priority	Critical
Recommendation	Remove public route to core; restrict core to internal service-to-service calls.
Confidence	High

PDD-F-04 - Available balance shown to customers is wrong after every transaction

Field	Value
Finding ID	PDD-F-04
Assessment category	B. Functional
Description	After updating actualBalance, availableBalance is recomputed from the new actual and adjusted again (debit: -2x; credit: +2x). Any existing hold is overwritten.
Supporting repository evidence	E-20 `TransactionService.java` (63-64,90-91,99-100)
Business impact	Incorrect balances, wrongful declines/approvals, customer complaints, reconciliation breaks.
Severity / priority	Critical
Recommendation	Correct balance arithmetic; model holds explicitly; add balance assertions in tests.
Confidence	High

PDD-F-05 - History and lookups are not scoped to the customer

Field	Value
Finding ID	PDD-F-05
Assessment category	B. Functional
Description	Transfer and payment history use findAll(pageable); core account lookup returns any account by number.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53); E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Business impact	Privacy breach exposing all customers' financial data.
Severity / priority	Critical
Recommendation	Filter every read by the authenticated customer; restrict admin listing to back-office roles.
Confidence	High

PDD-F-06 - Any authenticated user can approve or blacklist registrations

Field	Value
Finding ID	PDD-F-06
Assessment category	B. Functional
Description	PATCH /bank-users/update/{id} has no role check; Keycloak realm defines no business roles.
Supporting repository evidence	E-28 `UserController.java` (28-55); E-10 `realm-export.json` (686-873)
Business impact	Self-approval / privilege escalation; onboarding control ineffective.
Severity / priority	Critical
Recommendation	Introduce admin/ops roles and maker-checker approval.
Confidence	High

PDD-F-07 - Blocked, dormant or pending accounts can transact

Field	Value
Finding ID	PDD-F-07
Assessment category	B. Functional
Description	AccountStatus enum exists but is never consulted during debit or credit.
Supporting repository evidence	E-19 `TransactionService.java` (77-81); E-25 `core-banking-service/src/main/java/com/javatodev/finance/model/{AccountType,AccountStatus,TransactionType}.java`
Business impact	Breach of account-freeze obligations (e.g. court orders, fraud holds).
Severity / priority	High
Recommendation	Enforce status rules for both debit and credit legs.
Confidence	High

PDD-F-08 - Failed payments remain PENDING/PROCESSING forever

Field	Value
Finding ID	PDD-F-08
Assessment category	B. Functional
Description	Orchestrators save a pending record, call core, then update to SUCCESS; exceptions are not handled and FAILED is never set; no reconciliation.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Business impact	Phantom or duplicate payments visible to customers; operations cannot reconcile.
Severity / priority	High
Recommendation	Explicit payment state machine with FAILED/REVERSED, timeouts and reconciliation.
Confidence	High

PDD-F-09 - Duplicate submission creates duplicate debits

Field	Value
Finding ID	PDD-F-09
Assessment category	B. Functional
Description	No idempotency key; each POST creates a new transaction.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-18 `TransactionService.java` (35-46)
Business impact	Double charging on client/network retries.
Severity / priority	High
Recommendation	Idempotency-Key on payment APIs end-to-end.
Confidence	High

PDD-F-10 - Utility payments debit the customer but no biller is paid

Field	Value
Finding ID	PDD-F-10
Assessment category	B. Functional
Description	Core utilPayment only debits the customer account; comment notes third-party biller API would be called; no settlement/suspense credit.
Supporting repository evidence	E-21 `TransactionService.java` (48-75)
Business impact	In a real deployment customer money would leave without settlement; prototype only.
Severity / priority	High

Field	Value
Recommendation	Integrate a biller aggregator and post to a settlement account.
Confidence	High

PDD-F-11 - Same-account transfers are permitted

Field	Value
Finding ID	PDD-F-11
Assessment category	B. Functional
Description	No from != to rule.
Supporting repository evidence	E-18 `TransactionService.java` (35-46)
Business impact	Noise in ledger; potential gaming of limits once added.
Severity / priority	Medium
Recommendation	Reject identical source and destination.
Confidence	High

PDD-F-12 - Disabling or blacklisting a user does not block login

Field	Value
Finding ID	PDD-F-12
Assessment category	B. Functional
Description	Only APPROVED triggers a Keycloak update; DISABLED/BLACKLIST only change the local status.
Supporting repository evidence	E-29 `UserService.java` (33-111)
Business impact	Blocked customers can still authenticate and transact.
Severity / priority	High
Recommendation	Synchronise all lifecycle states to the IdP (disable user, revoke sessions).
Confidence	High

User experience findings

PDD-E-01 - No customer-facing user interface

Field	Value
Finding ID	PDD-E-01
Assessment category	E. User Experience
Description	Repository contains only backend services; interaction is via Postman/HTTP.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`
Business impact	Cannot be piloted with customers without building web/mobile front-ends.
Severity / priority	High
Recommendation	Build web (and later mobile) channel against the APIs.
Confidence	High

PDD-E-02 - Error responses are technical and inconsistent

Field	Value
Finding ID	PDD-E-02
Assessment category	E. User Experience
Description	Generic handler returns HTTP 400 with raw exception text for all unexpected errors.

Field	Value
Supporting repository evidence	E-27 `*/src/main/java/com/javatodev/finance/exception/GlobalExceptionHandler.java` (core:27 ft:24 user:27 up:27)
Business impact	Poor customer messaging; support cost; information disclosure.
Severity / priority	Medium
Recommendation	Standard error model (RFC 7807) with user-safe messages and correct status codes.
Confidence	High

PDD-E-03 - No customer dashboard or own-account listing

Field	Value
Finding ID	PDD-E-03
Assessment category	E. User Experience
Description	No endpoint returns the authenticated customer's accounts.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Business impact	Basic 'view my accounts' journey missing.
Severity / priority	High
Recommendation	Add customer-scoped accounts query API.
Confidence	High

PDD-E-04 - Accessibility cannot be assessed

Field	Value
Finding ID	PDD-E-04
Assessment category	E. User Experience
Description	No UI exists; accessibility evidence not available.
Supporting repository evidence	No repository evidence available (absence of artefact)
Business impact	Unknown; to be addressed once UI exists.
Severity / priority	Low
Recommendation	Adopt WCAG 2.1 AA as UI acceptance criterion.
Confidence	High

PDD - Business Value Assessment

Dimension	Assessment	Class	Evidence
Business value proposition	Accelerator for a digital banking channel; demonstrates target architecture patterns.	INFERRED	E-01 `README.md` (1-20); E-05 `docker-compose.yml` (1-139)
Outcome alignment	Flows align with self-service outcomes (reduced branch transactions) but cannot be safely realised until Critical findings are fixed.	INFERRED	E-19 `TransactionService.java` (77-81); E-33 `FundTransferService.java` (31-51)
Operational efficiency	Self-registration with approval and straight-through intra-bank transfers would reduce manual work once secured; no ops tooling (reconciliation, admin console) yet.	INFERRED	E-29 `UserService.java` (33-111); E-33 `FundTransferService.java` (31-51)
Business scalability	Stateless services can scale horizontally; single-tenant design and simulated core limit commercial scaling.	INFERRED	E-05 `docker-compose.yml` (1-139); E-08 `privileges.sql` (5-8)

Dimension	Assessment	Class	Evidence
Productivity improvements	Delivery-team productivity gain from reusable scaffolding; magnitude requires stakeholder measurement.	STAKEHOLDER	No repository evidence available (absence of artefact)
Revenue / market share / adoption	Not available in repository.	STAKEHOLDER	No repository evidence available (absence of artefact)

Revenue, market share, customer feedback, adoption statistics and business KPIs are **not available in the repository** and are not estimated here; they require business stakeholder validation.

Findings

PDD-C-01 - Accelerator value for digital-channel delivery

Field	Value
Finding ID	PDD-C-01
Assessment category	C. Business Value
Description	Working skeleton of gateway, identity, discovery, config, tracing and three business flows reduces initial setup effort.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-37 `*/build.gradle`
Business impact	Positive: shortens time-to-first-demo for delivery teams.
Severity / priority	Low
Recommendation	Position as internal accelerator; quantify reuse savings with delivery teams.
Confidence	Medium

PDD-C-02 - Business outcomes and KPIs not defined


Field	Value
Finding ID	PDD-C-02
Assessment category	C. Business Value
Description	No documented KPIs, customers, revenue or SLAs.
Supporting repository evidence	No repository evidence available (absence of artefact)
Business impact	Value case cannot be validated from the repository.
Severity / priority	Medium
Recommendation	Obtain business case and KPIs from stakeholders.
Confidence	High

PDD - Product Architecture Assessment

Modules and functional decomposition

Module	Port	Java files	LOC	Responsibility
core-banking-service	8092	36	831	Simulated core ledger
internet-banking-user-service	8083	32	822	Registration, approval, Keycloak sync
internet-banking-fund-transfer-service	8084	25	547	Fund transfer orchestration + history
internet-banking-utility-payment-service	8085	23	530	Utility payment orchestration + history
internet-banking-api-gateway	8082	3	86	Edge routing + JWT validation
internet-banking-config-server	8090	1	15	Spring Cloud Config (git)
internet-banking-service-registry	8081	1	15	Eureka server

Component interactions



API capabilities

Service	Method	Path	Purpose
Gateway	*	/user/ **/fund-transfer/** /banking-core/ **/utility-payment/**	Routing; JWT required except register & actuator
User	POST	/api/v1/bank-users/register	Register (public)
User	PATCH	/api/v1/bank-users/update/{id}	Change status
User	GET	/api/v1/bank-users, /api/v1/bank-users/{id}	List / read
Fund Transfer	POST/GET	/api/v1/transfer	Transfer / history
Utility Payment	POST/GET	/api/v1/utility-payment	Pay / history
Core	GET	/api/v1/account/bank-account/{n}, /api/v1/account/util-account/{provider}	Lookups
Core	POST	/api/v1/transaction/fund-transfer, /api/v1/transaction/util-payment	Ledger postings
Core	GET	/api/v1/user/{identification}, /api/v1/user	Customer lookup

Integration architecture

Integration	Used by	Class	Evidence
Keycloak Admin REST API	User service (client_credentials)	VERIFIED	E-31 `KeycloakProperties.java` (25-40)
Keycloak OIDC / JWKS	Gateway	VERIFIED	E-15 `SecurityConfiguration.java` (24-35)
External config repo (GitHub)	Config Server	VERIFIED	E-11 `application.yml` (1-10)
Zipkin	All services	VERIFIED	E-14 `[external] *-service.yml` (ddl-auto / management)
RabbitMQ	-	DOCUMENTED only	E-03 `README.md` (83-101)
Real CBS / payment rails / biller aggregator	-	MISSING	E-21 `TransactionService.java` (48-75)

Architecture findings

PDD-A-01 - Clean separation between channel services and core ledger

Field	Value
Finding ID	PDD-A-01
Assessment category	D. Product Architecture
Description	Channel services own requests/status; core owns balances and postings; integration via declarative Feign clients.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Business impact	Positive: enables replacing the simulated core with a real CBS behind the same contract.
Severity / priority	Low
Recommendation	Preserve the boundary; formalise it as an anti-corruption/adapter layer.
Confidence	High

PDD-A-02 - No adapter layer for real core banking, payment rails or billers

Field	Value
Finding ID	PDD-A-02
Assessment category	D. Product Architecture
Description	Core is a simulated ledger; no interfaces for external CBS, interbank rails or biller aggregators.
Supporting repository evidence	E-21 `TransactionService.java` (48-75); E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Business impact	Integration effort for first real deployment is unbounded until target systems are known.
Severity / priority	High
Recommendation	Define CBS/payment-hub adapter contracts early (stakeholder input on target systems).
Confidence	Medium

PDD-A-03 - API contracts are inconsistent across docs and code

Field	Value
Finding ID	PDD-A-03
Assessment category	D. Product Architecture
Description	Postman uses /core/ **and /payment/** and /bank-user while gateway routes are /banking-core/ **and /utility-payment/** and controller uses /bank-users; account number typed Long in two services vs String in core.
Supporting repository evidence	E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`; E-13 `[external] internet-banking-api-gateway*.yml` (routes); E-44 `*/src/main/java/com/javatodev/finance/model/**/AccountResponse.java` (9)
Business impact	Integrator friction; demos fail; latent data bugs for non-numeric account numbers.
Severity / priority	Medium
Recommendation	Publish versioned OpenAPI specs as the contract; align Postman and DTO types.
Confidence	High

Scalability and extensibility findings

PDD-S-01 - Configuration externalised but owned by a third party

Field	Value
Finding ID	PDD-S-01
Assessment category	F. Scalability & Extensibility

Field	Value
Description	All runtime settings are pulled from JavatoDev-com config repo; changing behaviour requires editing a repo the organisation does not control.
Supporting repository evidence	E-11 `application.yml` (1-10); E-12 `*/src/main/resources/bootstrap*.yml`
Business impact	Configurability exists but is not under the product owner's control.
Severity / priority	High
Recommendation	Internalise configuration into an organisation-owned store.
Confidence	High

PDD-S-02 - No multi-tenancy or multi-bank support

Field	Value
Finding ID	PDD-S-02
Assessment category	F. Scalability & Extensibility
Description	Single realm, single schema set, no tenant identifiers.
Supporting repository evidence	E-08 `privileges.sql` (5-8); E-10 `realm-export.json` (686-873)
Business impact	Each bank deployment needs a separate stack; limits SaaS model.
Severity / priority	Medium
Recommendation	Decide tenancy model with stakeholders before scaling commercially.
Confidence	Medium

PDD-S-03 - Single-currency, single-product ledger model

Field	Value
Finding ID	PDD-S-03
Assessment category	F. Scalability & Extensibility
Description	No currency field; account types enumerated but only savings used; transaction types limited to two.
Supporting repository evidence	E-24 `core-banking-service/src/main/resources/db/migration/` (V1.0.*); E-25 `core-banking-service/src/main/java/com/javatodev/finance/model/{AccountType,AccountStatus,TransactionType}.java`
Business impact	Adding deposits, loans, FX or new payment types requires ledger redesign.
Severity / priority	Medium
Recommendation	Generalise ledger model (currency, product, transaction codes).
Confidence	High

PDD - Product Gap Analysis

Reference list: assessor-defined checklist of 35 capabilities typical of a retail internet-banking channel. It is a structured judgement, **not market data**.

Coverage: implemented 0, partial 9, absent 26.

Capability group	Capability	Status
Onboarding & identity	Self-registration of existing customers	Partial
Onboarding & identity	eKYC / new-to-bank onboarding	Absent
Onboarding & identity	MFA / strong customer authentication	Absent

Capability group	Capability	Status
Onboarding & identity	Device binding	Absent
Onboarding & identity	Password reset / recovery	Absent
Onboarding & identity	Session management / idle timeout policy	Absent
Accounts	Account dashboard (my accounts)	Absent
Accounts	Balance enquiry (own accounts)	Partial
Accounts	Transaction history / mini-statement	Partial
Accounts	e-Statements / certificates	Absent
Accounts	Deposits & loans view	Absent
Payments	Own-account transfer	Partial
Payments	Intra-bank third-party transfer	Partial
Payments	Beneficiary management	Absent
Payments	Domestic interbank transfers	Absent
Payments	Instant payment rails	Absent
Payments	International transfers	Absent
Payments	Scheduled / standing instructions	Absent
Payments	Bill payment via biller aggregator	Partial
Payments	Transaction limits	Absent
Payments	Payment status tracking / reversal	Absent
Cards	Card management	Absent
Engagement	Notifications (SMS/email/push)	Absent
Engagement	Service requests	Absent
Engagement	Web / mobile UI	Absent
Engagement	Multi-language	Partial
Back-office	Admin console with RBAC	Absent
Back-office	Maker-checker approvals	Absent
Back-office	Reporting & reconciliation	Absent
Risk & compliance	Fraud / AML monitoring	Absent
Risk & compliance	Sanctions screening	Absent
Risk & compliance	Immutable audit log	Partial
Risk & compliance	Consent & privacy management	Absent
Risk & compliance	Open-banking APIs	Absent
Engagement	API documentation for integrators	Partial

Documented vs implemented

Documented item	Status	Evidence
RabbitMQ messaging	Not implemented	E-03 `README.md` (83-101)
Notification service	Not implemented ('PENDING Development')	E-02 `README.md` (60-75)
Prometheus	Not implemented	E-03 `README.md` (83-101); E-37 `*/build.gradle`
Kubernetes	No manifests	E-03 `README.md` (83-101)

Gap-related findings

ID	Category	Title	Severity	Confidence
PDD-F-01	B. Functional	Negative and zero amounts accepted for transfers and payments	Critical	High
PDD-F-02	B. Functional	No check that the customer owns the source account	Critical	High
PDD-F-03	B. Functional	Core ledger operations reachable directly by end users	Critical	High
PDD-F-04	B. Functional	Available balance shown to customers is wrong after every transaction	Critical	High
PDD-F-05	B. Functional	History and lookups are not scoped to the customer	Critical	High
PDD-F-06	B. Functional	Any authenticated user can approve or blacklist registrations	Critical	High
PDD-G-02	G. Product Risk	Regulatory capabilities absent	Critical	High
PDD-R-05	G. Product Risk	Published credentials in README and repository	Critical	High
PDD-A-02	D. Product Architecture	No adapter layer for real core banking, payment rails or billers	High	Medium
PDD-E-01	E. User Experience	No customer-facing user interface	High	High
PDD-E-03	E. User Experience	No customer dashboard or own-account listing	High	High
PDD-F-07	B. Functional	Blocked, dormant or pending accounts can transact	High	High
PDD-F-08	B. Functional	Failed payments remain PENDING/PROCESSING forever	High	High
PDD-F-09	B. Functional	Duplicate submission creates duplicate debits	High	High
PDD-F-10	B. Functional	Utility payments debit the customer but no biller is paid	High	High
PDD-F-12	B. Functional	Disabling or blacklisting a user does not block login	High	High
PDD-G-01	G. Product Risk	Narrow functional coverage versus a retail internet-banking reference set	High	Medium
PDD-R-01	G. Product Risk	Operational dependency on third-party assets	High	High
PDD-R-04	G. Product Risk	Seed test data shipped in production migration	High	High
PDD-S-01	F. Scalability & Extensibility	Configuration externalised but owned by a third party	High	High

PDD - Product Risk Register

Risk ID	Risk	Likelihood	Impact	Rating	Findings	Mitigation
PR-01	Fraud / financial loss through money-movement defects	High	Severe	Critical	PDD-F-01, PDD-F-02, PDD-F-03, PDD-F-04	Fix before any external exposure
PR-02	Customer data-protection breach	High	Severe	Critical	PDD-F-05, PDD-R-05	Customer scoping; credential rotation
PR-03	Regulatory rejection (KYC/AML/SCA absent)	High	Severe	Critical	PDD-G-02	Compliance-by-design workstream

Risk ID	Risk	Likelihood	Impact	Rating	Findings	Mitigation
PR-04	Third-party control of config and images	Medium	High	High	PDD-R-01, PDD-S-01	Internalise assets
PR-05	Underestimated productisation effort	High	High	High	PDD-G-01, PDD-E-01	Plan as accelerator programme
PR-06	Real core/rails integration complexity	High	High	High	PDD-A-02, PDD-F-10	Adapter contracts; identify target systems
PR-07	Operational failure: stuck/duplicate payments	High	High	High	PDD-F-08, PDD-F-09	Payment state machine, idempotency, reconciliation
PR-08	Onboarding control bypass	High	High	High	PDD-F-06, PDD-F-12	RBAC, maker-checker, IdP lifecycle sync
PR-09	Adoption challenge: no UI, inconsistent contracts	High	Medium	Medium	PDD-E-01, PDD-E-03, PDD-A-03	UI build; published OpenAPI
PR-10	IP/branding and upstream sustainability	Medium	Medium	Medium	PDD-R-02, PDD-R-03	Own codebase; rebrand
PR-11	Business case not evidenced	Medium	Medium	Medium	PDD-C-02	Stakeholder validation
PR-12	Production data contamination by seed data	Medium	High	High	PDD-R-04	Test-only migrations

Risk findings

PDD-G-01 - Narrow functional coverage versus a retail internet-banking reference set

Field	Value
Finding ID	PDD-G-01
Assessment category	G. Product Risk
Description	0 fully-implemented, 9 partial, 26 absent of 35 reference capabilities (assessor checklist).
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Business impact	Large build effort before market parity.
Severity / priority	High
Recommendation	Prioritised roadmap (see product-roadmap).
Confidence	Medium

PDD-G-02 - Regulatory capabilities absent

Field	Value
Finding ID	PDD-G-02
Assessment category	G. Product Risk
Description	No KYC/AML, sanctions, SCA/MFA, consent, or regulator-grade audit trail.
Supporting repository evidence	E-10 `realm-export.json` (686-873); E-36 `*/src/main/java/com/javatodev/finance/model/dto/AuditAware.java`
Business impact	Cannot be deployed in a regulated jurisdiction.
Severity / priority	Critical
Recommendation	Compliance-by-design workstream; engage compliance early.
Confidence	High

PDD-R-01 - Operational dependency on third-party assets

Field	Value
Finding ID	PDD-R-01

Field	Value
Assessment category	G. Product Risk
Description	Config repo and Docker images (javatodev/*) owned by original author.
Supporting repository evidence	E-11 `application.yml` (1-10); E-05 `docker-compose.yml` (1-139)
Business impact	Third party can alter or remove assets; supply-chain and continuity risk.
Severity / priority	High
Recommendation	Fork and internalise config and image builds.
Confidence	High

PDD-R-02 - No exclusive IP; rebranding required

Field	Value
Finding ID	PDD-R-02
Assessment category	G. Product Risk
Description	MIT-licensed third-party code; packages, realm, images and FUNDING.yml carry original branding.
Supporting repository evidence	E-04 `LICENSE` (1-3); E-48 `FUNDING.yml`
Business impact	Competitors can use the same base; limited acquisition value of code itself.
Severity / priority	Medium
Recommendation	Retain licence notice; rebrand; value lies in additions.
Confidence	High

PDD-R-03 - Low maintenance activity and single original author

Field	Value
Finding ID	PDD-R-03
Assessment category	G. Product Risk
Description	Commit history: 59 (2021), 12 (2022), 1 (2023), 113 (2024), 8 (2025), 1 (2026).
Supporting repository evidence	E-43 `git log`
Business impact	Key-person and sustainability risk if upstream is relied on.
Severity / priority	Medium
Recommendation	Own the codebase internally; build team knowledge.
Confidence	High

PDD-R-04 - Seed test data shipped in production migration

Field	Value
Finding ID	PDD-R-04
Assessment category	G. Product Risk
Description	Flyway temp_data migration inserts sample customers and balances in every environment.
Supporting repository evidence	E-24 `core-banking-service/src/main/resources/db/migration/` (V1.0.*)
Business impact	Fake customers/balances in production ledger.
Severity / priority	High
Recommendation	Separate test data from production migrations.
Confidence	High

PDD-R-05 - Published credentials in README and repository

Field	Value
Finding ID	PDD-R-05
Assessment category	G. Product Risk
Description	README publishes a test user password; compose and realm files contain secrets.
Supporting repository evidence	E-02 `README.md` (60-75); E-06 `docker-compose.yml` (21-23,43,52); E-10 `realm-export.json` (686-873)
Business impact	Any environment built from defaults is trivially accessible.
Severity / priority	Critical
Recommendation	Rotate and externalise all credentials before any shared deployment.
Confidence	High

PDD - Product Improvement Recommendations and Prioritised Roadmap

Roadmap (indicative assessor estimate)

Phase	Timeline	Findings addressed	Outcome
P0 Stabilise	0-6 weeks	PDD-F-01, PDD-F-02, PDD-F-03, PDD-F-04, PDD-F-05, PDD-F-06, PDD-R-01, PDD-R-04, PDD-R-05, PDD-R-02, PDD-C-02	Safe for internal demos; secrets rotated; config owned; rebranded; business case & KPIs obtained
P1 MVP channel	2-5 months	PDD-F-07, PDD-F-08, PDD-F-09, PDD-F-11, PDD-F-12, PDD-E-01, PDD-E-02, PDD-E-03, PDD-A-03	MFA, dashboard, scoped history, beneficiaries, limits, idempotent payments, notifications, admin console, web UI
P2 Bank-ready	5-9 months	PDD-A-02, PDD-F-10, PDD-G-02, PDD-S-01, PDD-S-03, PDD-R-03, PDD-A-01	Real CBS adapter, interbank rail, biller aggregator, AML/fraud hooks, immutable audit, HA/DR, VAPT
P3 Differentiate	9-12+ months	PDD-G-01, PDD-S-02, PDD-E-04, PDD-C-01	Mobile, open banking, eKYC onboarding, tenancy model

Improvement recommendations

Finding	Severity	Recommendation
PDD-F-01	Critical	Enforce amount > 0 and max-amount rules at API and ledger level; add tests.
PDD-F-02	Critical	Introduce customer-account entitlement checks derived from the authenticated identity.
PDD-F-03	Critical	Remove public route to core; restrict core to internal service-to-service calls.
PDD-F-04	Critical	Correct balance arithmetic; model holds explicitly; add balance assertions in tests.
PDD-F-05	Critical	Filter every read by the authenticated customer; restrict admin listing to back-office roles.
PDD-F-06	Critical	Introduce admin/ops roles and maker-checker approval.
PDD-G-02	Critical	Compliance-by-design workstream; engage compliance early.
PDD-R-05	Critical	Rotate and externalise all credentials before any shared deployment.
PDD-F-07	High	Enforce status rules for both debit and credit legs.
PDD-F-08	High	Explicit payment state machine with FAILED/REVERSED, timeouts and reconciliation.
PDD-F-09	High	Idempotency-Key on payment APIs end-to-end.
PDD-F-10	High	Integrate a biller aggregator and post to a settlement account.
PDD-F-12	High	Synchronise all lifecycle states to the IdP (disable user, revoke sessions).
PDD-A-02	High	Define CBS/payment-hub adapter contracts early (stakeholder input on target systems).
PDD-E-01	High	Build web (and later mobile) channel against the APIs.
PDD-E-03	High	Add customer-scoped accounts query API.
PDD-S-01	High	Internalise configuration into an organisation-owned store.

Finding	Severity	Recommendation
PDD-G-01	High	Prioritised roadmap (see product-roadmap).
PDD-R-01	High	Fork and internalise config and image builds.
PDD-R-04	High	Separate test data from production migrations.
PDD-F-11	Medium	Reject identical source and destination.
PDD-A-03	Medium	Publish versioned OpenAPI specs as the contract; align Postman and DTO types.
PDD-E-02	Medium	Standard error model (RFC 7807) with user-safe messages and correct status codes.
PDD-S-02	Medium	Decide tenancy model with stakeholders before scaling commercially.
PDD-S-03	Medium	Generalise ledger model (currency, product, transaction codes).
PDD-C-02	Medium	Obtain business case and KPIs from stakeholders.
PDD-R-02	Medium	Retain licence notice; rebrand; value lies in additions.
PDD-R-03	Medium	Own the codebase internally; build team knowledge.
PDD-A-01	Low	Preserve the boundary; formalise it as an anti-corruption/adapter layer.
PDD-E-04	Low	Adopt WCAG 2.1 AA as UI acceptance criterion.
PDD-C-01	Low	Position as internal accelerator; quantify reuse savings with delivery teams.

TDD - Executive Summary

Derived from the product context and PDD findings.

Verdict: Well-structured but prototype-grade Spring Cloud microservices system. Keep the skeleton; re-engineer money movement, authorisation, secrets, delivery pipeline and operability.

Overall technology score: 1.8 / 5

Key messages

- Architecture: sensible decomposition (gateway, channel services, core ledger, discovery, config, tracing) but synchronous non-atomic distributed writes and core exposed at the edge (TDD-ARC-01, TDD-ARC-02).
- Security: 7 Critical findings incl. committed secrets, broken object/function-level authorisation, header-trust model, password logging, third-party config supply chain (TDD-SEC-*).
- Data integrity: no amount validation, double-adjusted balances, no locking, no idempotency, mutable single-entry ledger (TDD-DAT-*).
- Engineering maturity: no CI/CD, 18 unit tests in one service, no IaC/Kubernetes despite README claims (TDD-ENG-, *TDD-INF-*).
- Stack currency: Spring Boot 3.2.4 / Spring Cloud 2023.0.0 and Keycloak 23 are past their open-source support windows per vendor policy (to be re-verified) (TDD-STK-01, STK-02).
- Build/test results and dependency CVE scan could not be produced in the assessment environment (Maven Central HTTP 429) - limitation, not a code defect.

Scorecard (assessor judgement)

Dimension	Score	Basis
Technology stack	2.5	Modern Java 21 / Spring; framework line out of OSS support; springdoc mismatch
Application architecture	3.0	Good bounded contexts; sync-only; no saga/outbox
Code quality	2.5	Readable, layered; duplication; no validation; raw ResponseEntity
Security	1.0	7 Critical / 5 High
Data architecture	1.0	Ledger integrity defects; ddl-auto update; seed data in prod migration
Infrastructure & deployment	1.5	Compose only; no IaC/K8s/CI; root containers
Scalability & performance	1.5	Stateless services but no locking, caching, async, perf tests
Reliability & operability	1.5	No timeouts/circuit breakers/HA/DR; tracing present
Engineering maturity	1.5	No CI/CD; minimal tests; good README

Findings overview

65 findings (Critical: 13, High: 25, Medium: 19, Low: 8).

ID	Domain	Title	Severity	Priority	Complexity
TDD-ARC-01	B. Architecture	Synchronous, non-atomic distributed write for payments	Critical	P1	High
TDD-ARC-02	B. Architecture	Core ledger exposed through public gateway route	Critical	P0	Low
TDD-ARC-03	B. Architecture	No authorisation tier between edge and services	Critical	P0	Medium
TDD-CQ-02	C. Code Quality	No input validation layer	Critical	P0	Low
TDD-DAT-01	E. Data Architecture	Available balance double-adjusted	Critical	P0	Low
TDD-DAT-02	E. Data Architecture	Lost updates under concurrency	Critical	P0	Medium
TDD-SEC-01	D. Security	Secrets committed to version control	Critical	P0	Low
TDD-SEC-02	D. Security	Broken object-level authorisation (OWASP API1)	Critical	P0	Medium
TDD-SEC-03	D. Security	Broken function-level authorisation (OWASP API5)	Critical	P0	Low
TDD-SEC-04	D. Security	Header-based identity trusted; internal ports published	Critical	P0	Low
TDD-SEC-05	D. Security	Plain-text password written to logs	Critical	P0	Low
TDD-SEC-06	D. Security	Supply chain: third-party config repo and images	Critical	P0	Low
TDD-SEC-07	D. Security	No input validation (OWASP API3/API6) - security view	Critical	P0	Low
TDD-ARC-04	B. Architecture	Shared MySQL server and over-privileged shared DB user	High	P1	Medium
TDD-ARC-06	B. Architecture	No adapter / anti-corruption layer for real core and payment rails	High	P2	High
TDD-ARC-07	B. Architecture	Gateway identity-propagation filter likely ineffective	High	P0	Low
TDD-CQ-03	C. Code Quality	Generic exception handler leaks internals and misuses HTTP 400	High	P0	Low
TDD-DAT-03	E. Data Architecture	Account status ignored in postings	High	P0	Low
TDD-DAT-04	E. Data Architecture	No idempotency keys	High	P1	Medium
TDD-DAT-05	E. Data Architecture	Mutable single-entry ledger without timestamps	High	P1	High
TDD-DAT-06	E. Data Architecture	Hibernate ddl-auto: update in three services	High	P1	Low
TDD-DAT-07	E. Data Architecture	Seed data in production migration path	High	P0	Low
TDD-DAT-09	E. Data Architecture	No backup, retention or data-lifecycle evidence	High	P1	Medium
TDD-ENG-01	I. Engineering Maturity	Minimal automated tests	High	P0	Medium
TDD-INF-01	F. Infrastructure & Deployment	No CI/CD pipeline	High	P0	Medium

ID	Domain	Title	Severity	Priority	Complexity
TDD-INF-02	F. Infrastructure & Deployment	No Infrastructure-as-Code or Kubernetes manifests	High	P1	Medium
TDD-INF-05	F. Infrastructure & Deployment	Keycloak realm with secrets imported from JSON in dev mode	High	P1	Medium
TDD-REL-01	H. Reliability & Operability	No timeouts, retries or circuit breakers	High	P1	Low
TDD-REL-02	H. Reliability & Operability	Single instances of all stateful components	High	P2	Medium
TDD-REL-05	H. Reliability & Operability	No DR / business-continuity design	High	P2	High
TDD-SCA-01	G. Scalability & Performance	Stateless services scale horizontally but ledger concurrency unsafe	High	P1	Medium
TDD-SEC-08	D. Security	Actuator over-exposure	High	P0	Low
TDD-SEC-09	D. Security	Keycloak not hardened	High	P1	Medium
TDD-SEC-11	D. Security	No rate limiting or anti-automation	High	P1	Low
TDD-SEC-12	D. Security	Sensitive data in logs (Feign FULL, DTO toString)	High	P0	Low
TDD-SEC-13	D. Security	Containers run as root; mutable image tags	High	P1	Low
TDD-STK-01	A. Technology Stack	Spring Boot 3.2.4 / Spring Cloud 2023.0.0 outside OSS support window	High	P1	Medium
TDD-STK-02	A. Technology Stack	Keycloak 23 server with 24.x admin client	High	P1	Medium
TDD-ARC-05	B. Architecture	No asynchronous/event backbone	Medium	P1	Medium
TDD-ARC-08	B. Architecture	Platform duplication: Eureka + Config Server + static IPs	Medium	P2	Medium
TDD-CQ-01	C. Code Quality	Cross-cutting code duplicated in every service	Medium	P1	Medium
TDD-CQ-05	C. Code Quality	Incorrect JPA relationship on ledger row	Medium	P1	Low
TDD-CQ-07	C. Code Quality	Non-thread-safe static Keycloak client and fuzzy user search	Medium	P1	Low
TDD-CQ-08	C. Code Quality	No static analysis or formatting standards	Medium	P1	Low
TDD-DAT-08	E. Data Architecture	No currency, settlement or suspense accounts	Medium	P2	Medium
TDD-ENG-02	I. Engineering Maturity	Seven independent builds; no version catalog	Medium	P1	Low
TDD-ENG-03	I. Engineering Maturity	No release management or versioning	Medium	P1	Low
TDD-INF-03	F. Infrastructure & Deployment	Images built from host-prebuilt JARs	Medium	P1	Low
TDD-INF-04	F. Infrastructure & Deployment	Environment config hard-codes developer IP and static IPs	Medium	P0	Low
TDD-REL-03	H. Reliability & Operability	Startup ordering via wait-for-it; no health checks	Medium	P1	Low
TDD-REL-04	H. Reliability & Operability	Observability limited to tracing	Medium	P1	Medium

ID	Domain	Title	Severity	Priority	Complexity
TDD-SCA-02	G. Scalability & Performance	N+1 calls to Keycloak when listing users	Medium	P2	Low
TDD-SCA-04	G. Scalability & Performance	No asynchronous processing	Medium	P2	Medium
TDD-SCA-05	G. Scalability & Performance	No performance test assets or NFRs	Medium	P1	Low
TDD-SEC-10	D. Security	No transport encryption inside the system	Medium	P1	Medium
TDD-SEC-14	D. Security	Dependency vulnerability status unknown	Medium	P0	Low
TDD-STK-04	A. Technology Stack	Documented technologies not implemented	Medium	P2	Low
TDD-CQ-04	C. Code Quality	Weakly-typed controllers and reflective mapping	Low	P2	Low
TDD-CQ-06	C. Code Quality	Type mismatch for account number across services	Low	P2	Low
TDD-DAT-10	E. Data Architecture	Unbounded pagination	Low	P2	Low
TDD-ENG-04	I. Engineering Maturity	Documentation good for learning, thin for operations	Low	P2	Low
TDD-ENG-05	I. Engineering Maturity	Developer API collection out of date	Low	P2	Low
TDD-SCA-03	G. Scalability & Performance	No caching layer	Low	P3	Low
TDD-SEC-15	D. Security	CSRF disabled at gateway	Low	P3	Low
TDD-STK-03	A. Technology Stack	springdoc WebFlux UI starter used in Spring MVC services	Low	P2	Low

Overall Technology Due Diligence assessment

Reuse as accelerator. Phase 0 stabilisation (~4-6 weeks, ~3 engineers) closes all Critical items; Phase 1-2 (~6-8 months, 6-8 engineers) reaches bank-pilot readiness. Effort figures are indicative assessor estimates.

TDD - Current Technology Stack Inventory

Layer	Component	Version	Evidence	Lifecycle / support note	Confidence
Language/runtime	Java (Temurin JRE Alpine image)	21 (image 21.0.2_13)	E-37, E-39	Java 21 is an LTS release; image patch level is old	High
Framework	Spring Boot	3.2.4	E-37	3.2.x open-source support ended per Spring support policy (re-verify at spring.io)	Medium
Framework	Spring Cloud	2023.0.0	E-37	Release train paired with Boot 3.2; OSS support ended (re-verify)	Medium
Gateway	Spring Cloud Gateway (WebFlux)	BOM	E-15	Current project	High
Discovery	Netflix Eureka	BOM	E-37	Maintained in Spring Cloud; redundant on Kubernetes	High
Config	Spring Cloud Config Server (git)	BOM	E-11	Backed by third-party repo	High
Integration	OpenFeign (+ feign-okhttp 13.2.1 in user svc)	BOM	E-37	Spring Cloud OpenFeign is feature-complete/maintenance mode	Medium
Persistence	Spring Data JPA / Hibernate	BOM	E-37	Current	High

Layer	Component	Version	Evidence	Lifecycle / support note	Confidence
Database	MySQL server / Connector-J	8.4.0 / 8.4.0	E-05, E-37	8.4 is an LTS line	Medium
Database	PostgreSQL (Keycloak only)	15	E-05	Supported major	Medium
Migrations	Flyway (core only)	10.12.0	E-37	Current major	High
Identity	Keycloak server	23.0.7 (start-dev)	E-05	Superseded by later majors; no longer patched (re-verify)	Medium
Identity	Keycloak admin client	24.0.4	E-37	Version-skewed vs server 23	High
Security	Spring Security OAuth2 resource server	BOM (gateway only)	E-15	Only at edge	High
Observability	Micrometer Tracing (Brave) + Zipkin reporter, Actuator	BOM / Zipkin 3	E-37, E-14	Current approach for Boot 3	High
API docs	springdoc-openapi-starter-webflux-ui	2.1.0	E-37	Wrong flavour for Spring MVC services; outdated	High
Messaging	RabbitMQ	-	E-03	Documented only; not implemented	High
Code-gen	Lombok	BOM	E-37	Current	High
Build	Gradle wrapper x7	8.6	E-38	No root build / version catalog	High
Container	Docker / docker-compose	compose 3.6	E-05, E-39	No orchestrator manifests	High
Testing	JUnit 5, Mockito, H2	BOM / 2.2.224	E-40	Unit-level only	High

Lifecycle statements are based on vendor support policies known to the assessor and were not re-verified online during this assessment (confidence Medium); confirm before decisions.

Findings

TDD-STK-01 - Spring Boot 3.2.4 / Spring Cloud 2023.0.0 outside OSS support window

Field	Value
Finding ID	TDD-STK-01
Technology domain	A. Technology Stack
Description	All services pin Boot 3.2.4 and Cloud 2023.0.0.
Supporting repository evidence	E-37 `*/build.gradle`
Technical impact	No upstream security patches without commercial support.
Business impact	Exposure to unpatched CVEs; audit findings.
Risk severity	High
Recommended remediation	Upgrade to a supported Boot 3.x/Cloud release train; add Renovate/Dependabot.
Implementation complexity	Medium
Priority	P1
Confidence	Medium
Related PDD findings	PDD-R-03

TDD-STK-02 - Keycloak 23 server with 24.x admin client

Field	Value
Finding ID	TDD-STK-02
Technology domain	A. Technology Stack
Description	Server 23.0.7 runs in start-dev; admin client 24.0.4.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-37 `*/build.gradle`

Field	Value
Technical impact	Unsupported IdP version; client/server skew.
Business impact	Identity-layer vulnerabilities affect all customers.
Risk severity	High
Recommended remediation	Upgrade Keycloak (production mode) and align admin client.
Implementation complexity	Medium
Priority	P1
Confidence	Medium
Related PDD findings	PDD-G-02

TDD-STK-03 - springdoc WebFlux UI starter used in Spring MVC services

Field	Value
Finding ID	TDD-STK-03
Technology domain	A. Technology Stack
Description	springdoc-openapi-starter-webflux-ui 2.1.0 declared in core, user, fund-transfer, utility (servlet apps).
Supporting repository evidence	E-37 `*/build.gradle`
Technical impact	Swagger UI may not register; mixed reactive deps on classpath.
Business impact	Integrator documentation unreliable.
Risk severity	Low
Recommended remediation	Use springdoc-openapi-starter-webmvc-ui matching Boot version.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-A-03

TDD-STK-04 - Documented technologies not implemented

Field	Value
Finding ID	TDD-STK-04
Technology domain	A. Technology Stack
Description	README lists RabbitMQ, Prometheus, Kubernetes, Sleuth; none present in code (Sleuth replaced by Micrometer).
Supporting repository evidence	E-03 `README.md` (83-101); E-37 `*/build.gradle`
Technical impact	Architecture docs misrepresent system.
Business impact	Misleading due-diligence/marketing claims.
Risk severity	Medium
Recommended remediation	Correct README; implement only if roadmap requires.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-G-01

TDD - Application, Technology and Data Architecture Assessment

Current-state architecture (logical/physical)

Patterns observed: API gateway, service registry, externalised configuration, declarative REST clients, layered controller/service/repository, DTO mappers, JPA auditing. Constraints: synchronous coupling, single database server, third-party config source.

Application & technology architecture findings

TDD-ARC-01 - Synchronous, non-atomic distributed write for payments

Field	Value
Finding ID	TDD-ARC-01
Technology domain	B. Architecture
Description	Orchestrator saves PENDING, calls core via Feign, then saves SUCCESS; no saga, outbox or compensation.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Technical impact	Partial failures leave channel and ledger inconsistent.
Business impact	Lost/duplicate payments; reconciliation cost.
Risk severity	Critical
Recommended remediation	Saga state machine + transactional outbox + idempotent ledger API + reconciliation job.
Implementation complexity	High
Priority	P1
Confidence	High
Related PDD findings	PDD-F-08, PDD-F-09

TDD-ARC-02 - Core ledger exposed through public gateway route

Field	Value
Finding ID	TDD-ARC-02
Technology domain	B. Architecture
Description	Route /banking-core/** -> core-banking-service; gateway only requires authentication.
Supporting repository evidence	E-13 `[external] internet-banking-api-gateway*.yml` (routes); E-15 `SecurityConfiguration.java` (24-35)
Technical impact	Ledger API reachable from the internet.
Business impact	Unrecorded money movement.
Risk severity	Critical
Recommended remediation	Remove route; internal network only; service-to-service auth.
Implementation complexity	Low
Priority	P0

Field	Value
Confidence	High
Related PDD findings	PDD-F-03

TDD-ARC-03 - No authorisation tier between edge and services

Field	Value
Finding ID	TDD-ARC-03
Technology domain	B. Architecture
Description	Gateway enforces 'authenticated'; downstream services have no Spring Security and trust X-Auth-Id.
Supporting repository evidence	E-15 `SecurityConfiguration.java` (24-35); E-17 `AppAuthUserFilter.java` (21-33)
Technical impact	Every resource vulnerable to IDOR; zero-trust absent.
Business impact	Data breach and fraud.
Risk severity	Critical
Recommended remediation	Every service as OAuth2 resource server; entitlement/policy layer.
Implementation complexity	Medium
Priority	P0
Confidence	High
Related PDD findings	PDD-F-02, PDD-F-05, PDD-F-06

TDD-ARC-04 - Shared MySQL server and over-privileged shared DB user

Field	Value
Finding ID	TDD-ARC-04
Technology domain	B. Architecture
Description	Four schemas on one instance; one app user with DDL+DML on ..
Supporting repository evidence	E-07 `privileges.sql` (1-2); E-08 `privileges.sql` (5-8)
Technical impact	Blast radius across services; no data-ownership enforcement.
Business impact	One compromise exposes all data.
Risk severity	High
Recommended remediation	Per-service least-privilege users; separate ledger instance in prod.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-S-02

TDD-ARC-05 - No asynchronous/event backbone

Field	Value
Finding ID	TDD-ARC-05
Technology domain	B. Architecture
Description	No broker or domain events though README describes RabbitMQ notifications.
Supporting repository evidence	E-02 `README.md` (60-75); E-03 `README.md` (83-101)
Technical impact	Tight temporal coupling; no notification/audit stream.
Business impact	No customer notifications; harder integration.
Risk severity	Medium

Field	Value
Recommended remediation	Introduce Kafka/RabbitMQ with outbox-published domain events.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-G-01

TDD-ARC-06 - No adapter / anti-corruption layer for real core and payment rails

Field	Value
Finding ID	TDD-ARC-06
Technology domain	B. Architecture
Description	Core is a simulated ledger with bespoke REST API.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-21 `TransactionService.java` (48-75)
Technical impact	Replacing core requires changes in every orchestrator.
Business impact	Unbounded first-integration effort.
Risk severity	High
Recommended remediation	Define ports/adapters (CBS, payment hub, biller) behind stable internal contracts.
Implementation complexity	High
Priority	P2
Confidence	Medium
Related PDD findings	PDD-A-02, PDD-F-10

TDD-ARC-07 - Gateway identity-propagation filter likely ineffective

Field	Value
Finding ID	TDD-ARC-07
Technology domain	B. Architecture
Description	GlobalFilter calls exchange.getRequest().mutate().header(...).build() but returns the original exchange, so X-Auth-Id is not added; client-supplied X-Auth-Id passes through.
Supporting repository evidence	E-16 `GatewayConfiguration.java` (18-28)
Technical impact	Audit identity missing or spoofable.
Business impact	Untrustworthy audit trail.
Risk severity	High
Recommended remediation	Return exchange.mutate().request(mutated).build(); strip inbound X-Auth-* headers. Confirm at runtime.
Implementation complexity	Low
Priority	P0
Confidence	Medium
Related PDD findings	PDD-G-02

TDD-ARC-08 - Platform duplication: Eureka + Config Server + static IPs

Field	Value
Finding ID	TDD-ARC-08
Technology domain	B. Architecture
Description	Discovery and config via Spring Cloud plus static Docker IPs in config.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-12 `*/src/main/resources/bootstrap*.yml`; E-14 `[external] *-service.yml` (ddl-auto / management)
Technical impact	Extra moving parts; brittle addressing.
Business impact	Higher ops cost.
Risk severity	Medium
Recommended remediation	On Kubernetes use native DNS/ConfigMaps/Secrets or Spring Cloud Kubernetes.
Implementation complexity	Medium
Priority	P2
Confidence	High
Related PDD findings	PDD-S-01

Data architecture

Entity / table	Owner service	Key attributes	Relationships
banking_core_user	core	id, first_name, last_name, email, identification_number	1-* account
banking_core_account	core	id, number, type, status, actual_balance, available_balance DECIMAL(19,2), user_id	*-1 user; 1-* transaction
banking_core_transaction	core	id, amount, transaction_type, reference_number, transaction_id, account_id	*-1 account (mapped @OneToOne)
banking_core_utility_account	core	id, number, provider_name	-
user	user-service	id, auth_id, identification, status + audit	auth_id -> Keycloak user
fund_transfer	fund-transfer	id, transaction_reference, from_account, to_account, amount, status + audit	transaction_reference -> core transaction_id
utility_payment	utility-payment	id, provider_id, amount, reference_number, account, transaction_id, status + audit	transaction_id -> core

TDD-DAT-01 - Available balance double-adjusted

Field	Value
Finding ID	TDD-DAT-01
Technology domain	E. Data Architecture
Description	availableBalance computed from already-updated actualBalance on debit and credit.
Supporting repository evidence	E-20 `TransactionService.java` (63-64,90-91,99-100)
Technical impact	Ledger inconsistency.
Business impact	Wrong customer balances.
Risk severity	Critical
Recommended remediation	available = available -/+ amount; explicit holds.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-04

TDD-DAT-02 - Lost updates under concurrency

Field	Value
Finding ID	TDD-DAT-02
Technology domain	E. Data Architecture
Description	Read-modify-write on BankAccountEntity without @Version or SELECT ... FOR UPDATE.
Supporting repository evidence	E-23 `BankAccountEntity.java` (16-37); E-18 `TransactionService.java` (35-46)
Technical impact	Concurrent debits can overdraw.
Business impact	Financial loss.
Risk severity	Critical
Recommended remediation	Pessimistic locking ordered by account id or optimistic @Version + retry; DB CHECK constraints.
Implementation complexity	Medium
Priority	P0
Confidence	High
Related PDD findings	PDD-F-01, PDD-F-04

TDD-DAT-03 - Account status ignored in postings

Field	Value
Finding ID	TDD-DAT-03
Technology domain	E. Data Architecture
Description	Status not checked in TransactionService.
Supporting repository evidence	E-19 `TransactionService.java` (77-81); E-25 `core-banking-service/src/main/java/com/javatodev/finance/model/{AccountType,AccountStatus,TransactionType}.java`
Technical impact	Invalid postings.
Business impact	Regulatory breach.
Risk severity	High
Recommended remediation	Status rules in ledger domain.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-07

TDD-DAT-04 - No idempotency keys

Field	Value
Finding ID	TDD-DAT-04
Technology domain	E. Data Architecture
Description	transactionId generated server-side per call; no unique client key.
Supporting repository evidence	E-18 `TransactionService.java` (35-46); E-33 `FundTransferService.java` (31-51)
Technical impact	Duplicates on retry.
Business impact	Double debits.
Risk severity	High
Recommended remediation	Idempotency-Key persisted with unique constraint.

Field	Value
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-F-09

TDD-DAT-05 - Mutable single-entry ledger without timestamps

Field	Value
Finding ID	TDD-DAT-05
Technology domain	E. Data Architecture
Description	Balances are mutable columns; transaction rows lack timestamps, status, balance-after; transaction_id not unique.
Supporting repository evidence	E-22 `TransactionEntity.java` (17-35); E-24 `core-banking-service/src/main/resources/db/migration/` (V1.0.*)
Technical impact	No auditability or replay; weak integrity.
Business impact	Audit/regulatory failure.
Risk severity	High
Recommended remediation	Double-entry append-only journal with posted_at/value_date and unique ids.
Implementation complexity	High
Priority	P1
Confidence	High
Related PDD findings	PDD-G-02, PDD-S-03

TDD-DAT-06 - Hibernate ddl-auto: update in three services

Field	Value
Finding ID	TDD-DAT-06
Technology domain	E. Data Architecture
Description	User, fund-transfer, utility-payment schemas managed by Hibernate auto-DDL.
Supporting repository evidence	E-14 `[external] *-service.yml` (ddl-auto / management)
Technical impact	Uncontrolled schema drift.
Business impact	Production outages/data loss.
Risk severity	High
Recommended remediation	Flyway in all services; ddl-auto validate.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

TDD-DAT-07 - Seed data in production migration path

Field	Value
Finding ID	TDD-DAT-07
Technology domain	E. Data Architecture
Description	V1.0.20210427174721__temp_data.sql inserts customers/accounts/billers.
Supporting repository evidence	E-24 `core-banking-service/src/main/resources/db/migration/` (V1.0.*)

Field	Value
Technical impact	Fake data in every environment.
Business impact	Ledger contamination.
Risk severity	High
Recommended remediation	Move to test-only Flyway location.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-R-04

TDD-DAT-08 - No currency, settlement or suspense accounts

Field	Value
Finding ID	TDD-DAT-08
Technology domain	E. Data Architecture
Description	No currency column; utility payment has no credit leg.
Supporting repository evidence	E-24 `core-banking-service/src/main/resources/db/migration/` (V1.0.*); E-21 `TransactionService.java` (48-75)
Technical impact	Ledger cannot balance.
Business impact	Unreconcilable books.
Risk severity	Medium
Recommended remediation	Currency + GL/settlement accounts.
Implementation complexity	Medium
Priority	P2
Confidence	High
Related PDD findings	PDD-F-10, PDD-S-03

TDD-DAT-09 - No backup, retention or data-lifecycle evidence

Field	Value
Finding ID	TDD-DAT-09
Technology domain	E. Data Architecture
Description	No backup scripts, retention policies, or archival in repository; volumes only.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139)
Technical impact	Data loss on host failure.
Business impact	Business continuity risk.
Risk severity	High
Recommended remediation	Define RPO/RTO; automated backups and PITR; retention policy.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-R-01

TDD-DAT-10 - Unbounded pagination

Field	Value
Finding ID	TDD-DAT-10
Technology domain	E. Data Architecture
Description	Pageable endpoints without max page size.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-33 `FundTransferService.java` (31-51)
Technical impact	Large queries / memory pressure.
Business impact	Availability.
Risk severity	Low
Recommended remediation	spring.data.web.pageable.max-page-size.
Implementation complexity	Low
Priority	P2
Confidence	Medium
Related PDD findings	-

Architecture gap analysis

Dimension	Current state	Target state	Gap findings
Edge & identity	Gateway JWT validation only; Keycloak dev mode; no MFA	WAF + API mgmt, rate limiting, HA Keycloak with MFA, auth-code+PKCE	TDD-SEC-09, TDD-SEC-11, TDD-STK-02
Authorisation	None below edge; header trust	Zero-trust: JWT per service, entitlements, RBAC, maker-checker	TDD-ARC-03, TDD-SEC-02, TDD-SEC-03, TDD-SEC-04
Payments orchestration	Sync Feign, no state machine	Saga + outbox + idempotency + reconciliation	TDD-ARC-01, TDD-DAT-04
Ledger	Mutable single-entry, simulated	Adapter to real CBS; double-entry journal if in-house	TDD-DAT-05, TDD-ARC-06
Integration	Synchronous only	Event bus for notifications/audit/reconciliation	TDD-ARC-05, TDD-SCA-04
Data management	Shared MySQL, ddl-auto update, seed data	Per-service least privilege, Flyway, backups/PITR	TDD-ARC-04, TDD-DAT-06, TDD-DAT-07, TDD-DAT-09
Platform	docker-compose, static IPs, Eureka/Config	Kubernetes + Helm, ConfigMaps/Secrets, IaC	TDD-INF-02, TDD-ARC-08, TDD-INF-04
Delivery	No CI/CD	Secure pipeline with quality and security gates	TDD-INF-01, TDD-ENG-01, TDD-SEC-14
Operability	Tracing only	OTel metrics/logs/traces, SLOs, alerting, HA/DR	TDD-REL-01, TDD-REL-02, TDD-REL-04, TDD-REL-05

Target-state technology architecture

TDD - Code Quality and Engineering Maturity Assessment

Metric	Value
Production Java LOC / files	~2,846 / 121
Test Java LOC / files	~413 / 10
Unit tests	18 (core-banking only)
Bean Validation annotations	0
Method-level security annotations	0
Static analysis config	None

Code quality findings

TDD-CQ-01 - Cross-cutting code duplicated in every service

Field	Value
Finding ID	TDD-CQ-01
Technology domain	C. Code Quality
Description	ApiRequestContext*, AppAuthUserFilter, AuditAware, BaseMapper, GlobalExceptionHandler, ErrorResponse copied per service.
Supporting repository evidence	E-17 `AppAuthUserFilter.java` (21-33); E-27 `*/src/main/java/com/javatodev/finance/exception/GlobalExceptionHandler.java` (core:27 ft:24 user:27 up:27); E-36 `*/src/main/java/com/javatodev/finance/model/dto/AuditAware.java`
Technical impact	Fixes drift between services.
Business impact	Slower, riskier change.
Risk severity	Medium
Recommended remediation	Shared internal starter library.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-R-03

TDD-CQ-02 - No input validation layer

Field	Value
Finding ID	TDD-CQ-02
Technology domain	C. Code Quality
Description	Zero Bean Validation annotations in the codebase.
Supporting repository evidence	E-19 `TransactionService.java` (77-81); E-28 `UserController.java` (28-55)
Technical impact	Invalid data reaches domain logic.
Business impact	Fraud and data quality issues.
Risk severity	Critical
Recommended remediation	Bean Validation on all request DTOs + domain invariants.
Implementation complexity	Low
Priority	P0

Field	Value
Confidence	High
Related PDD findings	PDD-F-01, PDD-F-11

TDD-CQ-03 - Generic exception handler leaks internals and misuses HTTP 400

Field	Value
Finding ID	TDD-CQ-03
Technology domain	C. Code Quality
Description	handleException returns 'Exception occur inside API ' + e for all exceptions.
Supporting repository evidence	E-27 `*/src/main/java/com/javatodev/finance/exception/GlobalExceptionHandler.java` (core:27 ft:24 user:27 up:27)
Technical impact	Information disclosure; clients cannot distinguish errors.
Business impact	Poor UX, support overhead.
Risk severity	High
Recommended remediation	RFC 7807 ProblemDetail, correct status codes, correlation id.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-E-02

TDD-CQ-04 - Weakly-typed controllers and reflective mapping

Field	Value
Finding ID	TDD-CQ-04
Technology domain	C. Code Quality
Description	Raw ResponseEntity return types; BeanUtils.copyProperties mappers instantiated with new.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`; E-33 `FundTransferService.java` (31-51)
Technical impact	Silent field mismatches; weak API contracts.
Business impact	Integration defects.
Risk severity	Low
Recommended remediation	Typed responses; MapStruct mappers as beans.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-A-03

TDD-CQ-05 - Incorrect JPA relationship on ledger row

Field	Value
Finding ID	TDD-CQ-05
Technology domain	C. Code Quality
Description	TransactionEntity.account mapped @OneToOne(cascade = ALL) for a many-to-one relationship.

Field	Value
Supporting repository evidence	E-22 `TransactionEntity.java` (17-35)
Technical impact	Cascade from transaction to account can persist/delete accounts unintentionally.
Business impact	Ledger corruption risk.
Risk severity	Medium
Recommended remediation	@ManyToOne without cascade.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	PDD-F-04

TDD-CQ-06 - Type mismatch for account number across services

Field	Value
Finding ID	TDD-CQ-06
Technology domain	C. Code Quality
Description	AccountResponse.number is Long in fund-transfer and utility-payment, String in core.
Supporting repository evidence	E-44 `*/src/main/java/com/javatodev/finance/model/**/AccountResponse.java` (9)
Technical impact	Leading zeros / alphanumeric numbers break.
Business impact	Failures with real CBS formats.
Risk severity	Low
Recommended remediation	Use String consistently; shared contract.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-A-03

TDD-CQ-07 - Non-thread-safe static Keycloak client and fuzzy user search

Field	Value
Finding ID	TDD-CQ-07
Technology domain	C. Code Quality
Description	Static lazily-initialised Keycloak instance; users().search(email) then get(0).
Supporting repository evidence	E-31 `KeycloakProperties.java` (25-40); E-30 `KeycloakUserService.java` (36); E-29 `UserService.java` (33-111)
Technical impact	Race on init; wrong user matched for similar emails.
Business impact	Mis-linked identities.
Risk severity	Medium
Recommended remediation	Spring-managed singleton bean; exact email search; use created id from Location header.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	PDD-F-12

TDD-CQ-08 - No static analysis or formatting standards

Field	Value
Finding ID	TDD-CQ-08
Technology domain	C. Code Quality
Description	No Checkstyle/SpotBugs/PMD/Spotless/Sonar configuration.
Supporting repository evidence	E-38 `*/gradle/wrapper/gradle-wrapper.properties`
Technical impact	Quality regressions undetected.
Business impact	Higher defect rate.
Risk severity	Medium
Recommended remediation	Add Spotless + SpotBugs/Sonar gates in CI.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

Engineering maturity findings

TDD-ENG-01 - Minimal automated tests

Field	Value
Finding ID	TDD-ENG-01
Technology domain	I. Engineering Maturity
Description	18 unit tests in core (do not assert balances); contextLoads elsewhere; no integration/contract/E2E.
Supporting repository evidence	E-40 `*/src/test/**`
Technical impact	Regressions undetected (e.g. TDD-DAT-01 passes tests).
Business impact	Defects reach customers.
Risk severity	High
Recommended remediation	Testcontainers, WireMock, contract tests, Newman/Karate E2E; JaCoCo gate.
Implementation complexity	Medium
Priority	P0
Confidence	High
Related PDD findings	PDD-F-04

TDD-ENG-02 - Seven independent builds; no version catalog

Field	Value
Finding ID	TDD-ENG-02
Technology domain	I. Engineering Maturity
Description	Each service has its own wrapper and duplicated versions.
Supporting repository evidence	E-38 `*/gradle/wrapper/gradle-wrapper.properties`; E-37 `*/build.gradle`
Technical impact	Version skew; slow upgrades.
Business impact	Maintenance cost.
Risk severity	Medium
Recommended remediation	Gradle multi-project + libs.versions.toml.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

TDD-ENG-03 - No release management or versioning

Field	Value
Finding ID	TDD-ENG-03
Technology domain	I. Engineering Maturity
Description	All services 0.0.1-SNAPSHOT; README releases link to upstream repo.
Supporting repository evidence	E-37 `*/build.gradle`; E-01 `README.md` (1-20)
Technical impact	Untraceable deployments.
Business impact	Change-management audit gaps.
Risk severity	Medium
Recommended remediation	Semantic versioning, tagged releases, changelog.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

TDD-ENG-04 - Documentation good for learning, thin for operations

Field	Value
Finding ID	TDD-ENG-04
Technology domain	I. Engineering Maturity
Description	README + tutorial links + one diagram; no ADRs, runbooks or API specs.
Supporting repository evidence	E-01 `README.md` (1-20); E-46 `centralized_configuration.drawio`
Technical impact	Onboarding of ops teams slow.
Business impact	Support cost.
Risk severity	Low
Recommended remediation	ADRs, runbooks, published OpenAPI.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-A-03

TDD-ENG-05 - Developer API collection out of date

Field	Value
Finding ID	TDD-ENG-05
Technology domain	I. Engineering Maturity
Description	Postman paths differ from gateway routes and controller paths.
Supporting repository evidence	E-42 `JAVA_TO_DEV_MICROSERVICES.postman_collection.json`
Technical impact	Manual testing friction.
Business impact	Demo failures.
Risk severity	Low
Recommended remediation	Regenerate collection from OpenAPI; run in CI.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	PDD-A-03

TDD - Security Assessment

The presence of Spring Security and Keycloak is **not** treated as evidence that the application is secure; each control was checked in code/config.

ID	Domain	Title	Severity	Priority	Complexity
TDD-SEC-01	D. Security	Secrets committed to version control	Critical	P0	Low
TDD-SEC-02	D. Security	Broken object-level authorisation (OWASP API1)	Critical	P0	Medium
TDD-SEC-03	D. Security	Broken function-level authorisation (OWASP API5)	Critical	P0	Low
TDD-SEC-04	D. Security	Header-based identity trusted; internal ports published	Critical	P0	Low
TDD-SEC-05	D. Security	Plain-text password written to logs	Critical	P0	Low
TDD-SEC-06	D. Security	Supply chain: third-party config repo and images	Critical	P0	Low
TDD-SEC-07	D. Security	No input validation (OWASP API3/API6) - security view	Critical	P0	Low
TDD-SEC-08	D. Security	Actuator over-exposure	High	P0	Low
TDD-SEC-09	D. Security	Keycloak not hardened	High	P1	Medium
TDD-SEC-11	D. Security	No rate limiting or anti-automation	High	P1	Low
TDD-SEC-12	D. Security	Sensitive data in logs (Feign FULL, DTO toString)	High	P0	Low
TDD-SEC-13	D. Security	Containers run as root; mutable image tags	High	P1	Low
TDD-SEC-10	D. Security	No transport encryption inside the system	Medium	P1	Medium
TDD-SEC-14	D. Security	Dependency vulnerability status unknown	Medium	P0	Low
TDD-SEC-15	D. Security	CSRF disabled at gateway	Low	P3	Low

TDD-SEC-01 - Secrets committed to version control

Field	Value
Finding ID	TDD-SEC-01
Technology domain	D. Security
Description	MySQL root/app, Keycloak admin/DB passwords, two Keycloak client secrets, test client secret, published test user password.
Supporting repository evidence	E-06 `docker-compose.yml` (21-23,43,52); E-07 `privileges.sql` (1-2); E-10 `realm-export.json` (686-873); E-41 `application.yml` (35); E-02 `README.md` (60-75)
Technical impact	Credential compromise of any default deployment.
Business impact	Account takeover, data breach.
Risk severity	Critical
Recommended remediation	Rotate; secrets manager/K8s Secrets; gitleaks in CI; history purge if public.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-R-05

TDD-SEC-02 - Broken object-level authorisation (OWASP API1)

Field	Value
Finding ID	TDD-SEC-02
Technology domain	D. Security
Description	No ownership checks on transfer source, account lookup, history.

Field	Value
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53); E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Technical impact	Horizontal privilege escalation.
Business impact	Fraud and privacy breach.
Risk severity	Critical
Recommended remediation	Derive customer from validated JWT; entitlement checks; scoped queries.
Implementation complexity	Medium
Priority	P0
Confidence	High
Related PDD findings	PDD-F-02, PDD-F-05

TDD-SEC-03 - Broken function-level authorisation (OWASP API5)

Field	Value
Finding ID	TDD-SEC-03
Technology domain	D. Security
Description	Status update endpoint callable by any authenticated user; no roles in realm.
Supporting repository evidence	E-28 `UserController.java` (28-55); E-10 `realm-export.json` (686-873)
Technical impact	Vertical privilege escalation.
Business impact	Self-approval of accounts.
Risk severity	Critical
Recommended remediation	Realm roles + @PreAuthorize + maker-checker.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-06

TDD-SEC-04 - Header-based identity trusted; internal ports published

Field	Value
Finding ID	TDD-SEC-04
Technology domain	D. Security
Description	Services read X-Auth-Id without JWT validation; compose publishes 8083-8085, 8092, 3306 on host.
Supporting repository evidence	E-17 `AppAuthUserFilter.java` (21-33); E-05 `docker-compose.yml` (1-139)
Technical impact	Gateway bypass and identity spoofing.
Business impact	Untraceable fraudulent actions.
Risk severity	Critical
Recommended remediation	Resource server per service; publish only gateway port; strip inbound auth headers.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-02

TDD-SEC-05 - Plain-text password written to logs

Field	Value
Finding ID	TDD-SEC-05
Technology domain	D. Security
Description	UserController logs request.toString(); Lombok @Data User includes password.
Supporting repository evidence	E-28 `UserController.java` (28-55); E-32 `User.java` (1-20)
Technical impact	Credential exposure in log stores.
Business impact	Regulatory breach; account takeover.
Risk severity	Critical
Recommended remediation	Separate request DTO; @ToString.Exclude; log redaction policy.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-06

TDD-SEC-06 - Supply chain: third-party config repo and images

Field	Value
Finding ID	TDD-SEC-06
Technology domain	D. Security
Description	Config Server pulls from JavatoDev-com public repo; compose uses javatodev/* images.
Supporting repository evidence	E-11 `application.yml` (1-10); E-05 `docker-compose.yml` (1-139)
Technical impact	Third party controls routes, DB URLs and binaries.
Business impact	Full compromise possible via upstream change.
Risk severity	Critical
Recommended remediation	Org-owned private config; build/sign images in own CI; SBOM.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-R-01, PDD-S-01

TDD-SEC-07 - No input validation (OWASP API3/API6) - security view

Field	Value
Finding ID	TDD-SEC-07
Technology domain	D. Security
Description	Negative amounts and arbitrary fields accepted; mass-assignment via BeanUtils.copyProperties from request DTOs.
Supporting repository evidence	E-19 `TransactionService.java` (77-81); E-33 `FundTransferService.java` (31-51)
Technical impact	Business-logic abuse.
Business impact	Financial loss.
Risk severity	Critical
Recommended remediation	Validation + explicit DTO-to-entity mapping.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-01

TDD-SEC-08 - Actuator over-exposure

Field	Value
Finding ID	TDD-SEC-08
Technology domain	D. Security
Description	Gateway and fund-transfer expose all actuator endpoints; gateway permits /actuator/ **and /*/actuator/** unauthenticated.
Supporting repository evidence	E-14 `[external] *-service.yml` (ddl-auto / management); E-15 `SecurityConfiguration.java` (24-35)
Technical impact	env/configprops/heapdump disclosure.
Business impact	Secrets and PII leakage.
Risk severity	High
Recommended remediation	Expose health/info/prometheus only; separate management port; auth.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	-

TDD-SEC-09 - Keycloak not hardened

Field	Value
Finding ID	TDD-SEC-09
Technology domain	D. Security
Description	start-dev, HTTP, sslRequired=external, brute-force off, no password policy, direct-access grants with wildcard redirect URIs.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-09 `realm-export.json` (29,38); E-10 `realm-export.json` (686-873)
Technical impact	Credential stuffing, token theft.
Business impact	Account takeover.
Risk severity	High
Recommended remediation	Production mode with TLS, brute-force detection, password policy, MFA, auth-code+PKCE only, exact redirects.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-G-02

TDD-SEC-10 - No transport encryption inside the system

Field	Value
Finding ID	TDD-SEC-10
Technology domain	D. Security
Description	HTTP for Eureka/Config/Feign/Keycloak; JDBC URLs without TLS parameters.
Supporting repository evidence	E-14 `[external] *-service.yml` (ddl-auto / management); E-05 `docker-compose.yml` (1-139)
Technical impact	Traffic interception on shared networks.
Business impact	Data-in-transit non-compliance.

Field	Value
Risk severity	Medium
Recommended remediation	mTLS (mesh) or TLS per hop; MySQL sslMode=VERIFY_IDENTITY.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-G-02

TDD-SEC-11 - No rate limiting or anti-automation

Field	Value
Finding ID	TDD-SEC-11
Technology domain	D. Security
Description	Public register endpoint and payment endpoints unthrottled.
Supporting repository evidence	E-15 `SecurityConfiguration.java` (24-35); E-13 `[external] internet-banking-api-gateway*.yml` (routes)
Technical impact	Enumeration and brute-force.
Business impact	Fraud, availability.
Risk severity	High
Recommended remediation	Gateway RequestRateLimiter; CAPTCHA; velocity limits.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	PDD-G-02

TDD-SEC-12 - Sensitive data in logs (Feign FULL, DTO toString)

Field	Value
Finding ID	TDD-SEC-12
Technology domain	D. Security
Description	Fund-transfer Feign Logger.Level.FULL; controllers log full request DTOs.
Supporting repository evidence	E-35 `CustomFeignClientConfiguration.java` (13); E-33 `FundTransferService.java` (31-51)
Technical impact	Account numbers/amounts in logs.
Business impact	Privacy non-compliance.
Risk severity	High
Recommended remediation	BASIC logging; masking.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-F-05

TDD-SEC-13 - Containers run as root; mutable image tags

Field	Value
Finding ID	TDD-SEC-13
Technology domain	D. Security

Field	Value
Description	Dockerfiles lack USER; compose uses tags like openzipkin/zipkin:3, postgres:15.
Supporting repository evidence	E-39 `*/Dockerfile` ; E-05 `docker-compose.yml` (1-139)
Technical impact	Container breakout impact; non-reproducible deploys.
Business impact	Security audit failure.
Risk severity	High
Recommended remediation	Non-root user, read-only FS, pinned digests, image scanning.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

TDD-SEC-14 - Dependency vulnerability status unknown

Field	Value
Finding ID	TDD-SEC-14
Technology domain	D. Security
Description	No SCA tooling in repo; scan could not run in assessment (dependency download blocked).
Supporting repository evidence	E-37 `*/build.gradle` ; E-43 `git log`
Technical impact	Unknown CVE exposure.
Business impact	Unquantified security risk.
Risk severity	Medium
Recommended remediation	OWASP Dependency-Check/Trivy in CI; SBOM.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	-

TDD-SEC-15 - CSRF disabled at gateway

Field	Value
Finding ID	TDD-SEC-15
Technology domain	D. Security
Description	csrf disabled - acceptable for pure bearer-token APIs only.
Supporting repository evidence	E-15 `SecurityConfiguration.java` (24-35)
Technical impact	Risk if cookie sessions/BFF introduced.
Business impact	Low today.
Risk severity	Low
Recommended remediation	Document decision; enable if cookies used.
Implementation complexity	Low
Priority	P3
Confidence	High
Related PDD findings	-

TDD - Infrastructure, Deployment, Reliability and Operational Readiness

Infrastructure and deployment findings

TDD-INF-01 - No CI/CD pipeline

Field	Value
Finding ID	TDD-INF-01
Technology domain	F. Infrastructure & Deployment
Description	Workflows removed in HEAD commit; no pipeline definitions.
Supporting repository evidence	E-43 `git log`
Technical impact	No automated build/test/scan/deploy.
Business impact	Slow, risky releases.
Risk severity	High
Recommended remediation	CI per service: build, test, SAST, SCA, secret scan, image build/scan/sign, deploy.
Implementation complexity	Medium
Priority	P0
Confidence	High
Related PDD findings	PDD-R-03

TDD-INF-02 - No Infrastructure-as-Code or Kubernetes manifests

Field	Value
Finding ID	TDD-INF-02
Technology domain	F. Infrastructure & Deployment
Description	Only docker-compose; README claims Kubernetes.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-03 `README.md` (83-101)
Technical impact	Not cloud-deployable reproducibly.
Business impact	Deployment effort for every client.
Risk severity	High
Recommended remediation	Helm/Kustomize; Terraform for cloud resources.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-S-02

TDD-INF-03 - Images built from host-prebuilt JARs

Field	Value
Finding ID	TDD-INF-03
Technology domain	F. Infrastructure & Deployment
Description	Dockerfiles ADD build/libs/*.jar; no multi-stage build.
Supporting repository evidence	E-39 `*/Dockerfile`
Technical impact	Non-reproducible artefacts.
Business impact	Supply-chain audit gaps.
Risk severity	Medium
Recommended remediation	Multi-stage builds or Jib/Buildpacks in CI.
Implementation complexity	Low

Field	Value
Priority	P1
Confidence	High
Related PDD findings	-

TDD-INF-04 - Environment config hard-codes developer IP and static IPs

Field	Value
Finding ID	TDD-INF-04
Technology domain	F. Infrastructure & Deployment
Description	Default bootstrap uses 192.168.1.5; external config uses 172.25.0.x.
Supporting repository evidence	E-12 `*/src/main/resources/bootstrap*.yml` ; E-14 `[external] *-service.yml` (ddl-auto / management)
Technical impact	Broken portability.
Business impact	Deployment failures.
Risk severity	Medium
Recommended remediation	12-factor env-var configuration; DNS names.
Implementation complexity	Low
Priority	P0
Confidence	High
Related PDD findings	PDD-S-01

TDD-INF-05 - Keycloak realm with secrets imported from JSON in dev mode

Field	Value
Finding ID	TDD-INF-05
Technology domain	F. Infrastructure & Deployment
Description	Realm export with secrets mounted; start-dev --import-realm.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-10 `realm-export.json` (686-873)
Technical impact	Non-production IdP setup.
Business impact	Security and stability risk.
Risk severity	High
Recommended remediation	Keycloak Operator / realm-as-code with injected secrets.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-G-02

Reliability and operational readiness findings

TDD-REL-01 - No timeouts, retries or circuit breakers

Field	Value
Finding ID	TDD-REL-01
Technology domain	H. Reliability & Operability
Description	No Resilience4j/Spring Cloud CircuitBreaker; Feign defaults.
Supporting repository evidence	E-37 `*/build.gradle` ; E-33 `FundTransferService.java` (31-51)

Field	Value
Technical impact	Cascading failures; thread exhaustion.
Business impact	Outages.
Risk severity	High
Recommended remediation	Resilience4j timeouts/circuit breakers; retries only for idempotent calls.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	PDD-F-08

TDD-REL-02 - Single instances of all stateful components

Field	Value
Finding ID	TDD-REL-02
Technology domain	H. Reliability & Operability
Description	One MySQL, one Keycloak, one Eureka, one Config Server, in-memory Zipkin.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139)
Technical impact	Single points of failure.
Business impact	Downtime.
Risk severity	High
Recommended remediation	HA pairs / managed services; clustered Keycloak.
Implementation complexity	Medium
Priority	P2
Confidence	High
Related PDD findings	PDD-R-01

TDD-REL-03 - Startup ordering via wait-for-it; no health checks

Field	Value
Finding ID	TDD-REL-03
Technology domain	H. Reliability & Operability
Description	Compose entrypoints chain wait-for-it.sh; no healthcheck stanzas.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139); E-39 `*/Dockerfile`
Technical impact	Fragile startup; no self-healing.
Business impact	Operational toil.
Risk severity	Medium
Recommended remediation	Readiness/liveness probes on actuator health groups.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	-

TDD-REL-04 - Observability limited to tracing

Field	Value
Finding ID	TDD-REL-04
Technology domain	H. Reliability & Operability

Field	Value
Description	Tracing 100% sampled to in-memory Zipkin; no metrics registry, structured logs or alerting.
Supporting repository evidence	E-14 `[external] *-service.yml` (ddl-auto / management); E-37 `*/build.gradle`
Technical impact	Blind to errors and saturation.
Business impact	Slow incident response.
Risk severity	Medium
Recommended remediation	OpenTelemetry, Prometheus metrics, JSON logs with trace ids, alerting/SLOs.
Implementation complexity	Medium
Priority	P1
Confidence	High
Related PDD findings	PDD-F-08

TDD-REL-05 - No DR / business-continuity design

Field	Value
Finding ID	TDD-REL-05
Technology domain	H. Reliability & Operability
Description	No DR documentation or automation in repository.
Supporting repository evidence	E-05 `docker-compose.yml` (1-139)
Technical impact	Unbounded recovery time.
Business impact	Regulatory BCP non-compliance.
Risk severity	High
Recommended remediation	Define RPO/RTO; multi-AZ; DR runbooks and tests.
Implementation complexity	High
Priority	P2
Confidence	High
Related PDD findings	PDD-G-02

TDD - Scalability and Performance Assessment

No performance test evidence exists in the repository; no throughput or latency figures are claimed.

TDD-SCA-01 - Stateless services scale horizontally but ledger concurrency unsafe

Field	Value
Finding ID	TDD-SCA-01
Technology domain	G. Scalability & Performance
Description	Services hold no session state; scaling core increases lost-update risk (TDD-DAT-02).
Supporting repository evidence	E-23 `BankAccountEntity.java` (16-37); E-05 `docker-compose.yml` (1-139)
Technical impact	Scaling blocked by data integrity.
Business impact	Throughput ceiling.
Risk severity	High
Recommended remediation	Fix locking first, then HPA.
Implementation complexity	Medium
Priority	P1
Confidence	Medium

Field	Value
Related PDD findings	PDD-S-02

TDD-SCA-02 - N+1 calls to Keycloak when listing users

Field	Value
Finding ID	TDD-SCA-02
Technology domain	G. Scalability & Performance
Description	readUsers performs one admin-API call per user.
Supporting repository evidence	E-29 `UserService.java` (33-111)
Technical impact	Latency grows with page size.
Business impact	Slow back-office screens.
Risk severity	Medium
Recommended remediation	Batch fetch or cache email locally.
Implementation complexity	Low
Priority	P2
Confidence	High
Related PDD findings	-

TDD-SCA-03 - No caching layer

Field	Value
Finding ID	TDD-SCA-03
Technology domain	G. Scalability & Performance
Description	No cache configuration for read-heavy lookups.
Supporting repository evidence	E-26 `core-banking-service/src/main/java/com/javatodev/finance/controller/*.java`
Technical impact	Unnecessary DB load.
Business impact	Higher infra cost.
Risk severity	Low
Recommended remediation	Caffeine/Redis with TTL for biller/account metadata.
Implementation complexity	Low
Priority	P3
Confidence	High
Related PDD findings	-

TDD-SCA-04 - No asynchronous processing

Field	Value
Finding ID	TDD-SCA-04
Technology domain	G. Scalability & Performance
Description	All flows synchronous request/response.
Supporting repository evidence	E-33 `FundTransferService.java` (31-51); E-34 `UtilityPaymentService.java` (31-53)
Technical impact	Latency coupling to core.
Business impact	Poor resilience under load.
Risk severity	Medium
Recommended remediation	Async for notifications/settlement via event bus.
Implementation complexity	Medium

Field	Value
Priority	P2
Confidence	High
Related PDD findings	PDD-G-01

TDD-SCA-05 - No performance test assets or NFRs

Field	Value
Finding ID	TDD-SCA-05
Technology domain	G. Scalability & Performance
Description	No load tests, no SLOs.
Supporting repository evidence	E-40 `*/src/test/**`
Technical impact	Capacity unknown.
Business impact	Cannot commit to SLAs.
Risk severity	Medium
Recommended remediation	Define NFRs with stakeholders; k6/Gatling baselines.
Implementation complexity	Low
Priority	P1
Confidence	High
Related PDD findings	PDD-C-02

TDD - Technical Debt Register

Debt ID	Item	Type	Findings	Interest (cost of inaction)	Effort (engineer-weeks, indicative)
TD-01	Ledger integrity (validation, balance math, locking, status)	Design/code	TDD-CQ-02, TDD-DAT-01, TDD-DAT-02, TDD-DAT-03	Financial loss on every defective posting	3.5
TD-02	Distributed transaction design (saga/outbox/idempotency)	Architecture	TDD-ARC-01, TDD-DAT-04	Reconciliation effort grows with volume	6
TD-03	Authorisation model	Security/architecture	TDD-ARC-03, TDD-SEC-02, TDD-SEC-03, TDD-SEC-04	Blocks any external exposure	4
TD-04	Secrets and supply chain	Security/ops	TDD-SEC-01, TDD-SEC-06, TDD-INF-04	Continuous compromise exposure	3
TD-05	Duplicated cross-cutting code + build fragmentation	Code/build	TDD-CQ-01, TDD-ENG-02	Every fix x4-7	3
TD-06	Schema management (ddl-auto, seed data, ledger model)	Data	TDD-DAT-05, TDD-DAT-06, TDD-DAT-07	Drift and audit gaps	5
TD-07	Delivery pipeline & tests	Process	TDD-INF-01, TDD-ENG-01, TDD-CQ-08, TDD-SEC-14	Regression risk on every change	6
TD-08	Framework currency	Lifecycle	TDD-STK-01, TDD-STK-02, TDD-STK-03	Rising upgrade cost; CVE exposure	3
TD-09	Resilience & observability	Operability	TDD-REL-01, TDD-REL-03, TDD-REL-04	Longer outages	4
TD-10	Deployment platform (IaC/K8s/images)	Infrastructure	TDD-INF-02, TDD-INF-03, TDD-INF-05, TDD-SEC-13	Manual per-client deployments	6
TD-11	Minor code hygiene (typing, mapping, JPA relation, Keycloak client)	Code	TDD-CQ-04, TDD-CQ-05, TDD-CQ-06, TDD-CQ-07	Latent bugs	2

Total indicative effort: ~46 engineer-weeks.

TDD - Technology Risk Register

Risk ID	Risk	Likelihood	Impact	Rating	Findings	Mitigation
TR-01	Fraudulent fund movement via API	High	Severe	Critical	TDD-SEC-02, TDD-SEC-07, TDD-ARC-02, TDD-DAT-02	Phase-0 authz + validation + locking
TR-02	Credential compromise from committed secrets	High	Severe	Critical	TDD-SEC-01, TDD-SEC-05	Rotate, vault, redaction
TR-03	Upstream supply-chain tampering (config/images)	Medium	Severe	Critical	TDD-SEC-06	Internalise assets
TR-04	Ledger inconsistency / unreconcilable books	High	High	Critical	TDD-DAT-01, TDD-ARC-01, TDD-DAT-05	Ledger redesign + reconciliation
TR-05	Unpatched framework/IdP vulnerabilities	Medium	High	High	TDD-STK-01, TDD-STK-02, TDD-SEC-14	Upgrade + SCA
TR-06	Production outage from cascading failures / SPOFs	Medium	High	High	TDD-REL-01, TDD-REL-02	Resilience4j, HA
TR-07	Data loss without backups/DR	Medium	Severe	High	TDD-DAT-09, TDD-REL-05	Backups, PITR, DR
TR-08	Schema drift from auto-DDL	Medium	Medium	Medium	TDD-DAT-06	Flyway everywhere
TR-09	Regression defects due to low test coverage	High	Medium	High	TDD-ENG-01, TDD-INF-01	Test pyramid + CI
TR-10	Integration overrun with real CBS / rails	High	High	High	TDD-ARC-06	Adapter contracts early
TR-11	Information disclosure via errors/actuator/logs	High	Medium	High	TDD-CQ-03, TDD-SEC-08, TDD-SEC-12	ProblemDetail, actuator lockdown, masking
TR-12	Maintainability decay from duplication/fragmented builds	Medium	Medium	Medium	TDD-CQ-01, TDD-ENG-02	Shared starter, multi-project build

TDD - Modernisation Recommendations and Prioritised Technology Roadmap

Modernisation recommendations

ID	Recommendation	Findings
MOD-01	Upgrade to supported Spring Boot / Spring Cloud / Keycloak lines	TDD-STK-01, TDD-STK-02
MOD-02	Adopt Gradle multi-project with version catalog and shared internal starter	TDD-ENG-02, TDD-CQ-01
MOD-03	Kubernetes-native deployment (Helm, probes, HPA, Secrets), drop static IPs	TDD-INF-02, TDD-REL-03, TDD-INF-04
MOD-04	OpenTelemetry-based observability stack	TDD-REL-04
MOD-05	Event-driven payments (saga + outbox) on Kafka/RabbitMQ	TDD-ARC-01, TDD-ARC-05
MOD-06	Ports-and-adapters for CBS / payment hub / biller aggregator	TDD-ARC-06
MOD-07	Zero-trust security model (per-service resource servers, mTLS, policy engine)	TDD-ARC-03, TDD-SEC-10
MOD-08	Secure software supply chain (SBOM, signing, SCA, secret scanning)	TDD-SEC-06, TDD-SEC-14, TDD-INF-03

Roadmap (indicative assessor estimate)

Phase	Timeline	Team	Findings addressed
Phase 0 - Stabilise	0-6 weeks	~3 engineers (~15 EW)	TDD-ARC-02, TDD-ARC-03, TDD-ARC-07, TDD-CQ-02, TDD-CQ-03, TDD-SEC-01, TDD-SEC-02, TDD-SEC-03, TDD-SEC-04, TDD-SEC-05, TDD-SEC-06, TDD-SEC-07, TDD-SEC-08, TDD-SEC-12, TDD-SEC-14, TDD-DAT-01, TDD-DAT-02, TDD-DAT-03, TDD-DAT-07, TDD-INF-01, TDD-INF-04, TDD-ENG-01

Phase	Timeline	Team	Findings addressed
Phase 1 - Production engineering	1.5-5 months	6-8 engineers	TDD-STK-01, TDD-STK-02, TDD-ARC-01, TDD-ARC-04, TDD-ARC-05, TDD-CQ-01, TDD-CQ-05, TDD-CQ-07, TDD-CQ-08, TDD-SEC-09, TDD-SEC-10, TDD-SEC-11, TDD-SEC-13, TDD-DAT-04, TDD-DAT-05, TDD-DAT-06, TDD-DAT-09, TDD-INF-02, TDD-INF-03, TDD-INF-05, TDD-SCA-01, TDD-SCA-05, TDD-REL-01, TDD-REL-03, TDD-REL-04, TDD-ENG-02, TDD-ENG-03
Phase 2 - Bank-ready	5-9 months	6-8 engineers	TDD-ARC-06, TDD-ARC-08, TDD-DAT-08, TDD-SCA-02, TDD-SCA-04, TDD-REL-02, TDD-REL-05, TDD-STK-03, TDD-STK-04, TDD-CQ-04, TDD-CQ-06, TDD-DAT-10, TDD-ENG-04, TDD-ENG-05
Phase 3 - Optimise	9-12+ months	steady-state team	TDD-SCA-03, TDD-SEC-15

Target-state technology architecture

Product-Technology Traceability Matrix

Product Capability	Product Finding	Technology Component	Technology Finding	Business Impact	Recommendation
CAP-05 Intra-bank fund transfer	PDD-F-01	core-banking TransactionService; request DTOs	TDD-CQ-02, TDD-SEC-07	Theft via negative amounts	Validation + ledger invariants (Phase 0)
CAP-05 Intra-bank fund transfer	PDD-F-02	Fund-transfer orchestrator; gateway; missing entitlement layer	TDD-SEC-02, TDD-ARC-03, TDD-SEC-04	Unauthorised debits	Per-service JWT validation + ownership checks
CAP-05 / CAP-06 Ledger postings	PDD-F-03	Gateway route /banking-core/**	TDD-ARC-02	Bypass of channel controls	Remove route; internal-only core
CAP-04 / CAP-05 Balances	PDD-F-04	TransactionService balance arithmetic; BankAccountEntity	TDD-DAT-01, TDD-DAT-02, TDD-CQ-05	Wrong balances, overdrafts	Fix arithmetic, locking, tests asserting balances
CAP-07 History / CAP-04 Lookup	PDD-F-05	FundTransferService/UtilityPaymentService findAll; AccountService	TDD-SEC-02, TDD-SEC-12	Privacy breach	Customer-scoped queries; log masking
CAP-02 Registration approval	PDD-F-06, PDD-F-12	User service UserController/UserService; Keycloak realm	TDD-SEC-03, TDD-CQ-07, TDD-SEC-05	Self-approval; blocked users still log in; password leakage	RBAC + maker-checker; sync lifecycle to IdP; redact logs
CAP-05 Fund transfer	PDD-F-07	TransactionService status rules	TDD-DAT-03	Frozen accounts transact	Status checks in ledger
CAP-05 / CAP-06 Payment lifecycle	PDD-F-08, PDD-F-09	Orchestrators + Feign	TDD-ARC-01, TDD-DAT-04, TDD-REL-01	Stuck/duplicate payments	Saga, outbox, idempotency, circuit breakers
CAP-06 Utility payment	PDD-F-10	core utilPayment; no biller adapter	TDD-ARC-06, TDD-DAT-08	Customer debited without settlement	Biller adapter + settlement GL
CAP-03 Authentication	PDD-G-02	Keycloak 23 realm, gateway	TDD-SEC-09, TDD-STK-02, TDD-SEC-11	Account takeover; regulatory non-compliance (SCA)	Hardened, upgraded Keycloak with MFA + rate limiting

Product Capability	Product Finding	Technology Component	Technology Finding	Business Impact	Recommendation
CAP-09 Audit	PDD-G-02	AuditAware, gateway X-Auth-Id filter	TDD-ARC-07, TDD-DAT-05	Untrustworthy audit trail	Fix propagation; immutable audit stream
Platform configuration	PDD-R-01, PDD-S-01	Config Server -> external repo; javatodev/* images	TDD-SEC-06, TDD-INF-04, TDD-ARC-08	Third-party control of production behaviour	Internalise config and image builds
All capabilities (credentials)	PDD-R-05	docker-compose, realm-export, test yml, README	TDD-SEC-01	Trivial compromise of default deployments	Rotate + secrets manager
Ledger data	PDD-R-04	Flyway temp_data migration	TDD-DAT-07	Fake customers in prod	Test-only migration location
CAP-11 Notifications	PDD-G-01	No broker	TDD-ARC-05, TDD-STK-04	No customer alerts	Event bus + notification service
Integrator APIs	PDD-A-03	Postman, DTOs, springdoc	TDD-STK-03, TDD-CQ-06, TDD-ENG-05, TDD-CQ-04	Integration friction	Published OpenAPI contracts; regenerate Postman
Real core / rails	PDD-A-02	Simulated core	TDD-ARC-06	Unbounded integration effort	Adapter contracts
Error handling (all)	PDD-E-02	GlobalExceptionHandler x4	TDD-CQ-03	Poor UX; info disclosure	ProblemDetail
Multi-bank / scale	PDD-S-02	Single MySQL, single realm, compose	TDD-ARC-04, TDD-INF-02, TDD-SCA-01, TDD-REL-02	Cannot scale commercially	K8s, per-service DBs, HA; tenancy decision
Product evolution	PDD-S-03, PDD-R-03	Ledger model; duplicated code; fragmented builds	TDD-DAT-05, TDD-CQ-01, TDD-ENG-02, TDD-STK-01	Slow feature delivery	Ledger generalisation; shared starter; upgrades
CAP-05 Fund transfer (same-account)	PDD-F-11	Request validation	TDD-CQ-02	Ledger noise; limit gaming	from != to validation
Account dashboard	PDD-E-03	Missing customer-scoped accounts query; entitlement model	TDD-SEC-02, TDD-ARC-03	Basic journey missing	Accounts query API on top of entitlement layer
Customer UI / accessibility	PDD-E-01, PDD-E-04	No front-end component in repository	- (outside repository scope)	Cannot pilot with customers	Build web/mobile channel (outside current codebase)
Quality assurance	PDD-F-04	Test suite	TDD-ENG-01, TDD-INF-01	Defects reach customers	Test pyramid + CI gates
Business continuity	PDD-R-01	Storage, DR	TDD-DAT-09, TDD-REL-05	Data loss / long outages	Backups, PITR, DR plan

PDD findings without a technology counterpart

PDD finding	Reason
PDD-A-01	Strength (channel/core separation) - preserved in target architecture (TDD target state)
PDD-C-01	Strength (accelerator value) - no technology deficiency
PDD-C-02	Business information gap - requires stakeholder validation
PDD-R-02	Licensing/branding - legal/commercial, not technical

Product capabilities with insufficient technical support

- CAP-05 (validation, ownership, locking)
- CAP-06 (no biller/settlement)
- CAP-07 (no scoping)
- CAP-11 (no broker)
- CAP-12 (no metrics/K8s)

Technology limitations affecting product functionality

- TDD-ARC-01 sync non-atomic writes -> stuck payments
- TDD-ARC-06 simulated core -> no real accounts
- TDD-DAT-05 mutable ledger -> no statements/audit

Product scalability constraints caused by architecture

- TDD-DAT-02 ledger locking
- TDD-ARC-04 shared DB
- TDD-REL-02 single instances
- TDD-INF-02 no orchestrator

Security gaps affecting product capabilities

- TDD-SEC-01..07 (all Critical) affect CAP-01..07
- TDD-SEC-09 affects CAP-03
- TDD-ARC-07 affects CAP-09

Technical debt affecting product evolution

- TD-02 distributed transactions
- TD-05 duplication/builds
- TD-06 schema management
- TD-08 framework currency

Modernisation opportunities

- MOD-01..MOD-08 (see TDD technology roadmap)

Coverage check

Every PDD finding is referenced in this matrix or listed above; every TDD finding with PDD references links back to an existing PDD finding; every TDD finding is scheduled in the technology roadmap.

Evidence Index

All findings cite these IDs. Links point to the baseline commit `fa1c445`. Items prefixed `[external]` are in the externally-hosted config repository (github.com/JavatoDev-com/internet-banking-microservices-configurations (configuration/, branch main)).

ID	Path / source	Lines	What it shows
E-01	README.md	1-20	Self-description as tutorial 'Internet banking API concept'; releases 1.0.0 / 2.0.0
E-02	README.md	60-75	Test credentials published; list of microservices incl. RabbitMQ + Notification service 'PENDING Development'
E-03	README.md	83-101	Technology stack list (incl. RabbitMQ, Prometheus, Kubernetes, Sleuth)
E-04	LICENSE	1-3	MIT licence, (c) 2022 javatodev.com
E-05	docker-compose/docker-compose.yml	1-139	Full stack: Zipkin, Keycloak 23.0.7 start-dev, Postgres 15, MySQL, 7 services, static IPs 172.25.0.0/16, host ports published
E-06	docker-compose/docker-compose.yml	21-23,43,52	Hard-coded Keycloak admin/DB and MySQL root passwords
E-07	docker-compose/mysql/privileges.sql	1-2	Shared app DB user with CREATE/ALTER/DROP/DML on .; password in clear
E-08	docker-compose/mysql/privileges.sql	5-8	Four logical schemas on one MySQL instance
E-09	docker-compose/keycloak/realm-export.json	29,38	sslRequired=external; bruteForceProtected=false

ID	Path / source	Lines	What it shows
E-10	docker-compose/keycloak/realm-export.json	686-873	Business clients with directAccessGrantsEnabled=true, wildcard redirect URIs '/*', committed client secrets (lines 759, 861)
E-11	internet-banking-config-server/src/main/resources/application.yml	1-10	Config Server git backend = third-party public repo JavatoDev-com/internet-banking-microservices-configurations
E-12	*/src/main/resources/bootstrap*.yml	-	Only app name + config URI per profile; default profile hard-codes 192.168.1.5
E-13	[external] internet-banking-api-gateway*.yml	routes	Gateway routes /user/**, /fund-transfer/**, /banking-core/**, /utility-payment/** (StripPrefix=1, lb://)
E-14	[external] *-service.yml	ddl-auto / management	ddl-auto: update for user, fund-transfer, utility-payment; actuator exposure '*' for gateway & fund-transfer
E-15	internet-banking-api-gateway/src/main/java/com/javatodev/finance/configuration/security/SecurityConfiguration.java	24-35	permitAll on register + all actuator paths; anyExchange().authenticated(); CSRF disabled; JWT via JWKS
E-16	internet-banking-api-gateway/src/main/java/com/javatodev/finance/configuration/GatewayConfiguration.java	18-28	GlobalFilter builds mutated request with X-Auth-Id but returns original exchange
E-17	internet-banking-user-service/src/main/java/com/javatodev/finance/configuration/filter/AppAuthUserFilter.java	21-33	Services trust X-Auth-Id header for audit identity; no JWT validation downstream
E-18	core-banking-service/src/main/java/com/javatodev/finance/service/TransactionService.java	35-46	fundTransfer: reads accounts, validateBalance, internalFundTransfer
E-19	core-banking-service/src/main/java/com/javatodev/finance/service/TransactionService.java	77-81	validateBalance only checks balance<0 or balance0, no status check)
E-20	core-banking-service/src/main/java/com/javatodev/finance/service/TransactionService.java	63-64,90-91,99-100	availableBalance recomputed from already-updated actualBalance -> double adjustment
E-21	core-banking-service/src/main/java/com/javatodev/finance/service/TransactionService.java	48-75	utilPayment: debit only; comment 'we can call third party API...'; no settlement credit
E-22	core-banking-service/src/main/java/com/javatodev/finance/model/entity/TransactionEntity.java	17-35	Ledger row: amount, type, reference, transactionId; @OneToOne(cascade=ALL) to account; no timestamp
E-23	core-banking-service/src/main/java/com/javatodev/finance/model/entity/BankAccountEntity.java	16-37	Mutable balances; no @Version
E-24	core-banking-service/src/main/resources/db/migration/	V1.0.*	Flyway schema (user, account, utility_account, transaction) + temp_data seed migration
E-25	core-banking-service/src/main/java/com/javatodev/finance/model/{AccountType,AccountStatus,TransactionType}.java	-	Domain enums
E-26	core-banking-service/src/main/java/com/javatodev/finance/controller/*.java	-	Core APIs: account lookup, fund-transfer, util-payment, user lookup
E-27	*/src/main/java/com/javatodev/finance/exception/GlobalExceptionHandler.java	core:27 ft:24 user:27 up:27	Generic handler returns 400 'Exception occur inside API ' + e
E-28	internet-banking-user-service/src/main/java/com/javatodev/finance/controller/UserController.java	28-55	register (logs request.toString incl. password, line 31), PATCH update status (no role check), list, read
E-29	internet-banking-user-service/src/main/java/com/javatodev/finance/service/UserService.java	33-111	Registration flow (Keycloak search, core lookup, create disabled user, get(0) line 67); readUsers N+1 (line 84); approve enables Keycloak user

ID	Path / source	Lines	What it shows
E-30	internet-banking-user-service/src/main/java/com/javatodev/finance/service/KeycloakUserService.java	36	users().search(email) - fuzzy search
E-31	internet-banking-user-service/src/main/java/com/javatodev/finance/configuration/keycloak/KeycloakProperties.java	25-40	Static lazily-initialised Keycloak client (client_credentials)
E-32	internet-banking-user-service/src/main/java/com/javatodev/finance/model/dto/User.java	1-20	@Data DTO including password field
E-33	internet-banking-fund-transfer-service/src/main/java/com/javatodev/finance/service/FundTransferService.java	31-51	Save PENDING -> Feign core -> SUCCESS; no failure handling; findAll unscoped (line 50)
E-34	internet-banking-utility-payment-service/src/main/java/com/javatodev/finance/service/UtilityPaymentService.java	31-53	Save PROCESSING -> Feign core -> SUCCESS; no failure handling; findAll unscoped (line 50)
E-35	internet-banking-fund-transfer-service/src/main/java/com/javatodev/finance/configuration/CustomFeignClientConfiguration.java	13	Feign Logger.Level.FULL
E-36	*/src/main/java/com/javatodev/finance/model/dto/AuditAware.java	-	createdBy/Date, modifiedBy/Date, @Version on channel entities
E-37	*/build.gradle	-	Spring Boot 3.2.4, Spring Cloud 2023.0.0, springdoc webflux-ui 2.1.0, Keycloak admin 24.0.4, Flyway 10.12.0, MySQL connector 8.4.0
E-38	*/gradle/wrapper/gradle-wrapper.properties	-	7 independent Gradle 8.6 builds; no root project
E-39	*/Dockerfile	-	eclipse-temurin:21.0.2_13-jre-alpine; ADD prebuilt jar; no USER; wait-for-it.sh
E-40	*/src/test/**	-	18 unit tests in core-banking (Transaction 9, Account 6, User 3); contextLoads only elsewhere
E-41	internet-banking-user-service/src/test/resources/application.yml	35	Keycloak client secret committed in test config
E-42	postman_collection/JAVA_TO_DEV_MICROSERVICES.postman_collection.json	-	14 requests; uses /core/ **and /payment/** and /bank-user paths that do not match gateway routes / controller paths
E-43	git log	-	194 commits 2021-05-09..2026; last commit removed GitHub Actions workflows; no .github/workflows present
E-44	*/src/main/java/com/javatodev/finance/model/*/AccountResponse.java	9	Account number typed Long in fund-transfer & utility-payment vs String in core
E-45	core-banking-service/src/main/resources/messages*.properties	-	i18n: default + French messages only
E-46	draw_io/centralized_configuration.drawio	-	Only architecture diagram in repo (centralised configuration)
E-47	*/src/main/java/com/javatodev/finance/controller/*Controller.java	-	springdoc @Tag/@Operation annotations (OpenAPI generated at runtime; no static spec file)
E-48	.github/FUNDING.yml	-	Patreon funding file of original author

Limitations and information gaps

- Static analysis only - services were not executed end-to-end; findings marked Medium confidence (e.g. TDD-ARC-07) should be confirmed at runtime.
- `./gradlew test` with JDK 21 could not complete: Maven Central returned HTTP 429 (rate limit) during dependency resolution in the assessment environment. Test pass/fail status and dependency CVE scan are therefore not available.
- Runtime configuration lives in an external, third-party repository; it was reviewed at its current HEAD, which the services do not pin.
- Technology lifecycle/support statements were not re-verified online (confidence Medium).

- Business data (customers, revenue, KPIs, market share, adoption, SLAs, incidents) is not in the repository and has not been estimated.
- The 35-item capability reference list and effort/timeline estimates are assessor judgement, not market or benchmark data.
- No UI exists; accessibility could not be assessed.