# 38. Perform the basic configuration setup for installing HADOOP 2.x like creating the HDUSER and SSH localhost

mapred-site.xml

C: > Users > prave > Desktop > h > hadoop-3.3.6 > hadoop-3.3.6 > etc > hadoop > mapred-site.xml

```xml
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->

<!-- Put site-specific property overrides in this file. -->

<configuration>
<property>
<name>mapreduce.framework.name</name>
<value>yarn</value>
</property>
</configuration>
```

Ln 1, Col 1   Spaces: 2   UTF-8   LF   XML   Go Live

---

yarn-site.xml

C: > Users > prave > Desktop > h > hadoop-3.3.6 > hadoop-3.3.6 > etc > hadoop > yarn-site.xml

```xml
<?xml version="1.0"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->
<configuration>
<property>
<name>yarn.nodemanager.aux-services</name>
<value>mapreduce_shuffle</value>
</property>
<property>
<name>yarn.nodemanager.auxservices.mapreduce.shuffle.class</name>
<value>org.apache.hadoop.mapred.ShuffleHandler</value>
</property>
</configuration>
```

Ln 1, Col 1   Spaces: 2   UTF-8   LF   XML   Go Live

Hadoop   Overview   Datanodes   Datanode Volume Failures   Snapshot   Startup Progress   Utilities ▾

Overview 'localhost:9000' (✓active)

Started:	Wed Aug 30 20:04:54 +0530 2023
Version:	3.3.6, r1be78238728da9266a4f88195058f08fd012bf9c
Compiled:	Sun Jun 18 13:52:00 +0530 2023 by ubuntu from (HEAD detached at release-3.3.6-RC1)
Cluster ID:	CID-ed5d3348-5c18-4e6e-80d6-b51a12ebb1fc
Block Pool ID:	BP-67798935-192.168.176.1-1693406048153

Summary

Security is off.

Safemode is off.

1 files and directories, 0 blocks (0 replicated blocks, 0 erasure coded block groups) = 1 total filesystem object(s).

Heap Memory used 47.66 MB of 191 MB Heap Memory. Max Heap Memory is 889 MB.

Non Heap Memory used 46.44 MB of 47.96 MB Commited Non Heap Memory. Max Non Heap Memory is <unbounded>.

Configured Capacity:	0 B
Configured Remote Capacity:	0 B

Summary

Security is off.

Safemode is off.

1 files and directories, 0 blocks (0 replicated blocks, 0 erasure coded block groups) = 1 total filesystem object(s).

Heap Memory used 47.66 MB of 191 MB Heap Memory. Max Heap Memory is 889 MB.

Non Heap Memory used 46.44 MB of 47.96 MB Commited Non Heap Memory. Max Non Heap Memory is <unbounded>.

Configured Capacity:	0 B
Configured Remote Capacity:	0 B
DFS Used:	0 B (100%)
Non DFS Used:	0 B
DFS Remaining:	0 B (0%)
Block Pool Used:	0 B (100%)
DataNodes usages% (Min/Median/Max/stdDev):	0.00% / 0.00% / 0.00% / 0.00%
Live Nodes	0 (Decommissioned: 0, In Maintenance: 0)
Dead Nodes	0 (Decommissioned: 0, In Maintenance: 0)
Decommissioning Nodes	0
Entering Maintenance Nodes	0
Total Datanode Volume Failures	0 (0 B)
Number of Under-Replicated Blocks	0