Fie $\Sigma \subseteq E$ și

$\alpha, \beta, \gamma, \delta \in E$, a.î.

$\Sigma \cup \{\alpha, \beta\} \vdash \gamma \to \delta$

Dem. că $\Sigma \cup \{\neg(\delta \to \neg(\alpha \wedge \beta \wedge \gamma))\}$ ① nesatisf. ②

e

Rez.:

$\Sigma \cup \{\alpha, \beta\} \vdash \gamma \to \delta$ T(TD)

$\Sigma \cup \{\alpha\} \vdash \beta \to (\gamma \to \delta)$ T(TD)

$$\Sigma \vdash \alpha \to [\beta \to (\gamma \to \delta)]$$

$$\Updownarrow \ (\vdash \sqcup)$$

$$\Sigma \vdash \alpha \to (\beta \to (\gamma \to \delta))$$

$$\psi :\vdash (\alpha \wedge \beta \wedge \gamma) \in E$$

$$\varphi ::= \neg(\gamma \to \delta)$$

$$\Sigma \cup \{\varphi\} \to \text{nesat}$$

$$\Updownarrow \qquad \#$$

$$(\exists e : V \to \{0,1\})\ (e \models \Sigma \cup \{\varphi\})$$

$$(\forall h : V \xrightarrow{\exists!} \mathcal{L}^2)(h \neq \Sigma \cup \{\varphi\})$$

$$(\forall h : V \xrightarrow{\exists!} \mathcal{L}^2)(h \neq \Sigma \text{ deu } h \neq \varphi)$$

$$(\forall h : V \xrightarrow{\exists!} \mathcal{L}^2)(h \neq \Sigma \Rightarrow h \neq \varphi).$$

Fie $e: V \to \mathcal{L}_2$ a.î.

$e \models \Sigma$.

~~$e \not\models \varphi$.~~

$\Downarrow (*)$

(Δ)

$1 = \tilde{e}(\alpha \to [\beta \to (\gamma \to \delta)])$

$= \tilde{e}(\alpha) \to [\tilde{e}(\beta) \to (\tilde{e}(\gamma) \to \tilde{e}(\delta))]$

$= \overline{\tilde{e}(\alpha)} \vee \overline{\tilde{e}(\beta)} \vee \overline{\tilde{e}(\gamma)} \vee \tilde{e}(\delta)$

Bsp. abs. Int. φ:

$$\tilde{I}(\varphi) = 1$$

$$\tilde{I}(\neg(\delta \to \neg(\alpha \wedge \beta \wedge \gamma)))$$

$$= \overline{\tilde{I}(\delta) \to (\tilde{I}(\alpha) \wedge \tilde{I}(\beta) \wedge \tilde{I}(\gamma))}$$

$$= \overline{\overline{\tilde{I}(\delta)} \vee \overline{\tilde{I}(\alpha)} \vee \overline{\tilde{I}(\beta)} \vee \overline{\tilde{I}(\gamma)}}$$

$$= \overline{\tilde{I}(\alpha)} \vee \overline{\tilde{I}(\beta)} \vee \overline{\tilde{I}(\gamma)} \vee \tilde{I}(\delta)$$

$$\Downarrow$$

$$\overline{\widetilde{h}(\alpha) \vee \widetilde{h}(\beta) \vee \widetilde{h}(\gamma) \vee \widetilde{h}(\delta)} = \overline{1} = 0 \; (*)$$

au $\left(\begin{smallmatrix} * \\ * \end{smallmatrix}\right)$.

② $A := f(\widetilde{h}(\alpha))$

$B := f(\widetilde{h}(\beta))$

$C := f(\widetilde{h}(\gamma))$

$D := f(\widetilde{h}(\delta))$.

$\psi \vDash \varphi \iff f(\tilde{e}(\psi)) \vDash$ …

$\psi \nvDash \varphi \iff f(\tilde{e}(e)) \nvDash$ …

Obs.: $\hat{\psi}$ nesatisfiabil…