


14:08

Create a Program

File $\rightarrow$ Consult $\rightarrow$ Browser
 Reload
 [? - [? c / - / / a p l ?] ,
 ↑

CTRL ENTER



Switch | Add Prev 1/4 Next List

- **Standard mode**

14:08

SCOP INITIAL ①

SCORE INTERMEDIATE
? are ana, Ca ③

are

ana // ce

are

ana mere

2- $\frac{1}{2}$

$$? - x = x$$

occurs - check

Track 11

Fuck =

region, Fr

(computer)

?- are(Cine,Ce).

14:08

Trace -

? - are (now, Fructe)

ENTER

ENTER

? — no trace.

? - modeling

?-are (ana, Fructe)

AU

are (non) Truck

سے

? are (always) pre

are

Standard mode

% engine (? List, ? NrElements)

engine (F7)

engine (T, J, 0)

Imagine $(\underline{\tau} | \underline{\tau}^*), N)$

3 is often

? - Imagine $([2, 3], K)$, $N = K + 1$

? - $\text{Lysine}([1, 2, 3], \text{Core})$
Core = 2

?- Imagine $(L, 3)$.

Imagine

1. Impulse

Imagin



Handwritten mathematical expression: $2 \times 10^3 \times 10^3 \times 10^3$

$$T = \square$$
~~3100+~~

$\frac{d}{dt} \left(\frac{1}{2} m v^2 \right) = \dots$

$$= \sqrt{\#1, \#2, \#3} \sqrt{3}$$
$$T_1 = [1 \ 2]$$
~~12 10 10 10~~

Handwritten notes on a blackboard:

- A green arrow points to the word "Hypothesis".
- The word "Hypothesis" is circled in pink.
- The word "N/A" is written next to it.

$$T_2 = \sqrt[3]{3100}$$
$$\frac{31 \Delta 0 + 1 + 1}{1 + 1 + 1}$$

~~Non~~ N is K_2
 $T_2 = T + \Delta T$

$$[3], KpK3+7$$