





IMS-25 intensity



Expected damage grade (IMS-25)



Damage alert

GREEN

Little or no building damage expected

Provisional

Transit occupancy

Buildings heavily damaged (DG3 or worse)

15 to 250

Central estimate 52. The range is the 5th to 95th percentile.

Buildings in the shaken area

321 thousand

21% of them inferred from built-up area, not observed footprints.


People by shaking level



Building exposure modelled for: Iraq. Shaded areas without exposure data are shown for shaking only.



Share of buildings in the mapped area by expected damage



Which buildings failed

Share of each type's own buildings heavily damaged, worst first



Governorates most affected: heavily damaged buildings, central estimate and 90% range



Cities most affected





Every governorate inside the map

Area	Buildings	Heavy (P50)	90% range	% of its stock
Slemani	254 thousand	26	10 to 160	0.01%
Diyala	67 thousand	12	4 to 93	0.02%

How this report was made

Hazard engine	Bumelerze SHAKEmap 26.1.1, ground-motion models CY14, ASB14, BSSA14, KALE15, intensity via Zaniniandhofer19 (IMS-25)
Observations	0 seismic stations, 0 felt-report cells (felt channel: none)
Damage scale	IMS-25

Data sources

Built from USGS, EMSC and GEOFON earthquake parameters; building footprints from GFZ OpenBuildingMap (c) OpenStreetMap contributors, ODbL, and Microsoft, CDLA-Permissive-2.0; JRC Global Human Settlement Layer and WorldPop, CC BY 4.0; OCHA COD-AB Iraq, CC BY-IGO; GEM Global Exposure Model; IMS-25 vulnerability table. Full records, with licences and checksums: github.com/Peshawa-LH/bumelerze-engine

What this is, and what it is not

An automatic estimate of shaking and building damage from the earthquake's location and magnitude, adjusted with whatever station and felt-report data existed at the time.

Cite as: Hasan P. L. (2026) Bumelerze SHAKEmap and damage report, event bml202600rw, version 1, generated 23 Sep 2026, 10:33 UTC.