

Shaking intensity (IMS-25)



Expected building damage grade



IMS-25 intensity



Expected damage grade (IMS-25)



Damage alert

ORANGE Widespread damage; many buildings unusable **Provisional** **Day occupancy**

Buildings heavily damaged (DG3 or worse)

2.0 thousand to 48 thousand

Central estimate 7.4 thousand. The range is the 5th to 95th percentile.

Buildings in the shaken area

5.7 million


21% of them inferred from built-up area, not observed footprints.

People by shaking level

VII		3.7 thousand
VI		773 thousand
V		11 million
IV		12 million

Building exposure modelled for: Iraq. Shaded areas without exposure data are shown for shaking only.

Share of buildings in the mapped area by expected damage




Which buildings failed


Share of each type's own buildings heavily damaged, worst first

Rubble stone, fieldstone	class A	**0.6%**	≈ 1.0 thousand buildings
Adobe, earth brick	class A	**0.4%**	≈ 740 buildings
Manufactured stone units, timber floors	class B	**0.1%**	≈ 1.1 thousand buildings
Simple stone	class B	**0.1%**	≈ 820 buildings
RC flat slab and others	class B	**0.1%**	≈ 5 buildings
RC frame — no / low code (ERD-L)	class C	**0.0%**	≈ 120 buildings
Massive stone	class C	**0.0%**	≈ 19 buildings

Governorates most affected: heavily damaged buildings, central estimate and 90% range



Cities most affected



Every governorate inside the map

Area	Buildings	Heavy (P50)	90% range	% of its stock
Diyala	605 thousand	2.2 thousand	920 to 21 thousand	0.36%
Baghdad	2.1 million	1.3 thousand	520 to 13 thousand	0.06%
Salah Al-Din	424 thousand	250	94 to 2.4 thousand	0.06%
Wassit	371 thousand	220	82 to 2.3 thousand	0.06%
Slemani	552 thousand	200	79 to 2.0 thousand	0.04%
Babil	519 thousand	180	60 to 1.8 thousand	0.03%
Kirkuk	551 thousand	140	60 to 1.4 thousand	0.03%
Kerbala	305 thousand	62	25 to 490	0.02%
Al-Anbar	180 thousand	60	26 to 560	0.03%
Maysan	15 thousand	4	2 to 37	0.03%
Hawler	26 thousand	3	1 to 20	0.01%
Al-Najaf	14 thousand	2	1 to 23	0.01%
Al-Qadissiya	1.9 thousand	1	none to 8	0.05%

How this report was made

Hazard engine Bumelerze SHAKEmap 26.2.0, ground-motion models CY14, ASB14, BSSA14, KALE15, intensity via Zaniniandhofer19 (IMS-25)

Observations 0 seismic stations, 0 felt-report cells (felt channel: none)

Damage scale IMS-25

Data sources

Built from USGS, EMSC and GEOFON earthquake parameters; building footprints from GFZ OpenBuildingMap (c) OpenStreetMap contributors, ODbL, and Microsoft, CDLA-Permissive-2.0; JRC Global Human Settlement Layer and WorldPop, CC BY 4.0; OCHA COD-AB Iraq, CC BY-IGO; GEM Global Exposure Model; IMS-25 vulnerability table. Full records, with licences and checksums: github.com/Peshawa-LH/bumelerze-engine

What this is, and what it is not

An automatic estimate of shaking and building damage from the earthquake's location and magnitude, adjusted with whatever station and felt-report data existed at the time.

Cite as: Hasan P. L. (2026) Bumelerze SHAKEmap and damage report, event bml19670001, version 2, generated 19 Oct 2026, 11:52 UTC.