





IMS-25 intensity



Expected damage grade (IMS-25)



Damage alert

**ORANGE**

Widespread damage; many buildings unusable

Provisional

Night occupancy

Buildings heavily damaged (DG3 or worse)

**270 to 5.0 thousand**

Central estimate 1.1 thousand. The range is the 5th to 95th percentile.

Buildings in the shaken area

**966 thousand**

21% of them inferred from built-up area, not observed footprints.


People by shaking level



Building exposure modelled for: Iraq. Shaded areas without exposure data are shown for shaking only.



Share of buildings in the mapped area by expected damage




Which buildings failed


Share of each type's own buildings heavily damaged, worst first



Governorates most affected: heavily damaged buildings, central estimate and 90% range



Cities most affected





Every governorate inside the map

| Area         | Buildings    | Heavy (P50) | 90% range           | % of its stock |
|--------------|--------------|-------------|---------------------|----------------|
| Maysan       | 251 thousand | 400         | 140 to 3.3 thousand | 0.16%          |
| Thi Qar      | 374 thousand | 130         | 53 to 800           | 0.03%          |
| Wassit       | 216 thousand | 110         | 41 to 670           | 0.05%          |
| Al-Basrah    | 109 thousand | 43          | 17 to 250           | 0.04%          |
| Al-Muthanna  | 9.4 thousand | 2           | 1 to 16             | 0.02%          |
| Diyala       | 5.1 thousand | 2           | 1 to 11             | 0.04%          |
| Al-Qadissiya | 1.9 thousand | 1           | none to 7           | 0.05%          |

How this report was made

|               |                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------|
| Hazard engine | Bumelerze SHAKEmap 26.1.1, ground-motion models CY14, ASB14, BSSA14, KALE15, intensity via Zaniniandhofer19 (IMS-25) |
| Observations  | 0 seismic stations, 0 felt-report cells (felt channel: none)                                                         |
| Damage scale  | IMS-25                                                                                                               |

Data sources

Built from USGS, EMSC and GEOFON earthquake parameters; building footprints from GFZ OpenBuildingMap (c) OpenStreetMap contributors, ODbL, and Microsoft, CDLA-Permissive-2.0; JRC Global Human Settlement Layer and WorldPop, CC BY 4.0; OCHA COD-AB Iraq, CC BY-IGO; GEM Global Exposure Model; IMS-25 vulnerability table. Full records, with licences and checksums: [github.com/Peshawa-LH/bumelerze-engine](https://github.com/Peshawa-LH/bumelerze-engine)

What this is, and what it is not

An automatic estimate of shaking and building damage from the earthquake's location and magnitude, adjusted with whatever station and felt-report data existed at the time.

Cite as: Hasan P. L. (2026) Bumelerze SHAKEmap and damage report, event bml20140001, version 1, generated 23 Sep 2026, 09:42 UTC.