



Damage alert

**GREEN** Little or no building damage expected

Provisional

Transit occupancy

Buildings heavily damaged (DG3 or worse)

**19 to 350**

Central estimate 68. The range is the 5th to 95th percentile.

Buildings in the shaken area

**308 thousand**


21% of them inferred from built-up area, not observed footprints.

People by shaking level

**IV** 379 thousand



Share of buildings in the mapped area by expected damage



Which buildings failed


Share of each type's own buildings heavily damaged, worst first

|                                         |         |             |      |                |
|-----------------------------------------|---------|-------------|------|----------------|
| Rubble stone, fieldstone                | class A | <div></div> | 0.1% | ≈ 10 buildings |
| Adobe, earth brick                      | class A | <div></div> | 0.1% | ≈ 11 buildings |
| Simple stone                            | class B | <div></div> | 0.0% | ≈ 10 buildings |
| Manufactured stone units, timber floors | class B | <div></div> | 0.0% | ≈ 7 buildings  |
| Manufactured stone with RC floors       | class C | <div></div> | 0.0% | ≈ 7 buildings  |
| RC frame — no / low code (ERD-L)        | class C | <div></div> | 0.0% | ≈ 3 buildings  |
| RC wall — no / low code (ERD-L)         | class C | <div></div> | 0.0% | ≈ 1 buildings  |

Governorates most affected: heavily damaged buildings, central estimate and 90% range



Cities most affected





Every governorate inside the map

| Area   | Buildings    | Heavy (P50) | 90% range | % of its stock |
|--------|--------------|-------------|-----------|----------------|
| Ninewa | 292 thousand | 48          | 19 to 350 | 0.02%          |
| Duhok  | 17 thousand  | 2           | 1 to 9    | 0.01%          |

How this report was made

|               |                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------|
| Hazard engine | Bumelerze SHAKEmap 26.1.1, ground-motion models CY14, ASB14, BSSA14, KALE15, intensity via Zaniniandhofer19 (IMS-25) |
| Observations  | 0 seismic stations, 0 felt-report cells (felt channel: none)                                                         |
| Damage scale  | IMS-25                                                                                                               |

Data sources

Built from USGS, EMSC and GEOFON earthquake parameters; building footprints from GFZ OpenBuildingMap (c) OpenStreetMap contributors, ODbL, and Microsoft, CDLA-Permissive-2.0; JRC Global Human Settlement Layer and WorldPop, CC BY 4.0; OCHA COD-AB Iraq, CC BY-IGO; GEM Global Exposure Model; IMS-25 vulnerability table. Full records, with licences and checksums: [github.com/Peshawa-LH/bumelerze-engine](https://github.com/Peshawa-LH/bumelerze-engine)

What this is, and what it is not

An automatic estimate of shaking and building damage from the earthquake's location and magnitude, adjusted with whatever station and felt-report data existed at the time.

Cite as: Hasan P. L. (2026) Bumelerze SHAKEmap and damage report, event bml20200001, version 1, generated 23 Sep 2026, 08:56 UTC.