





IMS-25 intensity



Expected damage grade (IMS-25)



Damage alert

**GREEN**

Little or no building damage expected

Provisional

Transit occupancy

Buildings heavily damaged (DG3 or worse)

**2 to 32**

Central estimate 8. The range is the 5th to 95th percentile.

Buildings in the shaken area

**164 thousand**

21% of them inferred from built-up area, not observed footprints.


People by shaking level

No population above intensity IV inside the map.

Building exposure modelled for: Iraq. Shaded areas without exposure data are shown for shaking only.



Share of buildings in the mapped area by expected damage



Which buildings failed

Share of each type's own buildings heavily damaged, worst first

|                                         |         |             |      |               |
|-----------------------------------------|---------|-------------|------|---------------|
| Rubble stone, fieldstone                | class A | <div></div> | 0.0% | ≈ 1 buildings |
| Simple stone                            | class B | <div></div> | 0.0% | ≈ 2 buildings |
| Manufactured stone units, timber floors | class B | <div></div> | 0.0% | ≈ 1 buildings |
| Adobe, earth brick                      | class A | <div></div> | 0.0% | ≈ 1 buildings |
| Manufactured stone with RC floors       | class C | <div></div> | 0.0% | ≈ 1 buildings |

Governorates most affected: heavily damaged buildings, central estimate and 90% range



Cities most affected





Every governorate inside the map

| Area   | Buildings    | Heavy (P50) | 90% range | % of its stock |
|--------|--------------|-------------|-----------|----------------|
| Maysan | 164 thousand | 7           | 2 to 32   | 0.00%          |

How this report was made

|               |                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------|
| Hazard engine | Bumelerze SHAKEmap 26.1.1, ground-motion models CY14, ASB14, BSSA14, KALE15, intensity via Zaniniandhofer19 (IMS-25) |
| Observations  | 0 seismic stations, 0 felt-report cells (felt channel: none)                                                         |
| Damage scale  | IMS-25                                                                                                               |

Data sources

Built from USGS, EMSC and GEOFON earthquake parameters; building footprints from GFZ OpenBuildingMap (c) OpenStreetMap contributors, ODbL, and Microsoft, CDLA-Permissive-2.0; JRC Global Human Settlement Layer and WorldPop, CC BY 4.0; OCHA COD-AB Iraq, CC BY-IGO; GEM Global Exposure Model; IMS-25 vulnerability table. Full records, with licences and checksums: [github.com/Peshawa-LH/bumelerze-engine](https://github.com/Peshawa-LH/bumelerze-engine)

What this is, and what it is not

An automatic estimate of shaking and building damage from the earthquake's location and magnitude, adjusted with whatever station and felt-report data existed at the time.

Cite as: Hasan P. L. (2026) Bumelerze SHAKEmap and damage report, event bml202602a3, version 1, generated 23 Sep 2026, 10:53 UTC.