# VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

# **DOKUMENTACIJA**

https://petupolaslukom.github.io/I-just-wanna-be-free/

Web programiranje 1

Đorđe Minić 135/19

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web p rogramiranje 1

## Sadržaj

| 1.Uvod                               | 3  |
|--------------------------------------|----|
| 1.1 Korišćeni tehnologije            | 3  |
| 1.2 Opis funkcionalnosti             | 3  |
| 1.3 Template                         | 4  |
| 2. Organizacija                      | 5  |
| 2.1. Organizaciona šema              | 5  |
| 2.3 Opis funkcionalnosti na stranici | 6  |
| 2.3.1 Pocetna (index.html)           | 6  |
| 2.3.2 Katalog (katalog.html)         | 13 |
| 2.3.3 Projekti (projekti.html)       | 15 |
| 2.3.4 Blog (blog.html)               | 16 |
| 3.Kodovi                             | 19 |
| 3.1. HTML                            | 19 |
| 3.1.1. index.html                    | 19 |
| 3.1.2 katalog.html                   | 24 |
| 3.1.3. projekti.html                 | 29 |
| 3.1.4. blog.html                     | 35 |
| 3.2. JS                              | 40 |
| 3.3. CSS                             | 52 |

## 1.Uvod

## 1.1 Korišćeni tehnologije

- HTML
- CSS
- SASS
- Javascript
- jQuery
- Bootstrap v4.5

Rađeno u Visual studio code. Sajt hostovan na GitHub.

## 1.2 Opis funkcionalnosti

- Dinamičko ispisivanje navigacionog menija
- Otvaranje eskpandirajućeg menija na manjim rezolucijama klikom na 'hamburger' ikonicu
- Dinamičko ispisivanje i menjanje slika u slider-u sa 'fade' efektom
- Dinamičko ispisivanje dizajnera
- Dinamičko ispisivanje linkova u footer-u
- Dinamičko ispisivanje proizvoda
- Dinamičko ispisivanje projekata
- Prikazivanje i sakrivanje dodatog sadržaja klikom na dugme "show more/show less"


- Klikom na dugme 'Book', polje 'destination' u formi na dnu stranice se automatski popunjava
- Dinamički ispis novosti
- Provera unetih podataka u formu prilikom napustanja pojedinačnih polja ili nakon pritiska na dugme submit/validacija forme
- Pritiskom na dugme submit, u slučaju da su sva polja ispravno popunjena, otvara se modal sa porukom za korisnika
- Pritiskom na link 'Author' u navigacionom meniju otvara se modal sa informacijama o autoru
- Responsive sajt uz pomoć media query-ja

### 1.3 Template

Za izradu nije korišćen gotov template, sajt je ručno pisan uz pomoć Bootstrap framework-a. Kod koji realizuje sajt je priložen u nastavku dokumenta.

## 2. Organizacija

## 2.1. Organizaciona šema



## 2.2 Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
    xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
        http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
    <loc>https://petupolaslukom.github.io/I-just-wanna-be-free/</loc>
    <lastmod>2020-12-12T13:52:32+00:00</lastmod>
    <priority>1.00</priority>
</url>
<url>
    <loc>https://petupolaslukom.github.io/I-just-wanna-be-free/katalog.html</loc>
    <lastmod>2020-12-12T13:52:32+00:00</lastmod>
    <priority>0.80</priority>
</url>
<url>
    <loc>https://https://petupolaslukom.github.io/I-just-wanna-be-
free/projekti.html</loc>
    <lastmod>2020-12-12T13:52:32+00:00</lastmod>
    <priority>0.60</priority>
</url>
<url>
    <loc>https://https://petupolaslukom.github.io/I-just-wanna-be-
free/blog.html</loc>
    <lastmod>2020-12-12T13:52:32+00:00</lastmod>
    <priority>0.80</priority>
</urlset>
```


#### 2.3 Opis funkcionalnosti na stranici


#### 2.3.1 Pocetna (index.html)

Prilikom učitavanja stranice JavaScript-om dinamički, iz niza, se ispisuje lista u navigacionom meniju, dinamički se ispisuje sekcija Dizajneri. Dinamički se ispisuju navigacioni meni i društvene mreže u futeru. Navigacioni meni nestaje na manjim rezolucijama i pojavljuje se "hamburger" dugme koje kada se pritisne otvara navigaciju i prikazuje linkove,. Klik na link u navigaciji vodi na određenu sekciju stranice.


Klikom na dugme "Poruci" otvara se forma za popunjavanje narudzbine I porucivanje, kojoj se kao i formi u footer-u proveravaja ispravnost unetih podataka regularnim izrazima kada se forma pošalje. Ispisivanje greške ispod polja forme koje nije dobro popunjeno.











Ukoliko se klikne na dugme "Poruči" dobijamo formu za porucivanje.

















## Ukoliko forma nije ispravno popunjena.



### 2.3.2 Katalog (katalog.html)


Prilikom ispisivanja stranice, ucitavaju se Header i Footer kao i na ostalim stranicama. Ispisivanje proizvoda je dinamicki I po kategorijama. Dugme "Naruci" otvara modal za porucivanje odredjenih proizvoda.






### 2.3.3 Projekti (projekti.html)


Prilikom ispisivanja stranice, ucitavaju se Header i Footer kao i na ostalim stranicama. Ispisivanje projekata I slika je dinamicki.






### 2.3.4 Blog (blog.html)

Prilikom ispisivanja stranice, ucitavaju se Header i Footer kao i na ostalim stranicama. Ispisivanje vesti kao i slika na slajderu je dinamicki.





#### 3.Kodovi

#### 3.1. HTML

#### 3.1.1. index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <meta http-equiv="X-UA-Compatible" content="ie=edge"/>
    <title>Projekti • Gavaltron</title>
    <link rel="shortcut icon" href="img/icon.ico" type="image/ico">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/</pre>
css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
        crossorigin="anonymous"/>
    <link rel="stylesheet" type="text/css" href="css/style.css"/>
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <meta name="keywords" content="gavaltron, prodaja, namestaja, klijenti, proje</pre>
kti"/>
    <meta name="description" content="Dizajniranje i ostvežavanje radnog prostora</pre>
zasnovano na najmodernijem dizajnu i izradi visokog kvaliteta za velike kompanij
e i firme sa velikim radim prostorom.">
</head>
  <nav class="navbar navbar-expand-sm navbar-dark bg-light d-flex justify-</pre>
content-around">
    <div id="responsive-meni" class="w-100 position-absolute d-sm-none">
      </div>
    <a href="index.html" class="navbar-brand"><img src="img/logo.jpg" class="mw-</pre>
100" alt="logo"/></a>
    <button class="navbar-toggler bg-info">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse nav-pills col-md-4" id="navbarMenu">
        <ul id="navbarMenu-ul" class="navbar-nav container justify-content-
around">
```

```
</div>
    <button type="button" id="korpa" class="btn btn-info btn-lg" data-
toggle="modal" data-target=".bd-example-modal-lg">Poruči <i class="fa fa-
shipping-fast"></i></button>
    <div class="modal fade bd-example-modal-lg" tabindex="-1" role="dialog" aria-</pre>
labelledby="myLargeModalLabel" aria-hidden="true">
      <div class="modal-dialog modal-lg">
        <div class="modal-content">
          <section class="order-form my-4 mx-4">
            <div class="container pt-4">
              <div class="row">
                  <div class="col-12">
                      <h1>Poručite brzo i jednostavno!</h1>
                      <span class="pb-2 border-bottom d-</pre>
block">Popunite formular ispod kako bi poručili željeni namestaj.</span>
                  </div>
                  <div class="col-12 mt-4">
                    inline">Za odlazak na katalog klikni <a href="katalog.html" class="text-
info" ><u>ovde.</u></a>
                  </div>
                  <div class="col-12">
                      <form name="porucivanje" action="#" method="GET">
                        <div class="row mx-4">
                            <div class="col-12 mb-2">
                            <label class="order-form-label mt-</pre>
2">Lični podaci</label>
                            </div>
                            <div class="col-12 col-sm-6">
                            <input name="ime" class="order-form-</pre>
input border border-info" placeholder="Ime" required/>
                            </div>
                            <div class="col-12 col-sm-6 mt-2 mt-sm-0">
                            <input name="prezime" class="order-form-</pre>
input border border-info" placeholder="Prezime" required/>
                            </div>
                        </div>
                        <div class="row mt-3 mx-4">
                            <div class="col-12">
                            <label class="order-form-label mt-</pre>
2">Naziv nameštaja i tip</label>
                            </div>
                            <div class="col-12">
```

```
<input name="tip" class="order-form-</pre>
input border border-info" placeholder="Npr: Lean Sto" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                             <label class="order-form-label mt-</pre>
2">Datum dostave</label>
                             </div>
                             <div class="col-12">
                             <input name="datum" class="order-form-</pre>
input border border-info" placeholder="Npr: 20.4.2020." id="date" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                             <label class="order-form-label mt-2">Adresa</label>
                             </div>
                             <div class="col-12">
                             <input name="adresa" class="order-form-</pre>
input border border-
info" placeholder="Adresa i mesto (Npr: Svetog Save 6, Beograd)" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                                 <div class="custom-control custom-checkbox">
                                      <input type="checkbox" class="custom-control-</pre>
input" id="defaultChecked2" checked/>
                                     <label class="custom-control-</pre>
label" for="defaultChecked2">Slažem se sa uslovim korišćenja.</label>
                                 </div>
                             </div>
                         </div>
                         <div class="row mt-3">
                             <div class="col-12">
                                 <button type="button" id="btnSubmit" class="btn b</pre>
tn-lg btn-info btn-min-width d-block mx-auto btn-submit">Poruči</button>
                             </div>
                        </div>
```

```
</form>
                  </div>
              </div>
            </div>
        </section>
        </div>
      </div>
    </div>
    </nav>
    <div class="container p-50-0">
        <h1 class="text-dark text-
center">Istraži radni prostor koji te inspiriše</h1>
        <h2 class="text-dark pb-3 pl-2 mt-5 mb-3 border-</pre>
bottom">Neki od naših projekata</h2>
        <div class="container" id="projekti">
        </div>
    </div>
    <footer>
        <div class="container-fluid pb-0">
          <div class="kontakt border-top border-dark container-fluid d-flex flex-</pre>
wrap justify-content-between col-10 p-50-0">
            <form name="kontakt" class="p-50-0 pt-0 d-inline col-12 col-md-6 col-</pre>
lg-5" action="#" method="GET">
              <h4 class="text-info mb-4 text-center">Za pitanja</h4>
              <div class="container-fluid col-12">
                  <input type="text" name="name" id="name" class="container brd-</pre>
none border-bottom border-info" placeholder="Ime i prezime">
                </div>
                <div>
                  <input type="email" name="mail" id="mail" class="container brd-</pre>
none border-bottom border-info mt-2" placeholder="Email">
                </div>
                <div>
                  <textarea name="text" id="text" cols="22" maxlength="200" rows</pre>
="3" class="container brd-none border-bottom border-info mt-
2" placeholder="Poruka..."></textarea>
                <div class="d-flex align-items-center flex-column">
                     <input type="submit" id="button" class="btn btn-</pre>
info" value="Pošalji">
                </div>
              </div>
            </form>
            <div class="container text-center col-12 col-md-6 col-lg-4">
```

```
<h4 class="text-info mb-4 text-center">Kontakt detalji</h4>
           Gavaltron
            Prvi sprat
            16 Zdravka Čelara
            Palilula, Beograd
            Srbija
            inline">Email: <a href="mailto:djordje.minic.135.19@ict.edu.rs" class="text-
dark aunderline">gavaltron@gmail.com</a>
            inline">Telefon: <a href="tel:+381 69 131 24 20" class="text-
dark aunderline">+381 69 131 24 20</a>
            </div>
         <div class="p-50-0 pt-0 container col-lg-3 col-9 col-md-6">
           <div class="logo-f d-flex justify-content-center">
            <a href="index.html"><img src="img/logo.jpg" alt="logo"/></a>
           12" id="meniFuter">
           </div>
         <div class="p-0 container mt-4 col-8 col-md-4 col-lg-6">
           <h4 class="text-info mb-4 text-center">Društvene mreže</h4>
           wrap" id="drustveneMreze">
         </div>
        </div>
        <div class="container col-12">
         <a href="Dokumentacija.pdf" class="d-inline text-</pre>
info">Dokumentacija</a>
         <a href="css/style.sass" class="d-inline text-info ml-3 float-</pre>
right">sass</a>
         <a href="sitemap.xml" class="d-inline text-info ml-3 float-</pre>
right">sitemap</a>
         <a href="css/style.css" class="d-inline text-info float-</pre>
right">css</a>
```

```
3"><mark> @ </mark> 2020 Đorđe Minić &nbsp;135<mark> / </mark>19
         </div>
       </div>
    </footer>
    <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popp</pre>
er.min.js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
       crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min</pre>
.js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
       crossorigin="anonymous"></script>
       <script src="js/main.js"></script>
</body>
</html>
```

#### 3.1.2 katalog.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <meta http-equiv="X-UA-Compatible" content="ie=edge"/>
    <title>Katalog • Gavaltron</title>
    <link rel="shortcut icon" href="img/icon.ico" type="image/ico">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/</pre>
css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
        crossorigin="anonymous"/>
    <link rel="stylesheet" type="text/css" href="css/style.css"/>
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <meta name="keywords" content="gavaltron, prodaja, namestaja, katalog, cena"/</pre>
    <meta name="description" content="Visoko kvalitetan i moderno dizajniran name</pre>
štaj ya Vaš radni prostor - napravljen blizu Vas, svuda u svetu.">
</head>
<body>
```

```
<nav class="navbar navbar-expand-sm navbar-dark bg-light d-flex justify-</pre>
content-around">
       <div id="responsive-meni" class="w-100 position-absolute d-sm-none">
           </div>
         <a href="index.html" class="navbar-</pre>
brand"><img src="img/logo.jpg" class="mw-100" alt="logo"/></a>
         <button class="navbar-toggler bg-info">
             <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse nav-pills col-md-</pre>
4" id="navbarMenu">
             around">
             </div>
         <button type="button" id="korpa" class="btn btn-info btn-lg" data-
toggle="modal" data-target=".bd-example-modal-lg">Poruči <i class="fa fa-
shipping-fast"></i></button>
         <div class="modal fade bd-example-modal-lg" tabindex="-</pre>
1" role="dialog" aria-labelledby="myLargeModalLabel" aria-hidden="true">
           <div class="modal-dialog modal-lg">
             <div class="modal-content">
               <section class="order-form my-4 mx-4">
                <div class="container pt-4">
                  <div class="row">
                      <div class="col-12">
                          <h1>Poručite brzo i jednostavno!</h1>
                          <span class="pb-2 border-bottom d-</pre>
block">Popunite formular ispod kako bi poručili željeni namestaj.</span>
                      </div>
                      <div class="col-12 mt-4">
                        inline">Za odlazak na katalog klikni <a href="katalog.html" class="text-
info" ><u>ovde.</u></a>
                      </div>
                      <div class="col-12">
                          <form name="porucivanje" action="#" method="GET">
                            <div class="row mx-4">
                               <div class="col-12 mb-2">
```

```
<label class="order-form-label mt-</pre>
2">Lični podaci</label>
                                    </div>
                                    <div class="col-12 col-sm-6">
                                    <input name="ime" class="order-form-</pre>
input border border-info" placeholder="Ime" required/>
                                    </div>
                                    <div class="col-12 col-sm-6 mt-2 mt-sm-0">
                                    <input name="prezime" class="order-form-</pre>
input border border-info" placeholder="Prezime" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                    <label class="order-form-label mt-</pre>
2">Naziv nameštaja i tip</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="tip" class="order-form-</pre>
input border border-info" placeholder="Npr: Lean Sto" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                    <label class="order-form-label mt-</pre>
2">Datum dostave</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="datum" class="order-form-</pre>
input border border-info" placeholder="Npr: 20.4.2020." id="date" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                    <label class="order-form-label mt-</pre>
2">Adresa</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="adresa" class="order-form-</pre>
input border border-
info" placeholder="Adresa i mesto (Npr: Svetog Save 6, Beograd)" required/>
                                    </div>
```

```
</div>
                               <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                        <div class="custom-control custom-</pre>
checkbox">
                                            <input type="checkbox" class="custom-</pre>
control-input" id="defaultChecked2" checked/>
                                            <label class="custom-control-</pre>
label" for="defaultChecked2">Slažem se sa uslovim korišćenja.</label>
                                        </div>
                                    </div>
                               </div>
                               <div class="row mt-3">
                                    <div class="col-12">
                                        <button type="button" id="btnSubmit" class=</pre>
"btn btn-lg btn-info btn-min-width d-block mx-auto btn-submit">Poruči</button>
                                   </div>
                               </div>
                           </form>
                         </div>
                     </div>
                   </div>
              </section>
              </div>
            </div>
          </div>
    </nav>
    <div id="proizvodi" class="proizvodi container p-50-0">
    </div>
    <footer>
        <div class="container-fluid pb-0">
          <div class="kontakt border-top border-dark container-fluid d-flex flex-</pre>
wrap justify-content-between col-9 p-50-0">
            <form name="kontakt" class="p-50-0 pt-0 d-inline col-12 col-md-6 col-</pre>
lg-5" action="#" method="GET">
                 <h4 class="text-info mb-4 text-center">Za pitanja</h4>
                 <div class="container-fluid col-12">
                  <div>
                     <input type="text" name="name" id="name" class="container brd</pre>
-none border-bottom border-info" placeholder="Ime i prezime">
                  </div>
```

```
<div>
                <input type="email" name="mail" id="mail" class="container br</pre>
d-none border-bottom border-info mt-2" placeholder="Email">
               </div>
               <div>
                <textarea name="text" id="text" cols="22" maxlength="200" ro</pre>
ws="3" class="container brd-none border-bottom border-info mt-
2" placeholder="Poruka..."></textarea>
               </div>
               <div class="d-flex align-items-center flex-column">
                  <input type="submit" id="button" class="btn btn-</pre>
info" value="Pošalji">
               </div>
             </div>
           </form>
             <div class=" container text-center col-12 col-md-6 col-lg-4">
             <h4 class="text-info mb-4 text-center">Kontakt detalji</h4>
             Gavaltron
                Prvi sprat
                16 Zdravka Čelara
                Palilula, Beograd
                Srbija
                inline">Email: <a href="mailto:djordje.minic.135.19@ict.edu.rs" class="text-
dark aunderline">gavaltron@gmail.com</a>
                inline">Telefon: <a href="tel:+381 69 131 24 20" class="text-
dark aunderline">+381 69 131 24 20</a>
                </div>
             <div class="p-50-0 pt-0 container col-lg-3 col-9 col-md-6">
             <div class="logo-f d-flex justify-content-center">
                <a href="index.html"><img src="img/logo.jpg" alt="logo"/></a>
             </div>
             12" id="meniFuter">
             </div>
             <div class="p-0 container mt-4 col-8 col-md-4 col-lg-6">
```

```
<h4 class="text-info mb-4 text-center">Društvene mreže</h4>
               wrap" id="drustveneMreze">
               </div>
           </div>
           <div class="container col-12">
               <a href="Dokumentacija.pdf" class="d-inline text-</pre>
info">Dokumentacija</a>
               <a href="css/style.sass" class="d-inline text-info ml-3 float-</pre>
right">sass</a>
               <a href="sitemap.xml" class="d-inline text-info ml-3 float-</pre>
right">sitemap</a>
               <a href="css/style.css" class="d-inline text-info float-</pre>
right">css</a>
               3"><mark> © </mark> 2020 Đorđe Minić &nbsp;135<mark> / </mark>19
       </div>
   </footer>
   <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popp</pre>
er.min.js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
       crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min</pre>
.js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
       crossorigin="anonymous"></script>
       <script src="js/main.js"></script>
</body>
</html>
```

#### 3.1.3. projekti.html

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <!-- , animacija -->
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <meta http-equiv="X-UA-Compatible" content="ie=edge"/>
        <title>Projekti • Gavaltron</title>
        </ra>
<!ink rel="shortcut icon" href="img/icon.ico" type="image/ico">
```

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/</pre>
css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
       crossorigin="anonymous"/>
   <link rel="stylesheet" type="text/css" href="css/style.css"/>
   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
   <meta name="keywords" content="gavaltron, prodaja, namestaja, klijenti, proje
kti"/>
   <meta name="description" content="Dizajniranje i ostvežavanje radnog prostora</pre>
zasnovano na najmodernijem dizajnu i izradi visokog kvaliteta za velike kompanij
e i firme sa velikim radim prostorom.">
</head>
 <nav class="navbar navbar-expand-sm navbar-dark bg-light d-flex justify-</pre>
content-around">
   <div id="responsive-meni" class="w-100 position-absolute d-sm-none">
     </div>
   <a href="index.html" class="navbar-brand"><img src="img/logo.jpg" class="mw-</pre>
100" alt="logo"/></a>
   <button class="navbar-toggler bg-info">
       <span class="navbar-toggler-icon"></span>
   </button>
   <div class="collapse navbar-collapse nav-pills col-md-4" id="navbarMenu">
       around">
       </div>
   <button type="button" id="korpa" class="btn btn-info btn-lg" data-</pre>
toggle="modal" data-target=".bd-example-modal-lg">Poruči <i class="fa fa-
shipping-fast"></i></button>
   <div class="modal fade bd-example-modal-lg" tabindex="-1" role="dialog" aria-</pre>
labelledby="myLargeModalLabel" aria-hidden="true">
     <div class="modal-dialog modal-lg">
       <div class="modal-content">
         <section class="order-form my-4 mx-4">
           <div class="container pt-4">
             <div class="row">
                 <div class="col-12">
```

```
<h1>Poručite brzo i jednostavno!</h1>
                       <span class="pb-2 border-bottom d-</pre>
block">Popunite formular ispod kako bi poručili željeni namestaj.</span>
                  </div>
                  <div class="col-12 mt-4">
                    inline">Za odlazak na katalog klikni <a href="katalog.html" class="text-
info" ><u>ovde.</u></a>
                  </div>
                  <div class="col-12">
                       <form name="porucivanje" action="#" method="GET">
                         <div class="row mx-4">
                             <div class="col-12 mb-2">
                             <label class="order-form-label mt-</pre>
2">Lični podaci</label>
                             </div>
                             <div class="col-12 col-sm-6">
                             <input name="ime" class="order-form-</pre>
input border border-info" placeholder="Ime" required/>
                             </div>
                             <div class="col-12 col-sm-6 mt-2 mt-sm-0">
                             <input name="prezime" class="order-form-</pre>
input border border-info" placeholder="Prezime" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                             <label class="order-form-label mt-</pre>
2">Naziv nameštaja i tip</label>
                             </div>
                             <div class="col-12">
                             <input name="tip" class="order-form-</pre>
input border border-info" placeholder="Npr: Lean Sto" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                             <label class="order-form-label mt-</pre>
2">Datum dostave</label>
                             </div>
                             <div class="col-12">
                             <input name="datum" class="order-form-</pre>
input border border-info" placeholder="Npr: 20.4.2020." id="date" required/>
```

```
</div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                             <label class="order-form-label mt-2">Adresa</label>
                             </div>
                             <div class="col-12">
                             <input name="adresa" class="order-form-</pre>
input border border-
info" placeholder="Adresa i mesto (Npr: Svetog Save 6, Beograd)" required/>
                             </div>
                         </div>
                         <div class="row mt-3 mx-4">
                             <div class="col-12">
                                 <div class="custom-control custom-checkbox">
                                     <input type="checkbox" class="custom-control-</pre>
input" id="defaultChecked2" checked/>
                                     <label class="custom-control-</pre>
label" for="defaultChecked2">Slažem se sa uslovim korišćenja.</label>
                                 </div>
                             </div>
                         </div>
                         <div class="row mt-3">
                             <div class="col-12">
                                 <button type="button" id="btnSubmit" class="btn b</pre>
tn-lg btn-info btn-min-width d-block mx-auto btn-submit">Poruči</button>
                             </div>
                         </div>
                    </form>
                  </div>
              </div>
            </div>
        </section>
        </div>
      </div>
    </div>
    </nav>
    <div class="container p-50-0">
        <h1 class="text-dark text-
center">Istraži radni prostor koji te inspiriše</h1>
```

```
<h2 class="text-dark pb-3 pl-2 mt-5 mb-3 border-</pre>
bottom">Neki od naših projekata</h2>
       <div class="container" id="projekti">
       </div>
   </div>
   <footer>
       <div class="container-fluid pb-0">
         <div class="kontakt border-top border-dark container-fluid d-flex flex-</pre>
wrap justify-content-between col-10 p-50-0">
           <form name="kontakt" class="p-50-0 pt-0 d-inline col-12 col-md-6 col-</pre>
lg-5" action="#" method="GET">
             <h4 class="text-info mb-4 text-center">Za pitanja</h4>
             <div class="container-fluid col-12">
               <div>
                 <input type="text" name="name" id="name" class="container brd-</pre>
none border-bottom border-info" placeholder="Ime i prezime">
               </div>
               <div>
                 <input type="email" name="mail" id="mail" class="container brd-</pre>
none border-bottom border-info mt-2" placeholder="Email">
               </div>
               <div>
                 <textarea name="text" id="text" cols="22" maxlength="200" rows</pre>
="3" class="container brd-none border-bottom border-info mt-
2" placeholder="Poruka..."></textarea>
               </div>
               <div class="d-flex align-items-center flex-column">
                   <input type="submit" id="button" class="btn btn-</pre>
info" value="Pošalji">
               </div>
             </div>
           </form>
           <div class="container text-center col-12 col-md-6 col-lg-4">
             <h4 class="text-info mb-4 text-center">Kontakt detalji</h4>
             Gavaltron
               Prvi sprat
               16 Zdravka Čelara
               Palilula, Beograd
               Srbija
               inline">Email: <a href="mailto:djordje.minic.135.19@ict.edu.rs" class="text-
dark aunderline">gavaltron@gmail.com</a>
```

```
inline">Telefon: <a href="tel:+381 69 131 24 20" class="text-
dark aunderline">+381 69 131 24 20</a>
              </div>
          <div class="p-50-0 pt-0 container col-lg-3 col-9 col-md-6">
            <div class="logo-f d-flex justify-content-center">
              <a href="index.html"><img src="img/logo.jpg" alt="logo"/></a>
            </div>
            12" id="meniFuter">
            </div>
          <div class="p-0 container mt-4 col-8 col-md-4 col-lg-6">
            <h4 class="text-info mb-4 text-center">Društvene mreže</h4>
            wrap" id="drustveneMreze">
          </div>
         </div>
         <div class="container col-12">
          <a href="Dokumentacija.pdf" class="d-inline text-</pre>
info">Dokumentacija</a>
          <a href="css/style.sass" class="d-inline text-info ml-3 float-</pre>
right">sass</a>
          <a href="sitemap.xml" class="d-inline text-info ml-3 float-</pre>
right">sitemap</a>
          <a href="css/style.css" class="d-inline text-info float-</pre>
right">css</a>
          3"><mark> @ </mark> 2020 Đorđe Minić &nbsp;135<mark> / </mark>19
         </div>
       </div>
   </footer>
   <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
   <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popp</pre>
er.min.js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
       crossorigin="anonymous"></script>
   <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min</pre>
.js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
```

#### 3.1.4. blog.html

```
<!DOCTYPE html>
<html lang="en">
    <!-- animacija -->
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <meta http-equiv="X-UA-Compatible" content="ie=edge"/>
    <title>Blog • Gavaltron</title>
    <link rel="shortcut icon" href="img/icon.ico" type="image/ico">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/</pre>
css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
        crossorigin="anonymous"/>
    <link rel="stylesheet" type="text/css" href="css/style.css"/>
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.12.1/css</pre>
/all.css">
    <meta name="keywords" content="gavaltron, blog, namestaja, vesti, novosti"/>
    <meta name="description" content="Svakodnevo usavršavanje i rad na sebi dovod</pre>
i do vrhunskih rezultata! Upoznajte naše dizajnere, proizvođače i njihove uzbudlj
ive priče kao i nove tehnologije izrade nameštaja">
</head>
<body>
    <nav class="navbar navbar-expand-sm navbar-dark bg-light d-flex justify-</pre>
content-around">
        <div id="responsive-meni" class="w-100 position-absolute d-sm-none">
            </div>
          <a href="index.html" class="navbar-</pre>
brand"><img src="img/logo.jpg" class="mw-100" alt="logo"/></a>
          <button class="navbar-toggler bg-info">
              <span class="navbar-toggler-icon"></span>
          <div class="collapse navbar-collapse nav-pills col-md-</pre>
4" id="navbarMenu">
```

```
around">
             </div>
         <button type="button" id="korpa" class="btn btn-info btn-lg" data-
toggle="modal" data-target=".bd-example-modal-lg">Poruči <i class="fa fa-
shipping-fast"></i></button>
         <div class="modal fade bd-example-modal-lg" tabindex="-</pre>
1" role="dialog" aria-labelledby="myLargeModalLabel" aria-hidden="true">
           <div class="modal-dialog modal-lg">
             <div class="modal-content">
               <section class="order-form my-4 mx-4">
                 <div class="container pt-4">
                   <div class="row">
                       <div class="col-12">
                           <h1>Poručite brzo i jednostavno!</h1>
                           <span class="pb-2 border-bottom d-</pre>
block">Popunite formular ispod kako bi poručili željeni namestaj.</span>
                       <div class="col-12 mt-4">
                         inline">Za odlazak na katalog klikni <a href="katalog.html" class="text-
info" ><u>ovde.</u></a>
                       </div>
                       <div class="col-12">
                           <form name="porucivanje" action="#" method="GET">
                             <div class="row mx-4">
                                 <div class="col-12 mb-2">
                                 <label class="order-form-label mt-</pre>
2">Lični podaci</label>
                                 </div>
                                 <div class="col-12 col-sm-6">
                                 <input name="ime" class="order-form-</pre>
input border border-info" placeholder="Ime" required/>
                                 </div>
                                 <div class="col-12 col-sm-6 mt-2 mt-sm-0">
                                 <input name="prezime" class="order-form-</pre>
input border border-info" placeholder="Prezime" required/>
                                 </div>
                             </div>
                             <div class="row mt-3 mx-4">
                                <div class="col-12">
```

```
<label class="order-form-label mt-</pre>
2">Naziv nameštaja i tip</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="tip" class="order-form-</pre>
input border border-info" placeholder="Npr: Lean Sto" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                    <label class="order-form-label mt-</pre>
2">Datum dostave</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="datum" class="order-form-</pre>
input border border-info" placeholder="Npr: 20.4.2020." id="date" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                    <label class="order-form-label mt-</pre>
2">Adresa</label>
                                    </div>
                                    <div class="col-12">
                                    <input name="adresa" class="order-form-</pre>
input border border-
info" placeholder="Adresa i mesto (Npr: Svetog Save 6, Beograd)" required/>
                                    </div>
                                </div>
                                <div class="row mt-3 mx-4">
                                    <div class="col-12">
                                        <div class="custom-control custom-</pre>
checkbox">
                                            <input type="checkbox" class="custom-</pre>
control-input" id="defaultChecked2" checked/>
                                            <label class="custom-control-</pre>
label" for="defaultChecked2">Slažem se sa uslovim korišćenja.</label>
                                        </div>
                                    </div>
                                </div>
                                <div class="row mt-3">
```

```
<div class="col-12">
                                        <button type="button" id="btnSubmit" class=</pre>
"btn btn-lg btn-info btn-min-width d-block mx-auto btn-submit">Poruči</button>
                                   </div>
                               </div>
                           </form>
                         </div>
                     </div>
                  </div>
              </section>
              </div>
            </div>
          </div>
    </nav>
    <div class="sl-sh container col-12 col-md-10 col-lg-9 p-50-0">
        <div class="container col-12">
            <div class="row">
                <div class="col-12">
                     <div id="slajder" class="slideshow-container">
                     </div>
                <br>
                    <div id="dots">
                       <span class="dot"></span>
                       <span class="dot"></span>
                       <span class="dot"></span>
                     </div>
                </div>
            </div>
        </div>
    </div>
    <div class="container col-10 p-50-0 pt-0">
        <h2 class="text-center text-secondary pl-2 mt-5 mb-3 pt-2 pb-2 border-</pre>
bottom">Novosti i članci</h2>
        <div id="novosti" class="container col-12 d-flex justify-content-</pre>
around flex-wrap p-50-0">
        </div>
    </div>
    <footer>
        <div class="container-fluid pb-0">
          <div class="kontakt border-top border-dark container-fluid d-flex flex-</pre>
wrap justify-content-between col-10 p-50-0">
```

```
<form name="kontakt" class="p-50-0 pt-0 d-inline col-12 col-md-6 col-</pre>
lg-5" action="#" method="GET">
            <h4 class="text-info mb-4 text-center">Za pitanja</h4>
            <div class="container-fluid col-12">
              <div>
                <input type="text" name="name" id="name" class="container brd-</pre>
none border-bottom border-info" placeholder="Ime i prezime">
              </div>
              <div>
                <input type="email" name="mail" id="mail" class="container brd-</pre>
none border-bottom border-info mt-2" placeholder="Email">
              </div>
              <div>
                <textarea name="text" id="text" cols="22" maxlength="200" rows</pre>
="3" class="container brd-none border-bottom border-info mt-
2" placeholder="Poruka..."></textarea>
              </div>
              <div class="d-flex align-items-center flex-column">
                  <input type="submit" id="button" class="btn btn-</pre>
info" value="Pošalji">
              </div>
            </div>
          </form>
          <div class="container text-center col-12 col-md-6 col-lg-4">
            <h4 class="text-info mb-4 text-center">Kontakt detalji</h4>
            Gavaltron
              Prvi sprat
              16 Zdravka Čelara
              Palilula, Beograd
              Srbija
              inline">Email: <a href="mailto:djordje.minic.135.19@ict.edu.rs" class="text-
dark aunderline">gavaltron@gmail.com</a>
              inline">Telefon: <a href="tel:+381 69 131 24 20" class="text-
dark aunderline">+381 69 131 24 20</a>
              </div>
          <div class="p-50-0 pt-0 container col-lg-3 col-9 col-md-6">
            <div class="logo-f d-flex justify-content-center">
```

```
<a href="index.html"><img src="img/logo.jpg" alt="logo"/></a>
             </div>
             12" id="meniFuter">
             </div>
           <div class="p-0 container mt-4 col-8 col-md-4 col-lg-6">
               <h4 class="text-info mb-4 text-center">Društvene mreže</h4>
              wrap" id="drustveneMreze">
              </div>
         </div>
         <div class="container col-12">
           <a href="Dokumentacija.pdf" class="d-inline text-</pre>
info">Dokumentacija</a>
           <a href="css/style.sass" class="d-inline text-info ml-3 float-</pre>
right">sass</a>
           <a href="sitemap.xml" class="d-inline text-info ml-3 float-</pre>
right">sitemap</a>
           <a href="css/style.css" class="d-inline text-info float-</pre>
right">css</a>
           3"><mark> @ </mark> 2020 Đorđe Minić &nbsp;135<mark> / </mark>19
         </div>
       </div>
   </footer>
   <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
   <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popp</pre>
er.min.js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
       crossorigin="anonymous"></script>
   <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min</pre>
.js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
       crossorigin="anonymous"></script>
       <script src="js/main.js"></script>
</body>
</html>
```

## 3.2. JS

```
$(document).ready(function() {
```

```
drustvreneMreze();
    meniFuter();
    meniNav();
    let stranica = window.location.pathname;
    if(stranica == '/' || stranica == '/index.html') {
        ispisDizajnera();
    if(stranica.indexOf('projekti') != -1) {
        ispisProjekata();
    if(stranica.indexOf('katalog') != -1) {
        ispisProizvida();
    if(stranica.indexOf('blog') != -1) {
        ispisSlajdera();
        ispisNovosti();
        var indeks = 0;
        showSlides();
//KOD ZA RESPONSIVE MENI
$(".navbar-toggler").click(function(){
    $("#responsive-meni")
        .css({
            "left" : "0",
            "top" : `${$(".navbar").height()}px`
        })
        .toggle();
});
function drustvreneMreze() {
    let nizMreza = ["facebook", "twitter", "linkedin", "instagram", "pinterest",
"youtube" ];
    let mreze = document.querySelector("#drustveneMreze");
```

```
for (let i = 0; i < nizMreza.length; i++) {</pre>
       mreze.innerHTML += `
       <a href="https://${nizMreza[i]}.com" target=" blanc">
               <i class="text-secondary text-center m-2 fab fa-</pre>
${nizMreza[i]}"></i></i>
           </a>
       function meniFuter() {
   let meniNiz = [
       ["index.html", "Početna"],
       ["katalog.html", "Katalog"],
       ["projekti.html", "Projekti"],
       ["blog.html", "Blog"]
   let meniFuter = document.querySelector("#meniFuter");
   for (let i = 0; i < meniNiz.length; i++) {</pre>
       meniFuter.innerHTML += `<a href="${meniNiz[i][0]}" class="text-</pre>
info">${meniNiz[i][1]}</a>`;
function meniNav() {
   let meniNiz = [
       ["index.html", "Početna"],
       ["katalog.html", "Katalog"],
       ["projekti.html", "Projekti"],
       ["blog.html", "Blog"]
   let meniNavR = document.querySelector("#responsive-meni-ul");
   for (let i = 0; i < meniNiz.length; i++) {</pre>
       meniNavR.innerHTML += `
center"><a href="${meniNiz[i][0]}" class="text-secondary nav-</pre>
link">${meniNiz[i][1]}</a>
```

```
let meniNav = document.querySelector("#navbarMenu-ul");
   meniNav.innerHTML = '';
    for (let i = 0; i < meniNiz.length; i++) {</pre>
        meniNav.innerHTML += `
item"><a href="${meniNiz[i][0]}" class="nav-link text-</pre>
secondary">${meniNiz[i][1]}</a>
//#region Blog
function ispisNovosti() {
    let nizNovosti = [
        ["VEST", "Tim", "Gavaltron -
 Bolje mesto", "Nastavljamo naše napore na realizaciji održivog, pravičnog i etič
kog lanca snabdevanja koji je bolji za ljude i planetu."],
        ["DIZAJN", "Parametricki", "Parametričko oblikovanje i izrada", "Kako par
ametrični dizajnerski procesi omogućavaju da ponudimo prilagođene proizvode do po
slednjeg milimetra."],
        ["IZRADA", "Proizvodjac", "Upoznaj proizvođača -
kreator iz Londona", "Stvaranje zajednice proizvođača -
 i puno Gavaltron nameštaja - u Leitonu u Istočnom Londonu."],
        ["EDUKACIJA", "Copyright2", "Digitalne zajednice i Copyright deo 2.", "Ka
ko možemo ukloniti probleme autorskih prava i prihvatiti obilje digitalnog rada."
        ["EDUKACIJA", "Copyright1", "Digitalne zajednice i Copyright deo 1.", "Di
gitalno doba direktno utiče na razvoj i način funkcionisanja kreativne industrije
kao i kulture."],
        ["KOLABORACIJA", "Tehnologije", "Proširena realnost zadovoljava proizvodn
ju", "AR upoznaje lokalnu, distributivnu proizvodnju nameštaja sa Gavaltronom, VR
TKS laboratorijom i Apple iOS 12"]
    let novosti = document.querySelector("#novosti");
    for (let i = 0; i < nizNovosti.length; i++) {</pre>
       novosti.innerHTML += `
```

```
<div class="card brd-none text-center col-md-6 col-xl-4 mb-3">
           <img class="card-img-top pt-</pre>
3" src="img/vest${nizNovosti[i][1]}.jpg" alt="${nizNovosti[i][2]}">
           <div class="card-body border">
               ${nizNovosti[i][0]}
               <h3 class="card-title">${nizNovosti[i][2]}</h3>
               5">${nizNovosti[i][3]}
           </div>
       </div>
function ispisSlajdera() {
   let nizSlajder = [
       ["vestSlajder0", "Koriscenje novih tehnologija"],
       ["vestSlajder1", "Digitalne zajednice i Copyright"],
       ["vestSlajder2", "Upoznaj dizajnera - Nikola iz Barselone"]
   let slajdovi = document.querySelector("#slajder");
   for (let i = 0; i < nizSlajder.length; i++) {</pre>
       slajdovi.innerHTML += `
       <div class="mySlides fade">
           <img class="img-</pre>
fluid" src="img/${nizSlajder[i][0]}.png" alt="${nizSlajder[i][1]}"/>
           <div class="text">${nizSlajder[i][1]}</div>
       </div>
function showSlides() {
   var slides = document.getElementsByClassName("mySlides");
   var dots = document.getElementsByClassName("dot");
   for (i = 0; i < slides.length; i++) {</pre>
       slides[i].style.display = "none";
```

```
indeks++;
    if (indeks > slides.length) {indeks = 1;}
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace("active", "");
    slides[indeks-1].style.display = "block";
    dots[indeks-1].className += " active";
    setTimeout(showSlides, 3000);
//#region Pocetna
function ispisDizajnera() {
    let nizDizajnera = [
        ["Nikola Arsić", "Industrijski dizajner, mašinski inženjer", "dizajner"],
        ["Maša Belić", "Grafički dizajner", "dizajner"],
        ["Igor Savić", "Arhitekta, dizajner", "dizajner"]
    let dizajneri = document.querySelector("#dizajneri");
    for (let i = 0; i < nizDizajnera.length; i++) {</pre>
        dizajneri.innerHTML += `
        <div class="card col-xs-6 text-center col-8 col-sm-6 col-md-4 brd-none">
            <img class="card-img-top rounded-circle mx-</pre>
auto" src="img/${nizDizajnera[i][2] + i}.jpg" alt="${nizDizajnera[i][2]}">
            <div class="card-body">
                <h5 class="card-title font-weight-
bold">${nizDizajnera[i][0]}</h5>
                ${nizDizajnera[i][1]}
            </div>
        </div>
function ispisProjekata() {
    let nizProjekata = [
        ["Tomorrow", "Ovo je novi prostor za saradnju u Srbiji, koji u prvi plan
dovodi zajednicu i dizajn. Njihova jedinstvena prodajna poenta je da su fokusiran
i na tehnologiju: svi menadžeri i članovi odbora su iz tehnološke industrije, što
 pomaže u stvaranju uspešne zajednice za napredne tehnološke preduzetnike. Tomorro
w je tehnološki centar za socijalno dobro, a sve se vraća u zajednicu. Njihov kaf
```

```
ić nudi samo hranu koja je proizvedena od lokalnih proizvođača, kojom upravljaju
isključivo domaći stanovnici i osvojili su najbolju kafu Srbije 2020. godine!"],
        ["The Collective", "Old Oak je nova tipologija izgradnje, koja u severni
London unosi zajednički život i saradnju. Razvio ga je The Collective i kompletir
ao sa Gavaltron dizajnom.Početi sa praznim platnom bila je savršena šansa da se s
tvori nešto potpuno individualno. Shvatili su da će ukupni troškovi biti malo viš
i od masovnog proizvedenog nameštaja, ali se mogla očiti vrednost. Proces je bio
zabavan, a krajnji rezultat bio je i praktičan i ugodan. Sve je završeno i isporu
čeno od strane lokalnog proizvođača, jedanog od najboljih proizvođača u mreži Gav
altrona."],
        ["The Working Party", "The Working Party je softverska agencija u Austral
iji. Njihove kancelarije smeštene su u Sidneju. Poslovne prostorije smeštene su m
edju azijskim barovima, restoranima kineske kuhinje i užurbanog tržišta kineske č
etvrti. Cal, direktor je prvi put naleteo na Gavaltron na Tviteru, zavoleo je kol
aborativni pristup nameštaju. Odmah je prepoznao vrednost u našim proizvodima pa
 kada je došlo vreme za opremanje njihove nove kancelarije, Gavaltron je bio prir
odni izbor."]
    let projekti = document.querySelector("#projekti");
    for (let i = 0; i < nizProjekata.length; i++) {</pre>
        let j = 1;
        projekti.innerHTML += `
        <h2 class="text-info pl-2 mt-5 mb-3">${nizProjekata[i][0]}</h2>
        ${nizProjekata[i][1]}
        <div class="container d-flex flex-wrap col-12 pt-3 mt-4">
            <div class="col d-flex flex-wrap align-items-between col-12 p-0 ">
                <div class="pnaslovna container-fluid col-12 col-md-11 col-lg-</pre>
6 p-0 mb-5"><img src="img/projekat${i+1}Slika${j++}.jpg" class="mw-100 col-
12" alt="projekat ${nizProjekata[i][0]} radni prostor"> </div>
                <div class="pslika1 pslika2 pnaslovna container col-12 col-md-</pre>
6 col-lg-5 mb-5"><img src="img/projekat${i+1}Slika${j++}.jpg" class="mw-
100" alt="projekat ${nizProjekata[i][0]} radni prostor"> </div>
                <div class="pslika1 pslika3 pnaslovna container col-12 col-md-</pre>
6 col-lg-5 mb-5"><img src="img/projekat${i+1}Slika${j++}.jpg" class="mw-
100" alt="projekat ${nizProjekata[i][0]} radni prostor"> </div>
                <div class="pslika1 pnaslovna container col-12 col-md-11 col-lg-</pre>
6"><img src="img/projekat${i+1}Slika${j++}.jpg" class="mw-
100" alt="projekat ${nizProjekata[i][0]} radni prostor"> </div>
            </div>
        </div>
```

```
//#region Katalog
function ispisProizvida() {
    let Stolovi = [
        ["Lean", "Prostran radni sto za 4 osobe", "143,554"],
        ["Team", "Radni sto srednje veličine za 4 osobe", "106,603"],
        ["Olivia", "Kompaktan kancelarijski sto", "39,353"],
        ["Lift", "Podesivi visoki sto", "91,823"],
        ["Meeting", "Široki sto za 8 osoba", "109,375"],
        ["Solo", "Solo sto sa ležištima", "53,394"]
    let Police = [
        ["Linnea", "Elegantne police modernog dizajna", "143,554"],
        ["Planter", "Komoda za knjige i cveće", "106,603"],
        ["Fin", "Fleksibilna kancelarijska polica", "39,353"],
        ["Lock Planter", "Timska komoda sa zaključavanjem", "91,823"],
        ["Pedestal", "Lična mini komoda", "109,375"]
    let Klupe = [
        ["Edie", "Klupa za 2 osobe", "143,554"],
        ["Stool", "Rasklapajuća hoklica", "106,603"],
        ["Set", "Tronošci i niski sto", "39,353"],
        ["Valovi", "Stolica sa zakrivljenim sedištem", "91,823"]
    var nizProizvoda = [Stolovi, Police, Klupe];
    var nizProizvodaString = ["stolovi", "police", "klupe"];
    let proizvodi = document.querySelector("#proizvodi");
    proizvodi.innerHTML += `<h1 class="text-center col-12 text-</pre>
secondary">Nameštaj dizajniran da inspiriše radni prostor</h1>`;
    for (let i = 0; i < nizProizvoda.length; i++) {</pre>
        proizvodi.innerHTML += `
            <h2 id="${nizProizvodaString[i]}" class=" text-secondary pl-2 mt-</pre>
5 mb-3 pt-2 pb-2 border-bottom col-12">${nizProizvodaString[i]}</h2>
```

```
<div class="container mw-100 d-flex justify-content-start flex-</pre>
wrap">`
       for (let j = 0; j < nizProizvoda[i].length; j++) {</pre>
            proizvodi.innerHTML += `
               <div class="card brd-none text-center col-sm-6 col-md-4 mb-3">
                   <img class="card-img-top pt-</pre>
3" src="img/${nizProizvodaString[i] + j}.jpg" alt="radni sto">
                   <div class="card-body">
                       <h5 class="card-title font-weight-
bold">${nizProizvoda[i][j][0]}</h5>
                       dark">${nizProizvoda[i][j][1]}
                       ${nizProizvoda[i][j][2]} RSD
                       <button type="button" id="korpa" class="btn btn-info btn-
lg" data-toggle="modal" data-target=".bd-example-modal-lg">Naruči odmah</button>
                   </div>
               </div>
       proizvodi.innerHTML += `</div>
//Validacija forme
    function resetovanjeForme(forma){
       $(".forma-greska").remove();
       $(".forma-uspeh").remove();
    function greska(element, poruka){
       $(`<span class="forma-greska">${poruka}</span>`).insertAfter($(element));
    function uspesno(forma, element, poruka) {
       $(`<span class="forma-uspeh">${poruka}</span>`).insertAfter($(element));
       forma.reset();
    function inputPrazno(element, naziv){
       if(element.value.length == 0){
            greska(element, Polje za ${naziv} ne sme biti prazno.);
            return true;
       return false;
```

```
let regImePrezime = /^[A-ZŠĐŽĆČ][a-zšđžćč]{2,15}(\s[A-ZŠĐŽĆČ][a-
z \tilde{d} \tilde{z} (\tilde{c}) \{2,15\} \} \{0,2\} 
    let regEmail = /^[a-z]((\cdot,|-|_))^2[a-z^0-9])^2, @[a-z]((\cdot,|-|_))^2[a-z^0-9]
9]+){2,}\.[a-z]{2,6}$/i;
    //Forma za porucivaje
    $("#btnSubmit").click(validirajPorucivanje);
    function validirajPorucivanje(){
        resetovanjeForme(document.porucivanje);
        let regTip = /\w+/;
        let regDatum = /^(0?[1-9]|[12]\d|3[01])\.(0?[1-9]|[12]\d|3[01])
9]|1[012])\.(19\d\d|20([01]\d|2[01]))\.$/;
        let regAdresa = /^[A-z\dŠĐŽĆČšđžćč\.]+(\s[A-z\dŠĐŽĆČšđžćč\.]+)+,(\s[A-
zŠĐŽĆČšđžćč]+)+$/;
        let indikatorGreske = false;
        //Ime
        if(inputPrazno(document.porucivanje.ime, "ime")){
            indikatorGreske = true;
            if(!regImePrezime.test(document.porucivanje.ime.value)){
                 greska(document.porucivanje.ime,"Ime nije dobro napisano.");
                 indikatorGreske = true;
        //Prezime
        if(inputPrazno(document.porucivanje.prezime, "prezime")){
            indikatorGreske = true;
            if(!regImePrezime.test(document.porucivanje.prezime.value)){
                 greska(document.porucivanje.prezime, "Prezime nije dobro napisano.
 );
                 indikatorGreske = true;
        //Tip
        if(inputPrazno(document.porucivanje.tip, "tip nameštaja")){
            indikatorGreske = true;
        else {
```

```
if(!regTip.test(document.porucivanje.tip.value)){
                greska(document.porucivanje.tip, "Naziv i tip nameštaja nisu dobro
 napisani.");
                indikatorGreske = true;
        if(inputPrazno(document.porucivanje.datum, "datum")){
            indikatorGreske = true;
            if(!regDatum.test(document.porucivanje.datum.value)){
                greska(document.porucivanje.datum, "Datum nije dobro napisan.");
                indikatorGreske = true;
            else {
                let stringDatum = document.porucivanje.datum.value.substring(0,do
cument.porucivanje.datum.value.length-1);
                let nizD = stringDatum.split(".");
                let datum1 = new Date();
                datum1.setFullYear(Number(nizD[2]));
                datum1.setMonth(Number(nizD[1])-1);
                datum1.setDate(Number(nizD[0]));
                let datum2 = new Date();
                if(datum1 < datum2){</pre>
                    greska(document.porucivanje.datum, "Ne može se uneti prošli d
atum.");
                    indikatorGreske = true;
        //Adresa
        if(inputPrazno(document.porucivanje.adresa, "adresu")){
            indikatorGreske = true;
        else {
            if(!regAdresa.test(document.porucivanje.adresa.value)){
                greska(document.porucivanje.adresa, "Adresa nije dobro napisana.")
                indikatorGreske = true;
```

```
//Uslovi checkbox
        if(!($("#defaultChecked2").is(":checked"))){
            greska($("#defaultChecked2").parent(),"Morate prihvatiti uslove koriš
ćenja.");
            indikatorGreske = true;
        if(!indikatorGreske){
            uspesno(document.porucivanje, $("#btnSubmit"), "Uspešno ste naručili.
   //Forma za kontakt
   $(document.kontakt).on("submit", function(event){
        validirajKontakt(event);
    });
    function validirajKontakt(event){
        event.preventDefault();
        resetovanjeForme(document.kontakt);
        let indikatorGreske = false;
       //Ime i Prezime
        if(inputPrazno(document.kontakt.name, "ime i prezime")){
            indikatorGreske = true;
            if(!regImePrezime.test(document.kontakt.name.value)){
                greska(document.kontakt.ime, "Ime i prezime nisu dobro napisani.")
                indikatorGreske = true;
       //Email
        if(inputPrazno(document.kontakt.mail, "imejl adresu")){
            indikatorGreske = true;
        else {
```

## 3.3. CSS

```
@font-face {
   font-family: myFont;
   src: url("../fonts/TTCommons-Regular.ttf");
}
::-moz-selection {
   background: #5bc0de;
   color: #fff;
}
::selection {
   background: #5bc0de;
   color: #fff;
}
```

```
font-family: myFont;
  scroll-behavior: smooth;
  font-size: 1.03em;
  line-height: 1.6;
  -webkit-transition: 0.4s;
  transition: 0.4s;
mark {
 background-color: rgba(0, 0, 0, 0);
  color: #17a2b8;
ul {
  list-style-type: none;
a:hover {
  text-decoration: none;
  padding: 50px 0px;
.aunderline {
  text-decoration: underline;
.brd-none {
  border: none;
textarea {
  resize: none;
#responsive-meni {
 display: none;
  z-index: 1000;
.naslovna {
  background-image: url(../img/naslovna1.png);
 height: 100%;
```

```
padding: 150px 0px 150px 150px;
  background-size: cover;
 background-repeat: no-repeat;
 background-position: center;
.proizvodi {
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
 -ms-flex-wrap: wrap;
  flex-wrap: wrap;
.proizvodi a:hover {
 border: 1px solid #dee2e6;
.proizvodi a img:hover {
 -webkit-transform: scale(1.15);
 transform: scale(1.15);
.o-nama {
 background-image: url(../img/naslovna2.jpg);
.klijenti {
 background-image: url(../img/nasLovna3.jpg);
.koraci img {
 max-width: 30%;
.dizajneri img {
 max-width: 70%;
.order-form-input {
 width: 100%;
 padding: 8px 8px;
 font-size: 0.9em;
 border-color: #17a2b8;
```

```
#prikaziViseBlog {
  margin: 0px auto;
#prikaziViseBlog p {
 margin: 0px;
.slideshow-container {
 max-width: 1000px;
 position: relative;
 margin: auto;
.text {
 color: #f2f2f2;
  font-size: 30px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
 width: 100%;
  text-align: center;
.numbertext {
 color: #f2f2f2;
  font-size: 12px;
  padding: 8px 12px;
 position: absolute;
  top: 0;
.dot {
 height: 15px;
 width: 15px;
 margin: 0 2px;
  background-color: #bbb;
 border-radius: 50%;
  display: inline-block;
 -webkit-transition: background-color 0.6s ease;
  transition: background-color 0.6s ease;
.active {
```

```
background-color: #717171;
.mySlides {
 display: none;
.mySlides img {
 width: 100%;
#dots {
 text-align: center;
.fade {
 -webkit-animation-name: fade;
 -webkit-animation-duration: 1.5s;
 animation-name: fade;
  -webkit-animation-duration: 3s;
          animation-duration: 3s;
@-webkit-keyframes fade {
  from {
   opacity: .4;
   opacity: 1;
@keyframes fade {
  from {
   opacity: .4;
   opacity: 1;
.forma-greska {
 display: block;
 color: #ff0000;
 opacity: .7;
```

```
}
.forma-uspeh {
  color: #17a2b8;
}
/*# sourceMappingURL=style.css.map */
```