

EMC Test Report (SAMPLE / SYNTHETIC DATA)

Product Under Test: Demo Widget 3000

Report Number: SAMPLE-2026-001

This is a synthetically generated sample report used only to test the EMC Report Analyzer web application's parsing logic. Values are made up and do not correspond to a real product.

1. Test Configuration

The equipment under test (EUT) was configured in a typical use configuration as described in section 4 of this report. All cables were routed per the manufacturer's installation instructions. Ambient temperature was 23 degrees C and relative humidity was 45%.

Test site: Semi-anechoic chamber, 3 m measurement distance, validated per ANSI C63.4.

5.2 Radiated Emissions (CISPR 32 Class B, EN 55032)

Measurements performed per CISPR 16-1-1/16-2-3, 3 m semi-anechoic chamber, quasi-peak (QP) detector unless noted. Limit shown is the applicable Class B limit at the measurement distance.

Frequency	Level	Limit	Margin	Det	Result
30.000 MHz	28.5 dBuV/m	40.0 dBuV/m	11.5 dB	QP	PASS
54.000 MHz	35.2 dBuV/m	40.0 dBuV/m	4.8 dB	QP	PASS
98.500 MHz	41.3 dBuV/m	40.0 dBuV/m	-1.3 dB	QP	FAIL
150.000 MHz	30.1 dBuV/m	40.0 dBuV/m	9.9 dB	QP	PASS
433.920 MHz	38.9 dBuV/m	40.0 dBuV/m	1.1 dB	QP	PASS
960.000 MHz	44.0 dBuV/m	40.0 dBuV/m	-4.0 dB	QP	FAIL
2440.000 MHz	46.5 dBuV/m	40.0 dBuV/m	-6.5 dB	QP	FAIL
5800.000 MHz	39.0 dBuV/m	45.0 dBuV/m	6.0 dB	PK	PASS

Note: worst-case frequencies only are reported above; full spectrum plots are provided in Appendix C (not included in this sample).

5.3 Conducted Emissions (CISPR 32 Class B, EN 55032)

Measurements performed on the AC mains port using a LISN, quasi-peak (QP) detector, 0.15-30 MHz.

Frequency	Level	Limit	Margin	Det	Result
0.150 MHz	60.0 dBuV	66.0 dBuV	6.0 dB	QP	PASS
0.500 MHz	58.0 dBuV	56.0 dBuV	-2.0 dB	QP	FAIL
5.000 MHz	45.0 dBuV	60.0 dBuV	15.0 dB	QP	PASS
30.000 MHz	48.0 dBuV	60.0 dBuV	12.0 dB	QP	PASS

Appendix A — Photographs / Setup (placeholder)

This page intentionally contains only narrative text and no measurement tables, to verify the parser correctly skips non-table content without producing false positives.

Appendix B — Photographs / Setup (placeholder)

This page intentionally contains only narrative text and no measurement tables, to verify the parser correctly skips non-table content without producing false positives.

Appendix C — Photographs / Setup (placeholder)

This page intentionally contains only narrative text and no measurement tables, to verify the parser correctly skips non-table content without producing false positives.