| T 1                               | Rails basics, 100, 105, 108                | Agile stakeholders, 216                 |
|-----------------------------------|--|---|
| Index                             | Active record architectural pattern        | AJAX, see Asynchronous                  |
|                                   | RDBMS, 58                                  | JavaScript And XML                      |
| \$()                              | Transform View, 64                         | (AJAX)                                  |
| invoking, 184                     | ActiveRelation (ARel)                      | ajax function, 186                      |
| JavaScript event handlers, 182    | caching, 410                               | ALGOL, 164                              |
| \$.ajax, 186                      | composable scopes, 157                     | Algorithm analysis, Turing              |
| \$ Mgaz, 100                      | ActiveSupport                              | Award, 254                              |
| <b>A</b>                          | decoration, 373                            | alias_method_chain                      |
| A                                 | delegation, 377                            | decoration, 373                         |
| ABC score                         | ActiveView::Base, 111                      | example, 375                            |
| definition, 310                   | ActiveX, 417                               | Allen, Frances, 440                     |
| example, 310                      | Adapter, jQuery, 168                       | Alloy, requirements                     |
| method-level refactoring, 314,    | Adapter pattern, DIP, 379, 381             | documentation, 241                      |
| 316                               | Adaptive maintenance, 299                  | Amaya, 124                              |
| Abstract factory pattern          | Add, Git basics, 447                       | Amazon                                  |
| DIP and OCP, 381                  | Adleman, Leonard, 414                      | Agile lifecycle, 27                     |
| implementation, 372               | Adobe ActionScript, 166                    | cost of being down, 419                 |
| OCP, 371<br>Abstraction           | Advice, AOP, 141                           | household name, 4                       |
| clarity improvement, 16           | Aggregation, UML, 368                      | page reload issues, 417                 |
|                                   | Agile Alliance, 25                         | public cloud, 395                       |
| comments, 308 leaky, <b>424</b>   | Agile Development, Virtuous                | severity 1 bugs, 344                    |
| A/B testing, feature flags, 403   | Triangle of Engineering                    | SOA vs. siloed software, 7              |
| Acceptance testing                | SaaS, 33, 433                              | software education, xiv                 |
| Cucumber, 224                     | Agile lifecycle                            | Amazon CloudFront, 410                  |
| explicit vs. implicit             | BDD pros and cons, 249                     | Amazon Elastic Block Store, 445         |
| requirements, 236                 | code reviews, 335                          | Amazon Elastic Compute Cloud            |
| software, 14                      | continuous refactoring, 325                | (EC2)                                   |
| Accessor method, Ruby objects,    | decision to use, 26                        | Bookware VM, 444                        |
| 79                                | deployment, 398                            | FarmVille, 12                           |
| Access token, authentication, 143 | fallacy, 32                                | RightScale, 397                         |
| Achievable, SMART user stories,   | iteration example, 29, 216, 436            | Amazon Machine Image (AMI),             |
| 219                               | legacy code, 298                           | 444                                     |
| Action caching, 408, 409, 411     | maintenance, 320                           | Amazon Web Services                     |
| ActionController, Rails basics,   | overview, 256, 298, 362, 394               | abusive database queries, 411           |
| 100                               | Pivotal Labs, 222                          | APIs, 60                                |
| ActionView                        | plan-and-document comparison,              | cloud computing, 12                     |
| link_to, 112                      | 26, 245, 289                               | AMI, see Amazon Machine Image           |
| metaprogramming, 113              | process, 25                                | (AMI)                                   |
| Rails basics, 100                 | productivity comparisons, 28               | Amiko, DIP, 378                         |
| ActiveModel, validation, 137      | purpose, 216                               | AmikoAdapter, DIP, 379, 381             |
| Active monitoring, 406            | Rails use, 5                               | And                                     |
| ActiveRecord                      | TDD, 25                                    | Cucumber keyword, 224                   |
| associations, 148, 150            | testing comparisons, 27                    | imperative vs. declarative              |
| basics, <b>107</b>                | variants, 25                               | scenarios, 236                          |
| caching, 408, 409                 | Waterfall/Spiral comparison,               | and_return, Red-Green-Refactor          |
| DataMapper comparison, 150,       | 436  | TDD, 264                                |
| 151                               | working code documentation, 299            | Anonymous lambda expression,            |
| destroy, 127                      |  | blocks, 84                              |
| DIP, 379                          | Agile Manifesto                            | Antipatterns                            |
| group method, 158                 | cost estimation, 222                       | Data Clump, 369                         |
| lifecycle hooks, 139              | development model, 25 inspiration for, 239 | definition, 363<br>overview, <b>362</b> |
| models, 57                        | original proposal, xv                      | AOL, 42                                 |
| proxy object, 110                 | overview, <b>24</b>                        | 10L, 72                                 |

| AOP, see Aspect-oriented             | Array, JavaScript, 205                  | Background keyword, TMDb          |
|--------------------------------------|---|-----------------------------------|
| programming (AOP)                    | Array class                             | example, 235                      |
| Apache web server, 42                | each method, 88                         | Backlog, user stories, 220        |
| Apdex, see Application               | Ruby objects, 73                        | Backtrace, RASP, 117              |
| Performance Index (Apdex)            | Aspect-oriented programming             | Backus, John, 16, 164             |
| API key, TMDb, 257, 273, 274,        | (AOP)                                   | Backus-Naur form, 164             |
| 276, 277, 279                        | COME FROM comparison, 160               | Backwards traceability, 244       |
| APM, see Application                 | overview, 141                           | Bar#foo, 259                      |
| Performance Monitoring               | Asset pipeline, 173                     | Base URI, 45                      |
| (APM)                                | assigns(), RSpec, 267                   | Basic blocks                      |
| Apple, JavaScript engines, 207       | Associations                            | control flow graph, 310           |
| Apple Newton, 176                    | ActiveRecord vs. DataMapper,            | testing approaches, 285           |
| Apple Pages, code editing, 445       | 150                                     | BasicObject class, Ruby objects,  |
| Application architecture             | characteristics, 153                    | 74                                |
| ActiveRecord for models, <b>57</b>   | error checking, 160                     | BDD, see Behavior-driven          |
| client-server, 42                    | example, 147, 148, 150                  | development (BDD)                 |
| HTML and CSS, 48                     | overview, 147                           | BDUF, see Big Design Up Front     |
| HTTP and URIs, 44                    | RESTful routes, <b>154</b> , <i>157</i> | (BDUF)                            |
| MVC, <b>54</b>                       | Asynchronous JavaScript And             | Beautiful code                    |
| routes, controllers, REST, <b>59</b> | XML (AJAX)                              | definition, 13                    |
| Template Views, <b>62</b>            | coining of term, 168                    | maintenance costs, 309            |
| three-tier and horizontal scaling,   | effectiveness, 202                      | testing comparisons, 27           |
| 51                                   | example, 187                            | Beck, Kent, 25                    |
| ApplicationController                | Jasmine specs, 195                      | before(:all), dependencies, 291   |
| authentication, 145                  | overview, 185                           | before block                      |
| filters and callbacks, 160           | same-origin policy, 202                 | factory, 270                      |
| OmniAuth gem, 144                    | stubbing, 202                           | TMDb, 266, 267, 267               |
| Rails app example, 111               | testing, 190                            | Before-filters                    |
| Application Performance Index        | XHR, 187                                | caching, 408, 409                 |
| (Apdex), 397                         | XML use, 168                            | force_ssl, 415                    |
| Application Performance              | Atomic migration, 400                   | "owning" resources, 156           |
| Monitoring (APM), 405                | Attributes, RDBMS, 57 Authentication    | before_save                       |
| Application Programming              | definition, 142, 395                    | ActiveRecord lifecycle hooks, 139 |
| Interface (API)<br>DIP, 379          |   | example, <i>140</i>               |
| jQuery, 181, 182                     | example, 144 Authorization, 142         | Behavioral patterns, GoF, 364     |
| JSON, <b>198</b>                     | Automatic theorem proving, 287          | Behavior diagrams, UML, 367       |
| RESTful, 59, <b>256</b>              | Automation                              | Behavior-driven development       |
| silo bookstore service, 8            | autotest, 260                           | (BDD)                             |
| SOA bookstore service, 9             | FIRST, 258                              | Agile, xv                         |
| TMDb, 257                            | productivity improvement, 17            | basic ecosystem, 238              |
| Application server, three-tier       | tests with Cucumber, 246                | bug testing, 344                  |
| architecture, 51                     | Automation for repeatability,           | Jasmine, 196                      |
| Aptana, 445                          | Bundler, 102                            | legacy code, 300                  |
| Archetypal principals, 415           | Autotest                                | overview, 216                     |
| ARel, see ActiveRelation (ARel)      | automation with, 260                    | pros and cons, 247                |
| ArgumentError, TMDb, 274, 276,       | usage, 260                              | TMDb example, 231                 |
| 278                                  | Availability                            | UI, 227                           |
| Arguments                            | definition, 395                         | belongs_to                        |
| method calls, 77                     | quantification, 404                     | associations, 149                 |
| methods on collections, 86           | quantification, 101                     | example, 150                      |
| variable length lists, 83            | В                                       | Berners-Lee, Tim, 66              |
| Ariane 5 rocket explosion, 4         |   | Bezos, Jeff, 59, 332              |
| Arithmetic overflow attack, 421      | Backfilling, 322                        | Big Brother Bird, 425             |
| Around-filter, caching, 409          |   | Big Design Up Front (BDUF), 21    |
| , 0,                                 |   | 5 5 1 ( - //                      |

| Bit blit, 16                       | example, 408                       | creation, 304                     |
|------------------------------------|------------------------------------|-----------------------------------|
| Black-box tests, 14, 285           | object storage, 411                | legacy code, 300                  |
| Blocks                             | rendering and database             | TimeSetter, 307                   |
| methods on collections, 86         | improvement, <b>407</b>            | CI, see Continuous integration    |
| overview, 84                       | CAD, see Computer Aided Design     | (CI) testing                      |
| Rails basics, 100, 105             | (CAD) tools                        | Clarity via conciseness,          |
| Rails reuse, 6                     | Callbacks                          | productivity improvement,         |
| XML Builder, 87                    | authentication, 143                | 16                                |
| Booch, Grady, 366                  | event-driven programming, 190      | Class                             |
| Bookstore service                  | JavaScript, 180                    | definition in Ruby, 78            |
| siloed software, 8                 | pitfalls, 159                      | Ruby objects, 74, 78              |
| silo vs. SOA, 8                    | Call coverage (S1), 282            | Class class, Ruby objects, 74     |
| SOA, 9                             | Campfire                           | Class diagram, UML, 367, 368,     |
| Bookware VM                        | information sharing, 222           | 371, 377                          |
| Amazon EC2, 444                    | pull requests, 335                 | Class inheritance, Ruby objects,  |
| Rails basics, 100, 102             | Capability Maturity Model          | 74                                |
| Bot, input checks, 137             | (CMM), 23                          | ClassName, method calls, 76       |
| Bottlenecks, finding, 405          | Capistrano, 398                    | Class-Responsibility-Collaborator |
| Bottom-up integration, 286         | Capybara                           | (CRC) cards, 304, 305             |
| Branch coverage (C1), 282          | BDD pros and cons, 247             | Class variables                   |
| Branches                           | overview, 224                      | cohesion, 369                     |
| changes to master, 354             | running, 226                       | Ruby, 79                          |
| commit example, 340                | testing tools relationship, 248    | click event, authentication, 180  |
| effective use, 339                 | use, 225                           | Client pull, server push          |
| Git, 341                           | Cardinality, associations, 147     | comparison, 47                    |
| Git commands, 342                  | Cartesian product                  | Client-Server Architecture, 42    |
| long-lived, 343                    | foreign keys, 147                  | design pattern, 43                |
| mishandling changes, 354           | through-associations, 152          | high-level view, 42               |
| version control, 336               | Cascading Style Sheets (CSS)       | Client-side JavaScript            |
| Brooks, Fred, Jr., 19, 330         | AJAX, 188                          | definition, 166                   |
| Buffer overflow attack, 420        | constructs, 49                     | DRY, 167                          |
| Bugs                               | dynamic HTML, 180                  | tips for Ruby programmers, 169    |
| caching behavior, 423              | editor for, 124                    | Clone, version control, 336       |
| reporting and fixing, 343          | flash message, 124                 | Closures                          |
| Bundler                            | Haml constructs, 63                | Rails reuse, 6                    |
| automation for repeatability,      | introduction, 49                   | Ruby blocks, 84                   |
| 102                                | Lo-Fi UI, 230                      | Cloud computing, 10               |
| Cucumber, 226                      | overview, 48                       | definition, 12                    |
| development vs. production         | Cassandra, DataMapper, 150         | Heroku deployment, 451            |
| environments, 454                  | CDN, see Content delivery          | performance and scalability, 422  |
| gem modification, 129              | network (CDN)                      | CloudFoundry, 395                 |
| Rails basics, 100                  | Cerf, Vinton E. "Vint," 44         | CloudFront, 410                   |
| But, Cucumber keyword, 224         | Certificate authority (CA), 415    | CLU language, yield basis, 89, 90 |
| button_to, Rails app example, 128  | Change control board,              | Clusters, 11                      |
|                                    | maintenance requests, 321          | CMM, see Capability Maturity      |
| C                                  | change event, JavaScript, 183, 185 | Model (CMM)                       |
| CA, see Certificate authority (CA) | Change management                  | COCOMO, see Constructive Cost     |
| C0 coverage, 282, 307              | definition, 351                    | Model (COCOMO)                    |
| C1 coverage, 282                   | plan-and-document, 244, 320        | Codd, Edgar F. "Ted," 57          |
| C2 coverage, 283                   | Change points, legacy code, 300,   | Code reviews                      |
| Cache invalidation, 407            | 303                                | necessity, 335                    |
| Caching                            | Change request forms, 320          | plan-and-document, 348            |
| bugs leading to, 423               | Change requests, maintenance,      | Code smells                       |
| code example, 409                  | 320                                | avoidance, 324                    |
| •                                  | Characterization tests             | definition, 310                   |

| examples, 311, 326                | Conciseness                        | CouchDB, DataMapper, 150            |
|-----------------------------------|------------------------------------|-------------------------------------|
| overview, 309                     | productivity improvement, 16       | Coverage concepts, <b>282</b> , 282 |
| Code-to-test ratio                | reflection and meta-               | CRC cards, see Class-               |
| definition, 282                   | programming, 113                   | Responsibility-Collaborator         |
| minimum requirements, 290         | Concurrent Versions System         | (CRC) cards                         |
| Coding standards, 333             | (CVS), 355                         | create                              |
| CoffeeScript, 173, 207, 208, 451  | Configuration management           | associations, 154                   |
| Cohesion                          | IEEE 828-2012, 352                 | form submission, 120                |
| definition, 369                   | varieties, 351                     | Rails app example, 108, 122         |
| example, 369                      | Configuration setting, Git basics, | replacement for, 138                |
| refactoring, 316                  | 446                                | create!, ActiveRecord, 107          |
| Collections                       | Construction, RUP phase, 21        | Creational patterns, GoF, 364       |
| Enumerable, 88                    | Constructive confrontation, people | Crisscross merge, Git, 343          |
| has_many, 149                     | management, 348                    | Cross-site request forgery (CSRF)   |
| methods on, 86                    | Constructive Cost Model            | 415                                 |
| operators, 85                     | (COCOMO), 242                      | Cross-site scripting                |
| proxy object, 110                 | Constructors, JavaScript, 174      | characteristics, 416                |
| reuse, 17                         | Content delivery network (CDN),    | fuzz testing, 286                   |
| COME FROM, 160                    | 410                                | CRUD                                |
| Comments                          | Continuous deployment, 398         | associations, 155                   |
| bad example, 308                  | Continuous integration (CI)        | definition, 58                      |
| level of abstraction, 308         | testing                            | edit/update and destroy, 125        |
| overview, 308                     | compiled languages, 399            | models, 107                         |
| Commit                            | definition, 14                     | Rails basics, 102                   |
| branch example, 340               | deployment, 398                    | routes, 60                          |
| confusion with push, 453          | rare conditions, 421               | views, 111                          |
| Git basics, 446, 447              | Control flow coverage, 285         | Cruft, deployment abuse, 423        |
| large commits, 453                | Control flow graph, 310, 310       | CSRF, see Cross-site request        |
| Commit squashing, Git, 337        | Controllers                        | forgery (CSRF)                      |
| Common Vulnerabilities and        | completion, 263                    | csrf_meta_tags, 416                 |
| Exposures database, 420           | development, 262                   | CSS Zen Garden, 48                  |
| Communication                     | fat, 129                           | Cucumber                            |
| client pull vs. server push, 47   | function in MVC, 259               | automation, 17                      |
| cookies, 46                       | index RESTful action, 112          | BDD ecosystem, 238                  |
| HTTP request, <b>45</b>           | MVC, 54                            | BDD pros and cons, 247, 249         |
| HTTP and URIs, 44                 | overview, <b>59</b>                | bug testing, 344                    |
| SaaS demands, 10                  | private methods, security issues,  | characterization tests, 306         |
| Comparison operators, JavaScript, | 417                                | example, 224, 227                   |
| 206                               | Rails app example, 111             | integration tests, 259              |
| Compiled languages, continuous    | routes, 104                        | keywords, 224                       |
| integration, 399                  | show action, 114                   | overview, <b>224</b>                |
| Compilers                         | TMDb example, 267                  | running, 226                        |
| automation, 17                    | validation interactions, 139       | scenario comparisons, 236           |
| JavaScript, 207                   | convert method                     | test-automation, 246                |
| Turing Award, 164, 440            | characterization tests, 306        | testing tools relationship, 248     |
| Complex feature, feature flags,   | example, 312                       | TMDb example, 231                   |
| 403                               | refactoring, 314, 318              | UML diagrams, 367                   |
| Complexity, SOLID, 365            | Cookies, HTTP, 46                  | Curly braces, poetry mode, 76       |
| Composition                       | Corrective maintenance, 298        | Current branch, 340                 |
| duck typing, 378                  | Cost estimation                    | Customer collaboration,             |
| preference to inheritance, 377    | Agile lifecycle, 222               | maintenance, 320                    |
| UML, 368                          | change management, 244             | CVS, see Concurrent Versions        |
| Computer Aided Design (CAD)       | plan-and-document, 241             | System (CVS)                        |
| Computer Aided Design (CAD)       | Cost of software design, pitfalls, | Cyclomatic complexity               |
| tools, 17                         | 32                                 | definition, 310                     |

| example, 310                          | example, 374                       | Development database, legacy    |
|---------------------------------------|------------------------------------|---------------------------------|
| invention, 310                        | function, 373                      | code exploration, 302           |
|                                       | Defensive programming, basic       | DigiNotar, 426                  |
| D                                     | philosophy, 404                    | Dijkstra, Edsger W., 160, 287   |
| Dahl, Ole-Johan, 134                  | Define–use (DU) coverage, 285      | DIP, see Dependency Injection   |
| Dapper, 425                           | Deflating, 173                     | Principle (DIP)                 |
| Database index                        | Delegation pattern                 | Directory structure, Rails app  |
| abusive queries, 413                  | duck typing, 378                   | example, 101                    |
| example, 412                          | example, 373                       | Disciplined processes, 21       |
| Databases                             | preference to inheritance, 377     | Distributed denial of service   |
| abusive queries, 411, 412             | Delta debugging, 435               | (DDoS), 426                     |
| ActiveRecord lifecycle hooks,         | Denial-of-service attack, 417, 426 | DNS, see Domain Name System     |
| 139                                   | Dependability, SaaS demands, 11    | (DNS)                           |
| caching, 407                          | Dependencies                       | DNS spoofing, 426               |
| legacy code exploration, 302          | development vs. production         | Documentation                   |
| manual modification, 129              | environments, 454                  | embedded, 301                   |
| purpose, 53                           | replacing with seams, 313          | working code, 299               |
| Rails app example, <b>104</b>         | Dependency Injection Principle     | Document Object Model (DOM)     |
| Database transaction, spec run in,    | (DIP), <b>378</b>                  | dynamic HTML, 180               |
| 270                                   | cached object storage, 411         | JavaScript, 177                 |
| Datacenters, virtual machines, 11     | example, 381                       | JavaScript event handlers, 180  |
| Data Clump, design smell, 369         | OCP impact, 381                    | JQuery, 200                     |
| Data consistency, RDBMS               | Deployment                         | jQuery example, 182             |
| scalability, 64                       | continuous, 398                    | manipulation with jQuery, 178,  |
| Data hiding, Ruby vs. Java, 79        | cruft accumulation, 423            | 179                             |
| Data integrity, 396                   | feature flags, 400                 | Rotten Potatoes, 177            |
| DataMapper                            | Heroku, 451                        | use of term, 177                |
| ActiveRecord comparison, 150          | overview, 394                      | DOM, see Document Object        |
| Google AppEngine, 151                 | describe                           | Model (DOM)                     |
| Data protection, security, <b>414</b> | Jasmine, 192                       | Domain language, Cucumber, 236  |
| Data race attack, 421                 | TMDb, 266, 267, 272                | Domain Name System (DNS)        |
| DDoS, see Distributed denial of       | Deserializing, 57, 199             | hostname mapping, 44            |
| service (DDoS)                        | Design patterns                    | root zone, 45                   |
| Debugger, Ruby, 123                   | classes, 362                       | Domain-specific language (DSL)  |
| debugger statement, Rails app         | client-server architecture, 43     | domain language difference,     |
| example, 119                          | definition, 363                    | 236                             |
| Debugging                             | Demeter Principle, 382             | RSpec, 259                      |
| conventional, TDD comparison,         | DIP, <b>378</b>                    | Don't Repeat Yourself (DRY)     |
| 291                                   | LSP, 376                           | factory, 270                    |
| delta debugging, 435                  | OCP, <b>371</b>                    | JavaScript, 167                 |
| JavaScript, 172                       | plan-and-document, 386             | JavaScript custom events, 185   |
| Rails app example, 117                | reuse, 17                          | metaprogramming, 81             |
| Declarative scenarios                 | SRP, <b>369</b>                    | MVC, <b>136</b>                 |
| example, 237                          | UML, <b>366</b>                    | Rails app example, 104          |
| testing, 236                          | Design reviews, plan-and-          | reuse, 17                       |
| Declared exceptions, undeclared       | document, 348                      | Ruby's metaprogramming          |
| comparison, 275                       | Design smells                      | features, 70                    |
| Decompose Conditional                 | Data Clump, 369                    | search_tmdb, 268                |
| application, 316                      | definition, 311                    | similar things, 126             |
| example, 317                          | destroy method, Rails app          | TMDb controller example, 267    |
| refactoring, 314                      | example, 109, <b>125,</b> 127      | TMDb example, 235               |
| Decorator pattern                     | Destructive methods, usage, 86     | Double, <b>261</b> , <i>263</i> |
| application, 374                      | Developer keys, RESTful APIs,      | down method, Rails app example, |
| caching, 409                          | 257                                | 105                             |
| •                                     |                                    | Down-migration, 402             |

| Driver, pair programming, 334              | Engineering disciplines, 21            | application, 316                 |
|--|--|----------------------------------|
| DRY, see Don't Repeat Yourself             | Entry/Exit coverage (S1), 282          | example, 316, 317                |
| (DRY)                                      | Enumerable                             | refactoring, 314, 315            |
| DSL, see Domain-specific                   | collection methods, 88                 | Extreme Programming (XP)         |
| language (DSL)                             | Rails app example, 108                 | Agile variants, 25               |
| Duck typing                                | yield example, 90                      | pair programming, 333            |
| abstract factory pattern, 372              | Environments, Rails basics, 104,       |                                  |
| composition/delegation, 378                | 106                                    | F                                |
| each method, 85                            | Epic, Pivotal Tracker, 221             | Façade pattern, DIP, 379, 381    |
| overview, 88                               | Epoch, 82                              | Facebook                         |
| Time class, 89                             | eRB renderer, 417                      | Agile lifecycle, 27              |
| DU coverage, see Define-use                | Error checking, associations, 160      | database use, 53                 |
| (DU) coverage                              | errors method, validation, 137,        |                                  |
| Dumb fuzzing, 285                          | 139                                    | has_and_belongs_to_many, 154     |
| Dynabook, 432                              | Eudora, 42                             | hits per day, 422                |
| Dynamic HTML, 180                          | Event-driven programming, 190          | household name, 4                |
| Dynamic language features                  | Event handlers, JavaScript, 180        | OAuth, 142                       |
| pitfalls, 83                               | Events                                 | OmniAuth, 145                    |
| readable specs, 271                        | JavaScript, 180                        | pair programming, 335            |
| Dynamic typing                             | JavaScript custom events, 185          | SMART user stories, 219          |
| Lisp, 88                                   | Examples                               | software education, xiv          |
| reuse, 17                                  | completion, 263                        | SSO, 142                         |
| Ruby objects, 73                           | RSpec, 260, 262                        | Facebook Connect                 |
| Ruby objects, 15                           | sample code, 266                       | authentication, 395              |
| Б  | TMDb controller, 267                   | SSO side effects, 146            |
| E  | Exceptions                             | Facebook Platform, SOA, 7        |
| each method                                | declared vs. undeclared, 275           | Factories, <b>269</b> , 271      |
| Array class, 88                            | TMDb, 274, 275, 277, 278               | fixture comparison, 198          |
| definition, 84                             | Expectations, <b>265</b>               | FactoryGirl, 270, 271            |
| duck typing, 85                            | careless use of, 247                   | failure handler function, 202    |
| iterator definition, 89                    | Expiration                             | fake_results, TMDb, 266          |
| Eager load query, 412                      | bugs, 423                              | FakeWeb, 202, 278                |
| eBay                                       | caching, 407                           | Fallacy, 32                      |
| Agile lifecycle, 27                        | _                                      | false, Ruby regular expressions, |
| software education, xiv                    | EXPLAIN, SQL, 414 Explicit requirement | 72                               |
| EC2, see Amazon Elastic                    |  | FarmVille, growth, 12            |
| Compute Cloud (EC2)                        | testing, <b>236</b><br>TMDb, 273       | Feature                          |
| ECMAScript, 166                            |  | cool, successfulness, 246        |
| Edit                                       | eXtended HyperText Markup              | Cucumber, 224                    |
| partial, <i>136</i>                        | Language (XHTML)                       | mock-up distinction, 246         |
| Rails app example, <b>125</b> , <i>126</i> | HTML 5, 48                             | Feature branch, 340              |
| EDSAC, Turing Award, 2                     | JavaScript DOM, 177                    | Feature flags                    |
| Eich, Brendan, 166                         | eXtensible Markup Language             | deployment, 400                  |
| Emacs                                      | (XML)                                  | example, 401                     |
| creation, 444                              | AJAX, 168                              | uses, 403                        |
| mix-ins, 88                                | HTML 5, 48                             | Fibonacci scale, 220             |
| working with code, 445                     | JavaScript DOM, 177                    | Fielding, Roy, 59                |
| Embedded documentation, RDoc,              | SPAs, 166, 199                         | Fields, active records, 57       |
| 301  | structured data, 173                   | Filters                          |
| Embedded domain-specific                   | stubbing, 202                          | definition, 139                  |
| language, RSpec, 259                       | Transform View, 64                     | pitfalls, 159                    |
| Encapsulate Field, refactoring,            | External domain-specific               | scopes, 158                      |
| 319  | language, 259                          | find-based methods, Rails app    |
| Encapsulation, Ruby vs. Java, 79           | External monitoring, 406               | example, 108                     |
| Encryption, data protection, 414           | Extract Class, refactoring, 370        | find_in_tmdb                     |
| **   | Extract Method                         |                                  |

| exception, 274                             | Form validation, client-side,  | Full URI, 45                      |
|--|--------------------------------|-----------------------------------|
| functional tests, 284                      | testing, 197                   | Function, definition, 256         |
| Internet stub, 276                         | Forward traceability, 244      | Functional programming, Ruby      |
| Red–Green–Refactor TDD, 263,               | Fragment caching, 410          | blocks, 85                        |
| 267  | Framework concepts             | Functional requirements,          |
| stubbing, 202                              | JavaScript                     | elicitation, 239                  |
| TDD, 272                                   | AJAX, <b>185</b>               | Functional tests                  |
| usage, 267                                 | client-side, 169               | bugs, 344                         |
| Firebug, 174                               | DOM and jQuery, 177            | characterization tests, 306       |
| Firefox, client-server architecture,       | events and callbacks, 180      | definition, 283                   |
| 42   | functions and constructors,    | testing method comparison, 284    |
| Firewalls, secure platform fallacy,        | 174                            | Function points, 242              |
| 423  | overview, <b>166, 206</b>      | Functions, JavaScript, 174        |
| FIRST, <b>258</b>                          | single-page apps and JSON      | Function scope, JavaScript, 205   |
| First-class objects, JavaScript,           | APIs, <b>198</b>               | Fuzz testing                      |
| 174, 175                                   | testing, 190                   | definition, 285                   |
| Five nines, 11                             | Rails, advanced                | software, 15                      |
| Fixnum class                               | associations and foreign keys, |                                   |
| metaprogramming, 81                        | 147                            | $\mathbf{G}$                      |
| Ruby objects, 73                           | MVC DRYness, 136               | Garrett, Jesse James, 168         |
| time arithmetic, 82                        | queries with reusable scopes,  | Gemfile, 190, 454                 |
| Fixtures, 269                              | 157                            | gem mysql, 451                    |
| example, 194                               | RESTful routes for             | Gems                              |
| factory comparison, 198                    | associations, 154              | manual modification, 129          |
| HTML example, 195                          | SSO and third-party            | Rails basics, 100, 257            |
| Jasmine-JQuery, 201                        | authentication, 142            | Ruby, <b>256</b>                  |
| legacy code exploration, 302               | through-associations, 152      | Generalize Type, refactoring, 319 |
| YAML files, 271                            | Rails basics (see also Ruby on | General Markup Language, 48       |
| Flash                                      | Rails basics)                  | Generator, Rails app example, 105 |
| CSS, 124                                   | controllers and views, 111     | GenericMailer, DIP, 381           |
| Rails app example, 122                     | databases and migrations, 104  | Geographically distributed        |
| XSS security issues, 417                   | debugging, 117                 | programming teams, Agile          |
| Flickr, branch management, 340             | edit/update and destroy, 125   | vs. plan-and-document, 26         |
| Float class, Ruby objects, 73              | form submission, 120           | get                               |
| force_ssl, 415                             | models, <b>107</b>             | functional tests, 283             |
| Foreign keys, 147                          | overview, 100                  | TMDb, 265                         |
| abusive database queries, 413              | redirection and flash, 122     | GET, POST comparison, 128         |
| example, 149                               | Ruby basics                    | Getter method, Ruby objects, 79   |
| Fork-and-pull, remote                      | blocks, 84                     | Git                               |
| collaboration, 339                         | classes, methods, inheritance, | add, commit, index commands,      |
| Formal methods                             | 78                             | 447                               |
| definition, 287                            | idiomatic language, 93         | basic skills, 446                 |
| NASA cost example, 287                     | iterators via yield, 89        | branch commands, 342              |
| testing alternatives, 14                   | metaprogramming, 81            | branches and rebasing, 343        |
| Formal specification languages,            | mix-ins and duck typing, 88    | branch use, 341                   |
| requirements documentation,                | objects, 73                    | change tracking, 338              |
| 241  | operation as method, <b>75</b> | commit commands, 338              |
| :format, 62                                | overview, <b>70</b>            | common commands, 450              |
| Formatter class                            | Free Software Foundation, 444, | hosting services, 447             |
| design patterns, 374                       | 445                            | merge commands, 338               |
| example, 372                               | Front Controller               | merging conflicts, 336            |
| OCP, 371                                   | MVC, 55                        | git fetch, 337                    |
| Form submission                            | web app comparison, 55         | GitFlow, branch management, 340   |
| authentication, 146                        | full_messages, validation, 137 | GitHub                            |
| Rails app example, <b>120</b> , <i>121</i> | Full table scan, 412           |                                   |

| bookware, 442 bug testing, 344 code reviews, 335 continuous integration, 399 coursework backup, 445 information sharing, 222 remote collaboration, 339 version control, 336 git merge, 337 git pull, 337 git pull, 337 Given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GNU, 443, 444 Gosef design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 Google Apps availability, 404 OmniAuth, 145 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Common constructs, 63 debugging, 119 edit vs. new views, 126 flash message, 124 Lo-Fi UI, 230 Rahl ABFIM). Bedit Inanguage (Haml) Hardening, continuous integration, 399 has_and_belongs_to_many (HABTM) IS4 Hash class, Ruby objects, 73 Hashing, abusive database queries, 413 has_many example, 150 function, 149 HCI, see Hman Computer Interface (HCI) HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Highp-revel programming language, clarity improvement, 16 Highly Productive Framework and Tools Virtuous Triangle of push, 47   |                                |                                       |                                       |
|--|--------------------------------|---------------------------------------|---------------------------------------|
| bug testing, 344 code review, 335 continuous integration, 399 coursework backup, 445 information sharing, 222 remote collaboration, 339 version control, 336 git merge, 337 Given, Cucumber keyword, 224 Glass-bot tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 Gor der seives, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 Ausper, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 himportance of testing, 249 JavaScript tengines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google 4, siloed software, 7 Google Analytics, 425 Google Analytics, 425 Google Analytics, 425 Google Apps availability, 404 OnmiAuth, 145 Goog | basic skills, <b>447</b>       | guid, see Globally-unique ID          | caching, 407                          |
| code reviews, 335 continuous integration, 399 coursework backup, 445 information sharing, 222 remote collaboration, 339 version control, 336 git pull, 337 git pull, 337 Gilven, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GNU, 443, 444 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 422 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 soffware education, xiv testing variety, 290 Google AppEngine, 51 Google Cost Cleint-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AIAX, 168 Glent-side SPAs, 198 XnilHtpRequest, 185 Gor To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Gray, Jim, 68 Group, Rails basics, 100  HABTM, see has, and_belongs_to_many (HABTM) Hadening, continuous integration, 399 Hash, see HTMI. Abstraction Markup Language (Haml) Hardening, continuous integration, 399 has, and_belongs_to_many (HABTM), 134 Hash class, Ruby objects, 73 Has |                                | (guid)                                | -                                     |
| continuous integration, 399 coursework backup, 445 information sharing, 222 remote collaboration, 339 version control, 336 git merge, 337 given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 Google Agili ficeycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 Software education, xiv testing variety, 290 Google ApplEngine, 51 Cloud computing, 12 DataMapper, 150, 151 Google ApplEngine, 51 Cl |                                |                                       |                                       |
| continuous integration, 399 coursework backup, 445 information sharing, 222 remote collaboration, 339 version control, 336 git merge, 337 Given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Globel object, JavaScript, 174 GNI, 443, 444 Google Majs lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google H, siloed software, 7 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppS AJAX, 168 Glent-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Glent-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Glent-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlHtipRequest, 185 Google Maps AJAX, 168 Gient-side SPAs, 198 XmlH | code reviews, 335              | Н                                     | debugging, 119                        |
| coursework backup, 445 information sharing, 222 remote collaboration, 359 version control, 336 git merge, 337 git pull, 337 Hardening, continuous integration, 399 (Given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally unique ID (guid), 143 Global object, JavaScript, 174 Golf design patterns, 363, 364 Google (Google, 27) code reviews, 422 coding standards, 333 Dapper, 425 Coding standards, 333 Dapper, 425 Proster function, 149 Hroku hosokware, 442 responsiveness, 397 software education, xiv testing variety, 290 Google, siloed software, 7 Google Angbraics, 825 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Cost [ent-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 Hawascript, 166, 207 Hawa | continuous integration, 399    |                                       | edit vs. new views, 126               |
| information sharing, 222 remote collaboration, 339 version control, 336 given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GNU, 443, 444 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 nousehold name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppS availability, 404 OmniAuth, 145 Google Closure, 207 Google AppS availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 174 delete action, 127 development, 66 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HTTP, see HyperText Transfer Protocol (HTTP) httperfex derivation, 149 HTTP redirect, 406 HTTBT redirect, 406 HTTBT redirect, 406 HTTBT redirect, 406 HTTBT redirect, 407 HTTP redirect, 406 HTTBT redirect, 406 HTTBT redirect, 406 HTTBT redirect, 406 HTTP redirect, 406 HTTP redirect, 406 HTTP | coursework backup, 445         |                                       | flash message, 124                    |
| remote collaboration, 339 version control, 336 git merge, 337 git pull, 337 git pull, 337 git pull, 337 Hardening, continuous integration, 399 has, and belongs to many (HABTM), 154 Hash class, Ruby objects, 73 Hashing, abusive database queries, 413 has, many example, 150 function, 149 Hashing, abusive database queries, 413 has, many example, 150 function, 149 through-associations, 152 has, one, function, 149 HCI, see Human Computer Interface (HCI) HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 422 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 has, information sharing, 229 drogele Analytics, 425 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmHtipkequest, 185 XmHtipkequest, 185 XmHtipkequest, 185 XmHtipkequest, 185 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  | information sharing, 222       |                                       | Lo-Fi UI, 230                         |
| version control, 336 git merge, 337 git pull, 348 git pull | remote collaboration, 339      | · · · · · · · · · · · · · · · · · · · | Rails app example, 102, 113           |
| git merge, 337 Given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GolV, 443, 444 Gol design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google Analytics, 425 Google Applingine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AJAX, 168 client-sirde SPAs, 198 XmHIPRequest, 185 XmHIPRequest, 185 XmHIPRequest, 185 Hardening, continuous integration, 399 Hardening, continuous integration, 399 HABAIDAL Apper (HABTIM), 154 Hash class, Ruby objects, 73 Hashing, abusive database queries, 413 has, many example, 150 function, 149 through-associations, 152 has_one, function, 149  | version control, 336           |                                       |                                       |
| Given, Cucumber keyword, 224 Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GNU, 443, 444 GoF design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AnpBrigine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppBrayitis, 425 Google AppS availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AlAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmfuld (Dijkstra), 160 Grave, Jim, 68 Group, Rails basies, 100  TMDb code, 233 HTTP, see HyperText Transfer Protocol (HTTP) httperf, 406 HTTP method request, 45 route helpers, 113 routes, 60 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPS, see Secure HTTP protocol (HTTP) httperf, 406 HTTP method request, 45 route helpers, 113 routes, 60 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 stateles protocol HTTPS) Hittprequest, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basies, 103 HTTP reverse, transfer Protocol (HTTP) httperf, 406 HTTP redirect, Rails basies, 103 HTTP request example, 45 Rack, 373 s | git merge, 337                 |                                       |                                       |
| Given, Cucumber keyword, 224 Glosas-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GoF design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript lengines, 207 OAuth, 142 responsiveness, 397 Google Analytics, 425 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Bocs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AlAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Hamfuld (Dijkstra), 160 Grave, Jim, 68 Group, Rails basies, 100  HTTP redirect, Rails basies, 103 HTTP server, three-tier architecture, 51 HTTP server, three-tier architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) HEAD, web browsers, 60 HTTP redirect, Rails basies, 103 H |                                |                                       |                                       |
| Glass-box tests, 14, 285 Globally-unique ID (guid), 143 Global object, JavaScript, 174 GNU, 443, 444 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 Dapper, 425 Dapper, 425 DavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmHttpRequest, 185 Go To Statement Considered Harmfuld (Dijkstra), 160 Grave, Image and the standards process of the standards process  |                                |                                       |                                       |
| Global object, JavaScript, 174 Global object, JavaScript, 184 Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, A42 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmHttpref, 406 HTTP method request, 45 route helpers, 113 routes, 60 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPs, see Secure HTTP protocol (HTTPs) HTTP verb, 59 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPs, see Secure HTTP protocol (HTTPs) HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPs, see Secure HTTP protocol (HTTPs) HTTP verb, 59 HTTP v | •                              |                                       | • • •                                 |
| Global object, JavaScript, 174 GNU, 443, 444 Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 Dapper, 425 Dapper, 425 Dayser, 426 Double dame, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Dacs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Dose Client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Boss Client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Graceful degradation of the full of the |                                |                                       |                                       |
| GNU, 443, 444  Gof design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppB availability, 404 OmniAuth, 145 Google Does client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Boes client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Mangy AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Hamful (Dijkstra), 160 Grave, Jim, 68 Group, Rails basics, 100  Hasymeaple, 45 Introvation, 149 HCI, see Human Computer Interface (HCI) HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 route, 60 HTTP requiest, 45 route helpers, 1/13 routes, 60 HTTP requiest, 45 HTTP requies, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basics, 103 HTTP requies example, 192 Harch Horouph-associations, 152 has, one, function, 149 HCI, see Human Computer Interface (HCI) Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 has_many example, 190 HTTP requies example, 45 Rack, 373 stateless protocol, 46 HTTP redirect, Rails basics, 103 HTTP requies example, 45 Rack, 373 has_many example, 190 HCI, see Human Computer Interface (HCI) Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 forutes, 60 HTTP redirect, Rails basics, 103 HTTP requies example, 192 Harck warder, 60 HTTP redirect, Rails basics, 103 HTTP requies example, 192 Harck warder, 61 HTTP redirect, Rails basics, 103 HTTP requies example, 192 HTD redirect, Rails basics, 103 HTTP requies example, 195 HTTP requies example, 195 HTTP server, 192 HTP sever, 192 H |                                |                                       |                                       |
| GoF design patterns, 363, 364 Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Losure, 207 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Graceful degradation, JavaScript, 166 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  route helpers, 113 routes, 60 HTTP redirect, Rails basics, 103 HTTP redirect, Rails basics, 103 HTTP request example, 150 HTTP redirect, Rails basics, 103 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPS, see Secure HTTP protocol (HTTPS) HTTP server, three-tier archiecture, 51 HTTP verb, 59 Human Computer Interface (HCI) 1 Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Higher-level programming languages, clarity improvement, 16 Higher-level programming languages, clarity improvem |                                | -                                     |                                       |
| Google Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 Dapper, 425 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Closure, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Grae-ful degradation, JavaScript, 166 Grae-ful degradation, JavaScript, 166 Grae-ful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  routes, 60 HTTP redrieret, Rails basics, 103 HTTP redrext example, 45 Rack, 373 stateless protocol, 46 HTTPs, see Heavyweight processes, 21 Heroku Language (HTTP) Hodden form fields, authentication, 146 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HTML, 186 HTML obsta |                                |                                       | -                                     |
| Agile lifecycle, 27 code reviews, 422 coding standards, 333 Dapper, 425 has_one, function, 149 HCI, see Human Computer Interface (HCI) HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 442 caching, 417 cloud deployment, 451 cloud deployment, 451 cloud deployment, 451 cloud deployment, 451 cloud computing, 12 caching, 417 deployment automation, 146 higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Honer, Charles Antony Richard, 98 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 HTML, abstraction Markup Language (Haml) before-filters for "owning," 156 HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 HTML preduest, 185 Group, Rails basics, 100 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles protocol, 46 HTTP request example, 45 Rack, 373 stateles prot |                                |                                       | -                                     |
| code reviews, 422 coding standards, 333 bapper, 425 error message searches, 118, 42 error message searches, 118, 42 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google-, siloed software, 7 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Closure, 207 Google Maps AJAX, 168 Cient-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Intertion, 149 through-associations, 152 has, one, function, 149 HCI, see Human Computer Interface (HCI) HEAD, web browsers, 60 HTTPS, see Secure HTTP protocol (HTTPS) HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPS, ree Secure HTTP protocol options of the TITPS, ree example, 45 HTTP request example, 45 Rack, 373 stateless protocol, 46 HTTPS, ree Secure HTTP protocol options of the TITPS, ree remented that TIPS and the TIPS, ree focus on the TIPS and |                                |                                       | · · · · · · · · · · · · · · · · · · · |
| coding standards, 333 Dapper, 425 Dapper, 426 Household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Maps AJAX, 168 Cient-side SPAs, 198 XmiHtpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Grazeful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Interface (HCI) HEAD, web browsers, 60 HOTTPS, interface (HCI) HEAD, web browsers, 60 HITTPS, see Secure HTTP protocol (HTTPS) HTTP server, three-tier architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) HTTPS, web Socure HTTP protocol (HTTPS) HTTP server, three-tier architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) HTTPS, web Socure HTTP protocol (HTTPS) HTTP server, three-tier architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) deployment atomation, 398 indexing, 413 Hitper architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) HTTPS, web Secure HTTP protocol (HTTPS) HTTP server, three-tier architecture, 51 HTTP server, tree-tier architecture, 51 HTTP server, three-tier architecture, 51 HTTP s |                                |                                       |                                       |
| Dapper, 425 error message searches, 118, 442 household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google AppB availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstrus), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  HEAD, web browsers, 60 HEAD, web browsers, 60 Heavyweight processes, 21 HECL, see Human Computer Interface (HCI) HEAD, web browsers, 60 Heavyweight processes, 21 HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 42 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstt-Filer addon, 417 Hidden form fields, authentication, 146 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stateless protocol, 46 HTTPS, xee Secure HTTP protocol (HTTPS) HITTPS, xee Secure HTTP protocol (HTTPS) HTTPS, xee Secure HTTP protocol (HTML) 1217 HTTPS, xee Secure  |                                |                                       |                                       |
| error message searches, 118, 442 HEAD, web browsers, 60 Heavyweight processes, 21 Heroku JavaScript engines, 207 OAuth, 142 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Closure, 207 Google Closure, 207 Google Maps AJAX, 168 client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps XmiHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 HEAD, web browsers, 60 Heavyweight processes, 21 HEAD, web browsers, 60 Heavyweight processes, 21 HEAD, web browsers, 60 Heavyweight processes, 21 Heroku Howl Heavyweight processes, 21 Heroku Houl Tres, architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) 217 HyperText Markup Language (HTML) client-side JavaScript, 16 delete action, 127 deevelopment, 66 dynamic HTML, 180 fixture example, 195 Haman Computer architecture, 51 HTTP verb, 59 Human Computer Interface (HCI) 217 HyperText Markup Language (HTML) Client-side JavaScript, 16 Hoylen from fields, authentication, 146 Hoply Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 Hilax, 186 Hore, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostname Mapping by DNS, 44 UR |                                | has_one, function, 149                | -                                     |
| household name, 4 HEAD, web browsers, 60 Heavyweight processes, 21 Heroku bookware, 422 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 deployment automation, 398 indexing, 413 deployment automation, 398 indexing, 415 deployment automation, 398 indexing, 416 deployment, 451 deployment automation, 398 indexing, 417 deployment automation, 398 indexing, 418 deployment, 451 deployment, 451 deployment, 451 deployment automation, 398 indexing, 418 deployment, 451 deployment |                                | HCI, see Human Computer               |                                       |
| household name, 4 importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google+, siloed software, 7 Google Anplytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Does Appas avilability, 404 OmniAuth, 145 Google Does Client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps XmiHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 deployment, 451 deleta action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client-side JavaScript, 171 delete action, 127 development, 46 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client-side JavaScript, 171 delete action, 127 development, 46 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client-side JavaScript, 171 delete action, 127 development, 46 dynamic HTML, |                                | Interface (HCI)                       | •                                     |
| importance of testing, 249 JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Grazeful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 Heroku bookware, 442 caching, 411 cloud deployment, 451 deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (HTML) HTML Abstraction Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 HTTP verb, 59 Human Computer Interface (HCI) 217 HyperText Markup Language (HTML) delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Hard Arkup Language (HTML) 5 client-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Hard Arkup Language (HTML)  JavaScript DOM, 177 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                | HEAD, web browsers, 60                |                                       |
| JavaScript engines, 207 OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHtpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Hookware, 442 caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (HTML) HTML Abstraction Markup Language (HTML) Language (HTML) Heffer HTTP verb, 59 HUman Computer Interface (HCI) 217 HyperText Markup Language (HTML) client-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 javaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol  |                                | Heavyweight processes, 21             | 1                                     |
| OAuth, 142 responsiveness, 397 software education, xiv testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 Google, Apid and deployment, 451 cloud deployment automation, 398 indexing, 413 cloud deployment, 451 cloud deployment, 451 deployment automation, 398 indexing, 413 HyperText Markup Language (HTML) client-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                | Heroku                                |                                       |
| caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  caching, 411 cloud deployment, 451 deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Highler-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) Language (HTML) Language (HTML) Language (HTML) HTML Abstraction Markup Language (HTML) Language (HTML) HTML Abstraction Markup Language (HTML) Holden form fields, authentication, 146 Highler-level programming languages, clarity improvement, 16 development, 66 dynamic HTML, 180 fixture example, 195 Harm computer Interface (HCI) 217 HyperText Markup Language (HTML) Sclient-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haman Computer Interface (HCI) 217 HyperText Markup Language (HTML) Sclient-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Harm construct, 63 HTML 5 client-side JavaScript, 171 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Harm construct, 63 HTML 5 clent pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Introd |                                | bookware, 442                         |                                       |
| responsiveness, 397 software education, xiv testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Human Computer Interface (HCI) 217 HyperText Markup Language (HTML) client-side JavaScript, 171 delete action, 127 development, 46 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol  |                                |                                       | •                                     |
| software education, xiv testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 Client-side SPAs, 198 XmlHtpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  deployment automation, 398 indexing, 413 PaaS, 395 Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51,65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML b Straction Markup Language (HTML)  Language (HTML)  SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Markup Language (HTML)  HyperText  |                                |                                       |                                       |
| testing variety, 290 Google+, siloed software, 7 Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  indexing, 413 PaaS, 395 Progstr-Filer addon, 417 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Markup Language (HTML) before-filters for "owning." 156  |                                |                                       |                                       |
| Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  PasS, 395 Progstr-Filer addon, 417 delete action, 127 development, 66 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                |                                       |                                       |
| Google Analytics, 425 Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Does client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Progstr-Filer addon, 417 Hidden form fields, authentication, 146 Highden form fields, authentication, 146 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (HTML) before-filters for "owning," 156 HyperText Transfer Protocol   |                                |                                       |                                       |
| Google AppEngine, 51 cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 Hidden form fields, authentication, 146 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) Language (HTML) before-filters for "owning," 156  Hidden form fields, authentication, 146 dynamic HTML, 180 fixture example, 195 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol  |                                |                                       | -                                     |
| cloud computing, 12 DataMapper, 150, 151 Google Apps availability, 404 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Gor To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  authentication, 146 Highly Productive pramework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 Hijax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (Haml) before-filters for "owning," 156 HyperText Transfer Protocol   |                                |                                       | delete action, 127                    |
| Higher-level programming languages, clarity improvement, 16 OmniAuth, 145 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100 Higher-level programming languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) Language (HTML) Language (HTML) Language (HTML) Language (HTML) Language (Haml) before-filters for "owning," 156 Hymnia dynamic H1ML, 180 fixture example, 195 Haml constructs, 63 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   | cloud computing, 12            |                                       | development, 66                       |
| languages, clarity improvement, 16 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  languages, clarity improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) Language (HTML) Language (HTML) Language (HTML) Language (HTML) Language (Haml) before-filters for "owning." 156   |                                |                                       |                                       |
| availability, 404 OmniAuth, 145 OmniAuth, 145 Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  improvement, 16 Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 Haml constructs, 63 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                |                                       | fixture example, 195                  |
| Google Closure, 207 Google Docs client-server architecture, 43 information sharing, 222 JavaScript, 166, 207 Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Highly Productive Framework and Tools, Virtuous Triangle of Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML 5 client pull vs. server push, 47 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   | availability, 404              |                                       | Haml constructs, 63                   |
| Google Closure, 207  Google Docs   | OmniAuth, 145                  |                                       | HTML 5 client pull vs. server         |
| Client-server architecture, 43 information sharing, 222 JavaScript, 166, 207  Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160  Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Engineering SaaS, 33, 433 HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML 5 features, 48 introduction, 48 Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   | Google Closure, 207            |                                       | push, <i>47</i>                       |
| client-server architecture, 43 information sharing, 222 JavaScript, 166, 207  Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160  Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  HiJax, 186 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156  | Google Docs                    |                                       | HTML 5 features, 48                   |
| Information sharing, 222 JavaScript, 166, 207  Google Maps AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160  Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Hoare, Charles Antony Richard, 98 Hoare, Charles Antony Richard, 98 Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 Hostnames substituting Jasmine-JQuery sandbox method, 197 JavaScript DOM, 177 JSON response, 200 overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   | client-server architecture, 43 |                                       | introduction, 48                      |
| JavaScript, 166, 207  Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160  Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156  Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Overview, 48 Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                |                                       | Jasmine-JQuery sandbox                |
| Google Maps AJAX, 168 Client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Hopper, Grace Murray, 4 Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 HyperText Transfer Protocol   |                                |                                       |                                       |
| AJAX, 168 client-side SPAs, 198 XmlHttpRequest, 185 Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Horizontal scaling, 51, 65 Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning," 156 HyperText Transfer Protocol   | -                              |                                       |                                       |
| client-side SPAs, 198 XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  Hostnames mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning." 156 HyperText Transfer Protocol   |                                |                                       |                                       |
| XmlHttpRequest, 185  Go To Statement Considered Harmful (Dijkstra), 160  Graceful degradation, JavaScript, 166  Gray, Jim, 68 Group, Rails basics, 100  mapping by DNS, 44 URI, 45 HTML, see HyperText Markup Language (HTML) HTML Abstraction Markup Language (Haml) before-filters for "owning." 156  Rails basics, 100 security vulnerabilities, 417 SPAs, 198 stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                |                                       |                                       |
| Go To Statement Considered  Harmful (Dijkstra), 160  Graceful degradation, JavaScript,  166  Gray, Jim, 68  Group, Rails basics, 100  Imapping by DNS, 44  URI, 45  HTML, see HyperText Markup  Language (HTML)  HTML Abstraction Markup  Language (Haml)  before-filters for "owning." 156  Imapping by DNS, 44  security vulnerabilities, 417  SPAs, 198  stubbing, 202  sync with app, 204  yield, 92  HyperText Transfer Protocol  |                                |                                       |                                       |
| Harmful (Dijkstra), 160 Graceful degradation, JavaScript, 166 Gray, Jim, 68 Group, Rails basics, 100  HTML, see HyperText Markup Language (HTML) Language (HTML) Language (Haml) before-filters for "owning." 156  HyperText Markup stubbing, 202 sync with app, 204 yield, 92 HyperText Transfer Protocol   |                                |                                       |                                       |
| Graceful degradation, JavaScript,  166  Gray, Jim, 68  Group, Rails basics, 100  HTML Abstraction Markup  Language (Haml)  before-filters for "owning." 156  HTML Abstraction Markup  yield, 92  HyperText Transfer Protocol   |                                |                                       | <u> </u>                              |
| 166 Gray, Jim, 68 Group, Rails basics, 100 HTML Abstraction Markup Language (Haml) before-filters for "owning." 156 HTML Abstraction Markup yield, 92 HyperText Transfer Protocol  |                                |                                       |                                       |
| Gray, Jim, 68 Language (Haml) Group, Rails basics, 100 Language (Haml) before-filters for "owning." 156 HyperText Transfer Protocol  | -                              |                                       |                                       |
| Group, Rails basics, 100 HyperText Transfer Protocol   |                                |                                       |                                       |
| DETOTE-THIETS FOR OWITING, 150   |                                |                                       |                                       |
|  | **                             | before-fillers for "owning," 136      |                                       |

| Bookware VM on EC2, 444                | Integrated Development             | commonly used features, 193               |
|--|------------------------------------|---|
| client pull vs. server push, 47        | Environments (IDEs), 445           | fixtures, 200, 201                        |
| communication, 44                      | Integration testing                | sandbox method, 197<br>Jasmine-Rails, 192 |
| development, 66                        | bugs, 344                          | •   |
| request example, 45                    | characterization tests, 306        | Java                                      |
| stateless protocol, 46                 | Cucumber, 224                      | continuous integration, 399               |
| three-tier architecture, 52            | explicit vs. implicit              | exceptions, 275                           |
| Hypervisor, 443                        | requirements, 236                  | JavaScript relationship, 169              |
|  | RSpec vs. Cucumber, 259            | JavaScript                                |
| I                                      | software, 14                       | AJAX, <b>185</b>                          |
| IANA, see Internet Assigned            | testing method comparison, 284     | basic constructs, 170                     |
| Numbers Authority (IANA)               | types, 286                         | Capybara, 225                             |
| IDEs, see Integrated Development       | unit test comparison, 282          | client-side, <b>169</b>                   |
| Environments (IDEs)                    | Interaction diagrams, UML, 367     | deployment, 399                           |
| IEEE 828-2012, 352                     | Interface Segregation Principle    | DOM and jQuery, 177                       |
| IEEE 1012-2012, 350                    | (ISP), 371                         | dynamic HTML, 180                         |
| IEEE 1219-1998, 321                    | Internal domain-specific language, | ECMAScript, 166                           |
| IEEE 16326-2009, 346                   | RSpec, 259                         | events and callbacks, 180                 |
| IEEE/ANSI standard 830/1993, 23        | Internal monitoring, 405           | functions and constructors, 174           |
| IEEE Standard 829-2008, 287,           | Internet Assigned Numbers          | issues with, 205                          |
| 288                                    | Authority (IANA), 45               | jQuery API, 181                           |
| IEEE Standard 830-1998, 239,           | Internet Explorer 5                | over-reliance on, 204                     |
| 240                                    | JavaScript, 168                    | overview, <b>166</b> , <b>206</b>         |
| Immobility, SOLID, 365                 | XmlHttpRequest, 185                | partial, 136                              |
| Imperative scenarios, <b>236</b> , 237 | Internet Service Provider (ISP),   | prototype inheritance, 176                |
| Implicit requirement, 236              | deployment, 394                    | Rails app example, 113                    |
| discovering and testing, 272           | Interpolation, template views, 62, | same-origin policy, 202                   |
| Inception, RUP phase, 21               | 63                                 | Scheme origins, 166                       |
| include                                | Interpreters, automation, 17       | silent failures, 203                      |
| confusion with require, 93             | Interviewing, requirements         | site enhancement, 203                     |
| module contract checking, 88           | elicitation, 239                   | sync with app, 204                        |
| Independence                           | IP address                         | task parallelism, 190                     |
| factories, 271                         | networking explanation, 45         | testing, 190                              |
| fixtures, 270                          | TCP/IP network, 44                 | unobtrusive code, 172                     |
| Index, Git basics, 447                 | IPv6, networking explanation, 45   | XSS security issues, 417                  |
| Index action                           | ISO 9001 standard, 420             | JavaScript Application                    |
| controller and template, 112           | ISP, see Interface Segregation     | Programming Interface                     |
| Rails app example, 111                 | Principle (ISP); Internet          | (JSAPI), 168, 177, 196                    |
| redirection, 123                       | Service Provider (ISP)             | JavaScript engine, 207                    |
| Index controller, template views,      | Iteration, Agile lifecycle, 216,   | JavaScript Object Notation                |
| 62                                     | 216, 436                           | (JSON), 166, <b>198</b>                   |
| Indexing, Heroku, 413                  | Iterators                          | Jasmine-JQuery, fixtures, 201             |
| Infinitely scalable, 11                | making with yield, 89              | response example, 200                     |
| Inheritance                            | Ruby blocks, 84                    | structured data, 173                      |
| composition/delegation                 |                                    | stubbing, 202                             |
| preference, 377                        | J                                  | Java vs. Ruby                             |
| design patterns, 374                   | Jacobson, Ivar, 366                | classes, 79                               |
| Ruby, <b>78</b>                        | Jasmine                            | coding in Ruby, 92                        |
| Initialize, classes, 78                | AJAX testing, 190, 195             | Enumerable, 88                            |
| Inspections, plan-and-document,        | commonly used features, 193        | feature translation, 80                   |
| 348                                    | directory creation, 191            | metaprogramming, 81                       |
| Instance variables, 78, 369            | setting up, 191                    | objects, 73                               |
| Instrumentation, debugging, 119        | spies, 194                         | Ruby overview, <b>70</b>                  |
|  | Jasmine-JQuery                     | syntax errors, 119                        |
|  | - ·                                | type casting, 75                          |

| yield, 90                         | Legacy code                          | characterization tests, 304        |
|-----------------------------------|--------------------------------------|------------------------------------|
| Join, foreign keys, 147           | characteristics, 298                 | comments, 308                      |
| Join point, AOP, 141              | definition, 13                       | IEEE 1219-1998, 321                |
| Joy, Bill, 445                    | exploration, 301                     | legacy code, 298                   |
| JQuery                            | Microsoft Zune, 306                  | legacy code exploration, 301       |
| Jasmine, 191                      | testing comparisons, 27              | metrics, code smells, SOFA,        |
| jQuery                            | Lexical scoping, method calls, 76    | 309                                |
| Adapter, 168                      | Lightweight process, Agile, 25       | plan-and-document, 319             |
| API, 181                          | Lines of code (LOC)                  | refactoring, 313                   |
| DOM manipulation, 178, 179        | cost estimation, 241                 | Maintenance requests, 320          |
| example, 182, 188                 | legacy code exploration, 303         | Maintenance software engineers,    |
| JavaScript event handlers, 180,   | method length, 312                   | 319                                |
| 182                               | link_to, Rails app example, 112,     | Makefiles, automation, 17          |
| JavaScript for Ruby               | 114                                  | Malicious attackers                |
| programmers, 171                  | Linux                                | authentication, 146                |
| minifying, 173                    | creation, 444                        | niche apps, 424                    |
| overview, 177                     | VirtualBox, 443                      | Malicious users, input checks, 137 |
| jQuery()                          | Liskov, Barbara, 89, 376, 392        | Malware, deployment, 399           |
| invoking, 184                     | Liskov Substitution Principle        | Man-in-the-middle attack, 426      |
| jQuery Mobile, 207                | (LSP)                                | Markup language, 48                |
| JSAPI, see JavaScript Application | example, 374                         | Marshalling, 57, 173               |
| Programming Interface             | overview, 376                        | Martin, Robert C., 365             |
| (JSAPI)                           | UML class diagram, 377               | Massive Open Online Course         |
| JSLint, 205                       | Lisp                                 | (MOOC)                             |
| JSON, see JavaScript Object       | dynamic typing, 88                   | book materials, 4, <b>xviii</b>    |
| Notation (JSON)                   | inventor, 10                         | enabling components, 437           |
|                                   | LiveScript, 166, 205                 | Master-slave, three-tier           |
| K                                 | Load balancers, 3-tier architecture, | architecture, 52                   |
| Kahan, William, 360               | 52                                   | Match-condition, TMDb, 265         |
| Kahn, Bob, 44                     | LOC, see Lines of code (LOC)         | max method, Enumerable, 88         |
| Kay, Alan, 432                    | Lo-Fi user interface                 | McCabe, Frank, Sr., 310            |
| Keypair, 415, 448                 | sketches and storyboards, 227        | McCarthy, John, 10                 |
| Key Performance Indicators        | sketches without storyboards,        | MCDC, see Modified                 |
| (KPIs), 405                       | 246                                  | Condition/Decision                 |
| Knuth, Donald, 254                | TMDb example, 230                    | Coverage (MCDC)                    |
| KPIs, see Key Performance         | TMDb storyboard, 232                 | Mean time between repairs          |
| Indicators (KPIs)                 | logger.debug, 119                    | (MTTR), 420                        |
| ()                                | Logic tier, 3-tier architecture, 51  | Mean time to failure (MTTF), 420   |
| L                                 | Longevity testing, monitoring, 406   | Measurable, SMART user stories,    |
|                                   | Long method, code smell, 314         | 219                                |
| Lack of Cohesion of Methods       | Looking up a method, Ruby            | Mechanization of Contract          |
| (LCOM), 369, 369                  | objects, 74                          | Administration Services            |
| lambda, TMDb, 274                 | LSP, see Liskov Substitution         | (MOCAS), <i>13</i>                 |
| Lampson, Butler, 296              | Principle (LSP)                      | Merge-commit, 340                  |
| LAMP Stack, 51                    |                                      | Merge conflicts, version control,  |
| Latency                           | M                                    | 336                                |
| added, effects, 422               | Mac OS X                             | Merging                            |
| monitoring, 425                   | Unix tools, 447                      | branch management, 342             |
| overprovisioning, 404             | VirtualBox, 443                      | mishandling changes, 354           |
| responsiveness, 396               | Magic number, code smells, 316       | version control, 336               |
| Lazy evaluation caching, 410      | MailerMonkey, 379, 381               | Metaclass, Ruby objects, 74        |
| scopes, 159                       | Maintainability, categories, 298     | Metaprogramming                    |
| LCOM, see Lack of Cohesion of     | Maintenance manager, 319             | abstract factory pattern, 372      |
| Methods (LCOM)                    | Maintenance phase                    | conciseness, 113                   |
| Methods (LCOM)                    | -                                    | productivity improvement, 16       |
|                                   |                                      |                                    |

| programming as, 81                | foreign keys, 149                     | models, 107                      |
|-----------------------------------|---------------------------------------|----------------------------------|
| Rails reuse, 6                    | Rails app example, <b>104</b> , 105,  | Ruby objects, 78                 |
| route helpers, 113                | 106                                   | MoviesController class           |
| scopes, 158                       | seeding comparison, 109               | Rails basics, 103, 111           |
| XML Builder, 87                   | Minifying, 173                        | Red-Green-Refactor TDD, 262      |
| Method                            | min method, Enumerable, 88            | RSpec, 260, 260                  |
| collections, 86                   | Mix-ins, 88                           | MSN, 42                          |
| definition, 59, 256               | Rails reuse, 6                        | MTTF, see Mean time to failure   |
| definition with self, 80          | reuse, 17                             | (MTTF)                           |
| length, 312                       | MOCAS, see Mechanization of           | MTTR, see Mean time between      |
| naming issues, 93                 | Contract Administration               | repairs (MTTR)                   |
| RSpec listing, 280, 281           | Services (MOCAS)                      | Multi-homing, networking         |
| Ruby objects, 74, <b>78</b>       | Mock                                  | explanation, 45                  |
| Method call                       | definition, 263                       | Multiplicity, UML, 368           |
| number of arguments, 77           | Movie object, 269                     | Mutation testing                 |
| operation as, <b>75</b>           | Mocks, 265                            | definition, 285                  |
| Method chaining, Ruby objects,    | Mock trainwreck, 291                  | software, 15                     |
| 74                                | Mock-ups, completed feature           | MVC, see Model-View-             |
| Method coverage (S0), 282         | distinction, 246                      | Controller (MVC)                 |
| method_missing                    | Model checking, 287                   | MySQL                            |
| metaprogramming, 81               | Models                                | cloud deployment, 451            |
| Rails app example, 108            | ActiveRecords, <b>57</b> , <b>107</b> | EXPLAIN, 414                     |
| XML Builder, 87                   | MVC, 54, 108                          | Em Emili, m                      |
| Method stub, Red-Green-           | Model–View–Controller (MVC)           | <b>N</b> T                       |
| Refactor TDD, 263                 | app requests, 56                      | N                                |
| Metrics                           | controller function, 259              | Naming                           |
| common metrics, 311               | DRY, <b>136</b>                       | bugs, 423                        |
| definition, 310                   | implementation detail exposure,       | caching, 407                     |
| monitoring, 425                   | 157                                   | NAT, see Network address         |
| overview, 309                     | JavaScript, 166                       | translation (NAT)                |
| plan-and-document, 348            | model behaviors, 108                  | Naur, Peter, 164                 |
| rigid adherence, 324              | overview, <b>54</b>                   | Navigator, pair programming, 334 |
| Microsoft                         | Rails basics, 100, 101                | Nebraska Student Information     |
| Agile lifecycle, 27               | template views, 63                    | System, 419                      |
| fuzz testing, 285                 | web app comparison, 55                | Negative expectations, careless  |
| JavaScript engines, 207           | Modified Condition/Decision           | use, 247                         |
| OAuth, 142                        | Coverage (MCDC), 283                  | Nested resources, 160            |
| pair programming, 334             | Module                                | NetBeans, 445                    |
| public cloud, 395                 | definition, 88                        | Netflix, OAuth, 142              |
| software education, xiv           | Rails basics, 100                     | Network address translation      |
| Windows 95 release, 19            | Module testing, 14                    | (NAT), VM networking, 444        |
| XmlHttpRequest, 185               | Mojito, 207                           | Networking                       |
| Microsoft Azure, 12, 395, 411     | MongoDB, DataMapper, 150              | early work, 44                   |
| Microsoft Internet Information    | Monitoring                            | explanation, 45                  |
| Server, 42                        | approaches, 425                       | Network interface device, 45     |
| Microsoft JScript, 166            | overview, <b>405</b>                  | Network protocol, 44             |
| Microsoft Office 365, 5, 432      | plan-and-document, 242                | new                              |
| Microsoft Office Excel 2013, 437  | types, 406                            | associations, 154                |
| Microsoft Word, code editing, 445 | MOOC, see Massive Open Online         | form submission, 120             |
| Microsoft Zune, 306, 307          | Course (MOOC)                         | JavaScript, 174, 176             |
| Middleware, 51                    | Moore's Law, productivity             | partial, 136                     |
| Migrations                        | improvement, 15                       | New Relic, 405, 425              |
| atomic, 400                       | Movie class                           | NewtonScript, 176                |
| database modifications, 129       | blocks example, 84                    | New York Times                   |
| example, 401                      | mock usage, 269                       | Facebook Connect, 146            |
| example, 701                      | mock usage, 209                       |                                  |

| Facebook Platform, 7 nil               | Open source software, Linux and GNU, 444 | People management, plan-and-document, 348 |
|--|--|---|
| Red-Green-Refactor TDD, 264            | Operation, method call, <b>75</b>        | Per-computer performance, 65              |
| Ruby regular expressions, 72           | Origin                                   | Perfective maintenance, 298               |
| NilClass, debugging, 118               | sync issues, 354                         | Performance                               |
| Node.js, 166, 207                      | version control, 336                     | apps in development, 422                  |
| Non-functional requirements            | Overloading, jQuery, 178                 | cloud computing scalability, 422          |
| abusive database queries, <b>411</b>   | "Owning"                                 | database, caching, 407                    |
| availability quantification, 404       | associations, 155                        | fast computer fallacies, 422              |
| caching, 407                           | before-filters, 156                      | optimization with measurement,            |
| continuous integration and             | 001010 111010, 10 0                      | 422                                       |
| deployment, 398                        | D  | overview, <b>424</b>                      |
| deployment, 394                        | P  | plan-and-document, 419                    |
| elicitation, 239                       | PaaS, see Platform as a Service          | SOA servers, 423                          |
| monitoring and bottlenecks, <b>405</b> | (PaaS)                                   | Perlis, Alan, 164                         |
| overview, 424                          | Page caching, 408, 411                   | Persistence tier, 3-tier architecture.    |
| plan-and-document, <b>419</b>          | Page Controller                          | 51  |
| releases and feature flags, 400        | MVC, 54                                  | PERT, see Program Evaluation              |
| responsiveness quantification,         | web app comparison, 55                   | and Review Technique                      |
| 396                                    | Pair programming, 333                    | (PERT)                                    |
| security, 414                          | Agile, xv                                |   |
|  | example, 334                             | PhoneGap, 207<br>PHP                      |
| NoSQL storage systems,                 | member dynamics, 353                     |   |
| DataMapper, 150                        | Palm webOS, 207                          | DataMapper, 151                           |
| n + 1 queries, 412                     | params[]                                 | template views, 63                        |
| Null Object pattern, 380, 380          | associations, 155                        | Pitfall, 32                               |
| Nygaard, Kristen, 134                  | authentication, 145                      | Pivotal Labs                              |
|  | create action, 122                       | Agile cost estimation, 222                |
| 0                                      | form submission, 121                     | Jasmine, 190                              |
| OAuth, 142                             | Rails app example, 104                   | pair programming, 334                     |
| Object class, Ruby, 79                 | Red-Green-Refactor TDD, 262              | software consultancy, 222                 |
| Object literals, client-side           | Parentheses                              | Pivotal Tracker                           |
| JavaScript, 169, 171                   | number of arguments, 77                  | automation, 17                            |
| Object-orientation (OO)                | poetry mode, 76                          | bookware, 442                             |
| Ruby objects, 74                       | Ruby regular expressions, 72             | bugs, 344                                 |
| seams, 265                             | Partial                                  | UI, 221                                   |
| Turing Award, 134                      | DRY, 136                                 | user stories, 220                         |
| Object-oriented programming            | example, 136, 137                        | Plan-and-Document                         |
| reuse, 17                              | JavaScript, 136                          | Agile comparison, 25, 26, 245             |
| Turing Award, 432                      | new/edit templates, 136                  | Agile testing comparison, 289             |
| Objects, Ruby, 73                      | Partial URI, 45                          | BDD pros and cons, 249                    |
| Observer, pair programming, 334        | Pastebin, 50, 102, 217                   | CMM, 23                                   |
| OCP, see Open/Closed Principle         | Patches, legacy code, 299                | decision to use, 26                       |
| (OCP)                                  | Path coverage (C2), 283                  | early version, 18                         |
| OmniAuth                               | Patterns, see also Design patterns       | formal specification languages,           |
| authentication, 143                    | active record architecture, 58           | 241                                       |
| example, 144                           | GoF, 364                                 | function points, 242                      |
| Strategy pattern, 373                  | Transform View, 64                       | IEEE Standard 829-2008, 288               |
| Twitter, 145                           | types, 366                               | IEEE Standard 830-1998, 240               |
| OO, see Object-orientation (OO)        | Payment Card Industry, 417               | lifecycle goals, 21                       |
| OpenCL, JavaScript, 207                | PayPal, 417                              | maintenance phase, 319                    |
| Open/Closed Principle (OCP),           | PdfFormatter, 373, <i>374</i>            | maintenance plan example, 321             |
| <b>371,</b> <i>381</i>                 | Peer-to-peer architecture, 43            | major tasks, 238                          |
| OpenID, 396                            | Penetration tests, 421                   | non-functional requirements,              |
| * /                                    | ,  | 419                                       |
|  |  | overview, <b>18,</b> 243                  |

| productivity comparisons, 28          | Agile vs. plan-and-document, 28             | Push changes                                  |
|---------------------------------------|---|---|
| project management, <b>345</b> , 355  | improvement, 15                             | confusion with commit, 453                    |
| RUP, 21, 22                           | Product owner, Scrum, 333                   | git hosting services, 447                     |
| software metrics, 310                 | Profiling, 405                              | version control, 336                          |
| Spiral lifecycle, 19, 20              | Program Evaluation and Review               |   |
| testing comparisons, 27               | Technique (PERT), 242                       | Q   |
| testing overview, 286                 | Programming languages                       | QA, see Quality assurance (QA)                |
| user stories, 238                     | productivity improvement, 16                | Quality, definition, 13                       |
| Waterfall lifecycle, 19               | refactoring, 319                            | Quality assurance (QA)                        |
| Plan-driven processes, 21             | SaaS frameworks, 5                          | bugs, 343                                     |
| Platform as a Service (PaaS)          | seams, 265                                  | overview, 258                                 |
| data encryption, 414                  | style sheets, 333                           | testing overview, 13                          |
| deployment, 395                       | Turing Award, 98, 164, 214,                 | Queries, composition with                     |
| monitoring, 405                       | 254, 287, 392                               | reusable scopes, 157                          |
| rolling reboot, 404                   | Programming frameworks,                     | Query plan, EXPLAIN, 414                      |
| Poetry mode, 76                       | languages for, 5                            | quirksmode.org, 168                           |
| Pointcut, AOP, 141                    | Program synthesis, 435                      | •   |
| Points                                | Progstr-Filer, 417                          | R   |
| BDD pros and cons, 249                | ProjectLocker                               | <del>= =</del>                                |
| plan-and-document, 238                | basic skills, 447                           | Rack application server                       |
| user stories, 220                     | bookware, 442                               | continuous integration, 399<br>Decorator, 373 |
| Port numbers                          | coursework backup, 445                      | Rails basics, 51, 100                         |
| IANA assignment, 45                   | version control, 336                        | Rails Casts, 238                              |
| TCP/IP, 45                            | Project management                          | Rails concepts, see also Ruby on              |
| URI, 45                               | bugs, <b>343</b>                            | Rails basics                                  |
| Positive expectations, careless use,  | code reviews, 335                           | associations and foreign keys,                |
| 247                                   | Git branches, <b>339</b>                    | 147   |
| POSIX, 207                            | IEEE 16326-2009, 346                        | caching, 407                                  |
| post                                  | overview, 354                               | controllers and views, <b>111</b>             |
| functional tests, 283                 | pair programming, 333                       | databases and migrations, <b>104</b>          |
| TMDb, 265                             | plan-and-document, 345                      | debugging, 117                                |
| POST, GET comparison, 128             | two-pizza team and Scrum, 332               | edit/update and destroy, <b>125</b>           |
| PostgreSQL, 413, 414, 451             | version control, 336                        | form submission, 120                          |
| Post-receive URI repo, GitHub,<br>399 | Promiscuous pairing, 334                    | models, <b>107</b>                            |
|                                       | Properties, client-side JavaScript,<br>169  | MVC DRYness, 136                              |
| Preflight checking, feature flags,    | protect_from_forgery, 416                   | overview, 100                                 |
| Presentation tier, 51                 |   | queries with reusable scopes,                 |
| Preventive maintenance, 299           | Prototype inheritance, JavaScript, 174, 176 | 157   |
| Principal                             | Prototyping, Spiral lifecycle, 19,          | redirection and flash, 122                    |
| authentication, 142                   | 20  | RESTful routes for associations,              |
| public-key cryptography, 415          | Provenance, authentication, 142             | 154   |
| Principle of fail-safe defaults, 414  | Proxy object, Rails app example,            | security defenses, 418                        |
| Principle of least privilege          | 110   | SSO and third-party                           |
| authentication, 146                   | Proxy pattern, DIP, 380                     | authentication, 142                           |
| security, 414                         | Public cloud services, see Utility          | through-associations, 152                     |
| Principle of psychological            | computing                                   | raise params.inspect, debugging,              |
| acceptability, 414                    | Public-key cryptography                     | 119   |
| printf debugging, 119                 | basic concept, 415                          | rake cucumber, 231                            |
| Privacy, 395                          | networking explanation, 45                  | rake jasmine, 192                             |
| Probing, 406                          | Turing Award, 414                           | RASP (Read, Ask, Search, Post),               |
| Production clients, 42                | Public repos, remote                        | debugging, 117                                |
| Production database, legacy code      | collaboration, 339                          | Rational Unified Process (RUP)                |
| exploration, 302                      | Pull changes, version control, 336          | design/code reviews, 348                      |
| Productivity                          | Pull requests, GitHub, 335                  | overview, 22                                  |
|                                       |   |   |

| plan-and-document, 21            | Relational database management            | TMDb, 278                           |
|----------------------------------|---|-------------------------------------|
| tasks, 239                       | system (RDBMS)                            | TMDb API, 257                       |
| RCS, see Revision Control System | active record architectural               | Request, see also HTTP request      |
| (RCS)                            | pattern, 58                               | AJAX, 186                           |
| RDBMS, see Relational database   | design, 57                                | client-server architecture, 42      |
| management system                | example table, 57                         | Request-reply protocol, HTTP, 47    |
| (RDBMS)                          | Rails app example, 104                    | Request tracing, 425                |
| RDoc, 301                        | scalability, 64                           | require, confusion with include, 93 |
| Rebasing                         | Release branch                            | Requirements basics, see also       |
| definition, 343                  | definition, 340                           | Non-functional requirements         |
| Git, 337                         | example, 341                              | Agile cost estimation, 222          |
| Receiver                         | Release management                        | BDD and user stories, 216           |
| methods on collections, 86       | definition, 351, 395                      | Cucumber and Capybara, 224,         |
| Ruby objects, 74                 | plan-and-document, 419                    | 226                                 |
| Rectangle                        | Relevant, SMART user stories,             | Lo-Fi interface sketches and        |
| duck typing, 378                 | 219                                       | storyboards, 227                    |
| example, 376                     | Reliability                               | plan-and-document, 238              |
| LSP, 376                         | overview, 424                             | points, velocity, Pivotal Tracker   |
| Red-Green-Refactor               | plan-and-document, 420                    | 220                                 |
| final task, 267                  | Reloading, Rails app example, 103         | Rotten Potatoes enhancement,        |
| overview, 258                    | Remote, git hosting services, 447         | 230                                 |
| TDD, 261                         | Remote collaboration, Git, 339            | scenario comparisons, 236           |
| Redirection                      | Remote Performance Monitoring             | SMART user stories, 219             |
| example, 140                     | (RPM), 405                                | Requirements creep, 244             |
| Rails app example, <b>122</b>    | Rendering, caching, <b>407</b>            | Requirements traceability, 244      |
| Red-Yellow-Green analysis,       | Repetition, SOLID, 365                    | require 'ruby-debug,' 119           |
| Cucumber user stories, 226       | Replication, database scaling, 426        | Resource                            |
| Reengineering, 322               | Reply, client-server architecture,        | URI, 45                             |
| Refactoring                      | 42  | Web app as, 59                      |
| change points, 300               | Repositories                              | response, controller specs and      |
| clean code example, 318          | adding files, 453                         | refactoring, 265                    |
| code smells, SOFA, 311           | Git basics, 446                           | Responsiveness                      |
| continuous, 325                  | remote collaboration, 339                 | definition, 395                     |
| definition, 299, 314             | version control, 336                      | Google, 397                         |
| examples, 315, 326               | Representational State Transfer           | quantification, <b>396</b>          |
| Extract Class, 370               | (REST)                                    | REST, see Representational State    |
| language choice, 319             | AJAX, 186                                 | Transfer (REST)                     |
| method-level, 313                | Amiko, 379                                | RESTful APIs                        |
| resisting enhancements, 324      | API, <b>256</b>                           | developer keys, 257                 |
| TMDb API key, 279                | associations, <b>154</b> , <i>157</i>     | Reuse                               |
| Reflection                       | caching, 408, 423                         | productivity improvement, 16        |
| conciseness, 113                 | controllers, 111, <i>112</i> , <i>114</i> | Rails, 6                            |
| productivity improvement, 16     | CRUD, 102, 103, 125                       | ReviewsController, associations,    |
| Ruby objects, 74                 | CSRF, 416                                 | 154                                 |
| regexps, see Regular expressions | form submission, 120, <i>121</i>          | Revision Control System (RCS),      |
| (regexps)                        | Index action, 123                         | 355                                 |
| Regression testing               | JSON APIs, 199                            | RightScale, 397                     |
| maintenance, 320                 | metaprogramming, 113                      | Risk analysis, plan-and-document.   |
| purpose, 14                      | overview, <b>59</b>                       | 244                                 |
|                                  |   |                                     |
| Regular expressions (regexps)    | same-origin policy, 202                   | Risk management, plan-and-          |
| Cucumber, 224                    | session[] hash overstuffing, 130          | document, 244                       |
| Ruby overview, 70, 72            | SOA, 61                                   | Ritchie, Dennis, 40                 |
| Relational algebra formalism, 57 | SOAP/WS-* comparison, 62                  | Rivest, Ronald, 414                 |
| Relational database, storage     | SRP, 369                                  | Rolling reboot, 404                 |
| structure, 53                    | template views, 63                        | Root class, Ruby objects, 74        |

| Root zone, 45  | ruby-debug, 260                   | save!                                    |
|--|-----------------------------------|--|
| Rotten Potatoes  | ruby-debug19, 102                 | associations, 153                        |
| AJAX Jasmine specs, 195                                | Rubygems, 100, <b>256</b>         | Rails app example, 109                   |
| associations, 147                                      | RubyMine, 445                     | validation, 138                          |
| BDD, 217   | Ruby on Rails basics, see also    | Scalability                              |
| client-server architecture, 42                         | Rails concepts                    | cloud computing performance,             |
| commit example, 340                                    | advantages, 5                     | 422                                      |
| Cucumber scenario, 224, 224                            | AOP support, 141                  | definition, 395                          |
| DIP, 378   | blocks, 84                        | Rails, 64                                |
| DOM, 177   | classes, methods, inheritance, 78 | RDBMS, 64                                |
| enhancement, 230                                       | debugger, 123                     | SaaS demands, 11                         |
| form submission, 121                                   | dynamic language features, 271    | SCCS, see Source Code Control            |
| JavaScript features, 167                               | FIRST, TDD, Red-Green-            | System (SCCS)                            |
| jQuery example, 182                                    | Refactor, 258                     | Scenario outlines, 238                   |
| Lo-Fi UI, 228  | GoF design patterns, 363          | Scenarios                                |
| migrations, 400  | IDEs, 445                         | Cucumber, 224, 224                       |
| movie creation, 60                                     | idiomatic language, 93            | requirements elicitation, 239            |
| Rails basics, 100                                      | iterators via yield, 89           | Scheduling                               |
| records, 57  | Java programmers, 92              | change management, 244                   |
| release branch example, 341                            | JavaScript, <b>169,</b> 170       | plan-and-document, 242                   |
| routes, 60   | metaprogramming, <b>81,</b> 372   | software projects, 245                   |
| RSpec, 259   | mix-ins and duck typing, 88       | Scheme                                   |
| scenario comparisons, 236                              | objects, 73                       | JavaScript origins, 166                  |
| storyboard, 228  | operation as method, 75           | URI, 45                                  |
| third-party authentication, 142                        | origins, 66                       | SCM, see Software configuration          |
| tiers, 51  | overview, 70                      | management (SCM)                         |
| views, 54  | scalability, 64                   | Scopes                                   |
| Routes   | Smalltalk origins, 432            | filter criteria, 158                     |
| associations, 154                                      | Rumbaugh, James, 366              | query composition, <b>157</b>            |
| examples, 60   | RuntimeError, TMDb, 273, 276,     | Scoping, Pivotal Labs Agile cost         |
| :format, 62  | 278                               | estimation, 223                          |
| helpers via metaprogramming,                           | RUP, see Rational Unified Process | Scratch branch, legacy code              |
| 113  | (RUP)                             | exploration, 301                         |
| nested, 155  |                                   | Scripting languages, productivity        |
| non-resource-based, 103                                | $\mathbf{S}$                      | improvement, 16                          |
| overview, <b>59</b>                                    | S0 coverage, 282                  | Scrum, <b>332</b> , xv                   |
| Rails basics, 102                                      | S1 coverage, 282                  | ScrumMaster, 333                         |
| wildcard tokens, 104                                   | SaaS, see Software as a Service   | Seam, <b>261</b>                         |
| RPM, see Remote Performance                            | (SaaS)                            | definition, 263                          |
| Monitoring (RPM)                                       | SaaS on Cloud Computing,          | dependency replacement, 313              |
| RSA algorithm, 414, 415                                | Virtuous Triangle of              | language variations, 265                 |
| RSpec  | Engineering SaaS, 33, 433         | search_terms, Red-Green-                 |
| automation, 17   | Salesforce, 399                   | Refactor TDD, 262                        |
| bug testing, 344                                       | Same-origin policy, 202           | search_tmdb                              |
| example, 260   | SAMOSAS, team management,         | code sample, 268                         |
| example development, 262                               | 347                               | controller specs and refactoring 265     |
| function, 270  | sandbox method, Jasmine, 197      |  |
| integration tests, 259 JavaScript and AJAX testing,    | Sandwich integration, 286         | Red-Green-Refactor TDD, 261              |
| 190  | Sanitization, Haml, 112           | specs, 268                               |
|  | Sass, 451                         | subject code, 263                        |
| method listing, 280, 281 Red, Green, Refactor TDD, 264 | save                              | TDD, 259<br>Secret, encryption, 415      |
| Red-Green-Refactor TDD, 264                            | associations, 153                 |  |
| response, 265 setting up, 191                          | Rails app example, 108            | Secret key, git hosting services,<br>447 |
| testing tools relationship, 248                        | validation, 138                   | Secure HTTP protocol (HTTPS)             |
| Coming tools relationship, 240                         |                                   | Secure III II protocor (HI IPS)          |
|  |                                   |  |

| Bookware VM on EC2, 444             | overstuffing, 129                        | Slots, client-side JavaScript, 169 |
|-------------------------------------|--|------------------------------------|
| networking explanation, 45          | SessionsController, OmniAuth             | Smalltalk, 74, <i>432</i>          |
| secure platform fallacy, 423        | gem, 144                                 | Smart fuzzing, 285                 |
| Secure Sockets Layer (SSL)          | Severity 1 bugs, Amazon, 344             | SMART user stories, 219            |
| data encryption, 415                | SGML, see Standard Generalized           | SOA, see Service Oriented          |
| decorators, 375                     | Markup Language (SGML)                   | Architecture (SOA)                 |
| Security                            | SHA-1 algorithm, 446                     | SOAP, see Simple Object Access     |
| customer data protection, 414       | Shamir, Adi, 414                         | Protocol (SOAP)                    |
| overview, 424                       | Sharding                                 | SOFA                               |
| plan-and-document, 420              | database scaling, 426                    | definition, 311                    |
| Rails defenses, 418                 | RDBMS scalability, 64                    | method length, 312                 |
| secure platform fallacy, 423        | Shared-nothing architecture, three-      | overview, 309                      |
| Seeding, 109                        | tier, 52                                 | Software as a Service (SaaS)       |
| Selector notations, CSS, 48, 49     | Shared-repository, version control,      | basic concept, 4                   |
| Self                                | 336                                      | beautiful vs. legacy code, 12      |
| class method definition, 80         | Short-lived code, 13                     | cloud computing, 10                |
| future-proofing example, 81         | Shotgun problem solving, 118             | frameworks and languages, 5        |
| JavaScript prototype                | Shotgun surgery, 372                     | important structures, 43           |
| inheritance, 176                    | should, RSpec, 270                       | IT demands, 10                     |
| time arithmetic, 82                 | should_not, TMDb, 265                    | plan-and-document, 18              |
| Sencha Touch, 207                   | should_receive                           | productivity, 15                   |
| send_email, 375, 379                | Red-Green-Refactor TDD, 263              | SOA, 7                             |
| Send method, 75                     | TMDb, 266                                | software engineering vs.           |
| Separator, Ruby blocks, 84          | show                                     | programming, 33                    |
| Serializing, 57, 173, 199           | AJAX, 186                                | testing, 13                        |
| Server certificate, authentication, | controller method, 114                   | Software configuration             |
| 142                                 | Rails app example, 111                   | management (SCM), 446              |
| Server push, client pull            | Show, caching, 409                       | Software Craftsmanship             |
| comparison, 47                      | Siloed software                          | movement, 365                      |
| Server-side applications,           | bookstore service, 8, 8                  | Software development processes     |
| JavaScript, 166, 167                | SOA comparison, 7                        | Agile Manifesto, 24                |
| Service level agreement (SLA),      | SimpleCov, C0 coverage check,            | plan-and-document, 18              |
| 397                                 | 283                                      | Software education, weaknesses,    |
| Service level objective (SLO),      | Simple Object Access Protocol            | xiv                                |
| 397, 397                            | (SOAP), REST/WS-*                        | Software engineering, coining of   |
| Service Oriented Architecture       | comparison, 62                           | term, 18                           |
| (SOA)                               | Simula, 74, 134                          | Software evolution, causes, 12     |
| associations, 157                   | Sinatra, DataMapper, 151                 | Software projects                  |
| basic concept, 7                    | Single-page applications (SPAs),         | budget surveys, 24                 |
| bookstore service, 8, 9             | 166, <b>198</b> , 202                    | management basics, 355             |
| continuous integration, 399         | Single Responsibility Principle          | scheduling issues, 245             |
| designing for, 130                  | (SRP), <b>369</b>                        | Software rejuvenation, 404         |
| Facebook Platform, 7                | Single sign-on (SSO)                     | Software Requirements              |
| :format in routes, 62               | Facebook, 142                            | Specification (SRS)                |
| REST, 59, 61                        | side effects, 146                        | IEEE Standard 830-1998, 240        |
| server performance, 423             | third-party authentication, <b>142</b> , | plan-and-document, 239             |
| SPAs, 166                           | 142                                      | plan-and-document and testing,     |
| Transform View, 64                  | Sketches                                 | 286                                |
| Session View, 67                    | Lo-Fi UI, <b>227</b>                     | Software Wall of Shame, 24         |
| cookies, 46                         | storyboard necessity, 246                | SOLID                              |
| RESTful association routes, 157     | SLA, see Service level agreement         | acronym variations, 363            |
| session[]                           | (SLA)                                    | basic concept, 362                 |
| associations, 154                   | Slashdot, hits per day, 422              | definition, 365                    |
| authentication, 145                 | SLO, see Service level objective         | design guidelines, 365             |
| characteristics, 125                | <del>-</del>                             | GoF design patterns, 364           |
| Characteristics, 123                | (SLO)                                    | Gor design patterns, 304           |

| ISP, 371   | Cucumber, 224                                   | Synthesis, productivity                                   |
|--|---|---|
| OCP, 371   | Cucumber and Capybara, 226                      | improvement, 16   |
| SRP, 369   | domain language, 236                            | System building, 351                                      |
| sort method, Enumerable, 88                              | Storyboards                                     | System testing, software, 14                              |
| Source code control, 446                                 | Lo-Fi UI, <b>227</b>                            | _   |
| Source Code Control System (SCCS), 355                   | Rotten Potatoes, 228, 231 sketches without, 246 | T   |
| * **   | · · · · · · · · · · · · · · · · · · ·           | Tables, RDBMS, 57, 57                                     |
| Spaceship operator, 88<br>SPAs, Single-page applications | TMDb UI, 232<br>Strategy, OmniAuth gem, 143     | Table scan, databases, 412                                |
| (SPAs), 166  | Strategy pattern                                | Task-parallel programming, event-                         |
| Specific, SMART user stories, 219                        | OCP, 371  | driven comparison, 190                                    |
| Spiral lifecycle   | OmniAuth, 373                                   | TCP/IP, see Transmission Control                          |
| Agile lifecycle, 436                                     | Stress, continuous integration, 399             | Protocol/Internet Protocol                                |
| design/code reviews, 348                                 | Stress testing, monitoring, 406                 | (TCP/IP)  |
| overview, 20   | String  | TDD, see Test-driven                                      |
| plan-and-document, 19                                    | JavaScript, 206                                 | development (TDD)   |
| productivity comparisons, 28                             | symbol comparison, 103                          | Teams   |
| RUP, 21  | symbol interchangeability, 93                   | dividing workload, 354                                    |
| tasks, 239   | String class                                    | overview, 354   |
| testing comparisons, 27                                  | Ruby objects, 73                                | plan-and-document, 347                                    |
| Sprint, Scrum, 332                                       | type casting, 75                                | Scrum, 333  |
| spyOn, 192, <i>194</i>                                   | String literals, JavaScript, 206                | Teardown, RSpec, 264                                      |
| SQL, see Structured Query                                | Stripe, 417                                     | Template Method pattern                                   |
| Language (SQL)   | Structural patterns, GoF, 364                   | delegation, 373   |
| SQL injection  | Structure diagrams, UML, 367                    | OCP, 371  |
| characteristics, 416                                     | Structured processes, 21                        | Template View   |
| code example, 416  | Structured Query Language (SQL)                 | alternatives, 64  |
| fuzz testing, 286  | associations, 148                               | index RESTful action, 112                                 |
| niche apps, 424  | EXPLAIN, 414                                    | MVC, 54   |
| Rails app example, 108                                   | Structured storage, 57                          | overview, <b>62</b>                                       |
| SQLite3, Rails basics, 100, 104                          | stub  | web app comparison, 55                                    |
| Square   | example, 194                                    | Test coverage   |
| duck typing, 378   | Jasmine, 192                                    | completeness fallacies, 290                               |
| LSP, 376   | TMDb, <b>265</b>                                | definition, 14  |
| SRP, see Single Responsibility                           | Stubbing  | full-coverage validity, 290 Test-driven development (TDD) |
| Principle (SRP)  | Internet, AJAX, 202                             | Agile, 25, xv   |
| SRS, see Software Requirements                           | Internet for TMDb, 276                          | bugs, 344   |
| Specification (SRS)                                      | testing issues, 290                             | continuous refactoring, 325                               |
| ssh-keygen, 415  | Style sheets, programming                       | conventional debugging                                    |
| SSL, see Secure Sockets Layer                            | languages, 333                                  | comparison, <b>291</b>                                    |
| (SSL)  | Subject code, Red-Green-                        | JavaScript, 172   |
| SSL certificate, 415                                     | Refactor TDD, 263                               | JavaScript and AJAX testing,                              |
| SSO, see Single sign-on (SSO)                            | submit, JavaScript, 183                         | 190   |
| Staging site, 400  | Subversion, <i>336</i> , 355, <i>446</i>        | legacy code, 300  |
| Stallman, Richard, 444, 445                              | success handler function, 202                   | overview, 256, <b>258</b>                                 |
| Standard Generalized Markup                              | Symantec, 417                                   | Red-Green-Refactor, 261, 261                              |
| Language (SGML), 48                                      | Symbol  | TMDb, 231, 234, <b>272</b>                                |
| Stateless protocol                                       | Ruby overview, 70                               | user stories, 217   |
| HTTP, 46   | string comparison, 103                          | Testing   |
| three-tier architecture, 52                              | string interchangeability, 93                   | Agile vs. plan-and-document, 27                           |
| Statement coverage (C0)                                  | Symmetric-key cryptography, 415                 | approaches and terminology,                               |
| check with SimpleCov, 283                                | Syntactic sugar, method calls, 75,              | 284   |
| definition, 282  | 76  | before/after coding, 291                                  |
| Static variable, Java vs. Ruby, 79                       | Syntax errors, debugging, 119                   | bugs, 344   |
| Step definitions   |   |   |

| client-side form validation, 197              | arithmetic operations, 81, 82                  | Wirth, Niklaus, 214              |
|---|--|----------------------------------|
| exhaustive, 14                                | duck typing, 89                                | Twitter                          |
| Google, 249                                   | Rails app example, 108                         | authentication, 142, 144         |
| JavaScript and AJAX, 190                      | timeout handler function, 202                  | Big Brother Bird, 425            |
| method comparison, 284                        | Timeouts, performance protection,              | OAuth, 142                       |
| minimum requirements, 290                     | 424  | OmniAuth, 145                    |
| over-stubbing issues, 290                     | TimeSetter, 307, 316                           | pair programming, 335            |
| pending specs, 308                            | TLS, see Transport Layer Security              | Rails applications, 6            |
| plan-and-document perspective,                | (TLS)  | Two-pizza teams, 332, 336        |
| 286   | TMDb, see The Open Movie                       | Type casting, method calls, 75   |
| plan-and-document vs. Agile,                  | Database (TMDb)                                |                                  |
| 289   | Tom Knight and the Lisp                        | U                                |
| QA, <b>13</b>                                 | Machine, 118                                   | _                                |
| reliance on type, 290                         | Top-down integration, 286                      | UI, see User interface (UI)      |
| security, 421                                 | Torvalds, Linus, 444, 446                      | UML, see Unified Modeling        |
| tools relationship, 248                       | Tracked files, Git basics, 446                 | Language (UML)                   |
| verification/validation                       | Transform View, template view                  | UMPLE, 368                       |
| approaches, 14                                | alternatives, 64                               | Undeclared exceptions, 275       |
| Then, Cucumber keyword, 224                   | Transition, RUP phase, 21                      | Undefined method, Ruby objects,  |
| The Open Movie Database                       | Transmission Control                           | 74                               |
| (TMDb)  | Protocol/Internet Protocol                     | Undisciplined process, Agile as, |
| add movie example, 233                        | (TCP/IP)                                       | 25                               |
| API, <b>256</b>                               | communication, 44                              | Unified Modeling Language        |
| code example, 234                             | early work, 44                                 | (UML)                            |
| DRY code, 235                                 | port numbers, 45                               | ActiveRecord vs. ActiveRecord    |
| expectations, mocks, stubs,                   | Transport Layer Security (TLS),                | 151                              |
| setup, teardown, 265                          | 415  | associations, 147                |
| FIRST, TDD, RSpec, 258                        | trigger, JavaScript custom events,             | class diagram, 367, 371, 377     |
| fixtures and factories, <b>269</b>            | 185  | diagram descriptions, 367        |
| Haml code, 233                                | TurboTax Online, 5, 432                        | legacy code exploration, 302,    |
| implicit requirements, 272                    | Turing Award                                   | 303                              |
| stubbing the Internet, 276                    | Adleman, Leonard, 414                          | overview, 366                    |
| TDD cycle, <b>261</b>                         | Allen, Frances, 440                            | usage decisions, 368             |
| UI storyboard, 232                            | Backus, John, 16                               | use case diagram, 218            |
| user stories/Lo-Fi UI example,                | Brooks, Fred, Jr., 19, 330                     | Uniform Resource Identifier      |
| 230   | Cerf, Vinton E. "Vint," 44                     | (URI)                            |
| Therac-25, 4                                  | Codd, Edgar F. "Ted," 57                       | AJAX XHR, 187, 188               |
| Third-party authentication, SSO,              | Dijkstra, Edsger W., 287                       | before-filters, 156              |
| <b>142</b> , <i>142</i>                       | Gray, Jim, 68                                  | CSRF, 416                        |
| 37 signals, 66                                | Hoare, Charles Antony Richard,                 | definition, 45                   |
| this keyword                                  | 98   | FakeWeb, 278                     |
|   | Kahan, William, 360                            | fuzz testing, 286                |
| incorrect use, 204                            |  | httperf, 406                     |
| JavaScript, 174, 182                          | Kahn, Bob, <i>44</i><br>Kay, Alan, <i>43</i> 2 | HTTP request, <b>45</b> , 59     |
| Thompson, Ken, 40                             | <u> </u>                                       | nested routes, 155               |
| Three-tier architecture                       | Knuth, Donald, 254                             | params hash, 104                 |
| caching, 407                                  | Lielsey Porkers 202                            | post-receive, GitHub, 399        |
| cloud computing performance,                  | Liskov, Barbara, 392                           | Rails app example, 114, 126      |
| 422   | McCarthy, John, 10                             | Rails basics, 100, 102           |
| overview, <b>51</b> , 52, 53                  | Nygaard, Kristen, 134                          | route helpers, 113               |
| Through-associations, <b>152</b> , <i>152</i> | Perlis, Alan, 164                              | routes, $60$                     |
| Throughput, responsiveness, 396               | Ritchie, Dennis, 40                            | TMDb API key, 257                |
| Tiger team, 421                               | Rivest, Ronald, 414                            | URL comparison, 45               |
| Timeboxed, SMART user stories,                | Shamir, Adi, 414                               | Uniform Resource Locators        |
| 219   | Thompson, Ken, 40                              | (URL)                            |
| Time class                                    | Wilkes, Maurice, Sir, 2                        |                                  |

| AJAX XHR, 187                              |  | datacenters, 11                  |
|--|--|----------------------------------|
| Jasmine, 196                               | ${f V}$                                      | Virtual Private Server (VPS), 39 |
| URI comparison, 45                         | Validation                                   | Virtuous Triangle of Engineering |
| Unit testing                               | action substitution, 138                     | SaaS, 33, 433                    |
| bugs, 344                                  | ActiveModel, predefined, 137                 | Viscosity, SOLID, 365            |
| characterization tests, 306                | associations, 153                            | VM, see Virtual machines (VM)    |
| Cucumber, 226                              | BDD, 217                                     | VM networking                    |
| integration test comparison, 282           | controller/view interactions, 139            | NAT, 444                         |
| software, 14                               | IEEE 1012-2012, 350                          | resetting, 453                   |
| testing method comparison, 284             | plan-and-document, 349                       | Voucher class, CRC card, 305     |
| Universal clients, web browser, 42         | -  | VPS, see Virtual Private Server  |
| Unix                                       | software quality, 14<br>var, JavaScript, 205 | (VPS)                            |
| coursework skills, 445                     | •  |                                  |
| fuzz testing, 285                          | Variable naming                              | $\mathbf{W}$                     |
| inventors, 40                              | guidelines, 312                              | • •                              |
| Linux origins, 443                         | issues, 93                                   | W3C, see World Wide Web          |
| time representation, 82                    | VBScript, 417                                | Consortium (W3C)                 |
| tools on OS X/Windows, 447                 | VCSs, see Version control                    | Warehouse Scale Computers, 11    |
| Unmarshalling, 57                          | systems (VCSs)                               | Waterfall lifecycle              |
| Unobtrusiveness, JavaScript, 167           | Velocity                                     | Agile lifecycle, 436             |
| update                                     | Agile, 25                                    | design/code reviews, 348         |
| JavaScript custom events, 185              | automation, 17                               | plan-and-document, 19            |
| Rails app example, <b>125</b> , <i>126</i> | BDD pros and cons, 249                       | productivity comparisons, 28     |
| replacement for, 138                       | plan-and-document, 238                       | RUP, 21                          |
| update_attributes                          | user stories, 220                            | Spiral lifecycle, 20             |
| Rails app example, 109                     | Verification                                 | tasks, 239                       |
| validation, 138                            | BDD, 217                                     | testing comparisons, 27          |
| update_attributes!, validation, 138        | IEEE 1012-2012, 350                          | Web application frameworks       |
| URI, see Uniform Resource                  | plan-and-document, 349                       | comparison, 55                   |
| Identifier (URI)                           | software quality, 14                         | databases, 53                    |
| URL, see Uniform Resource                  | VeriSign, 415                                | Fielding's work, 59              |
| Locators (URL)                             | Version compatibility, continuous            | three-tier architecture, 51      |
| Use-case analysis, 218                     | integration, 399                             | Web browsers                     |
| Use case diagram                           | Version control                              | AJAX effectiveness, 202          |
| definition, 218                            | Git basics, 446                              | client-server architecture, 42   |
| UML, 367                                   | history, 354                                 | communication, 44                |
| Use cases, requirements                    | merge conflicts, 336                         | continuous integration, 399      |
| elicitation, 239                           | Version control systems (VCSs)               | cookies, 46                      |
| User interface (UI), Lo-Fi UI, <b>227</b>  | automation, 17                               | Cucumber and Capybara, 226       |
| User stories                               | early VCSs, 336                              | HEAD, 60                         |
| Agile, 25                                  | Git basics, 446                              | JASPI, 168                       |
| BDD pros and cons, 249                     | Version management, 351                      | JavaScript event handlers, 181   |
| case analysis, 218                         | vi, 445                                      | Rails basics, 100                |
|  | Views  | REST, 59                         |
| Cucumber and Capybara, <b>224</b> ,        | example development, 262                     | Scheme, <i>166</i>               |
| 226<br>overview, 216                       | fat, 129                                     | WebCL, JavaScript, 207           |
|  | MVC, 54                                      | Webdriver                        |
| plan-and-document, 238                     | Rails app example, 111                       | Capybara, 225                    |
| points, velocity, Pivotal Tracker,         | validation interactions, 139                 | testing tools relationship, 248  |
| 220  | vim, 445                                     | WEBrick, 42                      |
| scenario comparisons, 236                  | VirtualBox, 443                              | Rails app example, 104           |
| SMART user stories, 219                    | Virtual Case File, 4                         | three-tier architecture, 51      |
| TMDb example, 230                          | Virtual machines (VM)                        | Web servers                      |
| US National Vulnerabilities                | bookware image, 442, <b>443</b>              | communication, 44                |
| Database, 426                              | client-server architecture, 42               | networking explanation, 45       |
| Utility computing, 11                      |  | · · ·                            |

| three-tier architecture, 51 WebSockets, client pull vs. server push, 47 WebWorkers, 190 When Cucumber keyword, 224 imperative vs. declarative scenarios, 236   | Y Yahoo Mojito, 207 web portal, 42 YAML, see Yet Another Markup Language (YAML) Yegge, Steve, 7  |
|--|--|
| where method, Rails app example, 108 White-box tests definition, 285 software, 14 Whole-system tests, testing method comparison, 284 Wildcards regular expressions, 70 routes, 104 Wilkes, Maurice, Sir, 2 window, JavaScript, 177, 181 Windows Unix tools on, 447 VirtualBox, 443 Windows 95, release celebration, 19 Wirth, Niklaus, 214 Word processor, code editing, 445 Workflows, RUP, 21 Working software fix vs. redesign, 324 maintenance, 320 World Wide Web Consortium (W3C), HTTP/HTML development, 66 | Yet Another Markup Language (YAML) fixtures, 270, 271 structured data, 173 Yield around-filters, 140 example, 90 iterators from, 89 Rails reuse, 6 Ruby vs. operating systems, 90 Y2K bug, 258  Z Z, requirements documentation, 241 |
| X XHR, see XmlHttpRequest (XHR) XHTML, see eXtended HyperText Markup Language (XHTML) XMing, 444 XML, see eXtensible Markup Language (XML) XML Builder, blocks and metaprogramming, 87 XmlHttpRequest (XHR), 185, 187 XP, see Extreme Programming (XP) XQuartz, 444 X server, 444 XSS, security issues, 417 X Window System, 444   |  |