



REALM STUDIO

Welcome to Realm Studio

A. Description

Thank you for your interest in Realm Studio. Realm Studio is an open-source Windows application intended for making fantasy maps for gamers, world builders, authors, and anyone else that has a need to make nice-looking maps quickly and easily.

Using Realm Studio is completely free of charge. Just download RealmStudio.msi, then double-click it to install the Realm Studio application and a default set of assets (symbols, textures, frames, boxes, and so on) for your maps. More information on map assets is in the sections below.

B. Support

Because Realm Studio is open source and free, support is limited. This Help file provides all the information needed to create maps using Realm Studio, but if you have questions, feature suggestions, or bugs to report, please email support@brookmonte.com.

C. Using Realm Studio to Make Maps

1. When Realm Studio Starts

How Realm Studio Works

Realm Studio constructs realms (maps) in many independent layers. The controls to draw or paint each layer are displayed on tabs that represent some aspect of your map – ocean, land, fresh water, symbols for mountains, trees, houses, etc., as well as paths, labels, map grids, and so on. Realm Studio was modeled on Wonderdraft, and many of Realm Studio's features work like those of Wonderdraft, so if you are familiar with that application, you will quickly understand Realm Studio. Many of the features of your map you will “paint” on the map using a dotted-line circle cursor. Others you select or place using the usual Windows arrow cursor. Realm Studio was designed to be easy to use, so figuring out how the controls work shouldn't take long.

Often, clicking a button will change the **Drawing Mode** of Realm Studio. The current **Drawing Mode** is displayed in green text below the map at the left. Make note of the current **Drawing Mode** as you create your map. It will tell you what operation Realm Studio will perform.

Configuring Your Realm

After the application splash screen closes, the main application window and a dialog box titled “Realm Configuration” are shown. The dialog allows you to select the type of realm (map), the size of the map in pixels, the size of the map (map area) in real world units (square miles, kilometers, meters, feet, etc.), and the initial theme for the map. The theme can be changed after it is created. There is more information on themes later.

You should give your realm (map) a name by entering the name in the text box at the top of the Realm Configuration dialog. If you do not give your realm a name, it will be called “Default.” You can change the name of your realm later, if you don’t give it a name in the Realm Configuration dialog.

The screenshot shows the "Realm Configuration" dialog box. At the top is a text input field labeled "Enter Realm Name". Below this are three main sections: "Realm Type", "Realm Map Size Presets", and "Realm Map Size". The "Realm Type" section has radio buttons for "World" (selected), "Region", "City", "Interior", "Dungeon", "Solar System", "Ship", and "Other". The "Realm Map Size Presets" section has radio buttons for various resolutions, with "1920 x 1080 (1080P Full HD)" selected. The "Realm Map Size" section has input fields for "Width" (1920) and "Height" (1080), and a lock icon. Below these is the "Aspect Ratio" (1.78). The "Realm Map Area" section has a dropdown for "Map Area Units" (Miles), and input fields for "Map Area Width" (100) and "Map Area Height" (56.25). The "Realm Map Theme" section has a list box with "Medieval Quest Paper Background" and "Medieval Quest" (selected). At the bottom are "OK" and "Cancel" buttons.

At this time, changing the Realm Type only changes the default Map Area Units, but in future versions, changing the Realm Type will cause other changes to the application functionality to support creation of specialized maps for building interiors, dungeons, solar systems, etc.

2. The Title Bar Controls

There are several controls in the title bar of the Realm Studio application that give you quick access to some basic functions.

The Autosave Switch

The Autosave switch enables and disables the Autosave function of Realm Studio. When enabled, Realm Studio will periodically save a backup copy of your map. The backup copies are saved in your Documents folder in a subdirectory named “RealmStudio/Realms/autosave.” More information on Realm Studio directories and the Autosave functionality is below.

The File Open Icon

The File Open icon opens a Windows File Open dialog to allow you to open a previously saved map.

The File Save Icon

The File Save icon opens a Windows File Save dialog to allow you to save the map you are currently working on. The file name defaults to the name of your realm (map), if it was set in the Realm Configuration dialog or in the Realm Properties dialog.

The UI Switch

The UI switch allows you to change the look of the Realm Studio user interface from the default dark borders to light borders. At this time, switching the UI look has not been implemented.

3. The Main Menu

The File Menu

Starting a New Map

Choosing the New option from the File menu allows you to create a new map. If you are working on a map, you will be prompted to save it before creating a new one. When you select this option, the Realm Configuration dialog will be displayed to let you choose the map size, area size, etc. as shown above.

Opening a Map

Choosing the Open option from the File menu will open a Windows File Open dialog to allow you to open a previously saved map. Realm Studio maps are saved with a **.rsmapx** extension, and they are XML files, so you can open a Realm Studio map with Notepad or an XML editor

application to view the map structure. Though they are XML files, it is not recommended that you edit the Realm Studio map XML directly, as the map structure could be damaged, rendering it unopenable by Realm Studio.

Saving a Map

Choosing the Save and Save As options from the File menu will open a Windows File Save dialog to allow you to save the map you are working on. By default, your maps will be saved in your Windows Documents folder in a subfolder called “RealmStudio/Realms. You are free to change the location of your saved maps, but it is recommended that you save them to the default location. If future functionality changes require the structure of Realm Studio maps to change, any map upgrade functions will be able to locate your maps more easily if they are saved to the default location.

Exporting a Map

Choosing the Export option from the File menu lets you save your map as an image. Maps can be exported as Portable Network Graphics (.png) file, a Joint Photographic Experts Group (.jpg) file, or a Windows bitmap (.bmp) file. Currently, export options are limited: the size of the exported file (resolution), color depth, transparency color, and so on cannot be changed. Additional options may be added to the export function in the future.

Printing a Map

Choosing the Print and Print Preview options from the File menu allows you to print your map on your printer. This functionality will be implemented in a future release.

The Edit Menu

Undo/Redo

Many (but not all) of the functions in Realm Studio can be undone/redone using either the Edit Undo/Redo menu options or the standard **ctrl+z** and **ctrl+y** keyboard shortcuts.


Cut/Copy/Paste

Currently, cut, copy, and paste functions have not been implemented. They are planned for future releases.

The Realm Menu

The Realm Properties Dialog

The Realm Properties dialog displays information about the map you are currently working on and allows you to change the name of your realm.



Changing the Map Size

Functionality to change the map size is planned for a future release of Realm Studio.

Creating a Detail Map

Functionality to create a detail map from the current map is planned for a future release of Realm Studio.

The Assets Menu

There are several types of “assets” that Realm Studio loads and uses to allow you to create maps.

- **Boxes** are used to outline and emphasize labels that are placed on the map.
- **Brushes** are used to paint colors onto ocean areas, landforms, and water features (lakes, rivers, and so on).
- **Frames** are used as borders around your map.
- **Icons** are used in the user interface of Realm Studio.
- **Label presets** are XML files that describe preset formats for labels (font, size, color, outlining, and glow). You can create your own label presets in Realm Studio in addition to the default presets provided.
- **Name Generators** (and name bases) are files that drive the generation of random names that can be used in labels. If you can’t think of a name for a continent, river, island, lake, or anything else on your map, the Name Generator function can generate one for you. Hundreds of thousands of unique names can be generated.
- **Symbols** are small images of objects that can be placed on your map (houses and buildings of all types, trees, bushes, grass, and other kinds of vegetation, mountains,

hills, volcanoes and other landscape features, as well as other kinds of objects). Much more information on symbols is in the sections below.

- **Textures** are bitmaps that are used as the background for the map, for ocean areas, and for landforms.
- **Themes** are XML files that define the look of a map: textures, colors, frames, label styles, and several others. You can define your own themes in addition to those that are provided. Themes are described in more detail below.
- **Vectors** are used to define some user interface elements, like some path styles.

Creating a Symbol Collection


As mentioned above, symbols are small images (usually **.png** files) of various types of objects that can be placed on your map as representations of those objects – mountains, hills, houses, taverns, trees, rocks, banners, mermaids, clouds, and many, many others.

You can create your own symbols if you like, but most map makers use collections of symbols created by artists. Websites like Cartography Assets (<https://cartographyassets.com/>) have packs (usually zip files) of many kinds of assets (symbols and others) that can be downloaded, both for free and for sale. Realm Studio can import and use assets created for Wonderdraft (<https://www.wonderdraft.net/>). More information on downloading and importing symbols created for Wonderdraft is below. Future versions of Realm Studio may be able to import symbols created for other mapmaking software.

To use symbols on your map, they must be added to a Realm Studio Symbol Collection. A Realm Studio Symbol Collection has two parts: 1) a subfolder for the collection found in your Windows Documents folder under the RealmStudio/Assets/Symbols subfolder that contains all the image files for the symbols, and 2) a **collection.xml** file that describes the collection and all the symbols in the collection. The **collection.xml** file is stored in the same folder as the symbol images for the Symbol Collection.

Since you may (probably will) have several thousand different symbols to use when making maps, Realm Studio uses Symbol Collections to organize your symbols so that you can find the ones you want to use more quickly. In addition, Realm Studio allows you to tag the symbols so that all the symbols with selected tags can be quickly retrieved for use on your map.

Symbol collections originally created for use in Wonderdraft do not have a **collection.xml** file that Realm Studio can read. However, Realm Studio has functionality to load the **.wonderdraft_symbols** JSON file provided with the Wonderdraft collection and a dialog and functionality to allow you to tag and categorize the symbols in the collection and then create the Realm Studio **collection.xml** file for the collection. The dialog looks like this:



Creating a Symbol Collection for Realm Studio can be a tedious process, but Realm Studio does its best to make it quick and easy. First, it examines the file name and name of the symbol and of the collection and applies tags to the symbol based on them. So, if the symbol contains the word “house,” for example, it will apply the “house” tag to the symbol. Similarly, Realm Studio will try to derive the Symbol Type (Structure, Vegetation, Terrain, or Other) based on the tags it applies. There are synonym files in the Assets folder that are used to associate tags with symbol types.


You must select a Symbol Type for each symbol in the collection, but you don’t have to apply any tags to the symbols in the collection. However, symbol tags can help you find symbols more quickly. For example, if you are creating a village on your map, you might want to gather all the symbols of houses to see which ones you want to use. By tagging your symbols, you can easily do that by filtering the symbols by tag on the Symbols tab. There is more information on how to filter symbols below.

There are many symbol collections provided when Realm Studio is installed, but not all have had a **collection.xml** file created for them. If you want to use the symbols in the collection, use the process outlined in the next section to categorize and tag the symbols and create the **collection.xml** file.

Using the Add/Update Symbol Collection Dialog to Create a Symbol Collection

1. Click the Open button at the top-left of the dialog. This will open a Windows Folder Selection dialog. Select the folder under the Windows

Document/RealmStudio/Assets/Symbols folder that the collection is in. The dialog will show the collection path and name in the boxes in the dialog, and the first symbol in the collection will be displayed, as shown:



Use the buttons under the image of the symbol to navigate back and forth through the set of symbols in the collection.

As you can see in the image above, Realm Studio has figured out the symbol type and has automatically tagged the symbol. At this point, you can change the name of the symbol, change the symbol type, and add or remove symbols tags. You can also add new tags to the list of available tags, and the new tags you add will be saved.


2. If Realm Studio was not able to figure out the symbol type, select a type from the Symbol Type radio button.
 - a. The **Structure** type is for things that have been made by people: buildings, bridges, fences, signs, and so on.
 - b. The **Vegetation** type is for plants of all kinds.
 - c. The **Terrain** type is for mountains, hills, cliffs, ravines – anything that is part of the natural landscape that doesn't grow,
 - d. The **Other** type is for miscellaneous symbols that don't fit into the previous three categories.
3. In the Symbol Painting group, you can select if the symbol image is grayscale (black, white, and shades of gray) or can be painted with custom colors.

Symbols that are grayscale can be painted with a single color using the controls on the Symbols tab.

Symbols that can be painted with custom colors are initially displayed in the Add/Update Symbol Collection dialog using red, green, blue, black, and white. When they are displayed on the Symbols tab and on your map, the red, green, and blue areas of the symbol are replaced by the three custom colors selected on the Symbols tab. There is more information on coloring symbols below.

Very rarely will you have to change what is automatically selected here. Realm Studio can accurately figure out which symbols are grayscale, and which can be colored.

4. The tags currently applied to the symbol are shown in the Symbol Tags box. The tags that are available to apply to the symbol are shown in the Available Tags box. To add a tag to the symbol, click on the tag in the Available Tags box. To remove a tag from the symbol, click on the X next to the tag in the Symbol Tags box. When you click the X, a small dialog with buttons to confirm or cancel removal of the tag is shown. Clicking the green button confirms removal of the tag; clicking the red button cancels removal.



5. Once you've assigned a Symbol Type and any tags you want to apply to the symbol, click the Apply button. Clicking the Apply button commits the changes you've made (all the values shown on the dialog) to that symbol. If the "Advance on Apply" checkbox is checked, the next symbol in the collection will be shown in the dialog. If you click the Apply button without assigning a Symbol Type, a warning will be displayed, and the dialog will not advance to the next symbol in the collection.
6. Once all the symbols in the collection have been assigned a Symbol Type and have been tagged, click the Save button. When the Save button has been clicked, the **collection.xml** file for the Symbol Collection will be created.

If you open a collection that already has a **collection.xml** file, Realm Studio will read the file to determine the Symbol Type and tags for each symbol. You can then modify the Symbol Type and tags, as well as the symbol name, and then save the changes by clicking the Save button.


If you click the Save or Cancel button before all the symbols have been assigned a Symbol Type, a warning will be displayed to remind you to assign a type to all the symbols in the collection.

Importing Assets

Importing Wonderdraft Assets from a Zip File


Wonderdraft assets downloaded from the Cartography Assets website are packaged as zip files. Realm Studio provides a dialog to import the assets from the zip files into your

Documents/RealmStudio/Assets folder. The dialog is opened from the **Assets -> Import Assets From -> Wonderdraft Assets Zip File...** menu option. It looks like this:



To import assets from a downloaded zip file, follow these steps:

1. Click the Open button. Realm Studio will display a Windows File Open dialog. Navigate to the folder containing the zip file containing the assets (usually they will be in your **Downloads** folder) and click Open in the File Open dialog. The path to the zip file will be shown in the box next to the Open button.
2. Click the Import button. Realm Studio will read and analyze the zip file to find the folders in the zip file containing assets of any kind that Realm Studio uses (textures, frames, boxes, symbols, and so on). The folders and assets are displayed in a tree structure in the box next to the Import button with the folders containing assets highlighted with a color indicating the type of asset in the folder:




You can select and deselect the assets you want to add to Realm Studio by clicking the check box next to the highlighted folders.

3. Click the Add button. Realm Studio will display a message asking you to confirm that you want to copy the assets from the zip file into the Realm Studio Assets directory. When you click OK will direct Realm Studio to copy the assets. When the assets have been copied, a message is displayed to let you know. **Important Note:** copying symbol assets from the asset zip file into the Realm Studio assets directory does **not** create the **collection.xml** file for the symbols. You must use the Add/Update Symbol Collection dialog described previously to create the **collection.xml** file before the symbols are available to be used by Realm Studio.

Importing Assets from the Wonderdraft User Folder

If you have already purchased and installed Wonderdraft, Realm Studio is able to import assets from the Wonderdraft user folder. Selecting the **Assets -> Import Assets From -> Wonderdraft User Folder...** menu option will open a dialog similar to the Import Wonderdraft Assets dialog described in the previous section.



This dialog operates in almost the exact same way, also.


1. Click the Open button to open a Windows Folder Selection dialog that allows you to select the subfolders of the Wonderdraft user folder from which you want to import assets. Realm Studio automatically locates the Wonderdraft user folder and sets the default location of the Windows Folder Selection dialog to that folder.
2. Select the Assets subfolder of the Wonderdraft user folder, then click the Select Folder button on the Windows Folder Selection dialog.
3. Back in the Realm Studio Import Wonderdraft User Folder dialog, click the Import button. Realm Studio will find all the folders containing assets, and display them in a tree structure, as in the Import Wonderdraft Assets dialog.
4. Select the folders holding assets you want to import, then click the Add button. Realm Studio will import the assets from the selected Wonderdraft folders into the Realm Studio assets folder. For imported symbol collections, you must still use the Create Symbol Collection dialog to complete importing Wonderdraft symbol collections into Realm Studio. Other types of assets don't require any additional steps to make them available in Realm Studio.

Reloading Assets

When new assets are imported or new symbol collections are created, the assets must be reloaded for Realm Studio to be able to use them. Selecting **Assets -> Reload All Assets** will load all the assets from the Realm Studio Assets folder.

The Theme Menu

Choosing the Theme menu option on the main menu opens the Save or Apply Theme dialog. This dialog allows you to select a theme, select which settings the theme will change, apply the selected theme to the map settings, and to create a new theme from the currently selected map settings in the Realm Studio user interface.




To apply a theme, select it from the dropdown, select which settings you want to change, then click Apply. The settings from the theme will be applied to the theme will be applied to the associated user interface controls. However, unlike Wonderdraft, applying a theme in Realm Studio will **not** change objects already drawn on your map. This is because of some fundamental differences between Realm Studio and Wonderdraft in how maps are constructed.

To create a new theme, set all the controls in the Realm Studio user interface to the values you want saved in the theme – colors, textures, label, coastline pattern, and so on. Then click the Save As button on the dialog. Another small dialog will be displayed to let you enter a name for the new theme. Enter the name, then click OK. The new theme will be created with the name you entered. You must reload the Realm Studio assets before the new theme will be available.

The Options Menu

Changing User Preferences

There are several preferences that you can set that change how Realm Studio works and where it finds and saves files. The preferences that you set are saved, so Realm Studio will use the value that you set whenever it is opened. The user preference dialog looks like this:



- The **Default Realm Directory** preference tells Realm Studio where to save your maps. When Realm Studio is installed, this value is set to a subfolder of your Windows Documents folder called **RealmStudio/Realms**. If you change this value, Realm Studio will set the default location of saved maps to the folder that you select.


- The **Measurement Units** preference allows you to set the default measurements to either US Customary units (inches, feet, miles) or metric units (centimeters, meters, kilometers).
- The **Realm Assets Directory** preference sets the location of Realm Studio assets folder. When Realm Studio is installed, this value is set to a subfolder of your Windows Documents folder called **RealmStudio/Assets**. If you change this value, Realm Studio will load assets from the folder you select. Be careful when changing this value. If Realm Studio cannot locate the assets it requires, it will cause application errors.
- The **Autosave Realm** switch enables or disables automatic saving of backup copies of your map. When enabled, Realm Studio periodically saves a backup copy of your map. The interval between automatic backups is set by the Autosave Interval trackbar. A maximum of five backup copies are kept; although, at times six may be retained for a short period of time.
- The **Autosave Directory** preference sets the folder in which backup copies of your map are saved. When Realm Studio is installed, the folder is set to a subfolder of your Windows Document directory called **RealmStudio/Realms/autosave**. It is not recommended that you change the folders in which your maps are saved or the backup location, as future functionality will allow you to restore your map from a backup in case of an application error or a problem with the map.
- The **Autosave Interval** trackbar allows you to set the time between automatic backups from five minutes up to thirty minutes in five-minute increments.
- The **Play Sound on Save** switch allows you to enable or disable playing of a sound indicating that your map has been successfully saved.
- The **Default Export Format** preference allows you to indicate your preferred format for maps that are exported as an image file.
- The **Draw Contours While Painting** switch is important when creating large maps (larger than 4K Ultra HD or 3840x2160 pixels). By default, Realm Studio calculates the boundaries of landforms while you are painting the landform. You can see this happening as you paint. On very large maps, calculating landform boundaries can cause painting of landforms to lag and affect performance. By turning this feature off, calculation of landform boundaries is delayed until you release the left mouse button, which improves performance somewhat.
- The **Default Map Size** radio buttons allow you to set the default size of maps that you create.

Setting the Name Generator Configuration

Realm Studio has a built-in random name generator function that uses “name generators” and “name bases” that are in the same format as those used by Wonderdraft, and you can download additional name generators and name bases from Cartography Assets and install them in the Realm Studio Assets folder to be used by Realm Studio. You can also easily create your own name generator or name base files using a simple text editor (like Notepad) and save them into

the Realm Studio Assets directory. The format of these files is described in the Technical Information section below.

The set of name generators and name bases installed with Realm Studio allows hundreds of thousands of different names to be generated in dozens of real and fantasy languages. In some cases, you may want to limit the random names generated to one or more specific languages or only for bodies of water, or only from specific name generators or name bases. The Name Generator Configuration dialog (opened from the **Options -> Name Generator Configuration...** menu option) lets you do that.



You can select specific name generators or name bases to use or specific languages. Clicking the Generate Names button will generate ten random names based on the selections you've made. A rolling list of the last thirty random names generated is kept. Selecting a name and clicking the Apply button will copy the selected name to a label being created. Clicking the Clipboard button will copy the selected name to the clipboard so you can paste it wherever you like. If no name is selected, all the names in the list are copied to the clipboard.

Generating Names for Bodies of Water

To generate names only for bodies of water, deselect all Name Generators and Namebases. In the Name Generators list, select only the "Bodies of Water" Name Generator. Select the Languages for the names of the bodies of water you would like to generate, then click Generate Names. Note that only the names of the bodies of water are in the language(s) you select. The type of the body of water is in English, e.g. "ocean," "lake," "swamp," and so on. So for example,

an ocean name generated with Chinese selected might be “Huangzhou Ocean.” You can select as many languages as you like when generating bodies of water, but at least one must be selected.

The Help Menu

Displaying this Help File


Selecting the Help -> Contents menu option opens this Help file in your browser from the RealmStudioDocs Github repository web pages created for the Realm Studio documentation. The URL is: <https://petenelson372.github.io/RealmStudioDocs/>.

The About Dialog

Selecting the Help -> About menu option opens the About dialog for Realm Studio. The About dialog displays important implementation, copyright, and licensing information, as well as credits for libraries and images used to create Realm Studio. Links to the Realm Studio source code on Github are shown, as are links to release notes and to create an email to the Realm Studio support email address (which is support@brookmonte.com).

D. Painting Maps with Realm Studio

1. The Realm Studio Main Window



- At the center of the Realm Studio main window, the Map Area is where the map is displayed as you draw/paint it.
- On the left side of the main window, the Tab Controls group the Realm Studio functions according to the features of the map.
- At the top of the main window is the application Title Bar and the title bar controls.
- Just below the title bar is the application Main Menu.
- To the right of the Map Area is a panel in which additional drawing controls are displayed. The controls displayed on the Additional Drawing Controls panel change when tabs are selected.
- At the bottom-right of the Main Window are controls for controlling zooming of the map.
- At the bottom of the Main Window are controls showing the status of the map and the current **Drawing Mode**.
- Just underneath and on the right of the Map Area are scrollbars that allow you to pan the map right/left and up/down. There are more convenient ways to pan the map than the scrollbars, however, that will be discussed below.

Selecting a tab causes Realm Studio to display a set of controls on the left and right sides of the main window (in the Tab Controls and Additional Drawing Controls areas) that give you access to functions for creating maps. Realm Studio maps are organized in layers, and drawing on a layer does not affect the other layers. There are many more layers than just the ten implied by the tabs, but for the purposes of creating maps, you can think of the map as having ten layers, one for each tab. For display, each of the layers is composited into a final image that is displayed in the map area of Realm Studio.

The Tab Controls area on each of the tabs is divided into two sections. On the left is a set of controls for selecting colors, textures, and other options that affect what will be drawn or painted on the map for the selected map layer. On the right side of the Tab Controls area, immediately next to the Map Area is a set of buttons that (usually) either change the **Drawing Mode** of Realm Studio or apply a selected value (texture, color, etc.) to the map. Each of the controls and buttons is described in more detail below.

2. The Realm Studio Tabs

The Background Tab

Realm Studio allows you to set a background texture for your map. Usually, this is not necessary, as your map will have an ocean texture or be filled with a landform that has a texture. However, the option is available, should you choose to use it.

Setting a Background Texture

To set a background texture, scroll through the available background textures using the arrow buttons at the bottom of the texture preview window until you find the one you want to use, then click the Fill button. To clear the background texture, click the Clear button.


The Map Vignette

The map vignette is the shaded area around the outer edges of the map. You can change the color of the vignette and the strength of the vignette (how dark it is and how much of the map it fills). Though the controls for the vignette are shown on the Background tab, it is painted on top of most of the other map layers, so the vignette color and strength may affect the appearance of other things painted near the edges of your map.

To change the color of the vignette, click the Color Palette button in the Vignette box.



A Color Selection dialog will be displayed.



Use the controls in the Color Selection dialog to select a color, then click OK. The selected color will be shown as the background of the Color Palette button and applied to the map vignette. In general, buttons with the palette icon allow you to select a color for something to be drawn or painted on your map, and the process for selecting a color is the same throughout Realm Studio.

The “strength” of the map vignette (how dark it is and how much of the map area it fills) can be changed by adjusting the trackbar slider in the Vignette box. The appearance of the vignette is changed as you move the slider. If you don’t want a vignette for your map, adjust the slider all the way to the left to make the vignette strength zero.

The Ocean Tab

Clicking the Ocean tab displays the controls for creating the background ocean for your map. The ocean area of your map can have a texture applied and/or a color applied. In addition, you can “paint” on the ocean to make it look however you want.

The Ocean layer is on top of the map Background layer, but under all other layers, so when you paint land areas and create other objects on the map (grids, map scales, labels, etc.) they are show “on top” of the Ocean layer.

Setting an Ocean Texture

Applying a texture to your Ocean layer works the same way as it does for the Background. Select a texture from the texture preview box on the Ocean tab, then click the Apply button with the Paint Roller icon. Remove the ocean texture by clicking the Remove button.

Setting an Ocean Fill Color


You can fill the entire Ocean area with a selected color. Select the color you want to fill the Ocean area with by clicking the Color Palette button in the Color box. It works the same way as the Color Palette button on the Background tab. When you've selected the color, click the Fill button. The entire Ocean area will be filled with the color you've selected. Clear the color by clicking the Clear button.

The ocean fill color can be combined with the ocean texture to create interesting effects. By selecting a color that is more transparent (the Alpha value in the Color Selection dialog is low), the ocean texture will show through the ocean fill color, in effect letting you apply a color overlay "on top" of the texture. This technique is especially effective when used to apply color to a black-and-white or grayscale texture.

Painting on the Ocean Layer

In addition to the controls displayed in the tab control on the left side of the main window, clicking the Ocean tab will cause a set of controls to be displayed in the Addition Drawing Controls panel on the right side of the main window. These controls can be used to paint on top of the ocean texture and on top of the ocean fill color. To paint on top of the ocean layer, click the Color button with the paint brush icon. The **Drawing Mode** of Realm Studio will be changed to ***Ocean Paint*** (as shown in the green text at the bottom left of the main window in the Map Status and Drawing Mode area), and the cursor will be changed to a dotted-line circle with crosshairs at the center.

The Ocean Tab Painting Controls




At the top of the Painting Controls, you can select either the soft-edged brush or the hard-edged brush. Future versions of Realm Studio will have more brush styles to select.

The three sliders control the size of the brush (reflected in the size of the dotted-line circle cursor), the “brush velocity” and the eraser size.

The Color and Erase buttons set the **Drawing Mode** to either paint on the ocean or erase the painted color from the ocean. Erasing painted color does not affect the ocean background texture or color.

The Color Palette button lets you select the color to be painted on the ocean. Clicking it will display a Color Selection dialog as shown earlier.

The set of buttons here are color preset buttons. There are four predefined color presets. The white boxes are for preset colors that you can define. At the top right of the main menu bar (just above the Ocean Tab Painting Controls) are two buttons:



Clicking the “+” button opens the Color Selection dialog. Choosing a color in the Color Selection dialog and clicking “OK” will assign the selected color to the first color preset button that doesn’t already have a color assigned. Clicking a color preset button that has a color assigned will set the selected color (shown by the background color of the Select Color Brush button changing to the preset color).

Clicking the eyedropper button changes the cursor to an eyedropper icon and allows you to click anywhere on the map to select the color at that place on the map and assign it as the brush color.

Creating Wind Roses


A wind rose is a set of lines radiating from a central point placed on a map. Wind roses were used long ago by cartographers and navigators to indicate directions to sail to get from one place to another (usually from city to city). Realm Studio allows you to create, style, and place wind roses on your map.

You can change the color and style of your wind roses using the controls in the Wind Rose box. Place wind roses by clicking the Windrose button, then clicking anywhere on your map. Each time you click on the map, a map will be placed, centered at the location where you clicked. When you are done placing wind roses, click the Windrose button again. You can remove all the wind roses you've placed by clicking the Remove button.

Future versions of Realm Studio may add more options for styling wind roses.

The Land Tab

Painting Landforms



To create landforms on a Realm Studio map, you “paint” them like colors are painted onto the ocean layer.

To paint a landform, click the Paint button with the paintbrush icon. Like when painting color on the ocean, the cursor will change to a dotted-line circle with crosshairs at the center. The circle area is the area that will be painted. Holding the left mouse button down and dragging the circle will paint the landform. As you paint the landform, Realm Studio fills the landform area with the selected background texture, paints the coastline with the selected style and size, and paints a gradient around the borders of the landform. It also (by default) calculates the contour (border) of the landform.

You can paint each landform you create with a different background texture, border color, coastline color and style, and coastline effect distance. This is one difference between Realm Studio and Wonderdraft. In Wonderdraft, all landforms have the same style and colors, and changing the style or colors changes all landforms that have been painted. In Realm Studio, all landforms are independent objects with their own style and colors.

You can also erase landforms by clicking the Erase button (with the eraser icon).

Landform Brush Size

You can change the size of the landform brush by using the Brush Size trackbar slider or by holding down the **ctrl** key on your keyboard and rolling the mouse wheel forward or backward.

Landform Outline Color

Clicking the Color Palette button under the Brush Size trackbar allows you to select a color for the landform outline. Clicking the button will display a Color Selection dialog. Select the color you want to use for the landform outline. Changing the landform outline color also changes the color of the shading around the outer edges of the landform (just inside the outline).

Landform Texture

You can change the texture used as the background of landforms. Scroll through the texture using the buttons at the bottom left and bottom right of the texture preview to find the one you want to use. The texture that is displayed in the texture preview will be used as the background texture of the landforms you paint.

Coastline Effect Distance

Realm Studio paints a coastline effect (or you might think of it as a shallow water effect) around the landforms you paint. The Coastline Effect Distance trackbar slider changes how wide the coastline effect is. Setting the Coastline Effect Distance to zero will result in no coastline effect being painted. The slider also governs how wide the shaded area around the outer edge of the landform is, so setting it to zero also causes no shading to be painted.

Coastline Color

You can change the color of the coastline effect by clicking Color Palette button in the Coastline box and selecting a color in the Color Selection dialog that is displayed. As for the other Color Palette buttons, the color you select is shown as the background color of the Color Palette button, so you always know what color is selected.

Coastline Style

There are several different patterns that can be selected from the Style list to paint the coastline effect. If you select “None” in the list, then no coastline effect is painted, but the shading gradient around the outer edge of the landform will still be painted. The picture below shows an example of each of the patterns.



Merging Landforms

When you are painting your landforms, if the area you paint overlaps with another landform that you previously painted, Realm Studio “merges” the landforms when you release the mouse button; that is, the two landforms are merged into a single landform. The merged landform takes on the characteristics of the *previous* landform that was painted. You don’t have to take any action to merge overlapping landforms; Realm Studio merges them automatically.

Erasing Landforms

You can erase landforms (or parts of a landform) by clicking the Erase button (with the eraser icon). As for painting landforms, the cursor changes to a dashed circle with crosshairs. Hold down the left mouse button and drag it to erase. The size of the eraser can be changed by using the Eraser Size trackbar slider. A useful technique for creating landforms is to paint the rough shape you want for the landform, then “sculpt” the landform by using a small eraser to make more detailed changes to the shape,

Changing Painted Landforms

Clicking the Select button (with the arrow icon) will change the **Drawing Mode** to **Landform Select**. When in this mode, clicking on a landform will select it. The selected landform will have a dashed box drawn around it. When a landform is selected, you can make changes to it or delete it entirely. When the **Drawing Mode** is **Landform Select**, right-clicking on the landform will open a dialog showing the current data for the landform. The dialog looks like this:

Landform Data

Identifier 7bd38368-8a79-4967-8ceb-4c591a94d7b9

Name

Landform

Click to Select

Texture

Concrete Textured

<

>

Coastline

Effect Distance

Click to Select

Style

None
Uniform Band
Uniform Blend
Uniform Outline
Three-Tiered
Circular Pattern
Dash Pattern
Hatch Pattern

Apply

Close

In the dialog, you can give the landform a name and change the outline color, background texture, coastline effect distance, coastline effect color, and coastline effect style. Clicking the Apply button will apply the changes to the selected landform (and only the selected landform). Future versions of Realm Studio will use the name of the landform to automatically create a label for it and possibly for integration with other applications/

Filling the Entire Map Area with a Landform

Clicking on the Fill button (with the fill icon) will fill the entire map with a single landform. Before filling the map, Realm Studio verifies that no landforms have been painted. It will prompt you to clear the existing landforms.

Once the map has been filled, you can sculpt the edges of the using the landform Eraser to create coastlines.

Clearing Landforms

Clicking the Clear button (with the empty square icon) will clear all painted landforms from the map. Before clearing the landforms, Realm Studio prompts you for confirmation.

Generating Random Landforms

Realm Studio includes functionality to generate random landforms of various kinds. Clicking the Type dropdown under the Generate button allows you to select what kind of landform(s) you want to generate. Clicking the Generate button will then generate a random landform shape of that type. The generated landform(s) will have the border color, background texture, coastline effect width, color, and style currently selected.

Realm Studio can generate the following types of landforms:

- Region: a Region is a large area, bordered, but not necessarily surrounded by water.
- Continent: a Continent is a large area surrounded by water, that often has one or more islands nearby
- Islands an Island is a small area surrounded by water
- Archipelago: an Archipelago is a group of islands relatively near one another
- Atoll: an Atoll is a ring-shaped group of low islands, usually found in tropical regions
- World: a World usually contains many landforms of different types and may have polar icecaps

Using the Random Landform Generation Function

The Landform Generation function uses simplex noise and a randomly selected “shaping function” (a bitmap found in the Assets/Shaping Functions folder) of the chosen type to generate random landform shapes. Once the shape of the landform is generated, Realm Studio calculates the boundary of the landform, and then applies shading and textures to create the landform as it appears on the map. When generating continents, archipelagos, and entire world maps that may include many individual landforms, the calculations can take up to several minutes. Realm Studio displays a progress bar when generating world maps so you can track the progress of the landform generation.

Occasionally, the randomly generated landform shape will be such that the boundary calculation fails. When that happens, the boundary may be displayed as a long straight line or will not completely enclose the entire landform. If that happens, you can either clear all the landforms and re-generate, select the landform with the incorrect boundary and delete it, or attempt to fix the boundary by erasing the part of the landform that has a boundary and let Realm Studio re-calculate the boundary; however, attempting to fix the landform by erasing may not work.

If you click the Area button (under the Generate button), you can select an area of the map by clicking the left mouse button and dragging the mouse. The selected area will be bounded by a blue dotted-line box. If you then select a landform type (continent, island, archipelago, or atoll) and click Generate, Realm Studio will generate a landform of the selected type within the selected area. By using the Area button, you can quickly generate an entire world, but with more control over the results than randomly generating a world using the World type.

When you select the World type, Realm Studio will fill the entire map area (any area selected is ignored) with 1 to 7 random landforms placed randomly on the map. Northern and southern polar icecaps may also be generated (you will have to paint them to make them look like ice; initially, they are generated looking like other landforms).

Once random landforms of any type are generated, they can be modified (painted and merged with other landforms, erased, and painted) like landforms you create by painting.


Future versions of Realm Studio will expand on landform generation functionality and include automatic generation of cities and other map features.

Painting on Landforms

Just as for the Ocean layer, you can paint and shade colors on top of landforms. Painting on landforms works the same as it does on the Ocean.

Select a Color Brush, then click the Color icon to change the **Drawing Mode** to **Landform Color**. The cursor will turn into the usual dashed circle with crosshairs. Paint color on top of your landforms by holding down the left mouse button and dragging. You can change the brush size and brush velocity using the sliders. Erase color that you have painted by clicking the Erase button. Change the painted color by clicking the Color Palette button and selecting a color from the Color Selection dialog.


You can also select a preset color by clicking one of the color presets. There are six default preset colors. As on the Ocean layer, you can create your own preset colors by clicking the “+” button:



You can clear a preset color you have selected and holding the **ctrl** key and clicking the preset button. You can only clear preset buttons that you have defined; the default presets cannot be changed or cleared.


Clicking the eyedropper button changes the cursor to an eyedropper and lets you click anywhere on your map use the color at that location as the selected color for painting.

Colors painted on landforms are clipped to the outer boundary of the landform; that is, you cannot paint landform colors outside of the landforms.



The Water Tab

Painting Water Features



Realm Studio allows you to paint water features (lakes, rivers, and so on) on top of the landforms that you paint. Clicking the Paint button (with the paintbrush icon) changes the **Drawing Mode** to **Water Feature Paint**. When in this mode, the cursor changes to the usual dotted-line circle with crosshairs. Holding down the left mouse button and dragging the mouse paints a water feature on top of a landform.

Water features are clipped to the boundaries of the landform, so you can't paint a water feature on top of ocean or background areas of your map.

Water features are painted with the selected water color and are shaded with a gradient derived from the water color. The shoreline of the water feature is painted with the shoreline color and is shaded with a gradient derived from the shoreline color. You can change the water color and the shoreline color in the usual way by clicking on the Color Palette button.


Like with landforms, overlapping water features that you paint are merged into a single water feature.

You can select a water feature by clicking the Select button, then clicking on the water feature. When selected, you can change or delete the water feature like you can with landforms.

Erasing Water Features

Clicking the Erase button with the eraser icon changes the **Drawing Mode** to **Water Feature Erase**. When in this mode, the cursor changes to the usual dotted-line circle. Holding the left mouse button down and dragging it will erase painted water feature and lakes. The Eraser Size trackbar slider adjusts the size of the eraser. As with landforms, the eraser can be used to sculpt painted water features that have already been painted to give them the detailed shape that you would like.

Painting on the Water Layer




As with the ocean layer and landforms, you can paint on top of water features. The controls for painting on top of water features work the same way as they do for the ocean layer and for landforms.

Select the brush you would like to use (the gradient “soft” brush or the “hard” brush). Click the Color button with the paintbrush icon to set the **Drawing Mode** to **Water Feature Color**. Use the dotted-circle cursor to paint on top of water features (painted water features, lakes, or rivers). You can use painted color on top of water features to blend rivers with lakes and painted water features, to indicate areas of fast-flowing water, create swampy areas, and so on.

Like for landforms, color painted on water features is clipped to the boundaries of water features you have created, so you cannot paint water feature colors on top of landforms, ocean, or the map background.

You can erase color that you have painted on top of water features by clicking the Erase button.

You can make use of color presets and set your own preset colors in the same way as you do for ocean colors and landform colors.



Use the “+” button to choose a preset color and assign it to a button. Use the eyedropper to pick a color anywhere on the map to assign it as the paint color.

Creating Lakes

A lake can be generated with a random shape by clicking the Lake button, then clicking on a landform at the location you want a lake. Lakes are water features, like those that you paint, so overlapping lakes are merged into a single lake, and lakes that overlap water features that you paint (or have already painted) are merged with the painted water feature. The water brush size indicates the size of the lake that is generated (the boundaries of the cursor circle are roughly the boundaries of the generated lake).

Creating Rivers

In Realm Studio, rivers can be painted by clicking the River button, changing the **Drawing Mode** to ***River Paint***. Rivers are also water features; however, they are implemented in a different way than lakes or painted water features. Rivers do **not** merge with painted water features or lakes. You paint a river by clicking at the location of the source of the river, then holding down the left mouse button and dragging the cursor to the end point (mouth) of the river. As you are dragging, you can move the mouse to paint the curves in the river.


You can taper the river from source to end by enabling the Source Fade-In switch (it is enabled by default). When the switch is enabled, the source of the river will start as a point, then gradually widen to the value set by the width trackbar slider, simulating how most rivers start as small streams, then gradually widen as more streams and rivers join. If you don't want your river to taper, disable the switch. Your river will be painted with the width set by the trackbar slider for its whole length.

Rivers are painted with water color gradient shading and shoreline gradient shading. You can change the colors of the shading in the same way as for painted water features and lakes.

The Paths Tab

Drawing Paths

The controls on the Paths tab allow you to draw paths (roads, trails, footprints, animal tracks, and so on) on top of landforms. There are several different styles of paths that can be drawn, from simple lines to paths drawn with a border and filled with a texture. Paths can be drawn under symbols that are placed on the map (this is the default), or they may be drawn on top of placed symbols, if needed to achieve a particular effect on the map.



To create a path, select the path style you want from the set of styles on the right side of the Realm Studio main window (the path controls and the path styles are displayed when you click on the Path tab).

Select the width of the path and the color using the trackbar slider and the Color Palette button. Use the Draw Over Symbols switch to set whether the path will be drawn on top of placed symbols or under them.

Click the Draw button to begin drawing paths. Hold down the left mouse button and drag the mouse to draw the path.

For Texture Filled and Border and Texture path styles, select the texture you want to use from the Texture preview.



Editing Paths

After you have drawn a path, you can select it, then delete it, move it, or edit individual points on the path.


Click the Select button to change the **Drawing Mode** to **Select Path**, then click on a path to select it. A box will be drawn around the selected path. When the path is selected, you can delete the entire path by pressing the Delete button on your keyboard. You can also move the entire path by holding down the left mouse button and dragging the path to a new location.

If the path you have drawn is not quite the right shape, you can display control points along the path by selecting it and then enabling the Edit Path Points switch. Doing so will display control points along the path as small white circles. Moving the mouse cursor over a point will highlight it in purple. You can click and hold the left mouse button to drag a control point to a new location, changing the shape of the path. Pressing the Delete button on your keyboard will delete a control point.

Right now, editing a path control point is error prone. Future releases will improve the process.

The Symbols Tab

The controls on the Symbols tab allow you to place symbols from your Symbol Collections on your map. There are a lot of controls and functions to discuss here.



The Scale trackbar slider and up/down control allow to scale (resize) the symbol to fit your map. The lock icon allows you to lock the set scale, so all symbols you place have the same scale.

The Color Palette buttons allow you to choose three colors with which to paint the symbols you place. There is more on painting symbols below.

The controls in the Placement box allow you to enable the Area Brush (a dotted circle cursor) and set its size so that large areas of the map can be filled with symbols quickly (e.g. forested areas filled with trees).

The Mirror Symbol switch causes the symbol to be flipped horizontally. The Rotation trackbar slider and up/down control rotate the symbol around its center. The Rate and Density up/down controls change how often symbols are placed and how close together they are placed.

The symbols you can choose from to place on your map are displayed in the Symbol List on the right of your map.

The Collections list shows all the Symbol Collections from which you can select symbols to place on your map. By clicking the checkboxes, you can filter the symbols displayed to just those from the selected collections.

The Tags list shows all the tags available for tagging symbols. Clicking the checkboxes next to the tags allows you to filter the symbols to just those with that tag.

The buttons below the divider (castle, tree, mountain, and box) display all the symbols of the associated Symbol Type (Structure, Vegetation, Terrain, and Other) in the Symbol List on the right of the map, select the first displayed symbol of that type, and let you start placing symbols. The symbols that are displayed are filtered by any collections or tags you have selected in the respective lists. You must select a Symbol Type to display and place symbols.

On the right of your map, the filtered Symbol List is displayed. If you haven't selected any Symbol Collections from the Collections list or tags from Tags list, all the symbols for the Symbol Type (Structure, Vegetation, Terrain, or Other) you click are displayed (from the Symbol Collections you have available).

Click a symbol to select it and place it on your map. When you select a symbol, it is highlighted in blue, and the mouse cursor changes to an image of the symbol. This is the Primary Selected symbol. You can change the size of the symbol by rolling the mouse wheel forward and back or by using the Scale trackbar slider. Place the cursor on your map by clicking where you want to put it. If the scale is locked, you cannot change the size of the symbol.

Holding the mouse button down and moving the mouse will place copies of the symbol as you move it. How close together and how often symbols are placed can be changed using the Rate and Density up/down controls.

When creating forests, mountain ranges, villages, or whatever, you may want to place many related symbols near each other. Realm Studio allows you to do this easily. First select a symbol by clicking on it. Then, hold down the **shift** key and click on the related symbols you want to place. They will be highlighted in a lighter shade of blue. The light blue selected symbols are the "Secondary Selected" symbols. Hold down the left mouse button and move the mouse over your map where you want to place symbols. Realm Studio will randomly choose one of the symbols you've selected and place it each time it places a symbol. To clear the list of selected symbols, just click on another symbol.

You can use the Area Brush switch to enable the Area Brush when painting Vegetation or Terrain symbols. When the Area Brush is enabled, the dotted-line circle cursor is displayed. As you hold the left mouse button and move the mouse, symbols are painted within the area of the circle cursor. This works best with small symbols to fill large areas (like forests). You can also use the Area Brush to paint large areas filled with grayscale symbols with a color. The Area Brush also works with Secondary Selected symbols.

You can search for a symbol (or symbols) by typing in the Search box above the Symbol List. You must type at least three characters to filter the list.




Selecting Symbols

To select a symbol that has been placed on your map, click the Select button (with the arrow icon). The **Drawing Mode** will change to *Select Symbol*. Click on the symbol to select it. Realm Studio draws a green dashed box around a selected symbol

Displaying Symbol Information

Realm Studio will display information about symbols in two ways.


First, if you right-click on a symbol in the Symbol List, a dialog box will be shown with some information about the symbol.



You can change the tags for the symbol by selecting them in the Symbol Tags box, then clicking the Apply Tags button. You can also add new tags to the list of available tags by entering a tag in the text box below the Symbol Tags list, then clicking the Tag icon button next to it.

You can also change the Type of the symbol (but this should almost never be necessary).

Second, you can display information about a symbol that has been placed on the map. To do so, click the Select button, then right-click the symbol on your map. A dialog with information about the selected symbol will be shown:



This dialog allows you to change the tags for the selected symbol, create a new tag (as described above), and if the symbol is grayscale or paintable with custom colors, to paint the symbol with the selected color(s). To paint the symbol, select colors with Color Palette buttons. When you close the dialog, the selected symbol will be painted. For a grayscale image, it will be painted with the color from the first (leftmost) Color Palette button.

Erasing Symbols

To erase symbols that have been placed on your map, click the Erase button (with the eraser icon). Like other erase functions, the cursor will change to the dotted-line circle cursor. Hold down the left mouse button and move the mouse over your map. All symbols within the circle cursor will be removed from the map.

Moving Symbols

You can move a symbol that has been placed on the map by selecting it, then holding down the left mouse button and moving the mouse to move the symbol to a new location. The symbol will move along with the mouse cursor. Release the left mouse button to place the symbol. You can also move a selected symbol using the right/left/up/down arrow keys on your keyboard.

Painting Symbols

Grayscale symbols placed on your map can be painted with a single color. The color of symbols paintable with custom colors can also be changed, but in a different way, using the three colors from the Symbol Tab Color Palette buttons.

Grayscale symbols can be painted individually or using the Area Brush; however, only Vegetation and Terrain symbols can be painted with the Area Brush. Structure and Other symbols can only be painted individually.

To paint a grayscale symbol, select it, then either right-click one of the three Color Palette buttons on the Symbol tab, or select it and click the Paint button (with the paintbrush icon). Right-clicking one of the three Color Palette buttons will paint the grayscale symbol with the color of the right-clicked button. Clicking the Paint button will paint the selected symbol with the color of the first (leftmost) Color Palette button.

Symbols that are paintable with custom colors start out looking like this:



As you can see, colorable symbols are painted black, white, green, blue, and red. This is how paintable symbols will appear on the Add/Update Symbol Collection dialog when you create the symbol collection. In the Symbol List and when the symbol is placed on your map, the red, blue, and green colors are replaced by the three colors shown on the three Symbol tab Color Palette buttons, so it will look something like this:



Red is mapped to the color of the first (leftmost) Color Palette button. Green is mapped to the second (middle) Color Palette button. Blue is mapped to the third (rightmost) Color Palette button.

You can change the colors of a custom colorable symbol either by selecting it and changing the colors on the Color Palette buttons or by selecting and right clicking the symbol to open the Symbol Info dialog for the symbol, and then changing the colors on the Color Palette buttons in the Symbol Info dialog. When you change the symbol colors from the Symbol Info dialog, the colors of the symbol are changed when you close the dialog.

Changing the Rendering Order of Symbols

When you place symbols on your map, they sometimes overlap, so a symbol is “in front” of another symbol. Often, you want the symbols to overlap, but you want the symbol currently in front of another symbol to be behind it.

Here is an example:



In this case, you might want the tall, green tree to appear as if it is behind the ruined building. By selecting the tree and pressing the **Page Up** and **Page Down** keys on your keyboard, you can change the order that the symbols are rendered, making it appear that the tree is behind the ruined building (or you can select the building and change its position).




Symbols that are rendered later will appear to be in front of symbols that are rendered earlier. The **Page Up** key moves symbols one position later in the rendering order; the **Page Down** key moves them one position earlier. Holding down the **ctrl** key while pressing **Page Up** or **Page Down** moves the symbol five positions later or earlier. If you have a lot of symbols on your map (like, for example, with a forest), it can be tedious to get the symbol positioned in the right place in the rendering order. To help with that, you can press the **Home** and **End** keys while a symbol is selected. Pressing the Home key moves the symbol to the top of the rendering order (behind all other symbols). Pressing the End key moves the symbol to the bottom of the rendering order (in front of all other symbols).

Future versions of Realm Studio will enhance the controls for setting the symbol rendering order.

Labels Tab

The controls on the Labels tab allow you to place labels and box frames on your map.



Label Presets allow you to quickly set the font, font size, outline, and glow for your label.

Clicking the “+” button allows you to create a named preset from the currently selected font, font size, outline, and glow from the current settings. Clicking the “-” button allows you to delete a Label Preset. The pre-defined default Label Presets cannot be deleted.

Clicking the Select Font button opens the Font Selection panel. Select a font and font size from the drop-down lists and the select font style (bold or italic) using the buttons. Clicking the large “A” button increases the font size. Clicking the small “A” button decreases the font size. Click the OK button to set the label font. The label of the Select Font button changes to use the font you selected for the text of the button label.

Use the Font box Color Palette button to select the color of the label.

Use the Outline box Color Palette button to select the color of the outline around your label text. Use the trackbar slider to set the outline width.

Use the Glow box Color Palette button to select the color the “glow” around your label. Use the Strength trackbar slider to set the area of the glow and its opacity. Experiment with this to get the appearance you want, as it can be difficult to see the glow against some backgrounds.

The Rotation trackbar slider and up/down control are used to rotate a selected label.

A label can follow an arc or curve you draw. Clicking the Arc and Curve buttons sets the **Drawing Mode** so that you can draw an arc or curve for a label to follow.

Creating a Label

To create a label, click the Label button (with the I-beam icon). The **Drawing Mode** is set to **Place Label**. Click on the map where you want to place your label. (Be sure to set the label font, size, outline, and glow). A text box will be placed on your map where you clicked, with the prompt "...Label..." in it. Type the text of your label in the text box (what you type will replace the prompt), then press the **Enter** key. The text box will be replaced with your label, and the label will have the style (font, size, etc.) that you selected. The label will be selected (have a dotted line box) drawn around it. When the label is selected, you can move it by dragging it with the mouse to get it to the exact position you want.

Selecting a Label

To select a label, click the Select button (with the arrow icon) on the Label tab. The **Drawing Mode** will change to **Select Label**. Click on the label. The selected label will have a dotted line box drawn around it.

Changing the Appearance of a Label

You can change the appearance of a label that has been placed on the map. To do so, select the label, then use the controls (as shown above) to change the font, font size, color, outline, and/or glow styles. The appearance of the label will change to reflect the styles you choose.

Deleting a Label

To delete a label, select it, then press the **Delete** key on your keyboard.

Rotating a Label

You can rotate a label around its middle by selecting the label, then using the Rotation trackbar slider or the Rotation up/down control to rotate it. The label can be rotated from 0° to 359° in 1° increments. The label will rotate as you move the slider or change the rotation value in the up/down control.

Creating a Label that Follows an Arc

To create a label that follows an arc, you must first draw the arc that the label will follow. Click the Arc button at the bottom of the Label tab. The **Drawing Mode** changes to **Draw Arc Label Path**. Move the cursor to approximately where you want the label to be placed, then click and hold the left mouse button down while moving it to the right and down. An arc will be drawn with a dotted line as you move the mouse. Release the left mouse button when the arc is the size and curvature that you want.

Next, click the Label button (with the I-beam icon) and create a label as described above. The label will be created when you press the **Enter** key, but rather than being placed wherever the label text box was placed, the label will follow the arc that you drew, like this:



Just as when a “normal” label is created, the label following an arc is initially selected and can be deleted, rotated, and have its style changed.

A label that is placed on an arc that curves tightly will probably not look very good, so keep that in mind when creating curved labels.

Creating a Label that Follows a Bezier Curve

At this time, you can only draw an arc that curves right and down. (This is a limitation that will be removed in a future release of Realm Studio). However, you can still create labels that curve to the right and up by using the Curve button (with the Bezier curve icon) at the bottom of the Label tab next to the Arc button.

Clicking this button allows you to draw a freeform curve that your label will follow. The process is the same as when creating labels that follow an arc: Click the Curve button. The **Drawing Mode** will change to ***Draw Bezier Label Path***. Draw the curve by holding down the left mouse button and moving the mouse. Release the mouse button when you are done drawing the curve. If you don’t like the curve you’ve drawn, press the **Escape** key. Pressing the **Escape** key cancels all pending operations. Once you have a curve you like, proceed to create the label as described above. Just as when creating a label that follows an arc, when you press the **Enter** key in the label text box, the label will be created following the curve you drew, like these examples.



For both labels that follow arcs and labels that follow freeform curves, when the label is created, it is left-justified on the arc or curve. It can take some practice to create an arc or curve that fits the size and shape of the label you want to create. Like for arcs, tight curves will probably not look very good, especially for larger fonts.

Creating Box Frames

Realm Studio allows you to place boxes of various styles onto your map as frames around labels. There are several styles of boxes that you can choose from, and additional styles can be downloaded from Cartography Assets. Boxes that are usable with Wonderdraft can be used with Realm Studio. Like for other types of assets, Wonderdraft box assets must be imported into Realm Studio before they can be used. When the box asset is imported into Realm Studio using the Import Wonderdraft Assets dialog (as discussed above), an XML file is created that describes the box asset to Realm Studio. Once the XML file is created, the box asset can be loaded by Realm Studio.

To create a box frame on your map, select the box style that you want to use from the list on the right of your map. It will be highlighted in blue. Click the Box button (with the square icon), then hold down the left mouse button and move the mouse down and right to draw the box. Release the mouse button when the box is the size and shape you want.

Boxes can be “tinted,” that is, their background color can be combined with a selected color. You can select the tint color by clicking the Color Palette button above the list of box styles and selecting a color from the color selection dialog. You can change the tint of a box that has already been placed by selecting it, then clicking the “Select Tint Color” Color Palette button and choosing a color from the dialog.

A box that has been placed can be moved by selecting it, then holding down the left mouse button and moving the mouse. The selected box will follow the mouse cursor as it moves.


A box that has been placed can be deleted by selecting it and pressing the **Delete** key on your keyboard. You can undo the deletion by selecting the **Undo** menu item from the **Edit** menu or by pressing **ctrl+z** on your keyboard.

Labels on your map will be drawn in front of any boxes that are placed, so boxes can be used (and are intended to be used) as frames around labels to create titles, legends, etc. for your maps. Simply drag any labels you want to position them over the box that will act as the frame for the labels.



Overlays Tab

The Overlays tab includes controls for creating frames around your map, creating grids (square and hex), generating a scale for your map, and for measuring distance and area on your map.



At the top of the tab in the Frame box, the Enable switch enables and disables rendering of the frame surrounding your map. The Frame Tint Color Palette button allows you to apply a tint to the frame you select (similar to how boxes are tinted). The Scale trackbar slider changes the size (width) of the frame. The frame will always completely surround your map, even as it is scaled larger or smaller. You select the style of the frame you want to place on your map from the list of frame styles in the panel to the right of your map.

In the Grid box, you can enable/disable and change the type, size, and color of a grid placed on your map. The Layer up/down control allows you to select where your grid will be rendered relative to other objects drawn or your map. By default, the grid will appear under boxes, labels, and the map frame, but over everything else. However, the grid can be placed so that it appears over the background and ocean layers, but under everything else, or above landforms and water features, but under symbols, paths, boxes, labels, and the frame. When the Show Grid Size switch is enabled, Realm Studio will print text in the lower-left corner of your map indicating the size of each square or hexagon in the grid using the map area units. To place the grid on your map, click the Grid button. You can change the frame style after it has been placed on your map.

You measure distance in your map using the Measure function. To measure distance, click the Measure button., then click the left mouse button where you want to start measuring and move the mouse to the end of where you want to measure. A line will be drawn in the color of the Measure Color Palette button. At the endpoint of the line, text is drawn indicating the length of the line. If the Use Scale Button switch is enabled, distance will be given in map area units (e.g. miles). You can continue measuring by clicking the left button again and moving the mouse.

The cumulative length of the lines is drawn at the end of lines. Right click the mouse to stop measuring.

You can also measure approximate area using the Measure function. First, enable the Measure Area switch. After enabling the Measure Area switch, the process is the same as for measuring distance, except as you move the mouse, an area will be highlighted, and text will be drawn giving area rather than distance. You must have set at least two points before area will be displayed.

When the Overlay tab is selected, a list of frame styles you can choose is displayed to the right of your map. To display a frame on your map, just select the frame style you like from the list. Once the frame is placed, you can change the scale and tint, or disable the frame, from the controls in the Frame box.

As with symbols and other kinds of assets, more frame styles are available for download at Cartography Assets, some free and some for purchase. Frames that can be used with Wonderdraft can (usually) be used with Realm Studio. Click [this link](#) to take you to a list of Wonderdraft frames on Cartography Assets that you can download for use with Realm Studio. Zip files containing frame styles downloaded from Cartography Assets must be imported using the Import Wonderdraft Assets dialog described earlier. More detailed information on the process for importing assets created for Wonderdraft into Realm Studio is provided in the Technical Information section at the end of this document.



Map Scale

Width

Height

Segments

Line Width

Segment Colors

Segment Distance

Unit Label

Numbers Display

☐ None

☐ Ends

☐ Every Other

☒ All

Font

Numbers Outline

Clicking the Scale button displays a panel with controls for creating a scale indicating distance on your map. A map scale looks something like this:



There are several controls for changing the appearance of map scales. The Width and Height trackbar sliders change the size of the map scale. The Segments slider changes the number of distance segments in the scale. The Line Width slider changes the width of the map scale outline.

The Color Palette buttons change the color of the alternating segments and the outline.

The Segment Distance up/down changes the distance labels displayed above the map scale. The text in Unit Label is drawn as the label below the map scale. The default text for this box comes from the map scale units chosen in the Realm Configuration dialog, but you can change the label by entering it in the Unit Label text box.

The Number Display radio buttons control where the map scale distance segment labels are displayed.

You can change the font, color, outline color, and outline width of the numbers and unit labels using the Select Font button, Font Color Palette, Numbers Outline Color Palette button, and Outline Width slider.

Once you have set the map scale style as you like, click the Create Button. A map scale will be created and placed at the lower left corner of your map. You may have to pan the display of your map using the scroll bars or by holding down the middle mouse button and moving the mouse to be able to see the map scale. You can move the map scale by clicking on it and moving the mouse while holding down the left mouse button. The map scale will follow the mouse cursor.

Delete the map scale by clicking the Delete button.

Regions Tab

The controls on the Regions tab allow you to create highlighted and bordered regions on your map. A Region could be a geographical region, a country or some other political entity, or whatever else you like. Creating Regions is relatively simple, but there are some operations that are bit complex, so there is some text on the Regions tab to help remind you how to do them.

● Show

Region

Select Border Color

Border Width

Smoothing

Inner Opacity

Select

Create

Click on the map to set a point in the region.

Drag to the next location, then click to set the point.

Right-click to end drawing the region.

Shift+click on a landform coastline to begin snapping the region to the coastline of the landform.


Drag down then shift+click on the coastline to snap the region to the east (right) coastline of the landform.

Drag up then shift+click on the coastline to snap the region to the west (left) coastline of the landform.

To snap a region to the north (top) or south (bottom) of a landform, shift+click on the east (right) coastline, then drag left and up or down to the opposite coastline, and shift+click.

To create a Region, set the border color, border width, smoothing (how rounded the corners of the region are), and how clear or opaque the inner area of the region is. Click the Create button (with the flag icon). The **Drawing Mode** will change to **Draw Region**. Click at a point where you want to place the Region. Drag the mouse to the next point in the Region and click the left mouse button. Continue clicking and dragging to set each point of the region. As you click and drag, the region will be drawn on the map with the style you selected. Right click to end drawing the region.

You can snap a Region to the coastline of a landform. This operation can take a little bit a time to learn how to do. The process is described in the text on the Regions tab. Unlike Wonderdraft, which requires you to wait for a lengthy calculation to complete before you can snap a Region to a coastline, Realm Studio lets you do so immediately. Hold down the **shift** key and click on the coastline. If you drag up, then hold down the **shift** key and click on the opposite coastline, the border of the Region will snap to the west (left) coast of the landform. If you **shift+click** on the coastline, then drag down and **shift+click** on the opposite coastline, the border of the region will snap to the east (right) coast. Snapping to the north (top) or south (bottom) coast of a landform uses the same process, as described in the text on the Regions tab.



Above is an example of regions snapped to a coastline.

Once a Region has been placed, it can be moved or edited. Click the Select button, then click on the Region. Control points on the border of the Region will be displayed. You can move the entire Region by dragging it with the mouse. You can also move a control point by highlighting it (by moving the mouse cursor over it), then dragging it. Clicking on the border of the Region creates a new control point at that location.

You select the border style of the Region by selecting it using the radio buttons on the panel to the right of your map.

Delete a Region by selecting it and pressing the **Delete** key.



Drawing Tab

Drawing functionality which will allow you to draw shapes and place text anywhere on your map is coming in a future release of Realm Studio.

3. Zooming, Panning, and Mouse Functions

Realm Studio generally responds to the mouse in the same way as other Windows applications do.


You select objects by placing the mouse cursor over the object and clicking the left mouse button. When an object in Realm Studio is selected, a dotted-line box is drawn around it.

You can “drag” some objects by selecting them, then holding down the left mouse button while moving the mouse.

Some objects, such as landforms, will display informational dialogs when you select them and click the right mouse button.

While painting landforms, painting color on ocean, landforms, and water features, and some other operations, you can quickly change the size of the dotted-circle cursor by holding down the **ctrl** key and rolling the mouse wheel forward and backward (up and down).

You can zoom the map using the controls at the bottom right of the application window:



The trackbar slider zooms the map. The button with cross arrows zooms the map so that the entire map fits into the map display. The button with circular curved arrows resets the zoom level.

You can also zoom the map by holding down the **shift** key and rolling the mouse wheel forward and backward (up and down).

You can pan the map back and forth and up and down using the scrollbars or by holding down the middle mouse button (which is often the mouse wheel) and dragging the mouse.

Pressing the **escape** or **esc** key resets the **Drawing Mode** to *None* and cancels any pending operation.

E. Copyright and Licensing Information

As described in several other places in the Realm Studio project, Realm Studio is licensed under the GNU Public License (GPL) 3.0. The full text of the license is available in the source code in the LICENSE.txt file and in the LICENSE.rtf file, and on the GNU website at <https://www.gnu.org/licenses/>.

All the Realm Studio source code and documentation (including this help file) is copyright ©2024 by Peter R. Nelson.

F. Technical Information

1. Realm Studio Implementation

Realm Studio is a Windows Forms (Winforms) application written in C# using Visual Studio 2022. The C# language version is 12.0. For graphics rendering, it uses the SkiaSharp implementation of the Skia graphics engine (version 2.88.8). Graphics rendering is accelerated by using the SkiaSharp SKGLControl, which is a Skia layer on top of the OpenTK.GLControl. OpenTK is an OpenGL library that allows for accelerated graphics rendering using the GPU of the computer.

Realm Studio also makes use of the AForge, Clipper2, and Delaunator libraries for some of the more complex geometry operations, as well as my own implementation of the Moore-Neighborhood algorithm for quickly finding the boundaries (contours) of landforms and water features. It uses the SimplexNoise library for creating simplex noise when generating random landform and water feature shapes.

Realm Studio uses icons from Font Awesome (via the FontAwesome.Sharp library) throughout the application, and libraries from Cyotek for creating the color selection dialog. It uses controls from Real.Taizor to create a more modern (and hopefully more attractive) appearance for the application than a typical Windows Forms application.

Logging is implemented using the Apache log4net library.

Realm Studio requires .NET 8.0 to run. The minimum Windows version is 8.0.

2. The Layers of a Realm Studio Map

A Realm Studio map is constructed from 27 layers that are composited to create the final map. The layers are defined in code like this:

```
public static readonly int BASELAYER = 0;
public static readonly int OCEANTEXTURELAYER = 1;
public static readonly int OCEANTEXTUREOVERLAYLAYER = 2;
public static readonly int OCEANDRAWINGLAYER = 3;
public static readonly int WINDROSELAYER = 4;
public static readonly int ABOVEOCEANGRIDLAYER = 5;
public static readonly int LANDCOASTLINELAYER = 6;
public static readonly int LANDFORMLAYER = 7;
public static readonly int LANDDRAWINGLAYER = 8;
public static readonly int WATERLAYER = 9;
public static readonly int WATERDRAWINGLAYER = 10;
public static readonly int BELOWSYMBOLSGRIDLAYER = 11;
public static readonly int PATHLOWERLAYER = 12;
public static readonly int SYMBOLLAYER = 13;
public static readonly int PATHUPPERLAYER = 14;
public static readonly int REGIONLAYER = 15;
public static readonly int REGIONOVERLAYLAYER = 16;
public static readonly int DEFAULTGRIDLAYER = 17;
public static readonly int BOXLAYER = 18;
public static readonly int LABELLAYER = 19;
public static readonly int OVERLAYLAYER = 20;
public static readonly int FRAMELAYER = 21;
public static readonly int MEASURELAYER = 22;
public static readonly int DRAWINGLAYER = 23;
public static readonly int VIGNETTELAYER = 24;
public static readonly int SELECTIONLAYER = 25;
public static readonly int WORKLAYER = 26;
```

3. File Formats

Realm Studio stores maps, themes, collections, and all its other data as XML. You can examine and edit the files using a text or XML editor, but it is not recommended that you directly edit any XML file created by Realm Studio, as irrecoverable damage can easily be caused. Realm Studio map files (those with a **.rsmapx** extension) are complex. Editing them with a text editor or an XML editor could render the map unreadable by Realm Studio, potentially causing you to lose a lot of work.

Boxes

Boxes used as frames for labels have two parts: The **.png** file containing the image for the box and an XML file that includes the path to the **.png** file, a path to itself, and a series of tags the “center” of the box. The data for the center of the box is required, because boxes are drawn as [“nine-patch” images](#), which allows them to be drawn at different sizes while minimizing the pixelation and distortion usually seen when

bitmaps are drawn at different sizes and aspect ratios than for the original image. The box XML looks like this:

```
<?xml version="1.0" encoding="utf-8"?>
<mapbox xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns="RealmStudio">
  <BoxName>Avaro (1) Celtic</BoxName>
  <BoxBitmap>
    <Palette />
  </BoxBitmap>
  <BoxBitmapPath>RealmStudio\Assets\Boxes\Avaro (1) Celtic.png</BoxBitmapPath>
  <BoxXmlFilePath>RealmStudio\Assets\Boxes\Avaro (1) Celtic.xml</BoxXmlFilePath>
  <BoxCenterLeft>11</BoxCenterLeft>
  <BoxCenterTop>11</BoxCenterTop>
  <BoxCenterRight>11</BoxCenterRight>
  <BoxCenterBottom>11</BoxCenterBottom>
</mapbox>
```

When the box XML is first loaded by Realm Studio, the paths are rewritten to include the full path to the .png and XML files.

Frames

Frames, like boxes, are rendered as nine-patch images and are represented to Realm Studio in the same way as boxes. They also have two parts: The .png file containing the image for the frame and an XML file that includes the path to the.png file, a path to itself, and a series of tags the “center” of the frame.

```
<?xml version="1.0" encoding="utf-8"?>
<mapframe xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns="RealmStudio">
  <FrameName>Arrow_frame_color</FrameName>
  <FrameBitmapPath>RealmStudio\Assets\Frames\Arrow_frame_color.png</FrameBitmapPath>
  <FrameXmlFilePath>RealmStudio\Assets\Frames\Arrow_frame_color.xml</FrameXmlFilePath>
  <FrameCenterLeft>511.5</FrameCenterLeft>
  <FrameCenterTop>511.5</FrameCenterTop>
  <FrameCenterRight>511.5</FrameCenterRight>
  <FrameCenterBottom>511.5</FrameCenterBottom>
</mapframe>
```

Label Presets

Label presets are XML files containing the data needed to set the font, font color, and other characteristics of a label. The XML file also contains the name of the Theme associated with the preset. Because different themes may contain label presets with the same name, the label preset XML files are named using a GUID. A label preset XML file looks like this:

```
<?xml version="1.0" encoding="utf-8"?>
```

```

<LabelPreset xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" IsDefault="true" xmlns="RealmStudio">
  <LabelFontString>Palatino Linotype, 36pt</LabelFontString>
  <PresetXmlFilePath>Realm Studio\Assets\LabelPresets\9bccb3a6-a5c2-446a-9420-
03463498b637.mclblprst</PresetXmlFilePath>
  <LabelPresetName>Region</LabelPresetName>
  <LabelPresetTheme>Medieval Quest</LabelPresetTheme>
  <LabelColor>-1158551863</LabelColor>
  <LabelOutlineColor>-2127155679</LabelOutlineColor>
  <LabelOutlineWidth>2</LabelOutlineWidth>
  <LabelGlowColor>-1</LabelGlowColor>
  <LabelGlowStrength>0</LabelGlowStrength>
</LabelPreset>

```

Name Generators and Name Base Files

Name Generators are comma-separated values (.**csv**) files with two columns. When generating names, a randomly selected value from each of the two columns is combined to create the random name. Each entry in the first column of the contains a “%” character. When combining values from the first column and second column, Realm Studio replaces the “%” character in the selected entry from the first column with the random selection from the second column.

Realm Studio has extended this basic functionality by allowing Name Generator files with an empty second column. When the second column is empty, Realm Studio will generate a value from selected languages and replace the “%” character in the selected entry from the first column with the generated value from the selected languages. Generating names using the Bodies of Water name generator uses this method.

Name Base files are text (.**txt**) files containing one or more lists of names, each of which preceded by a header that describes the language of the names, the minimum and maximum name length, what characters are repeatable, and the proportion of single-word names. Realm Studio does not make use of the information from the Name Base file header for name generation. It simply selects a random name from the list based on the languages selected in the Name Generator Configuration dialog.