

References

- [Abd17] A. R. Abdulghany. “Generalization of parallel axis theorem for rotational inertia”. In: *American Journal of Physics* 85 (Oct. 2017), pp. 791–795.
DOI: 10.1119/1.4994835.
- [ACFL95] E. F. Arias, P. Charlot, M. Feissel, and J.-F. Lestrade. “The extragalactic reference system of the International Earth Rotation Service, ICRS”. In: *Astronomy & Astrophysics* 303 (Nov. 1995), pp. 604–608.
- [ACMo6] I. Alonso-Mallo, B. Cano, and M. J. Moreta. “Stability of Runge–Kutta–Nyström methods”. In: *Journal of Computational and Applied Mathematics* 189.1-2 (May 1, 2006), pp. 120–131.
DOI: 10.1016/j.cam.2005.01.005.
- [AK15] Z. A. Anastassi and A. A. Kosti. “A 6(4) optimized embedded Runge–Kutta–Nyström pair for the numerical solution of periodic problems”. In: *Journal of Computational and Applied Mathematics* 275 (2015), pp. 311–320.
DOI: 10.1016/j.cam.2014.07.016.
- [Arc+11] B. A. Archinal, M. F. A’Hearn, E. Bowell, A. Conrad, G. J. Consolmagno, R. Courtin, T. Fukushima, D. Hestroffer, J. L. Hilton, G. A. Krasinsky, G. Neumann, J. Oberst, P. K. Seidelmann, P. Stooke, D. J. Tholen, P. C. Thomas, and I. P. Williams. “Report of the IAU Working Group on Cartographic Coordinates and Rotational Elements: 2009”. In: *Celestial Mechanics and Dynamical Astronomy* 109.2 (2011), pp. 101–135.
DOI: 10.1007/s10569-010-9320-4.
eprint: <http://goo.gl/d6Wd1J>.
- [BC72] R. A. Broucke and P. J. Cefola. “On the Equinoctial Orbit Elements”. In: *Celestial Mechanics* 5.3 (May 1972), pp. 303–310.
DOI: 10.1007/BF01228432.
- [BCM07] S. Blanes, F. Casas, and A. Murua. “Splitting methods for non-autonomous linear systems”. In: *International Journal of Computer Mathematics* 84.6 (2007), pp. 713–727.
DOI: 10.1080/00207160701458567.
- [BCR00] S. Blanes, F. Casas, and J. Ros. “Processing Symplectic Methods for Near-Integrable Hamiltonian Systems”. In: *Celestial Mechanics and Dynamical Astronomy* 77.1 (2000), pp. 17–36.
DOI: 10.1023/A:1008311025472.
- [BCR01a] S. Blanes, F. Casas, and J. Ros. “High-order Runge–Kutta–Nyström geometric methods with processing”. In: *Applied Numerical Mathematics* 39.3–4 (2001). Themes in Geometric Integration, pp. 245–259.
DOI: 10.1016/S0168-9274(00)00035-0.
- [BCR01b] S. Blanes, F. Casas, and J. Ros. “New Families of Symplectic Runge–Kutta–Nyström Integration Methods”. In: *Numerical Analysis and Its Applications*. Ed. by L. Vulkov, P. Yalamov, and J. Waśniewski. Vol. 1988. Lecture Notes in Computer Science. Springer Berlin Heidelberg, 2001, pp. 102–109.
DOI: 10.1007/3-540-45262-1_13.
- [BCR99] S. Blanes, F. Casas, and J. Ros. “Symplectic Integration with Processing: A General Study”. In: *SIAM Journal on Scientific Computing* 21.2 (1999), pp. 711–727.
DOI: 10.1137/S1064827598332497.
- [Ben97] J. R. Benada. *PO.DAAC Merged GDR (TOPEX-Poseidon) Generation B User’s handbook, version 2.0*. D-11007. Jet Propulsion Laboratory, July 30, 1997.
eprint: https://podaac-tools.jpl.nasa.gov/drive/files/allData/topex/L2/mgdrb/docs/uhmgdrb/html/usr_toc.htm.
- [Beuo3] H. Beust. “Symplectic integration of hierarchical stellar systems”. In: *Astronomy & Astrophysics* 400 (Mar. 2003), pp. 1129–1144.
DOI: 10.1051/0004-6361:20030065.
- [BF54] P. F. Byrd and M. D. Friedman. *Handbook of elliptic integrals for engineers and physicists*. Springer-Verlag, 1954.

- [Bla+13] S. Blanes, F. Casas, A. Farrés, J. Laskar, J. Makazaga, and A. Murua. “New families of symplectic splitting methods for numerical integration in dynamical astronomy”. In: *Applied Numerical Mathematics* 68 (2013), pp. 58–72.
DOI: 10.1016/j.apnum.2013.01.003.
- [BM02] S. Blanes and P. C. Moan. “Practical Symplectic Partitioned Runge–Kutta and Runge–Kutta–Nyström Methods”. In: *Journal of Computational and Applied Mathematics* 142.2 (May 2002), pp. 313–330.
DOI: 10.1016/S0377-0427(01)00492-7.
- [Bra+14] B. K. Bradley, B. A. Jones, G. Beylkin, K. Sandberg, and P. Axelrad. “Bandlimited implicit Runge–Kutta integration for Astrodynamics”. In: *Celestial Mechanics and Dynamical Astronomy* 119.2 (2014), pp. 143–168.
DOI: 10.1007/s10569-014-9551-x.
- [Bra06] C. Braak. “A Markov Chain Monte Carlo version of the genetic algorithm Differential Evolution: easy Bayesian computing for real parameter spaces”. In: *Statistics and Computing* 16 (Sept. 2006), pp. 239–249.
DOI: 10.1007/s11222-006-8769-1.
- [Bre73] R. P. Brent. *Algorithms for minimization without derivatives*. Prentice-Hall, 1973.
- [BS96] F. Blanc and C. Schgounn. *AVISO/Altimetry, AVISO User Handbook for Merged TOPEX/-POSEIDON products, Edition 3.0*. AVI-NT-02-101-CN. Centre national d’études spatiales, July 1996.
- [BSFL98] R. S. Bhat, B. E. Shapiro, R. B. Frauenholz, and R. K. Leavitt. *TOPEX/Poseidon Orbit Maintenance for First Five Years*. Technical Report 97-1398. Jet Propulsion Laboratory, May 11, 1998.
eprint: <https://trs.jpl.nasa.gov/handle/2014/22860>.
- [Bul65] R. Bulirsch. “Numerical Calculation of Elliptic Integrals and Elliptic Functions”. In: *Numerische Mathematik* 7.1 (Feb. 1, 1965), pp. 78–90.
DOI: 10.1007/BF01397975.
- [Bul69] R. Bulirsch. “Numerical Calculation of Elliptic Integrals and Elliptic Functions. III”. In: *Numerische Mathematik* 13.4 (Aug. 1969), pp. 305–315.
DOI: 10.1007/BF02165405.
- [Cap12] M. Capderou. *Satellites : de Kepler au GPS*. Springer-Verlag France, 2012.
- [CFSZ07] E. Celledoni, F. Fassò, N. Säfström, and A. Zanna. “The exact computation of the free rigid body motion and its use in splitting methods”. Preprint at <https://www.math.unipd.it/~fasso/research/papers/norway.pdf>. Oct. 2007.
- [CFSZ08] E. Celledoni, F. Fassò, N. Säfström, and A. Zanna. “The exact computation of the free rigid body motion and its use in splitting methods”. In: *SIAM J. Scientific Computing* 30 (May 2008), pp. 2084–2112.
- [CGMo8] M. P. Calvo, S. González-Pinto, and J. I. Montijano. “Global error estimation based on the tolerance proportionality for some adaptive Runge–Kutta codes”. In: *Journal of Computational and Applied Mathematics* 218.2 (2008). The Proceedings of the Twelfth International Congress on Computational and Applied Mathematics, pp. 329–341.
DOI: 10.1016/j.cam.2007.02.034.
- [Cha73] J. F. Chandler. “Determination of the Dynamical Properties of the Jovian System by Numerical Analysis”. PhD thesis. Massachusetts Institute of Technology, 1973.
eprint: <http://hdl.handle.net/1721.1/51410>.
- [Cha95] J. Chapront. “Representation of planetary ephemerides by frequency analysis. Applications to the five outer planets”. In: *Astronomy & Astrophysics – Supplement Series* 109 (Jan. 1995), pp. 181–192.
- [Chi97] S. A. Chin. “Symplectic integrators from composite operator factorizations”. In: *Physics Letters A* 226.6 (1997), pp. 344–348.
DOI: 10.1016/S0375-9601(97)00003-0.
- [CHMR96] M. P. Calvo, D. J. Higham, J. I. Montijano, and L. Rández. “Global error estimation with adaptive explicit Runge–Kutta methods”. In: *IMA Journal of Numerical Analysis* 16.1 (1996), pp. 47–63.
DOI: 10.1093/imanum/16.1.47.

- [CHO73] C. J. Cohen, E. C. Hubbard, and C. Oesterwinter. *Astronomical Papers Prepared for the Use of the American Ephemeris and Nautical Almanac – Elements of the Outer Planets for One Million Years*. Vol. XXII. I. United States Government Printing Office, 1973.
- [CK00] S. A. Chin and D. W. Kidwell. “Higher-order force gradient symplectic algorithms”. In: *Physical Review E* 62 (Dec. 2000), p. 8746.
DOI: 10.1103/PhysRevE.62.8746.
eprint: <http://arxiv.org/abs/physics/0006082>.
- [CR91] J. Candy and W. Rozmus. “A symplectic integration algorithm for separable Hamiltonian functions”. In: *Journal of Computational Physics* 92.1 (Jan. 1991), pp. 230–256.
DOI: 10.1016/0021-9991(91)90299-Z.
- [CS93a] M. P. Calvo and J. M. Sanz-Serna. “High-Order Symplectic Runge–Kutta–Nyström Methods”. In: *SIAM Journal on Scientific Computing* 14.5 (1993), pp. 1237–1252.
DOI: 10.1137/0914073.
- [CS93b] M. P. Calvo and J. M. Sanz-Serna. “The Development of Variable-step Symplectic Integrators with Application to the Two-body Problem”. In: *SIAM Journal on Scientific Computing* 14.4 (July 1993), pp. 936–952.
DOI: 10.1137/0914057.
- [CV84] J. Chapront and D. T. Vu. “A new compact representation of ephemerides: application to the motion of Pluto, the Sun and the Galilean satellites of Jupiter”. In: *Astronomy & Astrophysics* 141 (1984), pp. 131–143.
- [Del90] J.-B. Delambre. “De l’usage du calcul différentiel dans la construction des tables astronomiques”. In: *Mémoires présentés à l’Académie*. Vol. V. Mémoires de l’Académie Royale des Sciences de Turin. 1790, pp. 143–180.
- [DEP87a] J. R. Dormand, M. E. A. El-Mikkawy, and P. J. Prince. “Families of Runge–Kutta–Nyström Formulae”. In: *IMA Journal of Numerical Analysis* 7.2 (1987), pp. 235–250.
DOI: 10.1093/imanum/7.2.235.
- [DEP87b] J. R. Dormand, M. E. A. El-Mikkawy, and P. J. Prince. “High-Order Embedded Runge–Kutta–Nyström Formulae”. In: *IMA Journal of Numerical Analysis* 7.4 (1987), pp. 423–430.
DOI: 10.1093/imanum/7.4.423.
- [DL42] G. C. Danielson and C. Lánzos. “Some improvements in practical Fourier analysis and their application to x-ray scattering from liquids”. In: *Journal of the Franklin Institute* 233.4 (1942), pp. 365–380.
DOI: 10.1016/S0016-0032(42)90767-1.
- [DM11] F. Diele and C. Marangi. “Explicit symplectic partitioned Runge–Kutta–Nyström methods for non-autonomous dynamics”. In: *Applied Numerical Mathematics* 61.7 (2011), pp. 832–843.
DOI: 10.1016/j.apnum.2011.02.003.
- [Dor96] J. R. Dormand. *Numerical Methods for Differential Equations – A Computational Approach*. CRC Press, 1996.
- [Eme07] V. V. Emel’yanenko. “A method of symplectic integrations with adaptive time-steps for individual Hamiltonians in the planetary N -body problem”. In: *Celestial Mechanics and Dynamical Astronomy* 98.3 (2007), pp. 191–202.
DOI: 10.1007/s10569-007-9077-6.
- [ER03] M. El-Mikkawy and E. D. Rahmo. “A new optimized non-FSAL embedded Runge–Kutta–Nyström algorithm of orders 6 and 4 in six stages”. In: *Applied Mathematics and Computation* 145.1 (2003), pp. 33–43.
DOI: 10.1016/S0096-3003(02)00436-8.
- [Eve85] E. Everhart. “An Efficient Integrator that Uses Gauss-Radau Spacings”. In: *Dynamics of Comets: Their Origin and Evolution*. Ed. by A. Carusi and G. B. Valsecchi. Vol. 115. Astrophysics and Space Science Library. Springer Netherlands, 1985, pp. 185–202.
DOI: 10.1007/978-94-009-5400-7_17.
- [Far+13] A. Farrés, J. Laskar, S. Blanes, F. Casas, J. Makazaga, and A. Murua. “High precision symplectic integrators for the Solar System”. In: *Celestial Mechanics and Dynamical Astronomy* 116.2 (2013), pp. 141–174.
DOI: 10.1007/s10569-013-9479-6.

- [Fin87] J. M. Fine. “Low order practical Runge–Kutta–Nyström methods”. In: *Computing* 38.4 (1987), pp. 281–297.
DOI: 10.1007/BF02278707.
- [FMLGo8] A. Fienga, H. Manche, J. Laskar, and M. Gastineau. “INPOP06: a new numerical planetary ephemeris”. In: *Astronomy & Astrophysics* 477.1 (2008), pp. 315–327.
DOI: 10.1051/0004-6361:20066607.
- [Fol+14] W. M. Folkner, J. G. Williams, D. H. Boggs, R. S. Park, and P. Kuchynka. “The Planetary and Lunar Ephemerides DE430 and DE431”. In: *Interplanetary Network Progress Report* 42.196 (2014).
eprint: <http://ilrs.gsfc.nasa.gov/docs/2014/196C.pdf>.
- [FR90] E. Forest and R. D. Ruth. “Fourth-order symplectic integration”. In: *Physica D: Non-linear Phenomena* 43.1 (May 1990), pp. 105–117.
DOI: 10.1016/0167-2789(90)90019-L.
- [Fuk09a] T. Fukushima. “Fast computation of complete elliptic integrals and Jacobian elliptic functions”. In: *Celestial Mechanics and Dynamical Astronomy* 105.4 (Oct. 25, 2009), pp. 305–328.
DOI: 10.1007/s10569-009-9228-z.
- [Fuk09b] T. Fukushima. “Fast computation of Jacobian elliptic functions and incomplete elliptic integrals for constant values of elliptic parameter and elliptic characteristic”. In: *Celestial Mechanics and Dynamical Astronomy* 105.1 (Oct. 2009), pp. 245–260.
DOI: 10.1007/s10569-008-9177-y.
- [Fuk11a] T. Fukushima. “Precise and fast computation of the general complete elliptic integral of the second kind”. In: *Mathematics of Computation* 80 (Feb. 2011), pp. 1725–1743.
DOI: 10.1090/S0025-5718-2011-02455-5.
- [Fuk11b] T. Fukushima. “Precise and fast computation of a general incomplete elliptic integral of second kind by half and double argument transformations”. In: *Journal of Computational and Applied Mathematics* 235.14 (May 2011), pp. 4140–4148.
DOI: 10.1016/j.cam.2011.03.004.
- [Fuk12a] T. Fukushima. *xgscd.txt (Fortran program package to compute the Jacobian elliptic functions, $sn(u|m)$, $cn(u|m)$, $dn(u|m)$)*. Dec. 2012.
- [Fuk12b] T. Fukushima. “Precise and fast computation of a general incomplete elliptic integral of third kind by half and double argument transformations”. In: *Journal of Computational and Applied Mathematics* 236.7 (Jan. 2012), pp. 1961–1975.
DOI: 10.1016/j.cam.2011.11.007.
- [Fuk18] T. Fukushima. *xelbdj.txt: Fortran test driver for “elbdj”/“relbdj”, subroutines to compute the double/single precision general incomplete elliptic integrals of all three kinds*. Software. Jan. 2018.
DOI: 10.13140/RG.2.2.11113.80489.
- [Gen72a] W. M. Gentleman. “Algorithm 424: Clenshaw-Curtis quadrature [D1]”. In: *Communications of the ACM* 15.5 (May 1972), pp. 353–355.
DOI: 10.1145/355602.355603.
- [Gen72b] W. M. Gentleman. “Implementing Clenshaw-Curtis quadrature, I methodology and experience”. In: *Communications of the ACM* 15.5 (May 1972), pp. 337–342.
DOI: 10.1145/355602.361310.
- [Gen72c] W. M. Gentleman. “Implementing Clenshaw-Curtis quadrature, II computing the cosine transformation”. In: *Communications of the ACM* 15.5 (May 1972), pp. 343–346.
DOI: 10.1145/355602.361311.
- [GMPS16] K. Goździewski, C. Migaszewski, F. Panichi, and E. Szuszkiewicz. “The Laplace resonance in the Kepler-60 planetary system”. In: *Monthly Notices of the Royal Astronomical Society: Letters* 455.1 (Jan. 1, 2016), pp. L104–L108.
DOI: 10.1093/mnrasl/slv156.
- [Higo02] N. J. Higham. *Accuracy and Stability of Numerical Algorithms*. Society for Industrial and Applied Mathematics, 2002.

- [HLBo8] Y. Hida, X. S. Li, and D. H. Bailey. “Library for Double-Double and Quad-Double Arithmetic”. Preprint at <https://www.davidhbailey.com/dhbpapers/qd.pdf>. May 8, 2008.
- [HLWo3] E. Hairer, C. Lubich, and G. Wanner. “Geometric numerical integration illustrated by the Störmer–Verlet method”. In: *Acta Numerica* (May 2003), pp. 399–450.
DOI: 10.1017/S0962492902000144.
- [HMRo8] E. Hairer, R. I. McLachlan, and A. Razakarivony. “Achieving Brouwer’s law with implicit Runge–Kutta methods”. In: *BIT Numerical Mathematics* 48.2 (2008), pp. 231–243.
DOI: 10.1007/s10543-008-0170-3.
- [HMSo9] E. Hairer, R. I. McLachlan, and R. D. Skeel. “On energy conservation of the simplified Takahashi–Imada method”. In: *Mathematical Modelling and Numerical Analysis* 43.4 (2009). ID: unige:5211, pp. 631–644.
- [HOo9] D. Huybrechs and S. Olver. “Highly oscillatory quadrature”. In: *Highly Oscillatory Problems*. Ed. by B. Engquist, A. Fokas, and E. Hairer. Cambridge University Press, 2009, pp. 25–50.
DOI: 10.1017/CB09781139107136.
- [HSo5] E. Hairer and G. Söderlind. “Explicit, Time Reversible, Adaptive Step Size Control”. In: *SIAM Journal on Scientific Computing* 26.6 (2005), pp. 1838–1851.
DOI: 10.1137/040606995.
- [INOo6] A. Iserles, S. Nørsett, and S. Olver. “Highly Oscillatory Quadrature: The Story so Far”. In: *Numerical Mathematics and Advanced Applications*. Ed. by A. de Castro, D. Gómez, P. Quintela, and P. Salgado. Springer Berlin Heidelberg, 2006, pp. 97–118.
DOI: 10.1007/978-3-540-34288-5_6.
- [JA12] B. A. Jones and R. L. Anderson. “A Survey of Symplectic and Collocation Integration Methods for Orbit Propagation”. In: *AAS/AIAA Spaceflight Mechanics Meeting*. Vol. 143. Advances in the Astronautical Sciences. 2012.
- [JE33] E. Jahnke and F. Emde. *Funktionentafeln mit Formeln und Kurven—Tables of functions with formulæ and curves*. Teubner, 1933.
- [JE38] E. Jahnke and F. Emde. *Funktionentafeln mit Formeln und Kurven—Tables of functions with formulæ and curves*. Teubner, 1938.
- [JEL6o] E. Jahnke, F. Emde, and F. Lösch. *Tafeln Höherer Funktionen—Tables of higher functions*. Teubner, 1960.
- [Jon12] B. Jones. “Orbit Propagation Using Gauss-Legendre Collocation”. In: *AIAA/AAS Astrodynamics Specialist Conference*. Guidance, Navigation, and Control and Co-located Conferences. 2012.
- [Kaho6] W. Kahan. “How Futile are Mindless Assessments of Roundoff in Floating-Point Computation?” Rant at <https://people.eecs.berkeley.edu/~wkahan/Mindless.pdf>. Jan. 11, 2006.
- [Kudo7] S. Kudryavtsev. “Long-term harmonic development of lunar ephemeris”. In: *Astronomy & Astrophysics* 471 (2007), pp. 1069–1075.
DOI: 10.1051/0004-6361:20077568.
- [LDVo4] V. Lainey, L. Duriez, and A. Vienne. “New accurate ephemerides for the Galilean satellites of Jupiter”. In: *Astronomy & Astrophysics* 420.3 (2004), pp. 1171–1183.
DOI: 10.1051/0004-6361:20034565.
- [Lea86] W. M. Lear. *The Gravitational Acceleration Equations*. Internal Note 86-FM-15. NASA Johnson Space Center, Apr. 1986.
- [Lea87] W. M. Lear. *The Programs TRA7₁ and TRA7₂*. Internal Note 87-FM-4. NASA Johnson Space Center, Apr. 1987.
- [Lin81] S. Linnainmaa. “Software for Doubled-Precision Floating-Point Computations”. In: *ACM Transactions on Mathematical Software* 7.3 (Sept. 1981), pp. 272–283.
DOI: 10.1145/355958.355960.
- [LJVF89] A. C. Long, J. J. O. Cappellari, C. E. Velez, and A. J. Fuchs. *Goddard Trajectory Determination System (GTDS) Mathematical Theory Revision 1*. Tech. rep. FDD/552-89/001 CSC/TR-89/6001. Computer Sciences Corporation, National Aeronautics, and Space Administration/Goddard Space Flight Center, July 1989.

- [MA92] R. I. McLachlan and P. Atela. “The Accuracy of Symplectic Integrators”. In: *Nonlinearity* 5 (1992), pp. 541–562.
DOI: 10.1088/0951-7715/5/2/011.
- [McLo2] R. I. McLachlan. “Families of High-Order Composition Methods”. In: *Numerical Algorithms* 31.1-4 (2002), pp. 233–246.
DOI: 10.1023/A:1021195019574.
- [McLo7] R. I. McLachlan. “A New Implementation of Symplectic Runge–Kutta Methods”. In: *SIAM Journal on Scientific Computing* 29.4 (2007), pp. 1637–1649.
DOI: 10.1137/06065338X.
- [McL93] R. I. McLachlan. “Symplectic integration of Hamiltonian wave equations”. In: *Numerische Mathematik* 66.1 (1993), pp. 465–492.
DOI: 10.1007/BF01385708.
- [McL95] R. I. McLachlan. “On the Numerical Integration of Ordinary Differential Equations by Symmetric Composition Methods”. In: *SIAM Journal on Scientific Computing* 16.1 (Jan. 1995), pp. 151–168.
DOI: 10.1137/0916010.
- [Mon92] O. Montenbruck. “Numerical integration methods for orbital motion”. In: *Celestial Mechanics and Dynamical Astronomy* 53.1 (1992), pp. 59–69.
DOI: 10.1007/BF00049361.
- [MQo2] R. I. McLachlan and G. R. W. Quispel. “Splitting methods”. In: *Acta Numerica* 11 (Jan. 2002), pp. 341–434.
DOI: 10.1017/S0962492902000053.
- [MQo6] R. I. McLachlan and G. R. W. Quispel. “Geometric Integrators for ODEs”. In: *Journal of Physics A* 39 (2006), pp. 5251–5285.
DOI: 10.1088/0305-4470/39/19/S01.
- [Mur98] A. Murua. “Runge-Kutta-Nyström methods for general second order ODEs with application to multi-body systems”. In: *Applied Numerical Mathematics* 28.2-4 (Oct. 1998), pp. 387–399.
DOI: 10.1016/S0168-9274(98)00055-5.
- [Myro7] V. Myrnyy. “A Simple and Efficient FFT Implementation in C++”. In: *Dr. Dobb’s* (2007). eprint: <https://drdobbs.com/cpp/a-simple-and-efficient-fft-implementation/199500857>.
- [New87] I. Newton. *Philosophiæ naturalis principia mathematica*. Facsimile at <https://cudl.lib.cam.ac.uk/view/PR-ADV-B-00039-00001/1>. Jussu Societatis Regiæ ac Typis Joseph Streater, 1687.
- [New89] X. X. Newhall. “Numerical Representation of Planetary Ephemerides”. In: *Celestial Mechanics* 45 (1989), pp. 305–310.
eprint: <http://adsabs.harvard.edu/full/1989CeMec..45..305N>.
- [OLBC10] F. Olver, D. Lozier, R. Boisvert, and C. Clark. *NIST Handbook of Mathematical Functions*. Cambridge University Press, 2010.
- [OS94] D. I. Okunbor and R. D. Skeel. “Canonical Runge–Kutta–Nyström methods of orders five and six”. In: *Journal of Computational and Applied Mathematics* 51.3 (1994), pp. 375–382.
DOI: 10.1016/0377-0427(92)00119-T.
- [Ove65] K. J. Overholt. “An Instability in the Fibonacci and Golden Section Search Methods”. In: *BIT* 5.4 (1965). Merged with the preceding article (starting p. 282) on the journal website, pp. 284–286.
DOI: 10.1007/BF01937508.
- [PL10] G. Petit and B. Luzum. *IERS Conventions (2010)*. IERS Technical Note 36. International Earth Rotation and Reference Systems Service Convention Centre, 2010.
eprint: <http://www.iers.org/IERS/EN/Publications/TechnicalNotes/tn36.html>.
- [PR14] E. Pellegrini and R. P. Russell. “F and G Taylor Series Solutions to the Circular Restricted Three Body Problem”. In: *AAS/AIAA Spaceflight Mechanics Meeting*. Vol. 152. Advances in the Astronautical Sciences. 2014.

- [QT90] G. D. Quinlan and S. Tremaine. “Symmetric multistep methods for the numerical integration of planetary orbits”. In: *Astronomical Journal* 100 (Nov. 1990), pp. 1694–1700.
- [Qui99] G. D. Quinlan. “Resonances and instabilities in symmetric multistep methods”. Preprint at <https://arxiv.org/pdf/astro-ph/9901136.pdf>. Jan. 12, 1999.
- [Rie+16] J. Ries, S. Bettadpur, R. Eanes, Z. Kang, U. Ko, C. McCullough, P. Nagel, N. Pie, S. Poole, H. Save, and B. Tapley. *The Combination Global Gravity Model GGM05C*. Technical Memorandum CSR-TM-16-01. Center for Space Research at the University of Texas at Austin, Jan. 2016.
eprint: ftp://ftp.csr.utexas.edu/pub/grace/GGM05/README_GGM05C.pdf.
- [RL06] R. P. Russell and M. Lara. “Repeat Ground Track Lunar Orbits in the Full-Potential Plus Third-Body Problem”. In: *AIAA/AAS Astrodynamics Specialist Conference*. Vol. 3. Collection of Technical Papers. Aug. 2006.
DOI: 10.2514/6.2006-6750.
- [Rut83] R. Ruth. “A Canonical Integration Technique”. In: *Proceedings of the 1983 Particle Accelerator Conference (PAC 83)*. Vol. 30. IEEE Transactions on Nuclear Science. https://accelconf.web.cern.ch/accelconf/p83/PDF/PAC1983_2669.PDF. May 1, 1983, pp. 2669–2671.
- [Sat69] Saturn V Flight Evaluation Working Group. *Saturn V Launch Vehicle, Flight Evaluation Report AS-503, Apollo 8 Mission*. Tech. rep. MPR-SAT-FE-69-1. George C. Marshall Space Flight Center, Feb. 1969.
eprint: <http://hdl.handle.net/2060/19690015314>.
- [SM10] J. R. Scott and M. C. Martini. “High-Speed Solution of Spacecraft Trajectory Problems Using Taylor Series Integration”. In: *Journal of Spacecraft and Rockets* 47.1 (2010), pp. 199–202.
- [SN97] M. Sidlichovsky and D. Nesvorný. “Frequency modified Fourier transform and its application to asteroids”. In: *Celestial Mechanics and Dynamical Astronomy* 65 (1997), pp. 137–148.
- [Som93] B. P. Sommeijer. “Explicit, high-order Runge–Kutta–Nyström methods for parallel computers”. In: *Applied Numerical Mathematics* 13.1–3 (1993), pp. 221–240.
DOI: 10.1016/0168-9274(93)90145-H.
- [SQG13] P. W. Sharp, M. A. Qureshi, and K. R. Grazier. “High order explicit Runge–Kutta Nyström pairs”. In: *Numerical Algorithms* 62.1 (2013), pp. 133–148.
DOI: 10.1007/s11075-012-9571-0.
- [SS02] M. Sofroniou and G. Spaletta. “Symplectic Methods for Separable Hamiltonian Systems”. In: *Computational Science — ICCS 2002*. Ed. by P. M. A. Sloot, A. G. Hoekstra, C. J. K. Tan, and J. J. Dongarra. Vol. 2331. Lecture Notes in Computer Science. Springer, Berlin, Heidelberg, Apr. 10, 2002, pp. 506–515.
DOI: 10.1007/3-540-47789-6_53.
- [Sta98] E. M. Standish. *JPL Planetary and Lunar Ephemerides, DE405/LE405*. Interoffice Memorandum IOM 312.F-98-048. Jet Propulsion Laboratory, Aug. 1998.
- [Stö12] C. Störmer. “Sur les trajectoires des corpuscules électrisés dans l’espace sous l’action du magnétisme terrestre, avec application aux aurores boréales”. In: *Radium* 9.11 (Nov. 1912), pp. 395–399.
DOI: 10.1051/radium:01912009011039501.
- [Suz90] M. Suzuki. “Fractal decomposition of exponential operators with applications to many-body theories and Monte Carlo simulations”. In: *Physics Letters A* 146 (June 1990), pp. 319–323.
DOI: 10.1016/0375-9601(90)90962-N.
- [Tao12] T. Tao. *A mathematical formalisation of dimensional analysis*. Blog post. University of California, Los Angeles, Dec. 29, 2012.
eprint: <https://terrytao.wordpress.com/2012/12/29/a-mathematical-formalisation-of-dimensional-analysis/>.
- [TBS13] Y. Takahashi, M. W. Busch, and D. J. Scheeres. “Spin state and moment of inertia characterization of 4179 Toutatis”. In: *The Astronomical Journal* 146.4 (Sept. 2013), pp. 95–104.
DOI: 10.1088/0004-6256/146/4/95.

- [Ver67] L. Verlet. "Computer "Experiments" on Classical Fluids. I. Thermodynamical Properties of Lennard-Jones Molecules". In: *Physical Review* 159.1 (July 5, 1967), pp. 98–103. DOI: 10.1103/PhysRev.159.98.
- [Wal18] U. Walter. *Astronautics – The Physics of Space Flight – Third Edition*. Springer Nature Switzerland AG, 2018. DOI: 10.1007/978-3-319-74373-8.
- [War03] H. S. Warren Jr. *Hacker's Delight*. Addison-Wesley, 2003.
- [Wes17] D. B. Westra. *Identites and properties for associated Legendre functions*. Personal note. Universität Wien, Sept. 2017. eprint: <https://www.mat.univie.ac.at/~westra/associatedlegendrefunctions.pdf>.
- [WG13] G. Wilkins and M. Gu. "A modified Brent's method for finding zeros of functions". In: *Numerische Mathematik* 123 (2013), pp. 177–188. DOI: 10.1007/s00211-012-0480-x.
- [Yos90] H. Yoshida. "Construction of higher order symplectic integrators". In: *Physics Letters A* 150.5–7 (1990), pp. 262–268. DOI: 10.1016/0375-9601(90)90092-3.
- [Zha+15] Y. Zhao, J. Ji, J. Huang, S. Hu, X. Hou, Y. Li, and W.-H. Ip. "Orientation and rotational parameters of asteroid 4179 Toutatis: new insights from Chang'e-2's close flyby". In: *Monthly Notices of the Royal Astronomical Society* 450.4 (May 2015), pp. 3620–3632. DOI: 10.1093/mnras/stv792.