


ICTK Training – Signify

Event Management System

Team

- 1) Peter K Joseph
- 2) Sushma N
- 3) Aditi Rao
- 4) Alvia Saji,

Database Schema



Available Endpoints

venue-controller

- GET [/api/v1/venues/{id}](#)

Signify / Venues / Venue

GET 127.0.0.1:8080/api/v1/venues/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Bearer To... Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Token eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJvcGV0Z...

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 131 ms Size: 576 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "venue_id": 1,
3   "name": "string",
4   "capacity": 2,
5   "location": "string",
6   "contact_name": "string",
7   "contact_email": "string",
8   "contact_phone": "string",
9   "type": "INDOOR"
10 }
```

PUT/api/v1/venues/{id}

Signify / Venues / Venue

PUT 127.0.0.1:8080/api/v1/venues/1 Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "name": "signify byod",
3   "capacity": 0,
4   "location": "string",
5   "contact_name": "string",
6   "contact_email": "string",
7   "contact_phone": "string",
8   "type": "INDOOR"
9 }
```

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 91 ms Size: 582 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "venue_id": 1,
3   "name": "signify byod",
4   "capacity": 0,
5   "location": "string",
6   "contact_name": "string",
7   "contact_email": "string",
8   "contact_phone": "string",
9   "type": "INDOOR"
10 }
```

DELETE /api/v1/venues/{id}

Signify / Venues / Venue

DELETE 127.0.0.1:8080/api/v1/venues/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Bearer To...
The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

Token eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJvcGV0Z...

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 74 ms Size: 382 B Save as example

Pretty Raw Preview Visualize Text

1

GET /api/v1/venues

GET 127.0.0.1:8080/api/v1/venues Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 33 ms Size: 739 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "venue_id": 1,
4     "name": "signify byod",
5     "capacity": 0,
6     "location": "string",
7     "contact_name": "string",
8     "contact_email": "string",
9     "contact_phone": "string",
10    "type": "INDOOR"
11  },
12  {
13    "venue_id": 2,
14    "name": "SIGNIFY",
15    "capacity": 0,
16    "location": "string",
17    "contact_name": "string",
18    "contact_email": "string",
19    "contact_phone": "string",
20    "type": "INDOOR"
21  }
22 ]
```

POST /api/v1/venues

HTTP Signify / Venues / Venue Save Send

POST 127.0.0.1:8080/api/v1/venues Send

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** Beautify

```
1 {
2   "name": "SIGNIFY",
3   "capacity": 0,
4   "location": "string",
5   "contact_name": "string",
6   "contact_email": "string",
7   "contact_phone": "string",
8   "type": "INDOOR"
9 }
```

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 102 ms Size: 577 B Save as example

Pretty Raw Preview Visualize **JSON** Copy Search

```
1 {
2   "venue_id": 2,
3   "name": "SIGNIFY",
4   "capacity": 0,
5   "location": "string",
6   "contact_name": "string",
7   "contact_email": "string",
8   "contact_phone": "string",
9   "type": "INDOOR"
10 }
```

vendor-controller

GET /api/v1/vendors/{id}

Signify / Vendor / Venue Copy

GET 127.0.0.1:8080/api/v1/vendors/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 48 ms Size: 547 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "vendor_id": 1,
3   "vendor_name": "sushma",
4   "vendor_email": "sushma@gmail.com",
5   "vendor_phone": "1234567890",
6   "service": "PHOTOGRAPHY"
7 }
```

• PUT/api/v1/vendors/{id}

Signify / Vendor / Venue Copy

PUT 127.0.0.1:8080/api/v1/vendors/2 Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

1

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 93 ms Size: 551 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "vendor_id": 2,
3   "vendor_name": "sushma - 2",
4   "vendor_email": "sushma@gmail.com",
5   "vendor_phone": "1234567890",
6   "service": "PHOTOGRAPHY"
7 }
```

• DELETE/api/v1/vendors/{id}

Signify / Vendor / Venue Copy

DELETE 127.0.0.1:8080/api/v1/venues/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 45 ms Size: 382 B Save as example

Pretty Raw Preview Visualize Text

```
1
```

GET/api/v1/vendors

Signify / Vendor / Venue Copy

GET 127.0.0.1:8080/api/v1/vendors Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 15 ms Size: 549 B Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "vendor_id": 1,
4     "vendor_name": "sushma",
5     "vendor_email": "sushma@gmail.com",
6     "vendor_phone": "1234567890",
7     "service": "PHOTOGRAPHY"
8   }
9 ]
```

POST/api/v1/vendors

user-controller

- PUT /api/v1/user/profile/{id}
- DELETE /api/v1/user/profile/{id}
- GET /api/v1/user/{userId}/profile

logistics-controller

- GET /api/v1/logistics/logistics/{id}
- PUT /api/v1/logistics/logistics/{id}
- DELETE /api/v1/logistics/logistics/{id}
- POST /api/v1/logistics/logistics

event-controller

- GET /api/v1/event/events/{id}
- PUT /api/v1/event/events/{id}

PUT

http://127.0.0.1:8080/api/v1/event/events/1

Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
1 {
2   "name": "SpringHood - 1",
3   "description": "SpringHood",
4   "date": "2024-02-23T10:17:13.315Z",
5   "type": "CONFERENCE",
6   "start_time": "Morning",
7   "end_time": "Afternoon",
8   "budget": 0,
9   "status": "PLANNED",
10  "venue": {
11    "venue_id": 4
12  }
13 }
```

Body Cookies (1) Headers (14) Test Results

Status: 200 OK Time: 34 ms Size: 795 B Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "event_id": 6,
3   "name": "SpringHood - 1",
4   "description": "SpringHood",
5   "date": "2024-02-23T10:17:13.315+00:00",
6   "type": "CONFERENCE",
7   "start_time": "Morning",
8   "end_time": "Afternoon",
9   "budget": 0.0,
10  "status": "PLANNED",
11  "venue": {
12    "venue_id": 4,
13    "name": "Venue2",
```

- DELETE/api/v1/event/events/{id}
- GET/api/v1/event/events

Signify / Events / Event

GET http://127.0.0.1:8080/api/v1/event/events Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Bearer To... Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token authorization](#).

Token eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJvcGV0Z...

body Cookies (1) Headers (14) Test Results Status: 200 OK Time: 28 ms Size: 1.13 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "event_id": 4,
4     "name": "SpringHood",
5     "description": "SpringHood",
6     "date": "2024-02-23T10:17:13.000+00:00",
7     "type": "CONFERENCE",
8     "start_time": "Morning",
9     "end_time": "Afternoon",
10    "budget": 0.0,
11    "status": "PLANNED",
12    "venue": {
13      "venue_id": 2,
14      "name": "SIGNIFY",
15      "capacity": 0,
16      "location": "string",
17      "contact_name": "string",
18      "contact_email": "string",
19      "contact_phone": "string",
20      "type": "INDOOR"
21    }
22  }
23 ]
```

• POST/api/v1/event/events

Signify / Events / Event

POST http://127.0.0.1:8080/api/v1/event/events

Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "name": "SpringHood",
3   "description": "SpringHood",
4   "date": "2024-02-23T10:17:13.315Z",
5   "type": "CONFERENCE",
6   "start_time": "Morning",
7   "end_time": "Afternoon",
8   "budget": 0,
9   "status": "PLANNED",
10  "venue": {
11    "venue_id": 2
12  }
13 }
```

Body Cookies (1) Headers (14) Test Results

Status: 200 OK Time: 56 ms Size: 759 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "event_id": 4,
3   "name": "SpringHood",
4   "description": "SpringHood",
5   "date": "2024-02-23T10:17:13.315+00:00",
6   "type": "CONFERENCE",
7   "start_time": "Morning",
8   "end_time": "Afternoon",
9   "budget": 0.0,
10  "status": "PLANNED",
11  "venue": {
12    "venue_id": 2,
13    "name": null,
```

attendee-controller

- GET /api/v1/attendees/
- PUT /api/v1/attendees/
- DELETE /api/v1/attendees/
- GET /api/v1/attendees
- POST /api/v1/attendees

registration-controller

- POST /register

Signify / Register

POST 127.0.0.1:8080/register Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautif

```
1 {
2   --"firstName": "Peter",
3   --"lastName": "J",
4   --"email": "opeter@asdasd",
5   --"password": "password123",
6   --"profilePicture": "blablabla",
7   --"phoneNumber": "1234567890",
8   --"role": "ADMIN"
9 }
```

Body Cookies Headers (14) Test Results Status: 201 Created Time: 357 ms Size: 596 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "success": true,
3   "message": "User created successfully",
4   "data": {
5     "verificationLink": "http://127.0.0.1:8080/verifyRegistration?token=a0bad220-29e9-4d82-afbe-0f55599a616c"
6   }
7 }
```

POST/login

Signify / Login

POST 127.0.0.1:8080/login Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautif

```
1 {
2   --"username": "opeter@asdasd",
3   --"password": "password123"
4 }
```

Body Cookies Headers (14) Test Results Status: 200 OK Time: 279 ms Size: 717 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "jwtToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJvcGV0ZXJAYXNkYXNkIiwiaWF0IjoxNzA4NjgwMDE2LCJleHAiOiE3MDg2OTgwMTZ9.
yAiu5Yd4cmVLn300yXfqPMN40ASUKMw98V02hSq0wUevtkPMr6qELEXEjgTGdpEOav-AueSYnI-RZVroLjXpGA",
3   "message": "Token generated Successfully",
4   "success": true,
5   "email": "opeter@asdasd",
6   "role": "ADMIN"
7 }
```

GET/verifyRegistration

GET

http://127.0.0.1:8080/verifyRegistration?token=a0bad220-29e9-4d82-afbe-0f55599a616c

Send

Params **Authorization** Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

<input checked="" type="checkbox"/>	Key	Value	Description	...	Bulk Edit
<input checked="" type="checkbox"/>	token	a0bad220-29e9-4d82-afbe-0f55599a616c			
	Key	Value	Description		

Body Cookies Headers (14) Test Results  Status: 200 OK Time: 93 ms Size: 448 B  Save as example ...

Pretty Raw Preview Visualize Text 

1 User verified Succesfully