



mmsegmentation修改部分说明

1、修改的参数部分都在这里，下载源地址包替换掉就行了



替换mmsegmentation里面原有的文件就行，改了和新增的二分类dataset都在里面


mmsegmentation地址：[open-mmlab/mmdetection](https://github.com/open-mmlab/mmdetection): OpenMMLab Semantic Segmentation Toolbox and Benchmark.

2、替换好后，将其放mambavision的目录下，进行pip install -r requirements.txt 安装就行，这样mmsegmentation就是附属在mambavision里面的，底层调用的数据dataset也在这里面。新加的dataset(二分类)

The screenshot shows a file explorer window with the following path: `work_dir > seg_dir > BASC_MambaVision > mmsegmentation > mmseg > datasets`. The file list is as follows:

名称	修改日期	类型	大小
__pycache__	2026/7/8 14:57	文件夹	
transforms	2026/7/8 14:07	文件夹	
__init__	2026/7/8 14:56	Python 源文件	4 KB
ade	2026/7/8 14:56	Python 源文件	6 KB
basesegdataset	2026/7/8 14:56	Python 源文件	24 KB
bdd100k	2026/7/8 14:56	Python 源文件	2 KB
break_ground_dataset	2026/7/8 14:56	Python 源文件	1 KB
chase_db1	2026/7/8 14:56	Python 源文件	2 KB
cityscapes	2026/7/8 14:56	Python 源文件	2 KB
coco_stuff	2026/7/8 14:56	Python 源文件	7 KB
dark_zurich	2026/7/8 14:56	Python 源文件	1 KB
dataset_wrappers	2026/7/8 14:56	Python 源文件	5 KB
decathlon	2026/7/8 14:56	Python 源文件	4 KB
drive	2026/7/8 14:56	Python 源文件	2 KB
dsdl	2026/7/8 14:56	Python 源文件	5 KB
farmland_dataset	2026/7/8 14:56	Python 源文件	KB
hrf	2026/7/8 14:56	Python 源文件	2 KB
hsi_drive	2026/7/8 14:56	Python 源文件	2 KB
isaid	2026/7/8 14:56	Python 源文件	2 KB
isprs	2026/7/8 14:56	Python 源文件	1 KB
levir	2026/7/8 14:56	Python 源文件	1 KB
lip	2026/7/8 14:56	Python 源文件	2 KB
loveda	2026/7/8 14:56	Python 源文件	2 KB
mapillary	2026/7/8 14:56	Python 源文件	10 KB

3、此外，还要在semantic_segmentation里面新增自己任务的dataset，按照格式修改路径参数等信息，用于训练自己的二分类数据集



The screenshot shows a web browser window with a file explorer interface. The breadcrumb navigation path is: seg_dir > BASC_MambaVision > semantic_segmentation > configs > _base_ > datasets. The 'semantic_segmentation' directory is highlighted with a red box. Below the navigation bar, there is a table listing files and their properties. The 'farmland' file is highlighted with a red box.

名称	修改日期	类型	大小
ade20k	2026/7/8 14:54	Python 源文件	3 KB
ade20k_640x640	2026/7/8 14:54	Python 源文件	3 KB
bdd100k	2026/7/8 14:54	Python 源文件	3 KB
break_ground	2026/7/8 14:54	Python 源文件	3 KB
chase_db1	2026/7/8 14:54	Python 源文件	3 KB
cityscapes	2026/7/8 14:54	Python 源文件	3 KB
cityscapes_768x768	2026/7/8 14:54	Python 源文件	1 KB
cityscapes_769x769	2026/7/8 14:54	Python 源文件	1 KB
cityscapes_832x832	2026/7/8 14:54	Python 源文件	1 KB
cityscapes_1024x1024	2026/7/8 14:54	Python 源文件	1 KB
coco-stuff10k	2026/7/8 14:54	Python 源文件	3 KB
coco-stuff164k	2026/7/8 14:54	Python 源文件	3 KB
drive	2026/7/8 14:54	Python 源文件	3 KB
farmland	2026/7/8 14:54	Python 源文件	3 KB
hrf	2026/7/8 14:54	Python 源文件	3 KB
isaid	2026/7/8 14:54	Python 源文件	3 KB
levir_256x256	2026/7/8 14:54	Python 源文件	2 KB
loveda	2026/7/8 14:54	Python 源文件	3 KB
mapillary_v1	2026/7/8 14:54	Python 源文件	3 KB
mapillary_v1_65	2026/7/8 14:54	Python 源文件	3 KB
mapillary_v2	2026/7/8 14:54	Python 源文件	3 KB
nyu	2026/7/8 14:54	Python 源文件	3 KB
nyu_512x512	2026/7/8 14:54	Python 源文件	3 KB
pascal_context	2026/7/8 14:54	Python 源文件	2 KB
pascal_context_59	2026/7/8 14:54	Python 源文件	3 KB

注: 需要熟悉 mmlab系列修改参数, 不然修改模型和数据集上手可能会有点难度, 搞不定跑现有的数据格式也行。