

Route:	/search/tv
Method:	Get
Note:	Search by show name only. Other routes for other search criteria.

Query Params		
Key	Type	Description
api_key	string*	<<api_key>>
language	string	Pass a ISO 639-1 value to display translated data for the fields that support it. minLength: 2 pattern: ([a-z]{2})-([A-Z]{2}) default: en-US
page	integer	Specify which page to query. minimum: 1 maximum: 1000 default: 1
query	string*	Pass a text query to search. This value should be URI encoded. minLength: 1
include_adult	boolean	Choose whether to include adult (pornography) content in the results. Default false
first_air_date_year	integer	optional

Response: Object		
Level 1	Level 2	Type
page		integer
results		array[TV List Result Object]
	poster_path	string or null
	popularity	number
	id	integer
	backdrop_path	string or null
	vote_average	number
	overview	string
	first_air_date	string
	origin_country	array[string]
	genre_ids	array[integer]
	original_language	string
	vote_count	integer
	name	string
	original_name	string
total_results		integer
total_pages		integer

Route:	/tv/{tv_id}	
Method:	Get	
Note:	Short Version: Some data not needed is hidden.	
Path Params		
Key	Type	
tv_id*	integer	
Query Params		
Key	Type	Description
api_key*	string	<<api_key>>
language	string	Pass a ISO 639-1 value to display translated data for the fields that support it. minLength: 2 pattern: ([a-z]{2})-([A-Z]{2}) default: en-US
append_to_response	string	Append requests within the same namespace to the response. pattern: ([\w]+)
Response: Object		
Level 1	Level 2	Type
adult		boolean
backdrop_path		string or null
first_air_date		string
genres		array[object]
	id	integer
	name	string
id		integer
in_production		boolean
last_air_date		string
last_episode_to_air		object
	air_date	string
	episode_number	integer
	season_number	integer
	show_id	integer
name		string
next_episode_to_air		object (same as last_episode_to_air)
networks		array[object]
	id	integer
	name	string
	logo_path	string or null
	origin_country	string
number_of_episodes		integer
number_of_seasons		integer
overview		string
poster_path		string or null
seasons		array[object]
	air_date	string
	episode_count	integer
	id	integer
	name	string
	overview	string
	poster_path	string
	season_number	integer
status		string
tagline		string
type		string
vote_average		number
vote_count		integer

Route:	/tv/{tv_id}/watch/providers			
Method:	Get			
**Note:	In order to use this data you must attribute the source of the data as JustWatch. If we find any usage not complying with these terms we will revoke access to the API.			
Path Params				
Key	Type	Description		
tv_id	integer	Required		
Query Params				
Key	Type	Description		
api_key	string	Required		
Response: Object				
Level 1	Level 2	Level 3	Level 4	Type
id				integer
results				object
	US			object
		link		string
		buy		array[object]
			display_priority	integer
			logo_path	string
			provider_id	integer
			provider_name	string
		flatrate		array[object]
			display_priority	integer
			logo_path	string
			provider_id	integer
			provider_name	string
there is an object for each country...I'm only including US here.				

The basic search allows users to search by show name.	
These are other routes that allow different search/browse capabilities we might consider if time permits:	
/tv/{tv_id}/recommendations	Get the list of TV show recommendations for this item.
/tv/{tv_id}/similar	Get a list of similar TV shows. These items are assembled by looking at keywords and genres.
/tv/airing_today	Get a list of TV shows that are airing today. This query is purely day based as we do not currently support airing times. You can specify a to offset the day calculation. Without a specified timezone, this query defaults to EST (Eastern Time UTC-05:00).
/tv/popular	Get a list of the current popular TV shows on TMDB. This list updates daily.
/tv/top Rated	Get a list of the top rated TV shows on TMDB.
/search/person	Search for people.
/discover/tv	Discover TV shows by different types of data like average rating, number of votes, genres, the network they aired on and air dates.

Routes:

- /configuration
- /configuration/countries
- /configuration/languages
- /configuration/primary_translations
- /configuration/timezones
- /configuration/jobs

Query Params

Key	Type	Description
api_key	string	required

Response: Object

Level 1	Level 2	Type
images	base_url	object
	secure_base_url	string
	backdrop_sizes	string
	logo_sizes	array[string]
	poster_sizes	array[string]
	profile_sizes	array[string]
	still_sizes	array[string]
change_keys		array[string]