

Code Refactor Build Run Tools Git Window Help

RunningCompetitionApplication

UserService.java UserController.java RunService.java RunController.java API api.http

Run with: No Environment

74 "location": "Green Trail" ✓
75 }
76
77
78
79 ### Get All Runs
80 GET http://localhost:8080/api/runs
81
82 ---
83
84 ### Get Runs for User 1
85 GET http://localhost:8080/api/runs/user/1
86
87 ---
88
89 ### Delete Run
90 DELETE http://localhost:8080/api/runs/1
91

localhost:8080/api/users

http://localhost:8080/api/users

JSON Raw Data Headers

Save Copy Collapse All Expand All Filter JSON

0:
id: 1
name: "John Runner"
runs: []
1:
id: 2
name: "Sarah Swift"
runs: []
2:
id: 3
name: "Mike Speed"
runs: []
3:
id: 4
name: "New Runner"
runs: []

----- Status: 404
Another Run for User 1 Status: 200 (10 ms)
Run for User 2 Status: 200 (10 ms)
Runs Status: 200 (10 ms)
s for User 1 Status: 404 (8 ms)

{
"timestamp": "2025-11-25T23:09:23.501+00:00",
"status": 404,
"error": "Not Found",
"path": "/api/runs/user/1"
}
Response file saved.
> 2025-11-25T230923.404.json

Response code: 404; Time: 8ms (8 ms); Content length: 104 bytes (104 B)

java > org > example > runcomp > controller > API api.http