Cairo University
Faculty of Engineering
Computer Engineering Department
CMP N103

Fall 2019

CMPN103 Programming Techniques Project

Game

CMP N103 1/11 Fall 2019

Introduction

In this project we are going to build a simple game application that is a mixture between the Snakes & Ladders and Monopoly games. There are **two modes** in the game: **Design mode** is where the user is able to build the playing grid and **Play mode** is where he plays the game itself. The general idea of the game is four players moving in a grid having snakes, ladders, and Cards. The player goal is to get to the last cell before anyone else. He also takes advantage of the special cells to boost his game and obstruct his opponents. The game ends when a player reaches the last cell.

<u>Your Task:</u> You are required to write a **C++ code** for this Game. Delivering a working project is NOT enough. You must use *object-oriented programming* to implement this application and respect the **responsibilities** of each class as specified in the document. See the evaluation criteria in phase 2 document for more information.

NOTE: The application should be designed so that the types of items and types of operations can be easily extended (*using inheritance*).

Project Schedule

Project Phase	Deliverables	
Phase 1 [4 marks]	Input-Output Classes	
Phase 2 [11 marks]	Final Project Delivery	

NOTE: Number of students per team = 3 to 4 students (from same tutorial – time and location).

The project code must be totally yours. The penalty of cheating from any other source is not ONLY taking ZERO in the project grade but also taking up to MINUS seven and half grades (-7.5) from the other class work grades.

CMP N103 2/11 Fall 2019

Game Description

In the Design mode, the player can add, copy, cut, paste, and delete any game object. He can also save a grid and load a previously saved grid.

The player is moving in a grid of 99 cells divided into rows and columns. Each cell has a number from 1 to 99. They are divided to 9 rows and 11 columns.

Grid cells may contain:

- 1. First or last step of a ladder.
- 2. First or last step of a Snake.
- 3. Card making the cell a special cell.

A player object is the object a given player uses. There are four players in each game. Player:

- The Game has four players.
- Each player has:
 - o Steps' count (initially step 0). This holds the value of the current cell the player is in.
 - o Wallet (initially contains 100 coins).
 - The player can only move if there is at least 1 coin in his wallet. If he has zero or less coins, he must wait till his wallet is recharged with coins.
- Players take turn rolling the dice, one after another.
- After a player rolls the dice, he moves from his n cell to n + t, where t is the result of rolling the dice. For example, if the player gets 4 after rolling the dice and he is in cell 25, he moves to cell 29.
- Every 3 turns, a player dice roll is used to add money to his wallet instead of moving. A player gets 10*t coins (where t is the result of rolling the dice). For example:
 - The game starts and player 0 has 100 coins. He rolls the dice to get 5. He moves to cell 5.
 - o In his next turn he gets 2 and moves to cell 7.
 - o In his third turn, he rolls the dice and gets 4. 40 coins are added to his wallet, **and** he will not move to cell 11. This happens every three turns,i.e., turn 3, 6, 9, ... etc.
- The player's target in the game is to reach the last cell before any opponent reaches it.
- Winning Player → Is the first player to reach cell #100.

A Game cell contains players' objects and game objects. It can hold multiple player objects, and at most one game object.

A Game object is the fixed objects placed in the grid's cells.

You cannot place game objects in the first or last cell.

There are 3 types of Game Objects:

1. Ladders:

- Ladders occupies exactly two cells, the start and end cells.
- If a player moves to the start cell, it will transfer him to the end cell.
- The start cell should be before the end cell in the grid.
- For simplicity, the start and end cell should be in the same column.
- The start cell cannot be a special cell, nor a cell in the last row.
- Two ladders or more cannot overlap.
- The end cell of a ladder cannot be the start cell of another ladder or snake.

CMP N103 3/11 Fall 2019

2. Snakes:

- Snakes occupy exactly two cells, the start and end cells.
- If a player moves to the start cell, it will transfer him to the end cell.
- The start cell should be after the end cell in the grid.
- For simplicity, the start and end cell should be in the **same** column.
- The start cell cannot be a special cell, nor a cell in the first row.
- Two snakes or more cannot overlap.
- The end cell of a snake cannot be the start cell of another ladder or snake.

3. Cards:

- A card placed in a cell makes it a special cell.
- Each card instructs the player stepping on it to do a specific action.
- Any cell can't have more than one card.
- A card can be placed only on an empty cell or at the end of a ladder or a snake. This means that a card cannot be placed at the start cell of a ladder or a snake.

There are 9 Types of Cards:

For each card that requires input during design mode. The inputs are listed below.

1. Card1:

- Decrements the value of the passing player's wallet by a value specified when creating the grid.
- Input data:
 - i. Value to decrease

2. Card2:

- Increments the value of the passing player's wallet by a value specified when creating the grid.
- Input data:
 - i. Value to increase

3. Card3:

Moves the player forward to the start of the next ladder. (If no ladders ahead, do nothing)

4. Card4:

• Moves the player forward to the start of the next snake. (If no snakes ahead, do nothing)

5. Card5:

• Move forward the same number of steps that you just rolled (if you reach a ladder or a snake at the end of moving forward, take it).

6. Card6:

Moves the player backward the same number of steps that he just rolled.

7. Card7:

Gives the player another dice roll.

8. Card8:

Prevents the player from rolling the next turn.

CMP N103 4/11 Fall 2019

• This can be handled as getting a value of zero instead of a dice roll. This means that the cancelled turn counts normally towards recharge the wallet turn.

9. Card9:

- Instructs the player to go to a specific cell. This specific cell is specified during grid design.
- Input data:
 - i. Cell to move to

10. Cards [10-14]:

- Gives the player the option to buy this cell and all cells containing a card with the same number. For example, if a player chooses to buy a cell with card 11, he will own all cells having a card 11.
- This cell is considered a station for a specific price.
- This specific price is deducted from the player's wallet in case he chooses to buy the cell.
- Whenever another player moves to a cell owned by another player, he has to pay fees to the player who owns the cell. The price of the cell and the fees are taken as input during grid design.
- Input data is only taken if it is the first time to insert a card with the same number. For example, user will insert price and fees of card 10 only once
- Input data:
 - i. Card price
 - ii. Fees to pay by passing players

Main Toolbar Operations

The application supports 2 modes: **Design Mode** and **Play Mode**. Each mode contains 2 bars: **tool bar** that contains the main operations of the current mode and **status bar** that contains any messages the application will print to the user. The application should support the following operations (actions) in each mode.

[Important Notes]:

- Each operation in any of the following modes **must** have an <u>icon</u> (or more) in the tool bar. The user should click on the operation icon from the tool bar to choose it.
- In all the following actions, any dynamically allocated memory MUST be deallocated.

The main operations supported by the application are the following.

[I] Design Mode:

The purpose of this mode is to design the Grid of the game that you will play later. You specify in this mode the location of the snakes, ladders, and cards. You also specify each cards needed values. The operations supported by this mode are:

Note: in any of the following actions, if a cell position is needed to be taken from the user, the user clicks on it **AFTER** choosing the action (after clicking on the action icon on toolbar not before it).

- **1- Add Ladder:** add a ladder to two <u>cells</u> of the user choice in the game grid. This means the user has to click twice: first on the start cell, then on the end cell. The status bar should show the following messages:
 - "click on the ladder's start cell" (to instruct user to click on the start cell).

CMP N103 5/11 Fall 2019

2.	□ If the user clicks on an invalid cell, cancel the operation and print an appropriate error message (Check ladder specification). □ "click on the ladder's end cell" (to instruct user to click on the end cell). □ If the user chooses a non-valid cell cancel the operation and print an error message. □ "end cell cannot be smaller than start cell". □ This error message appears if user chooses a wrong cell □ "end cell and start cell are not in the same column". □ This error message appears if user chooses two cells in different columns. □ "Two ladders cannot overlap". □ This error message appears if user choice will make two ladders overlap. □ "end cell cannot be a start of another ladder or snake". □ This error message appears if use chooses an end cell that is a start of another snake or ladder.			
۷-	Add Snake: add a snake to two <u>cells</u> of the user choice in the game grid. This means the us has to click twice: first on the start cell, then on the end cell. The status bar should show th following messages: □ "click on the snake's start cell" (to instruct user to click on the start cell).			
	□ If the user clicks on an invalid cell, cancel the operation and print an appropriate error message (Check ladder specification).			
	"click on the snake's end cell" (to instruct user to click on the end cell). □ If the user chooses a non-valid cell cancel the operation and print an error			
	message.			
	 "end cell cannot be smaller than start cell". This error message appears if user chooses a wrong cell 			
	"end cell and start cell are not in the same column".This error message appears if user chooses two cells in different columns.			
	"Two snakes cannot overlap".This error message appears if user choice will make two snakes overlap.			
	 "end cell cannot be a start of another ladder or snake". This error message appears if use chooses an end cell that is a start of another snake or ladder. 			
3-	Add Card: add a card to the grid. The status bar should show the following messages: "type gard number" (to instruct upon to appoint part of purpler)			
	 "type card number" (to instruct user to specify card number). "click on card cell" (to instruct user to click on the required cell). 			
	If the cell has another card or has a start of a ladder or a snake, cancel the operation and print an appropriate error message.			
	☐ if the card requires values to be inserted ask the user for them and collect the data (check card specification)			
4-	Copy Card: copy a card with all its data to the clip board. The status bar should show the following			
	messages: "click on the source cell". (to instruct user to click on the source cell). "If the cell does not contain a card, cancel the operation.			
5-	Cut Card: cuts a card with all its data to the clip board. This is similar to copy card but removes the card from the source cell. The status bar should show the following messages: "click on the source cell". (to instruct user to click on the source cell). "If the cell does not contain a card, cancel the operation.			

CMP N103 6/11 Fall 2019

0-	the clip board multiple times. The status bar should show the following messages: "click on the destination cell". (to instruct user to click on the destination cell). "If the cell has another card or has a start of a ladder or a snake, do nothing.
7-	Edit Card: edit the card in the cell that the user chooses. The status bar should show the following messages: □ "click on the source to edit" (to instruct user to click on the cell). □ If the cell does not contain a card or has a card that does not take values, cancel the operation □ ask the user to insert the parameters needed by the card.
8-	Delete Game Object: delete the game object in the cell that the user chooses.
9-	Save Grid : saving the information of the designed grid (all the game objects of it) to a file (see "File Format" section in phase 2 document). The application must ask the user about the <u>filename</u> to create and save the grid to (overwrite if the file already exists).
10-	 Open Grid: open a saved grid from a file and re-drawing it (see "File Format"). This operation re-creates the saved game objects and re-draws them. The application must ask the user about the <u>filename</u> to open and load grid from. After loading, the user can edit the loaded grid and continue the application normally. If there is a grid already drawn and the open grid operation is chosen, the application should clear the area and make any needed cleanups then loads the new one.
11-	- Switch to Play Mode: The user can switch to play mode any time even before saving.
12	-Exit: exiting from the application. □ Perform any necessary <u>cleanup</u> (termination housekeeping) before exiting.

[II] Play Mode:

In this mode, four players plays the game in the following order: player 0, player 1, player 2, then player 3.

Current player turn should be displayed in the <u>top right corner</u> during his turn. Moreover, for each player, display his current wallet value, and number of turns remaining till he get to recharge his wallet.

The operations supported by this mode are:

- 1. Roll Dice: rolls the dice and performs necessary actions:
 - Moves the player to the correct cell
 - i. If he reaches a start of a ladder,
 - a) display "you have reached a ladder. Click to continue"
 - b) Wait for a user click
 - c) Move to the top of the ladder
 - ii. If he reaches a start of snake,
 - a) display "you have reached a snake. Click to continue"
 - b) Wait for a user click
 - c) Move to the bottom of the snake
 - iii. If he reaches a card of type 10-14 that has not been bought by another player and the current player has enough money in his wallet,

CMP N103 7/11 Fall 2019

- a) display "you have reached a station. Do you want to buy it? y/n"
- b) Wait for the user to press y or n key. y means yes, n means no.
- c) If the user chooses to buy, deduct the amount of money from his wallet and assign all the stations with the same number to him.
- iv. If he reaches a card of type 10-14 that is bought by another player,
 - a) display "you have reached a bought station. Click to continue?"
 - b) Wait for the user to click.
 - c) Deduct the amount of fees from his wallet.
 - d) Add the amount of fees to the owner's wallet.
- v. If the user has previously stepped on a card of type 8, at the start of his turn,
 - a) display "you are denied from playing this turn. Click to continue".
 - b) Wait for a user click
 - c) Go to next player's turn
- vi. If he reaches a card of any other type,
 - a) display "you have reached cardN. Click to continue". Where N is the card number.
 - b) Wait for a user click
 - c) Perform necessary actions and print appropriate messages
- 2. Input Dice Value: Instead of generating a random value for the dice, ask the user to insert a value and then do the necessary actions similar to rolling a dice.
 - display "please enter a dice value between 1-6"
- 3. New Game: Restarts players positions, wallets, and turn returns to player 0.
- **4. Switch to Design Mode**: At any time, user can switch back to the other mode.
 - The current grid is opened in the design mode.
 - Don't forget to make any needed cleanups.
- **5. Exit:** exiting from the application.
 - Perform any necessary cleanup (termination housekeeping) before exiting.

CMP N103 8/11 Fall 2019

Main Classes of phase 1

You are given a **code framework** where we have **partially** written code of some of the project classes. For the graphical user interface (GUI), we have integrated an open-source graphics library that you will use to easily handle GUI (e.g. drawing grid on the screen and reading the coordinates of mouse clicks ...etc.).

You should stick to the given design (i.e. hierarchy of classes and the specified job of each class) and complete the given framework as described in phase 1 deliverables section below.

Input Class:

ALL user inputs must come through this class. If any other class needs to read any input, it must call a member function of the input class. You should add suitable member functions for different types of inputs.

Output Class:

This class is responsible for ALL GUI outputs. It is responsible for toolbar and status bar creation, grid and game objects drawing, and for messages printing to the user. If any other class needs to make any output, it must call a member function of the output class. You should add suitable member functions for different types of outputs.


Notes: - No input or output is done through the console. All must be done through the GUI window.

- Input and Output classes are the **ONLY** classes that have **access to GUI library**.

Cell position Class:

This class represents the cell position in the grid by having two data members called vCell and hCell. This class does NOT deal with real coordinates, it deals with the vCell, hCell and cellNum instead.

<u>Program Interface</u> The following is an example of the program interface



CMP N103 Fall 2019 9/11

1-

<u>Project Phases</u>
A partially-implemented code frameworks for Phase 1 and for Phase 2 are given to you to complete them.

For	□ F1	2 (g	gation in the given code in Visual Studio, you may need the following: yo to definition): to go to definition of functions (code body), variables,etc. then "Minus": to return to the previous location of the cursor.
In the	nis pha er clas	ise, ses. use	nput / Output Classes) you will implement the Input and the Output classes as they do not depend on any . The Input and Output classes should be finalized and ready to run and test. Any r interaction (input/output) that will be needed by phase 2, should be implemented
You the	ı are gi	ven	utput Classes Code and Test Code a code for phase 1 (separate from the code of the whole project) that contains both output classes partially implemented. Each team should complete such classes as
1-	Outpu	it C	<mark>lass:</mark>
		Ou the	aw the Full Tool Bars: utput class should create 2 FULL tool bars: one for the Design mode and one for the Play mode . Each contains icons for every action in this mode. otes]:
			ALL icons of the project must be added in phase 1.
			plement the Following Functions: GetCellStartX(cellpos) & GetCellStartY(Cell): Gets the X,Y coordinates of the upper left corner of the passed cellpos. DrawCardNumber(cellpos, cardNum): Draws the passed card "number" in the
			passed cellpos PrintPlayersInfo(info): Prints players' info on the right-side of the toolbar DrawCell(cellpos, cardNum): Draws "Cell Rectangle" with "Cell Number" and "Card Number" (if any), cardNum=-1 means no Card the cell rectangle's color depends on having a card or not
			DrawPlayer(cellpos, playerNum, playerColor): Draws "Player Circle" filled with the passed color, "playerNum" parameter is used for locating the circle representing the player.
			DrawLadder(fromCellPos, toCellPos): Draws Ladder from start cell to end cell (start < end). Ladder is drawn as follows: ☐ two vertical lines
			 horizontal lines as many as the cell borders between the start and end. DrawSnake(fromCellPos, toCellPos): Draws Snake from start cell to end cell (start > end). Snake is drawn as follows: Snake's body is drawn as line Snake's head is drawn as Polygon (with Diamond Shape)
2-	Input	Cla	
_			plement the Following Functions:
			GetUserAction (): it is where the input class should detect all possible actions of any of the 2 modes according to the coordinates clicked by the user. It is partially implemented.
			GetInteger(): it takes an integer as input from the user.

CMP N103 10/11 Fall 2019

				GetCellClicked () : it takes a mouse click from the user and returns the cell position on which the user clicks. If the click is NOT on a cell, cell (-1,-1) is returned.		
3	- CellPosition Class:					
		□ Implement the Following Functions:				
				SetVCell(v), SetHCell(h): setters for vCell and hCell.		
				IsValidCell(): Checks if the current cell position (vCell and hCell) both are valid		
			_	then return true. Otherwise, return false		
				GetCellNumFromPosition(cellPosition): Calculates the cellNum of the passed		
				·		
			_	"cellPosition"		
				GetCellPositionFromNum(cellNum): Returns the corresponding CellPosition		
				(vCell, hCell) of the passed cellNum		
				AddCellNum(addedNum): Adds the passed "addedNum" to the "cellNum" of the		
				current cell position and updates the data members (vCell and hCell) accordingly.		
				For example, if cellNum = 50 and the passed num = 6, this will make cellNum = 56		
				which updates the data members: vCell = 3 and hCell = 0.(assuming		
				NumVerticalCells = 9 and NumHorizontalCells = 11)		
4	- DE	EFS.	h aı	nd UI_Info.h Files: as you implement the Input and Output class, you will find some		
				need to add in DEFS.h and UI_Info.h files.		
		,				
5	- <i>Te</i>	st C	ode	e: this is not part of the input or the output classes; it is just a test code (the main).		
•				mplete the code given in TestCode.cpp file to test both Input and Output classes.		
				NOT re-write the main function from scratch, just complete the required parts.		
		_	DU	1101 Te-write the main function from scratch, just complete the required parts.		
Note	٠.					
		Dha	aa 1	Loads Fallow any //TODO comments to know what should be done in each bear		
				code, Follow any ///TODO comments to know what should be done in each .h or		
_		p fil		fallow the average interfere mountinged in anoting "Durange Interfere" averable. All		
				follow the example interface mentioned in section "Program Interface" exactly. All		
_				ects should look exactly the same as the example.		
		•		coordinate calculations are done for you. You just need to use it to draw every object		
	CO	rrect	ly a	ccording to its specifications.		
<u> </u>	lote	s or	<u>า T</u>	<u>he Project Graphics Library:</u>		
		The	e ori	igin of the library's window (0, 0) is at the upper left corner of the window.		
		The	e dir	rection of increasing the x coordinate is to the right.		
				rection of increasing the y coordinate is down.		
				ally image extension that the library accepts is " jpg ".		
				in use any alternative graphics library if you want, but with the condition of keeping		
	_			me interface (function prototypes) of the Input and Output classes and any other		
				s of phase 2 (same interface but the function body will be using your new library).		
				rer, we as TAs do not guarantee the support if you have any problem with your new		
		ııbr	ary.	It is your responsibility to deal with it.		
_	_	_	_			
<u> </u>	<u>'has</u>	<u>e 1</u>	<u>De</u>	<u>liverables:</u>		
C	n the	e dis	cus	sion day, each team should deliver an email that contains IDs.txt (team number,		
n	member names, IDs, email) and phase 1 code that has Input, Output, and CellPosition classes,					
				nfo.h and test program completed.		
		, -	_			
	_	No	to t	that Each project phase should be sent first by mail (same time for all groups).		
				difications are allowed after the mail delivery. After that the face-to-face		
				ssion of the project will be held. The week day of sending each project phase by		
		ma	il ar	nd the discussion schedule of each phase will be announced later.		

CMP N103 11/11 Fall 2019