Contents

I Acronyms and Definitions Used			
II A umen	nnex 1 - Template For The Key Information Doc-	6	
1 Ter	nplate For The Key Information Document	7	
1.1	Summary	7	
TTT	Anner 2 Methodology For The Dresentation Of		
III . Risk	Annex 2 - Methodology For The Presentation Of	8	
2 Ma	rket Risk Measure (MRM)	9	
2.1	Measurement	9	
2.2	Assigning a MRM class to PRIIPS	9	
2.3	Price History for Liquid Underlying Investments	10	
2.4	PRIIPS categories	10	
	2.4.1 Category 1	11	
	2.4.2 Category 3	11	
2.5	Benchmarks or Proxies	11	
2.6	MRM class determination for PRIIPs Categories	12	
	2.6.1 $VaR_{\text{RETURN SPACE}}$	12	
	2.6.2 Category 2	12	

		2.6.3 Category 3	12
3	\mathbf{Cre}	edit Risk Measure (CRM)	15
4	Agg	gregation of Market and Credit Risk into Summary Risk	
	Ind	icator (SRI)	16
5	Liqu	uidity Risk	17
I	J A	Annex 3 - Presentation of SRI	18
6	Pre	sentation of SRI	19
\mathbf{V}	A	nnex 4 - Performance Scenarios	2 0
7	Per	formance Scenarios	21
	7.1	Summary	21
	7.2	Scenario Calculations	21
	7.3	Scenario Percentiles	22
	7.4	Stress Scenario	22
		7.4.1 Summary	22
		7.4.2 Stress Volatility	22
		7.4.3 For Category 3 PRIIPs	23
	7.5	Calculation of Expected Values for Intermediate Holding Periods	23
		7.5.1 Intermediate Periods	23
		7.5.2 Category 2	24
		7.5.3 Category 3	24
		7.5.4 Common Features	25

Part I

Acronyms and Definitions Used

Acronyms and definitions used:

- AIF Alternative Investment Fund
- CRM Credit Risk Measure
- CCP Central Counterparty
- ETD Exchange Traded Derivative
- IPO Initial Public Offer
- **KID** Key Information Document
- MOP Multi-Option Product
- MRM Market Risk Measure
- MTF Multilateral Trading Facility
- NAV Net Asset Value
- OTC Over The Counter
- PCA Principal Component Analysis
- PRIP Packaged Retail Investment Product
- PRIIP Packaged Retail and Insurance-based Investment Product
- \bullet **Q&Q** Question and Answer
- **RIY** Reduction In Yield
- SRI Summary Risk Indicator
- **UCITS** Undertakings for Collective Investment in Transferable Securities

- $\bullet~$ \mathbf{VaR} Value-at-Risk
- $\bullet~$ ${\bf VEV}$ VaR-Equivalent Volatility

Part II

Annex 1 - Template For The Key Information Document

Template For The Key Information Document

1.1 Summary

PRIIP manufacturers shall comply with

- the section order
- \bullet and titles

set out in the template, which however does not fix parameters regarding

- the length of individual sections
- and the placing of page breaks

and is subject to an overall maximum of three sides of A-4 paper when printed.

Part III

Annex 2 - Methodology For

The Presentation Of Risk

Market Risk Measure (MRM)

2.1 Measurement

MR is measured by

- annualised volatility
- corresponding to the value-at-risk (VaR) at a confidence level of 97.5%
- over the recommended holding period.

The VaR is the percentage of the amount invested, that is returned to the retail investor.

2.2 Assigning a MRM class to PRIIPS

MRM class	VaR-Equivalent Volatility (VEV)
1	< 0.5%
2	0.5% - 5.0%
3	5.0% - 12%
4	12% - 20%
5	20% - 30%
6	30% - 80%
7	> 80%

2.3 Price History for Liquid Underlying Investments

Liquid products are priced on at least monthly basis and where the price history for the product (its benchmark/proxy) exists at least

- daily for 2 years
- or weekly for 4 years
- \bullet or **monthly** for **5 years**

Whenever possible, observations of higher frequency should be used.

2.4 PRIIPS categories

For the purpose of determining market risk, PRIIPs are divided into four categories.

2.4.1 Category 1

- risk of high losses PRIIPs where investors could lose more than the amount they invested
- or specifically named securities PRIIPs that fall within one of the categories referred to in items 4 to 10 of Section C of Annex 1 to Directive 2014/65/EU of the European Parliament and of the Council¹
- or irregularly priced securities PRIIPs or underlying investments of PRIIPs which are priced on a less regular basis than monthly, or which do not have an appropriate benchmark or proxy, or whose appropriate benchmark or proxy is priced on a less regular basis than monthly

2.4.2 Category 3

- non-linear derivatives PRIIPS whose values reflect the prices of underlying investments, but not a constant multiple of the prices of those underlying investments
- and liquid underlyings (2.3)

2.5 Benchmarks or Proxies

Benchmarks or proxies should be representative of the assets or exposures that determine the performance of the PRIIP.

 $^{^1\}mathrm{Directive}~2014/65/\mathrm{EU}$ of the European Parliament and of the Council of 15 May 2014 on markets in financial instruments and amending Directive 2002/92/EC and Directive 2011/EU (OJ L 173, 12.6.2014, p.349)

The PRIIP manufacturer should document the use of such benchmarks or proxies.

2.6 MRM class determination for PRIIPs Categories

2.6.1 $VaR_{RETURN SPACE}$

The VaR measure in the return space is given by the Cornish-Fisher expansion, as follows:

$$VaR_{\text{RETURN SPACE}} = \sigma \sqrt{N} * \left(-1.96 + 0.474 * \frac{\mu_1}{\sqrt{N}} - 0.0687 * \frac{\mu_2}{N} + 0.146 * \frac{\mu_1^2}{N} \right) - \frac{1}{2} \sigma^2 N$$

2.6.2 Category 2

2.6.3 Category 3

MRM calculations for Category 3 PRIIPs

- VaR time horizon
 - at the end of the holding period
 - or the period in years until the call or cancellation if the product is called or cancelled before the end of the recommended holding period according to the simulation
- **Discounting** risk-free discount factor from the present date to the end of the recommended period

• **VEV** is given by:

$$VEV = \frac{\sqrt{1.96^2 - 2 * \ln\left(VaR_{\text{PRICE SPACE}}\right)} - 1.96}{\sqrt{T}}$$
 (2.1)

where T - is the recommended holding period²

• MRM Class

- in the case of a PRIIP having only monthly price data, the MRM class shall be increased by one additional class
- Minimum Number of Simulations 10,000
- Simulation Method bootstrapping the expected distribution of prices or price levels for the PRIIPS underlying contracts from the observed distribution of returns for these contracts with replacement

• Spot simulation

- calculate logreturns for each observation period
- randomly select one observed period which corresponds to the return for all underlying contracts for each simulated period in the recommended holding period (the same observed period may be used more than once in the same simulation)
- calculate the return for each contract by summing the returns from the selected periods and correcting this return to ensure that the expected return measured from the simulated distribution of returns is the risk-neutral expectation of the return over the recommended holding period

 $^{^2{\}rm The~RTS}$ refers to " $VaR_{\rm PRICE~SPACE}$ ", but in the text there is no such definition, but there is a definition of " $VaR_{\rm RETURN~SPACE}$ "

- the final value of the return is given by:

$$Return = \mathbb{E}\Big[Return_{\text{risk-neutral}}\Big] - \mathbb{E}\Big[Return_{\text{Measured}}\Big] - 0.5\sigma^2 N - \rho\sigma\sigma_{ccy}N$$

where:

- \ast the second term corrects for the impact of the mean of the observed returns
- * the third term corrects for the impact of the variance of the observed returns
- * the last term corrects for the quanto impact if the strike currency is different from the asset currency
- calculate the price of each underlying contract by taking the exponential of the return
- for PRIIPS that are characterised by an unconditional protection of capital, the PRIIP manufacturer may assume that the VaR at a confidence level of 97.5% is equal to the level of the unconditional capital protectionat at the end of the recommended holding period, discounted to the present date using the expected risk-free discount factor

Credit Risk Measure (CRM)

Aggregation of Market and Credit Risk into Summary Risk Indicator (SRI)

Liquidity Risk

Part IV

Annex 3 - Presentation of SRI

Presentation of SRI

Part V

Annex 4 - Performance Scenarios

Performance Scenarios

7.1 Summary

The performance scenarios shall be the following:

- 1. a favourable scenario
- 2. a moderate scenario
- 3. an unfavourable scenario
- 4. a stress scenario

The stress scenario shall show intermediate periods where those periods would be shown for the performance scenarios (1-3) above (7.1)

7.2 Scenario Calculations

The scenario shall be calculated in a similar manner as the market risk measure.

The scenario values shall be calculated for the recommended holding pe-

riod.

7.3 Scenario Percentiles

The following percentiles should be used for scenarios:

Scenario	Percentile
unfavourable	10-th
moderate	50-th
favourable	90-th

7.4 Stress Scenario

7.4.1 Summary

The stress scenario shall be the value of the PRIIP that results from the methodology outlined in points ...

7.4.2 Stress Volatility

The following steps are required to calculate the stress volatility:

1. identify a sub interval of length ω which corresponds to the following intervals:

Observation Frequency	<= 1 year	> 1 year
Daily prices	21	63
Weekly prices	5	16
Monthly prices	6	12

2. identify for each sub interval of length ω the historical lognormal returns

 r_t

where:

$$t=t_0,\,t_1,\,t_2,\,...,\,t_N$$

3. measure the volatility based on the formula below starting from $t_i=t_0$ rolling until $t_i=t_{N-\omega}$

7.4.3 For Category 3 PRIIPs

7.5 Calculation of Expected Values for Intermediate Holding Periods

7.5.1 Intermediate Periods

RHP	Periods to show performance
<= 1 year	no intermediate holding periods
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- at the end of the first year
between 1 and 3 years	- and at the end of the RHP
	- at the end of the first year
>= 3 year	- after half the RHP rounded up to the end of the nearest year
	- and at the end of RHP

7.5.2 Category 2

7.5.3 Category 3

To produce the favourable, moderate, unfavourable and stress scenarios at an intermediate period before the end of the recommended holding period, the manufacturer shall pick three underlying simulations as referred to in (2.6.3) for the calculation of MRM and one underlying simulation as referred in (7.4.3), on the basis of underlying levels only and in such a manner that the simulated value of the PRIIPs for that intermediate period is likely to be consistent with the relevant scenario.

The manufacturer shall choose underlying values consistent with the 90-th, the 50-th, and the 10-th percentile levels and the percentile level that correspond to 1% for 1 year an to 5% for the other holding periods of the PRIIP and use these values as the seed values for a simulation to determine the value of the PRIIP.

7.5.4 Common Features

For favourable, moderate and unfavourable scenarios at intermediate periods, the estimate of the distribution used to read the value of the PRIIP at different percentiles shall be consistent with the observed return and volatility observed over the past 5 years of all market instruments that determine the PRIIP's value.

For the stress scenario at intermediate periods, the estimate of the distribution used to read the value of the PRIIP at different percentiles shall be consistent with the simulated distribution of all market instruments that determine the PRIIP's value as set out in (7.4).