

Custom API Documentation

 You can add the custom API functionality to send data to your API Endpoint. Please find all needed informationen below.

 This API allows sending POST requests from the BUHDA UI to an external system for processing vehicle damage information. The API sends JSON payloads with details about a vehicle, damages, and further case information. Your Endpoint requires basic authentication and the payload is in JSON format.

Base URL

- **URL:** `<API_URL>`

Replace `<API_URL>` with the actual endpoint URL provided from your service.

Authentication

Authentication Method: Basic Authentication

You will need to implement Basic authentication and authenticate using the `Authorization` header with the following format:

```
1 | Authorization: Basic <base64-encoded-username-password>
```

- **Username:** Your username for authentication.
- **Password:** Your password for authentication.

Both the username and password are concatenated with a colon (`:`) and encoded in Base64.

For example:

- **Username:** `username`
- **Password:** `password`

The base64 encoded string will be `base64('username:password')`.

HTTP Request

- **Method:** `POST`
- **Endpoint:** `<API_URL>`
- **Headers:**
 - `Content-Type: application/json`

- Authorization: Basic <base64-encoded-username-password>

Request Body

The request body should be a JSON object with the following structure:

```
1  {
2    "Vorgangsnummer": "H26XYZ",
3    "Schadennummer": "ABC123",
4    "Versicherungsnehmer": "Max Mustermann",
5    "Begutachter": "User123",
6    "Kennzeichen": "AB-CD 1234",
7    "Fahrgestellnummer": "W",
8    "Fahrzeug": "Vw Golf",
9    "Erstzulassung": "1.1.1970",
10   "Kilometerstand": "string",
11   "Bemerkungen": "",
12   "Ersatzteile": [],
13   "Instandsetzen": [],
14   "Weichdrücklohn": "100",
15   "Karosserie-lohn": "100",
16   "Lackierlohn": "100",
17   "Fahrzeugart": "hatchback-car",
18   "Helligkeit": "white-car",
19   "idFahrzeug": "",
20   "Scanned": true,
21   "Dents": {
22     "1": {
23       "amountSmall": "51",
24       "amountMedium": "11",
25       "amountLarge": "0",
26       "alu": false,
27       "glue": false,
28       "ptp": false
29     },
30     "2": {
31       "amountSmall": "",
32       "amountMedium": "",
33       "amountLarge": "",
34       "alu": false,
35       "glue": false,
36       "ptp": false
37     },
38     "3": {
39       "amountSmall": "",
40       "amountMedium": "",
41       "amountLarge": "",
42       "alu": false,
43       "glue": false,
44       "ptp": false
45     },
46     "4": {
47       "amountSmall": "",
48       "amountMedium": "",
49       "amountLarge": "",
50       "alu": false,
51       "glue": false,
52       "ptp": false
53     },
54     "5": {
55       "amountSmall": "",
56       "amountMedium": "",
57       "amountLarge": "",
58       "alu": false,
```

```
59     "glue": false,
60     "ptp": false
61 },
62 "6": {
63     "amountSmall": "",
64     "amountMedium": "",
65     "amountLarge": "",
66     "alu": false,
67     "glue": false,
68     "ptp": false
69 },
70 "7": {
71     "amountSmall": "",
72     "amountMedium": "",
73     "amountLarge": "",
74     "alu": false,
75     "glue": false,
76     "ptp": false
77 },
78 "8": {
79     "amountSmall": "",
80     "amountMedium": "",
81     "amountLarge": "",
82     "alu": false,
83     "glue": false,
84     "ptp": false
85 },
86 "9": {
87     "amountSmall": "",
88     "amountMedium": "",
89     "amountLarge": "",
90     "alu": false,
91     "glue": false,
92     "ptp": false
93 },
94 "10": {
95     "amountSmall": "",
96     "amountMedium": "",
97     "amountLarge": "",
98     "alu": false,
99     "glue": false,
100    "ptp": false
101 },
102 "11": {
103     "amountSmall": "",
104     "amountMedium": "",
105     "amountLarge": "",
106     "alu": false,
107     "glue": false,
108     "ptp": false
109 },
110 "12": {
111     "amountSmall": "",
112     "amountMedium": "",
113     "amountLarge": "",
114     "alu": false,
115     "glue": false,
116     "ptp": false
117 },
118 "13": {
119     "amountSmall": "",
120     "amountMedium": "",
121     "amountLarge": "",
122     "alu": false,
123     "glue": false,
124     "ptp": false
125 },
```

```

126     "14": {
127         "amountSmall": "",
128         "amountMedium": "",
129         "amountLarge": "",
130         "alu": false,
131         "glue": false,
132         "ptp": false
133     }
134 }
135 }
136

```

Parameters

- **Vorgangsnummer** (string): Unique identifier for the case number(e.g., `H26XYZ`).
- **Schadennummer** (string): Damage number (optional).
- **Versicherungsnehmer** (string): Insured person's name.
- **Begutachter** (string): Examiner's username.
- **Kennzeichen** (string): Vehicle registration number.
- **Fahrgestellnummer** (string): Vehicle's chassis number.
- **Fahrzeug** (string): Vehicle make/model (e.g., `Vw Golf`).
- **Erstzulassung** (string): Date of first registration (e.g., `1.1.1970`).
- **Kilometerstand** (string): Vehicle mileage (optional).
- **Bemerkungen** (string): Additional remarks (optional).
- **Ersatzteile** (array): Array of replacement parts (empty if none).
- **Instandsetzen** (array): Array of repairs (empty if none).
- **Weichdrücklohn** (string): Soft pressing labor cost.
- **Karosserielohn** (string): Bodywork labor cost.
- **Lackierlohn** (string): Painting labor cost.
- **Fahrzeugart** (string): Vehicle type (e.g., `hatchback-car`).
- **Helligkeit** (string): Vehicle color (e.g., `white-car`).
- **idFahrzeug** (string): Vehicle ID.
- **Scanned** (boolean): Indicates if the vehicle has been scanned.
- **Dents** (object): Object containing detailed dent information (see below for each dent type).

Dents Object

Each dent is indexed by a number (`1` to `14`), and each dent includes information about the number of dents in market categories, as well as the types of dent repair available (alu, glue, ptp). Example for dent `1` :

- **amountSmall** (string): Number of small dents.
- **amountMedium** (string): Number of medium dents.
- **amountLarge** (string): Number of large dents.
- **alu** (boolean): Whether aluminum is used for repair.
- **glue** (boolean): Whether glue is used for repair.
- **ptp** (boolean): Whether PTP (paintless dent repair) is used.

The dents correspond to the following vehicle parts:

- 1: Hood
- 2: Fender Left
- 3: Fender Right
- 4: Door Front Left
- 5: Door Rear Left
- 6: Door Front Right
- 7: Door Rear Right
- 8: Roof
- 9: Quarter Left
- 10: Quarter Right
- 11: Rail Left
- 12: Rail Right
- 13: Hatch Lower
- 14: Hatch Upper

⚠ These are the specific market outputs for each individual market available in BUHDA:

Part Id	Name
1	hood
2	fender left
3	fender right
4	door front left
5	door rear left
6	door front right

7	door rear right
8	roof
9	quarter left
10	quarter right
11	rail left
12	rail right
13	hatch upper
14	hatch lower

Markets:

Shortname: DE, NL, AT, CH, FR, US, SL

DE = Germany

NL = Netherlands

AT = Austria

CH = Switzerland

FR = France

US = USA

SL = Slowenia

Outputstructure as dents:

DE:

```

1  {
2    '1': {
3      amount: '1',
4      avarageSize: '20',
5      alu: false,
6      glue: false,
7      ptp: false
8    },
9    '2': {
10     ...
11   },
12 }

```

i avarageSize from 10-80 in 10 steps. 10,20,30,...

NL:

```
1 {  
2   '1': {  
3     amount: '1',  
4     avarageSize: '20',  
5     alu: false,  
6     glue: false,  
7     ptp: false  
8   },  
9   '2': {  
10    ...  
11   },  
12 }
```

i avarageSize from 5-80 in 5 steps. 5,10,15,...

AT:

```
1 {  
2   '1': {  
3     amountSmall: '0',  
4     amountMedium: '1',  
5     amountLarge: '0',  
6     oversizeAmount: '0',  
7     alu: false,  
8     glue: false,  
9     ptp: false  
10  },  
11  '2': {  
12    ...  
13  },  
14 }
```

i amountSmall = < 20 mm

amountMedium = < 30 mm

amountLarge = < 45 mm

oversizeAmount = > 45 m

CH:

```
1 {  
2   '1': {  
3     amountSmall: '1',  
4     amountMedium: '0',  
5     amountLarge: '0',  
6     alu: false,  
7     glue: false,  
8     ptp: false  
9   },  
10  '2': {  
11    ...  
12  },  
13 }
```

i amountSmall = <= 25 mm

amountMedium = > 25 mm

amountLarge = > 50 mm

Zürich has <= 20 mm instead of <= 25 mm.

FR:

```

1 {
2   {
3     '1': {
4       amount10: '1',
5       amount20: '0',
6       amount30: '0',
7       amount40: '0',
8       amount50: '0',
9       alu: false,
10      glue: false,
11      ptp: false
12    },
13    '2': {
14      ...
15    },
16  }

```

i amount10 = 1-10 mm

amount20 = 11-20 mm

amount30 = 21-30 mm

amount40 = 31-40 mm

amount50 = 41-80 mm

US:

```

1 {
2   {
3     '1': {
4       amount: '1',
5       avarageSize: 'dime',
6       oversizeAmount: '0',
7       alu: false,
8       glue: false,
9       ptp: false
10    },
11    '2': {
12      ...
13    },
14  }

```

i avarageSize has dime, nickel, quarter, half dollar

dime = 1-18 mm

nickel = 19-21 mm

quarter = 22-25 mm

halfdollar = 26-30 mm

oversizeAmount = 31 mm +

SL:

```
1 {  
2   '1': {  
3     amountSmall: '1',  
4     amountMedium: '0',  
5     amountLarge: '0',  
6     alu: false,  
7     glue: false,  
8     ptp: false  
9   },  
10  '2': {  
11    ...  
12  },  
13 }
```

 amountSmall = 1-20mm

amountMedium = 21- 30 mm

amountLarge = 31 mm +

Response

The UI will display a message depending on the response you are sending back. Feel free to add different responses as needed.