

Arithmetic Operators (Exercises)

1. $2 + 2$ 4
2. $2 + 3$ _____
3. $4 - 1$ _____
4. $3 - 8$ _____
5. $2 * 4$ _____
6. $8 / 2$ _____
7. $7 / 2$ _____
8. $7 // 2$ _____
9. $34 // 10$ _____
10. $34 \% 10$ _____
11. $2 ** 3$ _____
12. $10 ** 20$ _____
13. $2 + 3 * 5$ _____
14. $2 + (3 * 5)$ _____
15. $(2 + 3) * 5$ _____
16. $1 + 2 * 3 - 4 ** 2 / 4$ _____

Arithmetic Operators

Numbers can be combined with familiar arithmetic operators. + and – perform addition and subtraction. The multiplication operator is *.

There are three division operators:

- / performs standard division. The answer always includes a decimal point, even if it happens to be an integer.
- // performs integer division, throwing away any remainder.
- %, the *modulo* or *remainder* operator, keeps *only* the remainder.

The ** operator performs exponentiation, so 5 ** 2 computes 5^2 .

Some operators have higher precedence than others, so they are performed first:

- ** has the highest precedence
- *, /, //, and % have the next highest
- + and – have the lowest

Parentheses can be used to ensure that particular operations are performed earlier.

Arithmetic Operators (Solutions)

1. $2 + 2$ 4
2. $2 + 3$ 5
3. $4 - 1$ 3
4. $3 - 8$ -5
5. $2 * 4$ 8
6. $8 / 2$ 4.0
7. $7 / 2$ 3.5
8. $7 // 2$ 3
9. $34 // 10$ 3
10. $34 \% 10$ 4
11. $2 ** 3$ 8
12. $10 ** 20$ 100000000000000000000
13. $2 + 3 * 5$ 17
14. $2 + (3 * 5)$ 17
15. $(2 + 3) * 5$ 25
16. $1 + 2 * 3 - 4 ** 2 / 4$ 3.0