

Go

Your name:

By the time you are done with this activity, you should be able to:

- use classes and interfaces from the Java Collections Framework, including Stack and Set.
- use a stack to represent state history for undoing.
- debug using unit tests.

After you complete this activity, please fill out the short survey at

<http://goo.gl/forms/HXjyuUb2ou>

to improve this project for future users.

Playing the game

Included in the Go project is a file `Go.jar`. This is a compiled version of the working game. To play it, use a terminal to navigate to the directory containing the file and type this on the command line:

```
java -jar Go.jar
```

Go, arguably the oldest strategy game in the world, was invented in China 3,000-5,000 years ago. It is known as *Weiqi* in China, *Igo* in Japan, and *Baduk* in Korea. While the rules are simpler than those of *Chess*, top human *Go* players were able to beat all computer programs until 2016. The AlphaGo program's victory over Lee Sedol is considered a milestone in artificial intelligence research.

This is a two-player game. Play a couple of games with another student. Board width 5 is fine for learning the rules. Larger boards make for more interesting but longer games; playing on the standard width 19 board can take over an hour.

Note to experienced *Go* players: to keep the program simple, this program uses Chinese scoring. No attempt is made at the end of the game to remove “dead” stones; if you think you can capture something, do it!

Debugging with JUnit

You have been given a complete program, but it contains some bugs. Specifically, some of the methods in `GoModel.java` do not quite work correctly.

You have been given a JUnit test class `GoModelTestHighLevel.java`. This test currently fails because of the bugs.

Write a new class, `GoModelTest.java`, testing each of the methods in `GoModel.java`. You may end up testing more than one method with a single test or creating multiple tests for one method.

Find and eliminate the bugs so that `GoModelTestHighLevel.java` passes.

The number of bugs is more than one and less than ten. Each can be fixed by modifying a single line of code.

Take notes as you work. What bugs and conceptual difficulties did you encounter? How did you overcome them? What did you learn?

Please fill out the survey at <http://goo.gl/forms/HXjyuUb2ou>.

This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

This work was supported by the Google Education and Relations Fund's CS Engagement Small Grant Program grant #TFR15-00411.

The principal investigator, Peter Drake, wishes to thank the following for their useful comments: the members of the CS-POGIL project, specifically Clif Kussmaul and Helen Hu; Maggie Dreyer; and various anonymous reviewers.