Document Identifier: **PMC8006606**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study protocol was approved by the local Ethics Committee of each participating hospital, and written informed consent was obtained from all patients.
Consent: The study protocol was approved by the local Ethics Committee of each participating hospital, and written informed consent was obtained from all patients.
Inclusion and Exclusion Criteria
not detected.
Attrition
Methods Study design The CHART-2 study is a prospective, multicentre, observational cohort study for HF in Japan, and the details have been described previously (UMIN:000000562, NCT00418041). 17 , 18 , 19 , 20 Briefly, 10 219 consecutive stable patients aged >=20 years with coronary artery disease (N = 868), asymptomatic structural heart disease (Stage B, N = 4475), and a current or past history of HF (Stage CD, N = 4876) were registered from the 24 participating hospitals between October 2006 and March 2010.
Sex as a biological variable
not detected.
Subject Demographics
Age: Methods Study design The CHART-2 study is a prospective, multicentre, observational cohort study for HF in Japan, and the details have been described previously (UMIN:000000562, NCT00418041). 17 , 18 , 19 , 20 Briefly, 10 219 consecutive stable patients aged >=20 years with coronary artery disease (N = 868), asymptomatic structural heart disease (Stage B, N = 4475), and a current or past history of HF (Stage CD, N = 4876) were registered from the 24 participating hospitals between October 2006 and March 2010.
Randomization
not detected.
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
Methods Study design The CHART-2 study is a prospective, multicentre, observational cohort study for HF in Japan, and the details have been described previously (UMIN:000000562, NCT00418041). 17 , 18 , 19 , 20 Briefly, 10 219 consecutive stable patients aged >=20 years with coronary artery disease (N = 868), asymptomatic structural heart disease (Stage B, N = 4475), and a current or past history of HF (Stage CD, N = 4876) were registered from the 24 participating hospitals between October 2006 and March 2010.	UMIN:000000562		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Group comparisons were performed using ANOVA and Kruskal-Wallis test for continuous variables and Fishers exact test for categorical variables.	ANOVA
	Kruskal-Wallis test
	Fishers exact test
Survival curves were estimated using the Kaplan-Meier procedure and compared with log-rank test adjusted by the Bonferroni correction for P value.	log-rank test
	Bonferroni

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq