Document Identifier: **PMC8006731**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the local ethics committee of the University Medical Centre Utrecht (UMCU), the Netherlands (METC: 20-195).
Consent: The need for informed consent was waived, and this study was conducted in accordance with Good Clinical Practice and the 2002 Declaration of Helsinki.
Inclusion and Exclusion Criteria
All patients who underwent primary implantation of HVAD or HM3 until December 2019 at the UMCU were eligible.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
Because the type of LVAD device was not assigned in a randomized controlled manner , we performed PS matching to obtain two comparable groups .
Blinding
RV function was classified as 1 (poor) , 2 (intermediate) , or 3 (good) by two independent cardiologists who were blinded for the type of LVAD .
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences in both groups were tested using Fishers exact test for categorical variables and the t-test or Mann-Whitney U test for continuous variables as appropriate.	Fishers exact test
	t-test
	Mann-Whitney U test
Baseline differences between both groups were tested using the Wilcoxon signed-rank test or McNemar test .	Wilcoxon signed-rank test
	McNemar test
Cox regression was performed within the PS-matched group with survival as dependent variable and device type and the interaction between each of the three main surgeons and device type as independent variables .	Cox regression
Difference in survival was assessed by log-rank testing .	log-rank testing

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq