Document Identifier: **PMC8008435**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: An institutional review board (US) or independent ethics committee (Europe) approved study protocol and amendments at each participating center.
Consent: All participants provided written informed consent.
Inclusion and Exclusion Criteria
Patient Population Adult patients aged 18 to 55 years with RMS as defined by the revised (2010) McDonald diagnostic criteria for MS 20 with a relapsing course (ie, RMS or secondary progressive MS with superimposed relapses), an EDSS score between 0 and 5.5, and recent clinical or magnetic resonance imaging (MRI) activity were enrolled. eAppendix 1 in Supplement 1 presents complete inclusion and exclusion criteria.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patient Population Adult patients aged 18 to 55 years with RMS as defined by the revised (2010) McDonald diagnostic criteria for MS 20 with a relapsing course (ie, RMS or secondary progressive MS with superimposed relapses), an EDSS score between 0 and 5.5, and recent clinical or magnetic resonance imaging (MRI) activity were enrolled. eAppendix 1 in Supplement 1 presents complete inclusion and exclusion criteria.
Randomization
Methods Study Design OPTIMUM (NCT02425644) was a phase 3, multicenter, double-blind, active-comparator, superiority randomized clinical trial designed to compare the efficacy, safety, and tolerability of 20 mg of ponesimod vs 14 mg of teriflunomide in patients with RMS (eFigure 1 in Supplement 1 Trial Protocol in Supplement 2).
Blinding
Secondary efficacy variables were (1) the change from baseline to week 108 in fatigue-associated symptoms, as measured by the symptom domain of the Fatigue Symptom and Impact Questionnaire-Relapsing Multiple Sclerosis (FSIQ-RMS), a validated patient-reported outcome measure 21 (eAppendix 1 in Supplement 1) (2) cumulative number of combined unique active lesions (CUALs) on MRI, defined as new Gd+ T1 lesions or

new or enlarging T2 lesions (without double counting of lesions) from baseline to week 108 (assessed in a blinded fashion at a central reading center Medical Image Analysis Center, Basel, Switzerland) (3) time to 12-week confirmed disability accumulation (CDA) from baseline to the EOS, defined as an increase in the EDSS score, which was confirmed after 12 weeks (by an increase of at least 1.5 with a baseline EDSS score of 0.0, at least 1.0 with baseline EDSS score of 1.0 to 5.0, or at least 0.5 with a baseline EDSS score of 5.5 or more) and (4) time to 24-week confirmed CDA from baseline to the EOS.
Power Analysis
not detected.
Replication
not required.
Protocol Information

Identifiers: Methods Study Design OPTIMUM (NCT02425644) was a phase 3, multicenter, double-blind, active-comparator, superiority randomized clinical trial designed to compare the efficacy, safety, and tolerability of 20 mg of ponesimod vs 14 mg of teriflunomide in patients with RMS (eFigure 1 in Supplement 1 Trial Protocol in Supplement 2).	NCT02425644

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq