Document Identifier: **PMC8009170**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All patients provided informed consent.
IRB: This study was approved by the Institutional Review Board of Samsung Medical Center (IRB no.: 2010-10-028).
Inclusion and Exclusion Criteria
Other key eligibility criteria included an Eastern Cooperative Oncology Group (ECOG) performance status of <= 2 and adequate bone marrow, renal and hepatic function.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Eligible patients were age >= 18 years with histologically confirmed stage III or IV (M0 disease) hypopharyngeal or BOT cancer according to the American Joint Cancer Committee (AJCC) staging classification 7th edition and had one or more measurable lesions.
Randomization
METHODS Patients and study design This phase II randomized trial (NCT01312350) was conducted to test the efficacy of IC with a TPF regimen followed by concurrent chemoradiotherapy compared to CRT alone.
Blinding
not detected.
Power Analysis
Given a one-tailed alpha of 0.1 and power of 0.85, the 1-year PFS rate would be 65 and 80 in the CRT arm and IC arm, respectively, with an accrual rate of 29 patients per year and an additional follow-up period of 1.5 years.
Replication

not required.	
Protocol Information	
Identifiers: METHODS Patients and study design This phase II randomized trial (NCT01312350) was conducted to test the efficacy of IC with a TPF regimen followed by concurrent chemoradiotherapy compared to CRT alone.	NCT01312350 Warning: study registration date February 21, 2011 is after study start date November 2010

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analyses were performed using SPSS version 21 (IBM Co., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis Survival rates were estimated by the Kaplan-Meier method and compared between the two treatment groups using the log-rank test.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq